

# Ben Scheres

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/191678/publications.pdf>

Version: 2024-02-01

141  
papers

24,832  
citations

8181

76  
h-index

8630

146  
g-index

158  
all docs

158  
docs citations

158  
times ranked

12747  
citing authors

#	ARTICLE	IF	CITATIONS
1	The PIN auxin efflux facilitator network controls growth and patterning in Arabidopsis roots. Nature, 2005, 433, 39-44.	27.8	1,789
2	An Auxin-Dependent Distal Organizer of Pattern and Polarity in the Arabidopsis Root. Cell, 1999, 99, 463-472.	28.9	1,233
3	The PLETHORA Genes Mediate Patterning of the Arabidopsis Root Stem Cell Niche. Cell, 2004, 119, 109-120.	28.9	1,022
4	Conserved factors regulate signalling in Arabidopsis shoot and root stem cell organizers. Nature, 2007, 446, 811-814.	27.8	943
5	AtPIN4 Mediates Sink-Driven Auxin Gradients and Root Patterning in Arabidopsis. Cell, 2002, 108, 661-673.	28.9	763
6	Auxin transport is sufficient to generate a maximum and gradient guiding root growth. Nature, 2007, 449, 1008-1013.	27.8	761
7	Polar PIN Localization Directs Auxin Flow in Plants. Science, 2006, 312, 883-883.	12.6	754
8	PLETHORA proteins as dose-dependent master regulators of Arabidopsis root development. Nature, 2007, 449, 1053-1057.	27.8	743
9	Short-range control of cell differentiation in the Arabidopsis root meristem. Nature, 1997, 390, 287-289.	27.8	659
10	SCARECROW is involved in positioning the stem cell niche in the Arabidopsis root meristem. Genes and Development, 2003, 17, 354-358.	5.9	622
11	Cell fate in the Arabidopsis root meristem determined by directional signalling. Nature, 1995, 378, 62-65.	27.8	535
12	An Evolutionarily Conserved Mechanism Delimiting SHR Movement Defines a Single Layer of Endodermis in Plants. Science, 2007, 316, 421-425.	12.6	522
13	Auxin: The Looping Star in Plant Development. Annual Review of Plant Biology, 2008, 59, 443-465.	18.7	503
14	Dissection of Arabidopsis ADP-RIBOSYLATION FACTOR 1 Function in Epidermal Cell Polarity. Plant Cell, 2005, 17, 525-536.	6.6	422
15	Callose Biosynthesis Regulates Symplastic Trafficking during Root Development. Developmental Cell, 2011, 21, 1144-1155.	7.0	394
16	Arabidopsis Sterol Endocytosis Involves Actin-Mediated Trafficking via ARA6-Positive Early Endosomes. Current Biology, 2003, 13, 1378-1387.	3.9	390
17	A Mutually Inhibitory Interaction between Auxin and Cytokinin Specifies Vascular Pattern in Roots. Current Biology, 2011, 21, 917-926.	3.9	359
18	Root System Architecture from Coupling Cell Shape to Auxin Transport. PLoS Biology, 2008, 6, e307.	5.6	353

#	ARTICLE	IF	CITATIONS
19	The RETINOBLASTOMA-RELATED Gene Regulates Stem Cell Maintenance in Arabidopsis Roots. <i>Cell</i> , 2005, 123, 1337-1349.	28.9	336
20	PLETHORA gradient formation mechanism separates auxin responses. <i>Nature</i> , 2014, 515, 125-129.	27.8	329
21	Stem-cell niches: nursery rhymes across kingdoms. <i>Nature Reviews Molecular Cell Biology</i> , 2007, 8, 345-354.	37.0	323
22	A Molecular Framework for Plant Regeneration. <i>Science</i> , 2006, 311, 385-388.	12.6	312
23	The ENOD12 gene product is involved in the infection process during the pea-rhizobium interaction. <i>Cell</i> , 1990, 60, 281-294.	28.9	293
24	Lateral root formation and the multiple roles of auxin. <i>Journal of Experimental Botany</i> , 2018, 69, 155-167.	4.8	291
25	Whole-Genome Analysis of the SHORT-ROOT Developmental Pathway in Arabidopsis. <i>PLoS Biology</i> , 2006, 4, e143.	5.6	283
26	A Bistable Circuit Involving SCARECROW-RETINOBLASTOMA Integrates Cues to Inform Asymmetric Stem Cell Division. <i>Cell</i> , 2012, 150, 1002-1015.	28.9	273
27	Mosaic analyses using marked activation and deletion clones dissect Arabidopsis SCARECROW action in asymmetric cell division. <i>Genes and Development</i> , 2004, 18, 1964-1969.	5.9	271
28	Root-Specific CLE19 Overexpression and the sol1/2 Suppressors Implicate a CLV-like Pathway in the Control of Arabidopsis Root Meristem Maintenance. <i>Current Biology</i> , 2003, 13, 1435-1441.	3.9	269
29	Cell Polarity and PIN Protein Positioning in Arabidopsis Require STEROL METHYLTRANSFERASE1 Function. <i>Plant Cell</i> , 2003, 15, 612-625.	6.6	260
30	<i>Arabidopsis</i> JACKDAW and MAGPIE zinc finger proteins delimit asymmetric cell division and stabilize tissue boundaries by restricting SHORT-ROOT action. <i>Genes and Development</i> , 2007, 21, 2196-2204.	5.9	245
31	PLETHORA Genes Control Regeneration by a Two-Step Mechanism. <i>Current Biology</i> , 2015, 25, 1017-1030.	3.9	240
32	A Jasmonate Signaling Network Activates Root Stem Cells and Promotes Regeneration. <i>Cell</i> , 2019, 177, 942-956.e14.	28.9	233
33	Phloem-Transported Cytokinin Regulates Polar Auxin Transport and Maintains Vascular Pattern in the Root Meristem. <i>Current Biology</i> , 2011, 21, 927-932.	3.9	231
34	The NAC Domain Transcription Factors FEZ and SOMBRERO Control the Orientation of Cell Division Plane in Arabidopsis Root Stem Cells. <i>Developmental Cell</i> , 2008, 15, 913-922.	7.0	229
35	Generation of cell polarity in plants links endocytosis, auxin distribution and cell fate decisions. <i>Nature</i> , 2008, 456, 962-966.	27.8	228
36	Plasma membrane-bound AGC3 kinases phosphorylate PIN auxin carriers at TPRXS(N/S) motifs to direct apical PIN recycling. <i>Development (Cambridge)</i> , 2010, 137, 3245-3255.	2.5	201

#	ARTICLE	IF	CITATIONS
37	ROP GTPase-Dependent Actin Microfilaments Promote PIN1 Polarization by Localized Inhibition of Clathrin-Dependent Endocytosis. <i>PLoS Biology</i> , 2012, 10, e1001299.	5.6	186
38	A ROP GTPase-Dependent Auxin Signaling Pathway Regulates the Subcellular Distribution of PIN2 in Arabidopsis Roots. <i>Current Biology</i> , 2012, 22, 1319-1325.	3.9	177
39	Members of the GCN5 Histone Acetyltransferase Complex Regulate PLETHORA-Mediated Root Stem Cell Niche Maintenance and Transit Amplifying Cell Proliferation in <i>Arabidopsis</i> . <i>Plant Cell</i> , 2009, 21, 1070-1079.	6.6	168
40	COP1 mediates the coordination of root and shoot growth by light through modulation of PIN1- and PIN2-dependent auxin transport in <i>Arabidopsis</i> . <i>Development (Cambridge)</i> , 2012, 139, 3402-3412.	2.5	167
41	The Arabidopsis HOBBIT gene encodes a CDC27 homolog that links the plant cell cycle to progression of cell differentiation. <i>Genes and Development</i> , 2002, 16, 2566-2575.	5.9	166
42	SOMBRERO, BEARSKIN1, and BEARSKIN2 Regulate Root Cap Maturation in <i>Arabidopsis</i> . <i>Plant Cell</i> , 2010, 22, 640-654.	6.6	163
43	Root Development. <i>The Arabidopsis Book</i> , 2002, 1, e0101.	0.5	146
44	Plant neurobiology: no brain, no gain?. <i>Trends in Plant Science</i> , 2007, 12, 135-136.	8.8	146
45	Local auxin biosynthesis regulation by PLETHORA transcription factors controls phyllotaxis in <i>Arabidopsis</i> . <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2013, 110, 1107-1112.	7.1	146
46	<i>Arabidopsis</i> E2FA stimulates proliferation and endocycle separately through RBR-bound and RBR-free complexes. <i>EMBO Journal</i> , 2012, 31, 1480-1493.	7.8	142
47	In situ hybridization technique for mRNA detection in whole mount Arabidopsis samples. <i>Nature Protocols</i> , 2006, 1, 1939-1946.	12.0	141
48	Vectorial Information for Arabidopsis Planar Polarity Is Mediated by Combined AUX1, EIN2, and GNOM Activity. <i>Current Biology</i> , 2006, 16, 2143-2149.	3.9	141
49	Root development. <i>Current Biology</i> , 2000, 10, R813-R815.	3.9	138
50	A SCARECROW-RETINOBLASTOMA Protein Network Controls Protective Quiescence in the Arabidopsis Root Stem Cell Organizer. <i>PLoS Biology</i> , 2013, 11, e1001724.	5.6	137
51	Root Development—Two Meristems for the Price of One?. <i>Current Topics in Developmental Biology</i> , 2010, 91, 67-102.	2.2	134
52	Cell Polarity Signaling in Arabidopsis Involves a BFA-Sensitive Auxin Influx Pathway. <i>Current Biology</i> , 2002, 12, 329-334.	3.9	131
53	Transcriptional control of tissue formation throughout root development. <i>Science</i> , 2015, 350, 426-430.	12.6	128
54	In vivo FRET—FLIM reveals cell-type-specific protein interactions in Arabidopsis roots. <i>Nature</i> , 2017, 548, 97-102.	27.8	128

#	ARTICLE	IF	CITATIONS
55	The PLETHORA Gene Regulatory Network Guides Growth and Cell Differentiation in Arabidopsis Roots. <i>Plant Cell</i> , 2016, 28, 2937-2951.	6.6	127
56	Arabidopsis PLETHORA Transcription Factors Control Phyllotaxis. <i>Current Biology</i> , 2011, 21, 1123-1128.	3.9	124
57	The AUXIN BINDING PROTEIN 1 Is Required for Differential Auxin Responses Mediating Root Growth. <i>PLoS ONE</i> , 2009, 4, e6648.	2.5	124
58	Arabidopsis BIRD Zinc Finger Proteins Jointly Stabilize Tissue Boundaries by Confining the Cell Fate Regulator SHORT-ROOT and Contributing to Fate Specification. <i>Plant Cell</i> , 2015, 27, 1185-1199.	6.6	121
59	The plant perceptron connects environment to development. <i>Nature</i> , 2017, 543, 337-345.	27.8	120
60	JACKDAW controls epidermal patterning in the <i>Arabidopsis</i> root meristem through a non-cell-autonomous mechanism. <i>Development (Cambridge)</i> , 2010, 137, 1523-1529.	2.5	119
61	MultiSite Gateway-Compatible Cell Type-Specific Gene-Inducible System for Plants. <i>Plant Physiology</i> , 2016, 170, 627-641.	4.8	119
62	ASYMMETRIC CELL DIVISION IN PLANTS. <i>Annual Review of Plant Biology</i> , 1999, 50, 505-537.	14.3	117
63	The Arabidopsis Anaphase-Promoting Complex or Cyclosome: Molecular and Genetic Characterization of the APC2 Subunit. <i>Plant Cell</i> , 2003, 15, 2370-2382.	6.6	117
64	A PHABULOSA/Cytokinin Feedback Loop Controls Root Growth in Arabidopsis. <i>Current Biology</i> , 2012, 22, 1699-1704.	3.9	112
65	Lateral root emergence in <i>Arabidopsis</i> is dependent on transcription factor LBD29 regulating auxin influx carrier <i>LAX3</i> . <i>Development (Cambridge)</i> , 2016, 143, 3340-9.	2.5	111
66	Phyllotaxis and Rhizotaxis in Arabidopsis Are Modified by Three PLETHORA Transcription Factors. <i>Current Biology</i> , 2013, 23, 956-962.	3.9	105
67	Polar auxin transport: models and mechanisms. <i>Development (Cambridge)</i> , 2013, 140, 2253-2268.	2.5	105
68	Time-lapse analysis of stem-cell divisions in the <i>Arabidopsis thaliana</i> root meristem. <i>Plant Journal</i> , 2006, 48, 619-627.	5.7	100
69	Root stem cell niche organizer specification by molecular convergence of PLETHORA and SCARECROW transcription factor modules. <i>Genes and Development</i> , 2018, 32, 1085-1100.	5.9	100
70	PLETHORA transcription factors orchestrate de novo organ patterning during <i>Arabidopsis</i> lateral root outgrowth. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2017, 114, 11709-11714.	7.1	99
71	Repression of Apical Homeobox Genes Is Required for Embryonic Root Development in Arabidopsis. <i>Current Biology</i> , 2009, 19, 1485-1490.	3.9	97
72	Quantitative Phosphoproteomics after Auxin-stimulated Lateral Root Induction Identifies an SNX1 Protein Phosphorylation Site Required for Growth. <i>Molecular and Cellular Proteomics</i> , 2013, 12, 1158-1169.	3.8	95

#	ARTICLE	IF	CITATIONS
73	Probing the roles of LRR RLK genes in <i>Arabidopsis thaliana</i> roots using a custom T-DNA insertion set. <i>Plant Molecular Biology</i> , 2011, 76, 69-83.	3.9	90
74	<i>Arabidopsis</i> CULLIN3 Genes Regulate Primary Root Growth and Patterning by Ethylene-Dependent and -Independent Mechanisms. <i>PLoS Genetics</i> , 2009, 5, e1000328.	3.5	88
75	Irreversible fate commitment in the <i>Arabidopsis</i> stomatal lineage requires a FAMA and RETINOBLASTOMA-RELATED module. <i>ELife</i> , 2014, 3, .	6.0	86
76	Plant Cell Identity. The Role of Position and Lineage: Fig. 1.. <i>Plant Physiology</i> , 2001, 125, 112-114.	4.8	84
77	<i>Arabidopsis</i> RETINOBLASTOMA RELATED directly regulates DNA damage responses through functions beyond cell cycle control. <i>EMBO Journal</i> , 2017, 36, 1261-1278.	7.8	83
78	Mechanisms of Pattern Formation in Plant Embryogenesis. <i>Annual Review of Genetics</i> , 2004, 38, 587-614.	7.6	81
79	SCHIZORIZA Encodes a Nuclear Factor Regulating Asymmetry of Stem Cell Divisions in the <i>Arabidopsis</i> Root. <i>Current Biology</i> , 2010, 20, 452-457.	3.9	79
80	Root developmental programs shape the <i>Medicago truncatula</i> nodule meristem. <i>Development (Cambridge)</i> , 2015, 142, 2941-50.	2.5	78
81	Specialization of CDC27 function in the <i>Arabidopsis thaliana</i> anaphase-promoting complex (APC/C). <i>Plant Journal</i> , 2008, 53, 78-89.	5.7	74
82	The PsENOD12 Gene Is Expressed at Two Different Sites in Afghanistan Pea Pseudonodules Induced by Auxin Transport Inhibitors. <i>Plant Physiology</i> , 1992, 100, 1649-1655.	4.8	68
83	Non-cell-autonomous rescue of anaphase-promoting complex function revealed by mosaic analysis of HOBBIT, an <i>Arabidopsis</i> CDC27 homolog. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2006, 103, 13250-13255.	7.1	62
84	Phosphorylation switch modulates the interdigitated pattern of PIN1 localization and cell expansion in <i>Arabidopsis</i> leaf epidermis. <i>Cell Research</i> , 2011, 21, 970-978.	12.0	62
85	A plant U-box protein, PUB4, regulates asymmetric cell division and cell proliferation in the root meristem. <i>Development (Cambridge)</i> , 2015, 142, 444-453.	2.5	61
86	Cell-by-cell dissection of phloem development links a maturation gradient to cell specialization. <i>Science</i> , 2021, 374, eaba5531.	12.6	60
87	Precise control of plant stem cell activity through parallel regulatory inputs. <i>Development (Cambridge)</i> , 2014, 141, 4055-4064.	2.5	59
88	A Plausible Microtubule-Based Mechanism for Cell Division Orientation in Plant Embryogenesis. <i>Current Biology</i> , 2018, 28, 3031-3043.e2.	3.9	57
89	<i>SCARECROW</i> and <i>LIKE</i> 23 and <i>SCARECROW</i> jointly specify endodermal cell fate but distinctly control <i>SHORT</i> movement. <i>Plant Journal</i> , 2015, 84, 773-784.	5.7	52
90	Cell polarity: ROPing the ends together. <i>Current Opinion in Plant Biology</i> , 2005, 8, 613-618.	7.1	51

#	ARTICLE	IF	CITATIONS
91	Cell fate and cell differentiation status in the Arabidopsis root. <i>Planta</i> , 1998, 205, 483-491.	3.2	50
92	Distinct Cell-Autonomous Functions of <i>RETINOBLASTOMA-RELATED</i> in <i>Arabidopsis</i> Stem Cells Revealed by the Brother of Rainbow Clonal Analysis System. <i>Plant Cell</i> , 2011, 23, 2581-2591.	6.6	49
93	<i>RETINOBLASTOMA-RELATED</i> Protein Stimulates Cell Differentiation in the <i>Arabidopsis</i> Root Meristem by Interacting with Cytokinin Signaling. <i>Plant Cell</i> , 2013, 25, 4469-4478.	6.6	46
94	Identification of factors required for meristem function in <i>Arabidopsis</i> using a novel next generation sequencing fast forward genetics approach. <i>BMC Genomics</i> , 2011, 12, 256.	2.8	45
95	Morphogengineering roots: comparing mechanisms of morphogen gradient formation. <i>BMC Systems Biology</i> , 2012, 6, 37.	3.0	45
96	Sequential Induction of Nodulin Gene Expression in the Developing Pea Nodule. <i>Plant Cell</i> , 1990, 2, 687.	6.6	44
97	The <i>Arabidopsis</i> root as a model to study plant development. <i>Plant Physiology and Biochemistry</i> , 1998, 36, 21-32.	5.8	41
98	Polar auxin transport and patterning: grow with the flow. <i>Genes and Development</i> , 2006, 20, 922-926.	5.9	41
99	Shootward and rootward: peak terminology for plant polarity. <i>Trends in Plant Science</i> , 2010, 15, 593-594.	8.8	39
100	A computational framework for cortical microtubule dynamics in realistically shaped plant cells. <i>PLoS Computational Biology</i> , 2018, 14, e1005959.	3.2	39
101	Apical-basal polarity: why plant cells don't stand on their heads. <i>Trends in Plant Science</i> , 2006, 11, 12-14.	8.8	37
102	Nutrient computation for root architecture. <i>Science</i> , 2014, 346, 300-301.	12.6	36
103	A reflux-and-growth mechanism explains oscillatory patterning of lateral root branching sites. <i>Developmental Cell</i> , 2021, 56, 2176-2191.e10.	7.0	35
104	Coordination of growth in root and shoot apices by <i>AIL/PLT</i> transcription factors. <i>Current Opinion in Plant Biology</i> , 2018, 41, 95-101.	7.1	34
105	Back to the future: evolution of computational models in plant morphogenesis. <i>Current Opinion in Plant Biology</i> , 2009, 12, 606-614.	7.1	33
106	<i>XYLEM NAC DOMAIN1</i> , an angiosperm NAC transcription factor, inhibits xylem differentiation through conserved motifs that interact with <i>RETINOBLASTOMA-RELATED</i> . <i>New Phytologist</i> , 2017, 216, 76-89.	7.3	33
107	Gradient Expression of Transcription Factor Imposes a Boundary on Organ Regeneration Potential in Plants. <i>Cell Reports</i> , 2019, 29, 453-463.e3.	6.4	33
108	Experimental and genetic analysis of root development in <i>Arabidopsis thaliana</i> . <i>Plant and Soil</i> , 1996, 187, 97-105.	3.7	31

#	ARTICLE	IF	CITATIONS
109	Isolation and characterization of an auxin-inducible glutathione S-transferase gene of <i>Arabidopsis thaliana</i> . <i>Plant Molecular Biology</i> , 1996, 30, 839-844.	3.9	31
110	CLASP-mediated cortical microtubule organization guides PIN polarization axis. <i>Nature</i> , 2013, 495, 529-533.	27.8	29
111	Mediator subunit MED31 is required for radial patterning of <i>Arabidopsis</i> roots. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2018, 115, E5624-E5633.	7.1	26
112	A coherent feed forward loop drives vascular regeneration in damaged aerial organs growing in normal developmental-context. <i>Development (Cambridge)</i> , 2020, 147, .	2.5	24
113	Non-linear signaling for pattern formation?. <i>Current Opinion in Plant Biology</i> , 2000, 3, 412-417.	7.1	23
114	Optimizing FRET-FLIM Labeling Conditions to Detect Nuclear Protein Interactions at Native Expression Levels in Living <i>Arabidopsis</i> Roots. <i>Frontiers in Plant Science</i> , 2018, 9, 639.	3.6	21
115	The pea early nodulin gene <i>PsENOD7</i> maps in the region of linkage group I containing <i>sym2</i> and <i>leghaemoglobin</i> . <i>Plant Molecular Biology</i> , 1996, 31, 149-156.	3.9	20
116	Cell axiality and polarity in plants – adding pieces to the puzzle. <i>Current Opinion in Plant Biology</i> , 2001, 4, 520-526.	7.1	19
117	The logic of communication: roles for mobile transcription factors in plants. <i>Journal of Experimental Botany</i> , 2015, 66, 1133-1144.	4.8	19
118	Root pattern: Shooting in the dark?. <i>Seminars in Cell and Developmental Biology</i> , 1998, 9, 201-206.	5.0	18
119	5 Digging out Roots: Pattern Formation, Cell Division, and Morphogenesis in Plants. <i>Current Topics in Developmental Biology</i> , 1999, 45, 207-247.	2.2	18
120	Plant Patterning: TRY to Inhibit Your Neighbors. <i>Current Biology</i> , 2002, 12, R804-R806.	3.9	18
121	Plant Asymmetric Cell Division, Vive la Différence!. <i>Cell</i> , 2009, 137, 1189-1192.	28.9	18
122	Root development: New meanings for root canals?. <i>Current Opinion in Plant Biology</i> , 1998, 1, 32-36.	7.1	17
123	Cell signaling in root development. <i>Current Opinion in Genetics and Development</i> , 1997, 7, 501-506.	3.3	16
124	Geometric cues forecast the switch from two- to three-dimensional growth in <i>Physcomitrella patens</i> . <i>New Phytologist</i> , 2020, 225, 1945-1955.	7.3	16
125	Topology of regulatory networks that guide plant meristem activity: similarities and differences. <i>Current Opinion in Plant Biology</i> , 2019, 51, 74-80.	7.1	15
126	<i>ErbB-3 BINDING PROTEIN 1</i> Regulates Translation and Counteracts <i>RETINOBLASTOMA RELATED</i> to Maintain the Root Meristem. <i>Plant Physiology</i> , 2020, 182, 919-932.	4.8	10



#	ARTICLE	IF	CITATIONS
127	Root patterning: it takes two to tangle. <i>Journal of Experimental Botany</i> , 2016, 67, 1201-1203.	4.8	8
128	Analysis of a Plant Transcriptional Regulatory Network Using Transient Expression Systems. <i>Methods in Molecular Biology</i> , 2017, 1629, 83-103.	0.9	8
129	Root genomics: towards digital in situ hybridization. <i>Genome Biology</i> , 2004, 5, 227.	9.6	7
130	A LEAFY link from outer space. <i>Nature</i> , 1998, 395, 545-547.	27.8	6
131	The force from without. <i>Nature</i> , 2007, 446, 151-152.	27.8	6
132	Roots respond to an inner calling. <i>Nature</i> , 2010, 465, 299-300.	27.8	6
133	Joining forces: feedback and integration in plant development. <i>Current Opinion in Genetics and Development</i> , 2011, 21, 799-805.	3.3	6
134	Early Nodulins in Pea and Soybean Nodule Development. <i>Current Plant Science and Biotechnology in Agriculture</i> , 1991, , 300-303.	0.0	5
135	Rooting plant development. <i>Development (Cambridge)</i> , 2013, 140, 939-941.	2.5	4
136	Embryo-patterning genes and reinforcement cues determine cell fate in the <i>Arabidopsis thaliana</i> root. <i>Seminars in Cell and Developmental Biology</i> , 1996, 7, 857-865.	5.0	3
137	Plant cell biology "get your networks together. <i>Current Opinion in Plant Biology</i> , 2007, 10, 546-548.	7.1	2
138	<i>Arabidopsis</i> as a Model for Systems Biology. , 2013, , 391-406.		2
139	Tuning Division and Differentiation in Stomata: How to Silence a MUTE. <i>Developmental Cell</i> , 2018, 45, 282-283.	7.0	1
140	Gradient Expression of Transcription Factor Imposes a Boundary on Organ Regenerative Potential in Plant. <i>SSRN Electronic Journal</i> , 0, , .	0.4	1
141	Playing with <i>Arabidopsis</i> . <i>Plant Physiology</i> , 2001, 126, 468-470.	4.8	0