

# Stephen J Walters

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1916907/publications.pdf>

Version: 2024-02-01

133  
papers

7,933  
citations

57758

44  
h-index

54911

84  
g-index

150  
all docs

150  
docs citations

150  
times ranked

11981  
citing authors

#	ARTICLE	IF	CITATIONS
1	Self-management intervention to reduce pulmonary exacerbations by supporting treatment adherence in adults with cystic fibrosis: a randomised controlled trial. <i>Thorax</i> , 2022, 77, 461-469.	5.6	27
2	Patients'™ expectations and experiences of accelerated access to physiotherapy for sciatica: qualitative findings from a mixed-methods study. <i>Physiotherapy</i> , 2022, 115, 102-110.	0.4	2
3	Regarding the articles on home spirometry. <i>Journal of Cystic Fibrosis</i> , 2022, , .	0.7	0
4	Individual, household and area predictors of anaemia among children aged 6-59 months in Nigeria. <i>Public Health in Practice</i> , 2022, 3, 100229.	1.5	6
5	Endometrial scratch to increase live birth rates in women undergoing first-time in vitro fertilisation: RCT and systematic review. <i>Health Technology Assessment</i> , 2022, 26, 1-212.	2.8	6
6	Statistical analysis of publicly funded cluster randomised controlled trials: a review of the National Institute for Health Research Journals Library. <i>Trials</i> , 2022, 23, 115.	1.6	6
7	Recruitment, consent and retention of participants in randomised controlled trials: a review of trials published in the National Institute for Health Research (NIHR) Journals Library (1997-2020). <i>BMJ Open</i> , 2022, 12, e059230.	1.9	19
8	The Journeying through Dementia psychosocial intervention versus usual care study: a single-blind, parallel group, phase 3 trial. <i>The Lancet Healthy Longevity</i> , 2022, 3, e276-e285.	4.6	10
9	An intervention to promote self-management, independence and self-efficacy in people with early-stage dementia: the Journeying through Dementia RCT. <i>Health Technology Assessment</i> , 2022, 26, 1-152.	2.8	1
10	Improving outcomes for women aged 70 years or above with early breast cancer: research programme including a cluster RCT. <i>Programme Grants for Applied Research</i> , 2022, 10, 1-114.	1.0	1
11	A randomized, controlled pilot study of cognitive analytic therapy for stressed pregnant women with underlying anxiety and depression in a routine health service setting. <i>Clinical Psychology and Psychotherapy</i> , 2021, 28, 394-408.	2.7	3
12	Estimating the minimum important difference in the DEMQOL instrument in people with dementia. <i>Quality of Life Research</i> , 2021, 30, 2995-3005.	3.1	2
13	A breakthrough series collaborative to increase patient participation with hemodialysis tasks: A stepped wedge cluster randomised controlled trial. <i>PLoS ONE</i> , 2021, 16, e0253966.	2.5	10
14	Comprehensive review of statistical methods for analysing patient-reported outcomes (PROs) used as primary outcomes in randomised controlled trials (RCTs) published by the UK's <i>Health Technology Assessment</i> (HTA) journal (1997-2020). <i>BMJ Open</i> , 2021, 11, e051673.	1.9	5
15	A qualitative exploration of patient experiences of medication for sciatica. <i>Musculoskeletal Science and Practice</i> , 2021, 55, 102419.	1.3	2
16	Feasibility and benefits of a structured prehabilitation programme prior to autologous stem cell transplantation (ASCT) in patients with myeloma; a prospective feasibility study. <i>Physiotherapy</i> , 2021, 113, 88-99.	0.4	7
17	An intervention to support adherence to inhaled medication in adults with cystic fibrosis: the ACTiF research programme including RCT. <i>Programme Grants for Applied Research</i> , 2021, 9, 1-146.	1.0	6
18	Understanding FEV 1 for the purpose of cystic fibrosis registry comparisons: Does bias in annual review FEV 1 affect between-centre comparison within the UK? An analysis of registry data. <i>Journal of Evaluation in Clinical Practice</i> , 2020, 26, 229-235.	1.8	0

#	ARTICLE	IF	CITATIONS
19	Exploring the implications of different approaches to estimate centre-level adherence using objective adherence data in an adult cystic fibrosis centre – a retrospective observational study. <i>Journal of Cystic Fibrosis</i> , 2020, 19, 162-167.	0.7	12
20	Risk Factors Associated with Malnutrition among Children Under-Five Years in Sub-Saharan African Countries: A Scoping Review. <i>International Journal of Environmental Research and Public Health</i> , 2020, 17, 8782.	2.6	21
21	A Scoping Review of the Risk Factors Associated with Anaemia among Children Under Five Years in Sub-Saharan African Countries. <i>International Journal of Environmental Research and Public Health</i> , 2020, 17, 8829.	2.6	14
22	Challenges in the design, planning and implementation of trials evaluating group interventions. <i>Trials</i> , 2020, 21, 116.	1.6	31
23	Feasibility study for supporting medication adherence for adults with cystic fibrosis: mixed-methods process evaluation. <i>BMJ Open</i> , 2020, 10, e039089.	1.9	0
24	Feasibility study for supporting medication adherence for adults with cystic fibrosis: mixed-methods process evaluation. <i>BMJ Open</i> , 2020, 10, e039089.	1.9	8
25	Role of habit in treatment adherence among adults with cystic fibrosis. <i>Thorax</i> , 2019, 74, 197-199.	5.6	28
26	&lt;p&gt;A pragmatic behavior-based habit index for adherence to nebulized treatments among adults with cystic fibrosis&lt;/p&gt;. <i>Patient Preference and Adherence</i> , 2019, Volume 13, 283-294.	1.8	6
27	Sample size estimation for randomised controlled trials with repeated assessment of patient-reported outcomes: what correlation between baseline and follow-up outcomes should we assume?. <i>Trials</i> , 2019, 20, 566.	1.6	31
28	Intravenous antibiotic use and exacerbation events in an adult cystic fibrosis centre: A prospective observational study. <i>Respiratory Medicine</i> , 2019, 154, 109-115.	2.9	5
29	Supporting medication adherence for adults with cystic fibrosis: a randomised feasibility study. <i>BMC Pulmonary Medicine</i> , 2019, 19, 77.	2.0	27
30	Study protocol for a randomised controlled trial assessing the clinical and cost-effectiveness of the Journeying through Dementia (JtD) intervention compared to usual care. <i>BMJ Open</i> , 2019, 9, e029207.	1.9	12
31	Cost-effectiveness of PoNDER health visitor training for mothers at lower risk of depression: findings on prevention of postnatal depression from a cluster-randomised controlled trial. <i>Psychological Medicine</i> , 2019, 49, 1324-1334.	4.5	13
32	Behavioural activation therapy for post-stroke depression: the BEADS feasibility RCT. <i>Health Technology Assessment</i> , 2019, 23, 1-176.	2.8	29
33	Practical help for specifying the target difference in sample size calculations for RCTs: the DELTA2 five-stage study, including a workshop. <i>Health Technology Assessment</i> , 2019, 23, 1-88.	2.8	15
34	Symptoms at lung cancer diagnosis are associated with major differences in prognosis. <i>Thorax</i> , 2018, 73, 1177-1181.	5.6	18
35	Are pilot trials useful for predicting randomisation and attrition rates in definitive studies: A review of publicly funded trials. <i>Clinical Trials</i> , 2018, 15, 189-196.	1.6	34
36	Impact of pelvic floor muscle training on sexual function of women with urinary incontinence and a comparison of electrical stimulation versus standard treatment (IPSU trial): a randomised controlled trial. <i>Physiotherapy</i> , 2018, 104, 91-97.	0.4	22

#	ARTICLE	IF	CITATIONS
37	Do cystic fibrosis centres with the lowest FEV1 still use the least amount of intravenous antibiotics? A registry-based comparison of intravenous antibiotic use among adult CF centres in the UK. <i>Journal of Cystic Fibrosis</i> , 2018, 17, 360-367.	0.7	14
38	DELTA <sup>2</sup> guidance on choosing the target difference and undertaking and reporting the sample size calculation for a randomised controlled trial. <i>BMJ: British Medical Journal</i> , 2018, 363, k3750.	2.3	90
39	Does early intervention improve outcomes in the physiotherapy management of lumbar radicular syndrome? Results of the POLAR pilot randomised controlled trial. <i>BMJ Open</i> , 2018, 8, e021631.	1.9	5
40	Appropriate statistical methods for analysing partially nested randomised controlled trials with continuous outcomes: a simulation study. <i>BMC Medical Research Methodology</i> , 2018, 18, 105.	3.1	32
41	Induced endometrial trauma (endometrial scratch) in the mid-luteal menstrual cycle phase preceding first cycle IVF/ICSI versus usual IVF/ICSI therapy: study protocol for a randomised controlled trial. <i>BMJ Open</i> , 2018, 8, e020755.	1.9	4
42	The importance of data issues when comparing cystic fibrosis registry outcomes between countries: Are annual review FEV <sub>1</sub> in the UK only collected when subjects are well?. <i>Journal of Evaluation in Clinical Practice</i> , 2018, 24, 745-751.	1.8	3
43	The feasibility of early pulmonary rehabilitation and activity after COPD exacerbations: external pilot randomised controlled trial, qualitative case study and exploratory economic evaluation. <i>Health Technology Assessment</i> , 2018, 22, 1-204.	2.8	21
44	Does early intervention improve outcomes in physiotherapy management of lumbar radicular syndrome? A mixed-methods study protocol. <i>BMJ Open</i> , 2017, 7, e014422.	1.9	5
45	Recruitment and retention of participants in randomised controlled trials: a review of trials funded and published by the United Kingdom Health Technology Assessment Programme. <i>BMJ Open</i> , 2017, 7, e015276.	1.9	335
46	Design considerations and analysis planning of a phase 2a proof of concept study in rheumatoid arthritis in the presence of possible non-monotonicity. <i>BMC Medical Research Methodology</i> , 2017, 17, 149.	3.1	6
47	Accurate reporting of adherence to inhaled therapies in adults with cystic fibrosis: methods to calculate normative adherence. <i>Patient Preference and Adherence</i> , 2016, 10, 887.	1.8	20
48	Behavioural Activation Therapy for Depression after Stroke (BEADS): a study protocol for a feasibility randomised controlled pilot trial of a psychological intervention for post-stroke depression. <i>Pilot and Feasibility Studies</i> , 2016, 2, 45.	1.2	13
49	Recommendations for the analysis of individually randomised controlled trials with clustering in one arm – a case of continuous outcomes. <i>BMC Medical Research Methodology</i> , 2016, 16, 165.	3.1	28
50	A self-managed single exercise programme versus usual physiotherapy treatment for rotator cuff tendinopathy: a randomised controlled trial (the SELF study). <i>Clinical Rehabilitation</i> , 2016, 30, 686-696.	2.2	76
51	Consumer views on a new holistic screening tool for supportive and palliative care needs: Sheffield Profile for Assessment and Referral for Care (<sc>SPARC</sc>): a survey of self-help support groups in health care. <i>Health Expectations</i> , 2015, 18, 562-577.	2.6	20
52	Understanding the barriers and enablers to implementation of a self-managed exercise intervention: a qualitative study. <i>Physiotherapy</i> , 2015, 101, 279-285.	0.4	22
53	Sample size requirements to estimate key design parameters from external pilot randomised controlled trials: a simulation study. <i>Trials</i> , 2014, 15, 264.	1.6	407
54	Estimating effect sizes for health-related quality of life outcomes. <i>Statistical Methods in Medical Research</i> , 2014, 23, 430-439.	1.5	9

#	ARTICLE	IF	CITATIONS
55	A comparison of psychological stress among women with and without reproductive failure. <i>International Journal of Gynecology and Obstetrics</i> , 2014, 124, 143-147.	2.3	34
56	Self-managed loaded exercise versus usual physiotherapy treatment for rotator cuff tendinopathy: a pilot randomised controlled trial. <i>Physiotherapy</i> , 2014, 100, 54-60.	0.4	47
57	Patients with rotator cuff tendinopathy can successfully self-manage, but with certain caveats: a qualitative study. <i>Physiotherapy</i> , 2014, 100, 80-85.	0.4	26
58	Mapping EQ-5D Utility Scores from the PedsQL <sup>®</sup> Generic Core Scales. <i>Pharmacoeconomics</i> , 2014, 32, 693-706.	3.3	66
59	Quality of life in children and adolescents with Osteogenesis Imperfecta: a qualitative interview based study. <i>Health and Quality of Life Outcomes</i> , 2014, 12, 54.	2.4	75
60	“Putting Life in Years” (PLINY) telephone friendship groups research study: pilot randomised controlled trial. <i>Trials</i> , 2014, 15, 141.	1.6	30
61	A randomised controlled trial and cost-effectiveness evaluation of “booster” interventions to sustain increases in physical activity in middle-aged adults in deprived urban neighbourhoods. <i>Health Technology Assessment</i> , 2014, 18, 1-210.	2.8	29
62	Putting Life in Years (PLINY): a randomised controlled trial and mixed-methods process evaluation of a telephone friendship intervention to improve mental well-being in independently living older people. <i>Public Health Research</i> , 2014, 2, 1-222.	1.3	13
63	The central nervous system “ An additional consideration in “rotator cuff tendinopathy” and a potential basis for understanding response to loaded therapeutic exercise. <i>Manual Therapy</i> , 2013, 18, 468-472.	1.6	68
64	The effectiveness of salicylic acid plasters compared with “usual” scalpel debridement of corns: a randomised controlled trial. <i>Journal of Foot and Ankle Research</i> , 2013, 6, 40.	1.9	17
65	Lifestyle Matters for maintenance of health and wellbeing in people aged 65 years and over: study protocol for a randomised controlled trial. <i>Trials</i> , 2013, 14, 302.	1.6	17
66	Dynamic pelvic floor ultrasound for lower urinary tract symptoms in children “ Initial report on normative values. <i>Journal of Pediatric Urology</i> , 2013, 9, 950-954.	1.1	5
67	A before and after study assessing the impact of a new model for recognizing and responding to early signs of deterioration in an acute hospital. <i>Journal of Advanced Nursing</i> , 2013, 69, 41-52.	3.3	40
68	Recommendations for managing missing data, attrition and response shift in palliative and end-of-life care research: Part of the MORECare research method guidance on statistical issues. <i>Palliative Medicine</i> , 2013, 27, 899-907.	3.1	80
69	Concurrence of multiple sclerosis and amyotrophic lateral sclerosis in patients with hexanucleotide repeat expansions of <i>C9ORF72</i> . <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 2013, 84, 79-87.	1.9	57
70	The initiation of non-invasive ventilation for patients with motor neuron disease: Patient and carer perceptions of obstacles and outcomes. <i>Amyotrophic Lateral Sclerosis and Frontotemporal Degeneration</i> , 2013, 14, 105-110.	1.7	29
71	Observational prospective cohort study of patients with newly-diagnosed ocular sebaceous carcinoma. <i>British Journal of Ophthalmology</i> , 2013, 97, 47-51.	3.9	58
72	The use of non-invasive ventilation at end of life in patients with motor neurone disease: A qualitative exploration of family carer and health professional experiences. <i>Palliative Medicine</i> , 2013, 27, 516-523.	3.1	47

#	ARTICLE	IF	CITATIONS
73	Use of non-invasive ventilation at end of life. <i>Palliative Medicine</i> , 2013, 27, 878-878.	3.1	1
74	The natural history of motor neuron disease: Assessing the impact of specialist care. <i>Amyotrophic Lateral Sclerosis and Frontotemporal Degeneration</i> , 2013, 14, 13-19.	1.7	70
75	The Impact on the Family Carer of Motor Neurone Disease and Intervention with Noninvasive Ventilation. <i>Journal of Palliative Medicine</i> , 2013, 16, 1602-1609.	1.1	22
76	Early diagnosis of lung cancer: evaluation of a community-based social marketing intervention. <i>Thorax</i> , 2012, 67, 412-417.	5.6	86
77	Analyzing time to event outcomes with a Cox regression model. <i>Wiley Interdisciplinary Reviews: Computational Statistics</i> , 2012, 4, 310-315.	3.9	5
78	Health care professionals' preferences for extending mammographic breast screening to the over 70s. <i>Journal of Geriatric Oncology</i> , 2011, 2, 1-10.	1.0	8
79	A comparison of the discriminative and evaluative properties of the SF-36 and the SF-6D index. <i>Quality of Life Research</i> , 2011, 20, 1477-1486.	3.1	8
80	"Booster" interventions to sustain increases in physical activity in middle-aged adults in deprived urban neighbourhoods: internal pilot and feasibility study. <i>BMC Public Health</i> , 2011, 11, 129.	2.9	8
81	Analysing data from a cluster randomized trial (cRCT) in primary care: a case study. <i>Journal of Applied Statistics</i> , 2011, 38, 2253-2269.	1.3	8
82	Universal prevention of depression in women postnatally: cluster randomized trial evidence in primary care. <i>Psychological Medicine</i> , 2011, 41, 739-748.	4.5	93
83	Physical activity, quality of life, weight status and diet in adolescents. <i>Quality of Life Research</i> , 2010, 19, 943-954.	3.1	71
84	A randomised controlled trial and cost-effectiveness evaluation of "booster" interventions to sustain increases in physical activity in middle-aged adults in deprived urban neighbourhoods. <i>BMC Public Health</i> , 2010, 10, 3.	2.9	14
85	Quality of life, self-esteem, fatigue, and sexual function in young men after cancer. <i>Cancer</i> , 2010, 116, 1592-1601.	4.1	60
86	Therapist effects in randomised controlled trials: what to do about them. <i>Journal of Clinical Nursing</i> , 2010, 19, 1102-1112.	3.0	24
87	Follow-up care for cancer survivors: views of the younger adult. <i>British Journal of Cancer</i> , 2009, 101, 561-567.	6.4	62
88	Impact of a mental health teaching programme on adolescents. <i>British Journal of Psychiatry</i> , 2009, 194, 365-370.	2.8	81
89	Clinical effectiveness of health visitor training in psychologically informed approaches for depression in postnatal women: pragmatic cluster randomised trial in primary care. <i>BMJ: British Medical Journal</i> , 2009, 338, a3045-a3045.	2.3	171
90	Consultants' forum: should post hoc sample size calculations be done?. <i>Pharmaceutical Statistics</i> , 2009, 8, 163-169.	1.3	58

#	ARTICLE	IF	CITATIONS
91	Follow-up care for cancer survivors: the views of clinicians. <i>British Journal of Cancer</i> , 2009, 101, 568-574.	6.4	60
92	Health and use of health services: a comparison between Gypsies and Travellers and other ethnic groups. <i>Ethnicity and Health</i> , 2009, 14, 359-377.	2.5	50
93	Clinical audit of core podiatry treatment in the NHS. <i>Journal of Foot and Ankle Research</i> , 2009, 2, 7.	1.9	29
94	Physical activity among adolescents and barriers to delivering physical education in Cornwall and Lancashire, UK: A qualitative study of heads of PE and heads of schools. <i>BMC Public Health</i> , 2008, 8, 273.	2.9	25
95	Can emergency medical service staff predict the disposition of patients they are transporting?. <i>Emergency Medicine Journal</i> , 2008, 25, 691-694.	1.0	36
96	A pilot survey of socio-economic differences in child-feeding behaviours among parents of primary-school children. <i>Public Health Nutrition</i> , 2008, 11, 1030-1036.	2.2	26
97	Ineffectiveness of Rosiglitazone Therapy in Nelson's Syndrome. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2007, 92, 1758-1763.	3.6	41
98	Prevalence and Consequences of Androgen Deficiency in Young Male Cancer Survivors in a Controlled Cross-Sectional Study. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2007, 92, 3476-3482.	3.6	92
99	Health status of Gypsies and Travellers in England. <i>Journal of Epidemiology and Community Health</i> , 2007, 61, 198-204.	3.7	121
100	What influences clinicians' operative preferences for women with breast cancer? An application of the discrete choice experiment. <i>European Journal of Cancer</i> , 2007, 43, 1662-1669.	2.8	26
101	Predicting where future means will lie based on the results of the current trial. <i>Contemporary Clinical Trials</i> , 2007, 28, 352-357.	1.8	12
102	Health-status of adult survivors of childhood cancer: A large-scale population-based study from the British childhood cancer survivor study. <i>International Journal of Cancer</i> , 2007, 121, 633-640.	5.1	98
103	A Randomized, Double-Blind, Placebo-Controlled Trial of Nutritional Supplementation During Acute Illness. <i>American Journal of Medicine</i> , 2006, 119, 693-699.	1.5	119
104	MRCP compared to diagnostic ERCP for diagnosis when biliary obstruction is suspected: a systematic review. <i>BMC Medical Imaging</i> , 2006, 6, 9.	2.7	74
105	Quality of life and cost-effectiveness of interferon-alpha in malignant melanoma: results from randomised trial. <i>British Journal of Cancer</i> , 2006, 94, 492-498.	6.4	48
106	Costs and effectiveness of pre- and post-operative home physiotherapy for total knee replacement: randomized controlled trial. <i>Journal of Evaluation in Clinical Practice</i> , 2005, 11, 283-292.	1.8	84
107	Comparison of the minimally important difference for two health state utility measures: EQ-5D and SF-6D. <i>Quality of Life Research</i> , 2005, 14, 1523-1532.	3.1	1,107
108	The use of bootstrap methods for estimating sample size and analysing health-related quality of life outcomes. <i>Statistics in Medicine</i> , 2005, 24, 1075-1102.	1.6	35

#	ARTICLE	IF	CITATIONS
109	Case-mix fails to explain variation in mastectomy rates: management of screen-detected breast cancer in a UK region 1997-2003. <i>British Journal of Cancer</i> , 2005, 92, 55-59.	6.4	33
110	Targets and moving goal posts: changes in waiting times in a UK emergency department. <i>Emergency Medicine Journal</i> , 2005, 22, 710-714.	1.0	32
111	A randomized placebo-controlled trial of pre-treatment and short- or long-term maintenance therapy with amiodarone supporting DC cardioversion for persistent atrial fibrillation. <i>European Heart Journal</i> , 2004, 25, 144-150.	2.2	75
112	General practitioners' perceptions of asynchronous telemedicine in a randomized controlled trial of teledermatology. <i>Journal of Telemedicine and Telecare</i> , 2004, 10, 94-98.	2.7	25
113	Patient satisfaction with teledermatology: quantitative and qualitative results from a randomized controlled trial. <i>Journal of Telemedicine and Telecare</i> , 2004, 10, 29-33.	2.7	88
114	Do different types of nurses give different triage decisions in NHS Direct? A mixed methods study. <i>Journal of Health Services Research and Policy</i> , 2004, 9, 226-233.	1.7	41
115	Health-related quality of life in Huntington's disease: A comparison of two generic instruments, SF-36 and SIP. <i>Movement Disorders</i> , 2004, 19, 1341-1348.	3.9	54
116	Sample size and power estimation for studies with health related quality of life outcomes: a comparison of four methods using the SF-36. <i>Health and Quality of Life Outcomes</i> , 2004, 2, 26.	2.4	116
117	The use of bootstrap methods for analysing Health-Related Quality of Life outcomes (particularly the Tj ETQq1 1 0.784314 rgBT /Ove	2.4	70
118	Title is missing!. <i>Health Services and Outcomes Research Methodology</i> , 2003, 4, 35-47.	1.8	4
119	Risk-adjusted prognostic models for Hodgkin's disease (HD) and grade II non-Hodgkin's lymphoma (NHL) Tj ETQq1 1 0.784314 rgBT /Ove <i>Haematology</i> , 2003, 120, 277-280.	2.5	6
120	What is the relationship between the minimally important difference and health state utility values? The case of the SF-6D. <i>Health and Quality of Life Outcomes</i> , 2003, 1, 4.	2.4	344
121	Economic Implications of the Use of Basiliximab in Addition to Triple Immunosuppressive Therapy in Renal Allograft Recipients. <i>Pharmacoeconomics</i> , 2003, 21, 129-138.	3.3	18
122	Continuing inequality: gender and social class influences on self perceived health after a heart attack. <i>Journal of Epidemiology and Community Health</i> , 2003, 57, 622-627.	3.7	79
123	Update on the use of osteoarthritis-specific outcome measures. <i>Expert Review of Pharmacoeconomics and Outcomes Research</i> , 2002, 2, 337-346.	1.4	0
124	Health-Related Quality of Life and Cost Impact of Irritable Bowel Syndrome in a UK Primary Care Setting. <i>Pharmacoeconomics</i> , 2002, 20, 455-462.	3.3	167
125	Discussion: Does EBM offer the best opportunity yet for teaching medical statistics?. <i>Statistics in Medicine</i> , 2002, 21, 979-981.	1.6	3
126	The implications of contact with the mentor for preregistration nursing and midwifery students. <i>Journal of Advanced Nursing</i> , 2001, 35, 151-160.	3.3	65



#	ARTICLE	IF	CITATIONS
127	Title is missing!. Health Services and Outcomes Research Methodology, 2001, 2, 83-99.	1.8	17
128	Using the SF-36 with older adults: a cross-sectional community-based survey. Age and Ageing, 2001, 30, 337-343.	1.6	239
129	DESIGN AND ANALYSIS OF TRIALS WITH QUALITY OF LIFE AS AN OUTCOME: A PRACTICAL GUIDE. Journal of Biopharmaceutical Statistics, 2001, 11, 155-176.	0.8	55
130	Measuring health-related quality of life in patients with venous leg ulcers. Quality of Life Research, 1999, 8, 327-336.	3.1	102
131	Cost effectiveness of community leg ulcer clinics: randomised controlled trial. BMJ: British Medical Journal, 1998, 316, 1487-1491.	2.3	150
132	Psychometric scores and persistence of irritable bowel after infectious diarrhoea. Lancet, The, 1996, 347, 150-153.	13.7	466
133	Using the SF-36 and Euroqol on an elderly population. Quality of Life Research, 1996, 5, 195-204.	3.1	247