## Peter Selby, Mbbs

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/191835/publications.pdf

Version: 2024-02-01

279798 289244 2,220 115 23 40 citations g-index h-index papers 129 129 129 3079 docs citations times ranked citing authors all docs

#	Article	IF	CITATIONS
1	Estimating the number of quit attempts it takes to quit smoking successfully in a longitudinal cohort of smokers. BMJ Open, 2016, 6, e011045.	1.9	308
2	Heightened D3 Dopamine Receptor Levels in Cocaine Dependence and Contributions to the Addiction Behavioral Phenotype: A Positron Emission Tomography Study with [11C]-(+)-PHNO. Neuropsychopharmacology, 2014, 39, 311-318.	5.4	99
3	Article Commentary: COVID-19 and Persons with Substance use Disorders: Inequities and Mitigation Strategies. Substance Abuse, 2020, 41, 286-291.	2.3	95
4	Nabiximols combined with motivational enhancement/cognitive behavioral therapy for the treatment of cannabis dependence: A pilot randomized clinical trial. PLoS ONE, 2018, 13, e0190768.	2.5	88
5	Effects of fixed or self-titrated dosages of Sativex on cannabis withdrawal and cravings. Drug and Alcohol Dependence, 2016, 161, 298-306.	3.2	70
6	Monoamine Oxidase A Binding in the Prefrontal and Anterior Cingulate Cortices During Acute Withdrawal From Heavy Cigarette Smoking. Archives of General Psychiatry, 2011, 68, 817.	12.3	67
7	Second-Hand Smoke As a Predictor of Smoking Cessation Among Lung Cancer Survivors. Journal of Clinical Oncology, 2014, 32, 564-570.	1.6	59
8	COMPARISON OF THE EFFECTS OF ORAL AND TRANSDERMAL OESTRADIOL ADMINISTRATION ON OESTROGEN METABOLISM, PROTEIN SYNTHESIS, GONADOTROPHIN RELEASE, BONE TURNOVER AND CLIMACTERIC SYMPTOMS IN POSTMENOPAUSAL WOMEN. Clinical Endocrinology, 1989, 30, 241-249.	2.4	57
9	Patterns, perceptions, and perceived barriers to physical activity in adult cancer survivors. Supportive Care in Cancer, 2018, 26, 3755-3763.	2.2	57
10	Elevation of Dopamine Induced by Cigarette Smoking: Novel Insights from a [11C]-(+)-PHNO PET Study in Humans. Neuropsychopharmacology, 2014, 39, 415-424.	5.4	54
11	Effectiveness of pharmacist counseling combined with nicotine replacement therapy: a pragmatic randomized trial with 6,987 smokers. Cancer Causes and Control, 2011, 22, 167-180.	1.8	46
12	Physical health among people with serious mental illness in the face of COVID-19: Concerns and mitigation strategies. General Hospital Psychiatry, 2020, 66, 30-33.	2.4	46
13	Effect of Mailing Nicotine Patches on Tobacco Cessation Among Adult Smokers. JAMA Internal Medicine, 2016, 176, 184.	5.1	41
14	Canadian Cardiovascular Harmonized National Guidelines Endeavour (C-CHANGE) guideline for the prevention and management of cardiovascular disease in primary care: 2018 update. Cmaj, 2018, 190, E1192-E1206.	2.0	39
15	Concurrent E-Cigarette Use During Tobacco Dependence Treatment in Primary Care Settings: Association With Smoking Cessation at Three and Six Months. Nicotine and Tobacco Research, 2017, 19, 183-189.	2.6	36
16	Using E-Health Programs to Overcome Barriers to the Effective Treatment of Mental Health and Addiction Problems. Journal of Technology in Human Services, 2009, 27, 5-22.	1.6	33
17	Cardiovascular and Neuropsychiatric Events after Varenicline Use for Smoking Cessation. American Journal of Respiratory and Critical Care Medicine, 2018, 197, 913-922.	5.6	33
18	Changing practitioner behavior and building capacity in tobacco cessation treatment: The TEACH project. Patient Education and Counseling, 2012, 86, 49-56.	2.2	32

#	Article	IF	CITATIONS
19	Duration of Nicotine Replacement Therapy Use and Smoking Cessation: A Population-Based Longitudinal Study. American Journal of Epidemiology, 2015, 181, 513-520.	3.4	30
20	Engaging Unmotivated Smokers to Move Toward Quitting: Design of Motivational Interviewing–Based Chatbot Through Iterative Interactions. Journal of Medical Internet Research, 2020, 22, e20251.	4.3	29
21	Lifestyle Behaviors in Elderly Cancer Survivors: A Comparison With Middle-Age Cancer Survivors. Journal of Oncology Practice, 2015, 11, e450-e459.	2.5	27
22	Hazardous alcohol use and alcohol-related harm in rural and remote communities: a scoping review. Lancet Public Health, The, 2022, 7, e177-e187.	10.0	27
23	Reach and effectiveness of mailed nicotine replacement therapy for smokers: 6-month outcomes in a naturalistic exploratory study. Tobacco Control, 2013, 22, e4-e4.	3.2	26
24	The relationship between omega-3 and smoking habit: a cross-sectional study. Lipids in Health and Disease, 2016, 15, 61.	3.0	26
25	Tobacco-Nicotine Education and Training for Health-Care Professional Students and Practitioners: A Systematic Review. Nicotine and Tobacco Research, 2018, 20, 531-542.	2.6	26
26	Is cannabis use associated with tobacco cessation outcome? An observational cohort study in primary care. Drug and Alcohol Dependence, 2020, 206, 107756.	3.2	26
27	How pragmatic or explanatory is the randomized, controlled trial? The application and enhancement of the PRECIS tool to the evaluation of a smoking cessation trial. BMC Medical Research Methodology, 2012, 12, 101.	3.1	25
28	Machine learning applications in tobacco research: a scoping review. Tobacco Control, 2023, 32, 99-109.	3.2	25
29	The prevalence, odds, predictors, and management of tobacco use disorder or nicotine dependence among people with severe mental illness: Systematic review and meta-analysis. Neuroscience and Biobehavioral Reviews, 2022, 132, 289-303.	6.1	24
30	Association between adherence to free nicotine replacement therapy and successful quitting. Addictive Behaviors, 2016, 61, 25-31.	3.0	22
31	Getting cytisine licensed for use world-wide: a call to action. Addiction, 2016, 111, 1895-1898.	3.3	22
32	Identifying contexts and mechanisms in multiple behavior change interventions affecting smoking cessation success: a rapid realist review. BMC Public Health, 2020, 20, 918.	2.9	22
33	Engaging a person with lived experience of mental illness in a collaborative care model feasibility study. Research Involvement and Engagement, 2021, 7, 5.	2.9	21
34	Canadian Cardiovascular Harmonized National Guidelines Endeavour (C-CHANGE): 2014 update. Cmaj, 2014, 186, 1299-1305.	2.0	19
35	Effect of the rs1051730–rs16969968 variant and smoking cessation treatment: a meta-analysis. Pharmacogenomics, 2015, 16, 713-720.	1.3	19
36	Depression status as a predictor of quit success in a real-world effectiveness study of nicotine replacement therapy. Psychiatry Research, 2015, 226, 120-127.	3.3	19

#	Article	IF	CITATIONS
37	Review and Evaluation of Online Tobacco Dependence Treatment Training Programs for Health Care Practitioners. Journal of Medical Internet Research, 2015, 17, e97.	4.3	19
38	Varenicline-Induced Elevation of Dopamine in Smokers: A Preliminary [11C]-(+)-PHNO PET Study. Neuropsychopharmacology, 2016, 41, 1513-1520.	5.4	18
39	Woman focused smoking cessation programming: a qualitative study. BMC Women's Health, 2016, 16, 17.	2.0	17
40	Randomized controlled trial of mailed Nicotine Replacement Therapy to Canadian smokers: study protocol. BMC Public Health, 2011, 11, 741.	2.9	16
41	A pragmatic, randomized, controlled study evaluating the impact of access to smoking cessation pharmacotherapy coverage on the proportion of successful quitters in a Canadian population of smokers motivated to quit (ACCESSATION). BMC Public Health, 2014, 14, 433.	2.9	16
42	Effectiveness of stop smoking interventions among adults: protocol for an overview of systematic reviews and an updated systematic review. Systematic Reviews, 2019, 8, 28.	5.3	16
43	Implementation of a Novel Electronic Patient-Directed Smoking Cessation Platform for Cancer Patients: Interrupted Time Series Analysis. Journal of Medical Internet Research, 2019, 21, e11735.	4.3	15
44	Screening and Treatment for Alcohol, Tobacco and Opioid Use Disorders: A Survey of Family Physicians across Ontario. PLoS ONE, 2015, 10, e0124402.	2.5	14
45	Perspectives of family physicians towards access to lung cancer screening for individuals living with low income – a qualitative study. BMC Family Practice, 2021, 22, 10.	2.9	14
46	How to adapt existing evidence-based clinical practice guidelines: a case example with smoking cessation guidelines in Canada. BMJ Open, 2017, 7, e016124.	1.9	12
47	Patterns, perceptions and their association with changes in alcohol consumption in cancer survivors. European Journal of Cancer Care, 2019, 28, e12933.	1.5	12
48	Variability in patient sociodemographics, clinical characteristics, and healthcare service utilization among 107,302 treatment seeking smokers in Ontario: A cross-sectional comparison. PLoS ONE, 2020, 15, e0235709.	2.5	12
49	Sex Differences in Use of Smoking Cessation Services and Resources: A Real-World Study. Tobacco Use Insights, 2020, 13, 1179173X2090150.	1.6	12
50	Changes in the reach of a smoking cessation program in Ontario, Canada, during the COVID-19 pandemic: a cross-sectional study. CMAJ Open, 2021, 9, E957-E965.	2.4	12
51	Escalating Doses of Transdermal Nicotine in Heavy Smokers. Journal of Clinical Psychopharmacology, 2013, 33, 667-674.	1.4	11
52	A method for co-creation of an evidence-based patient workbook to address alcohol use when quitting smoking in primary care: a case study. Research Involvement and Engagement, 2018, 4, 4.	2.9	11
53	Awareness of the Harms of Continued Smoking Among Cancer Survivors. Supportive Care in Cancer, 2020, 28, 3409-3419.	2.2	11
54	Effect of COVID-19 on smoking cessation outcomes in a large primary care treatment programme: an observational study. BMJ Open, 2021, 11, e053075.	1.9	11

#	Article	IF	Citations
55	Varenicline and Bupropion for Long-Term Smoking Cessation (the MATCH Study): Protocol for a Real-World, Pragmatic, Randomized Controlled Trial. JMIR Research Protocols, 2018, 7, e10826.	1.0	11
56	Public health impact of a novel smoking cessation outreach program in Ontario, Canada. BMC Public Health, 2018, 18, 1117.	2.9	10
57	<scp>Technologyâ€enabled</scp> collaborative care for youth with early psychosis: A protocol for a feasibility study to improve physical health behaviours. Microbial Biotechnology, 2021, 15, 828-836.	1.7	10
58	Perceived Addiction as a Predictor of Smoking Cessation Among Occasional Smokers. Journal of Smoking Cessation, 2017, 12, 165-172.	1.0	9
59	The Cigarette Dependence Scale and Heaviness of Smoking Index as predictors of smoking cessation after 10 weeks of nicotine replacement therapy and at 6-month follow-up. Addictive Behaviors, 2018, 78, 223-227.	3.0	9
60	The effect of a clinical decision support system on prompting an intervention for risky alcohol use in a primary care smoking cessation program: a cluster randomized trial. Implementation Science, 2019, 14, 85.	6.9	9
61	Integrating a brief alcohol intervention with tobacco addiction treatment in primary care: qualitative study of health care practitioner perceptions. Addiction Science & Emp; Clinical Practice, 2021, 16, 17.	2.6	9
62	Impact of immigration status on health behaviors and perceptions in cancer survivors. Cancer Medicine, 2019, 8, 2623-2635.	2.8	8
63	The effectiveness of generic emails versus a remote knowledge broker to integrate mood management into a smoking cessation programme in team-based primary care: a cluster randomised trial. Implementation Science, $2021, 16, 30$ .	6.9	8
64	Advancing health equity in cancer care: The lived experiences of poverty and access to lung cancer screening. PLoS ONE, 2021, 16, e0251264.	2.5	8
65	Impact of comprehensive smoking cessation training of practitioners on patients' 6-month quit outcome. Canadian Journal of Public Health, 2020, 111, 766-774.	2.3	8
66	Impact of a Web-Based Clinical Decision Support System to Assist Practitioners in Addressing Physical Activity and/or Healthy Eating for Smoking Cessation Treatment: Protocol for a Hybrid Type I Randomized Controlled Trial. JMIR Research Protocols, 2020, 9, e19157.	1.0	8
67	Evaluation of Web-Based Continuing Professional Development Courses: Aggregate Mixed-Methods Model. JMIR Medical Education, 2017, 3, e19.	2.6	8
68	Coronavirus Disease 2019 and the Impact on Substance Use Disorder Treatments. Psychiatric Clinics of North America, 2022, 45, 95-107.	1.3	8
69	Empowering smokers with a web-assisted tobacco intervention to use prescription smoking cessation medications: a feasibility trial. Implementation Science, 2015, 10, 139.	6.9	7
70	Individualized Treatment for Tobacco Dependence in Addictions Treatment Settings: The Role of Current Depressive Symptoms on Outcomes at 3 and 6 Months. Nicotine and Tobacco Research, 2015, 17, 937-945.	2.6	7
71	Combining alcohol interventions with tobacco addictions treatment in primary care—the COMBAT study: a pragmatic cluster randomized trial. Implementation Science, 2017, 12, 65.	6.9	7
72	Long-term effectiveness of mailed nicotine replacement therapy: study protocol of a randomized controlled trial 5-year follow-up. BMC Public Health, 2018, 18, 28.	2.9	7

#	Article	IF	Citations
73	Treatment use patterns in a large extended-treatment tobacco cessation program: predictors and cost implications. Tobacco Control, 2022, 31, 549-555.	3.2	7
74	A Comparison of Quit Outcomes for Men and Women in a Smoking Cessation Program Offering Personalized Nicotine Replacement Therapy and Counseling in Primary Care Clinics. Nicotine and Tobacco Research, 2021, 23, 1673-1681.	2.6	7
75	Evaluating the effectiveness of bupropion and varenicline for smoking cessation using an internet-based delivery system: A pragmatic randomized controlled trial (MATCH study). Drug and Alcohol Dependence, 2022, 232, 109312.	3.2	7
76	Primary care-based smoking cessation treatment and subsequent healthcare service utilisation: a matched cohort study of smokers using linked administrative healthcare data. Tobacco Control, 2023, 32, 72-79.	3.2	6
77	Smartphone Apps for Vaping Cessation: Quality Assessment and Content Analysis. JMIR MHealth and UHealth, 2022, 10, e31309.	3.7	6
78	Technologyâ€enabled collaborative care for youth with early psychosis: Results of a feasibility study to improve physical health behaviours. Microbial Biotechnology, 2022, 16, 1143-1151.	1.7	6
79	Chronic Pain and Opioid Prescribing: Three Ways for Navigating Complexity at the Clinicalâ€'Population Health Interface. American Journal of Public Health, 2022, 112, S56-S65.	2.7	6
80	Seasonal Variation in Demand for Smoking Cessation Treatment and Clinical Outcomes. Nicotine and Tobacco Research, 2021, 23, 976-982.	2.6	5
81	Smokers who seek help in specialized cessation clinics: How special are they compared to smokers in general population?. Journal of Smoking Cessation, 2014, 9, 76-84.	1.0	4
82	The effects of interventions targeting multiple health behaviors on smoking cessation outcomes: a rapid realist review protocol. Systematic Reviews, 2018, 7, 38.	5.3	4
83	Tobacco smoking associated with adverse childhood experiences in a Brazilian community university sample: A case-control study. Children and Youth Services Review, 2021, 120, 105438.	1.9	4
84	The Effectiveness of Nicotine Replacement Therapy in Light Versus Heavier Smokers. Nicotine and Tobacco Research, 2021, 23, 2028-2036.	2.6	4
85	Defining Clinical Public Health. Clinical and Investigative Medicine, 2021, 44, E71-76.	0.6	4
86	A Measure to Assess Illness Awareness in Problem Gambling: Gambling Awareness and Insight Scale (GAS). Journal of Gambling Studies, 2021, , 1.	1.6	4
87	A measure of illness awareness in alcohol use disorderâ€"Alcohol Use Awareness and Insight Scale (AAS). Drug and Alcohol Dependence, 2021, 226, 108813.	3.2	4
88	Tailored Versus Generic Knowledge Brokering to Integrate Mood Management Into Smoking Cessation Interventions in Primary Care Settings: Protocol for a Cluster Randomized Controlled Trial. JMIR Research Protocols, 2018, 7, e111.	1.0	4
89	Co-designing Behavior Change Resources With Treatment-Seeking Smokers: Engagement Events' Findings. Frontiers in Public Health, 2021, 9, 555449.	2.7	3
90	Performance Change in Treating Tobacco Addiction: An Online, Interprofessional, Facilitated Continuing Education Course (TEACH) Evaluation at Moore's Level 5. Journal of Continuing Education in the Health Professions, 2021, 41, 31-38.	1.3	3

#	Article	IF	CITATIONS
91	A measure of subjective substance use disorder awareness – Substance Use Awareness and Insight Scale (SAS). Drug and Alcohol Dependence, 2022, 231, 109129.	3.2	3
92	Tobacco use disorder treatment in primary care: implementing a clinical system pathway in Alberta. Canadian Family Physician, 2014, 60, 646-55.	0.4	3
93	Video Game to Attenuate Pandemic-Related Stress From an Equity Lens: Development and Usability Study. JMIR Formative Research, 2022, 6, e36820.	1.4	3
94	A Qualitative Evaluation of an Online Expert-Facilitated Course on Tobacco Dependence Treatment. Inquiry (United States), 2017, 54, 004695801773296.	0.9	2
95	Five-Year Follow-up of a Randomized Clinical Trial Testing Mailed Nicotine Patches to Promote Tobacco Cessation. JAMA Internal Medicine, 2020, 180, 792.	5.1	2
96	Personalized dosing of nicotine replacement therapy versus standard dosing for the treatment of individuals with tobacco dependence: study protocol for a randomized placebo-controlled trial. Trials, 2020, 21, 592.	1.6	2
97	Computerized Clinical Decision Support System for Prompting Brief Alcohol Interventions with Treatment Seeking Smokers: A Sex-Based Secondary Analysis of a Cluster Randomized Trial. International Journal of Environmental Research and Public Health, 2020, 17, 1024.	2.6	2
98	Variability in outcomes and quality-of-care indicators across clinics participating in a large smoking-cessation program. Journal of Substance Abuse Treatment, 2021, 130, 108409.	2.8	2
99	Psychopharmacology of smoking cessation in patients with mental illness. Journal of Psychiatry and Neuroscience, 2006, 31, 360.	2.4	2
100	Smoking Cessation Training and Treatment: Options for Cancer Centres. Current Oncology, 2022, 29, 2252-2262.	2.2	2
101	Association Between Smoking Cessation Treatment and Healthcare Costs in a Single-Payer Public Healthcare System. Nicotine and Tobacco Research, 2023, 25, 86-93.	2.6	2
102	Blogging to Quit Smoking: Sharing Stories from Women of Childbearing Years in Ontario. Substance Abuse: Research and Treatment, 2016, 10s1, SART.S34551.	0.9	1
103	Operessed mood induction in early cigarette withdrawal is unaffected by acute monoamine precursor supplementation / p>. Neuropsychiatric Disease and Treatment, 2019, Volume 15, 311-321.	2.2	1
104	A measure of illness awareness in individuals with nicotine dependence $\hat{a} \in \text{``Nicotine Use Awareness and Insight Scale (NAS)}$ . Nicotine and Tobacco Research, 2021, , .	2.6	1
105	No one asked the baby – an ethical issue in placebo-controlled trials in pregnant smokers. Journal of Population Therapeutics and Clinical Pharmacology, 2005, 12, e180-1.	1.9	1
106	Effects of COVID-19-Related Disruptions on Service Use in a Large Smoking Cessation Program. Nicotine and Tobacco Research, 2022, 24, 1567-1572.	2.6	1
107	Reply to Goulden et al.: Risk of Bias in Study of Varenicline and Cardiovascular Outcomes. American Journal of Respiratory and Critical Care Medicine, 2018, 198, 691-692.	5.6	0
108	Use of additional nicotine replacement therapy by participants in a five-year follow-up of a tobacco cessation trial. Addictive Behaviors, 2021, 117, 106875.	3.0	0

#	Article	IF	CITATIONS
109	Call to action: Training in tobacco addiction in Canada. Canadian Journal of Respiratory Therapy, 2015, 51, 83-4.	0.8	О
110	Title is missing!. , 2020, 15, e0235709.		0
111	Title is missing!. , 2020, 15, e0235709.		O
112	Title is missing!. , 2020, 15, e0235709.		0
113	Title is missing!. , 2020, 15, e0235709.		O
114	Title is missing!. , 2020, 15, e0235709.		0
115	Title is missing!. , 2020, 15, e0235709.		0