

Xenia Gonda

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1923876/publications.pdf>

Version: 2024-02-01

270
papers

6,916
citations

57631

44
h-index

98622

67
g-index

325
all docs

325
docs citations

325
times ranked

8268
citing authors

#	ARTICLE	IF	CITATIONS
1	Novel antidepressant drugs: Beyond monoamine targets. <i>CNS Spectrums</i> , 2023, 28, 6-15.	0.7	19
2	Sex differences in maturation and aging of human personality on the basis of a recently developed complex hierarchical model of temperament and character. <i>International Journal of Psychiatry in Clinical Practice</i> , 2022, 26, 58-71.	1.2	3
3	Gender, age at onset, and duration of being ill as predictors for the long-term course and outcome of schizophrenia: an international multicenter study. <i>CNS Spectrums</i> , 2022, 27, 716-723.	0.7	3
4	Well-being, resilience and post-traumatic growth in the era of Covid-19 pandemic. <i>European Neuropsychopharmacology</i> , 2022, 54, 65-66.	0.3	13
5	Results of the COVID-19 mental health international for the general population (COMET-G) study. <i>European Neuropsychopharmacology</i> , 2022, 54, 21-40.	0.3	84
6	What you see is what you get? Association of belief in conspiracy theories and mental health during COVID-19.. <i>Neuropsychopharmacologia Hungarica</i> , 2022, 24, 42-55.	0.1	0
7	Invisible wounds: Suturing the gap between the neurobiology, conventional and emerging therapies for posttraumatic stress disorder. <i>European Neuropsychopharmacology</i> , 2022, 61, 17-29.	0.3	6
8	Depression and anxiety in different hypertension phenotypes: a cross-sectional study. <i>Annals of General Psychiatry</i> , 2022, 21, .	1.2	3
9	The effect of different degrees of lockdown and self-identified gender on anxiety, depression and suicidality during the COVID-19 pandemic: Data from the international COMET-G study.. <i>Psychiatry Research</i> , 2022, 315, 114702.	1.7	17
10	Cyclothymic affective temperament is independently associated with left ventricular hypertrophy in chronic hypertensive patients. <i>Journal of Psychosomatic Research</i> , 2022, 160, 110988.	1.2	4
11	Modeling psychological function in patients with schizophrenia with the PANSS: an international multi-center study. <i>CNS Spectrums</i> , 2021, 26, 290-298.	0.7	5
12	Evaluation of affective temperaments and arterial stiffness in different hypertension phenotypes. <i>Hypertension Research</i> , 2021, 44, 47-54.	1.5	10
13	Impaired mitochondrial bioenergetics in psychiatric disorders. , 2021, , 195-221.		1
14	The association between early vascular aging and cyclothymic affective temperament. <i>European Heart Journal Cardiovascular Imaging</i> , 2021, 22, .	0.5	4
15	Genes, depression, and nuclear DNA. , 2021, , 15-23.		0
16	Affective Temperaments, Panic Disorder and Their Bipolar Connections. <i>Medicina (Lithuania)</i> , 2021, 57, 289.	0.8	1
17	Peripheral endocannabinoid serum level in association with repetitive transcranial magnetic stimulation (rTMS) treatment in patients with major depressive disorder. <i>Scientific Reports</i> , 2021, 11, 8867.	1.6	6
18	The association between accelerated vascular aging and cyclothymic affective temperament in women. <i>Journal of Psychosomatic Research</i> , 2021, 145, 110423.	1.2	10

#	ARTICLE	IF	CITATIONS
19	A Real-World, Prospective, Multicenter, Single-Arm Observational Study of Duloxetine in Patients With Major Depressive Disorder or Generalized Anxiety Disorder. <i>Frontiers in Psychiatry</i> , 2021, 12, 689143.	1.3	2
20	Genetic underpinnings of affective temperaments: a pilot GWAS investigation identifies a new genome-wide significant SNP for anxious temperament in ADGRB3 gene. <i>Translational Psychiatry</i> , 2021, 11, 337.	2.4	9
21	P2RX7 gene variation mediates the effect of childhood adversity and recent stress on the severity of depressive symptoms. <i>PLoS ONE</i> , 2021, 16, e0252766.	1.1	10
22	Every Night and Every Morn: Effect of Variation in CLOCK Gene on Depression Depends on Exposure to Early and Recent Stress. <i>Frontiers in Psychiatry</i> , 2021, 12, 687487.	1.3	5
23	Season of birth in bipolar disorder. <i>Journal of Affective Disorders</i> , 2021, 294, 116.	2.0	0
24	Association between affective temperaments and severe coronary artery disease. <i>Journal of Affective Disorders</i> , 2021, 295, 914-919.	2.0	7
25	Inflamed Mind: Multiple Genetic Variants of IL6 Influence Suicide Risk Phenotypes in Interaction With Early and Recent Adversities in a Linkage Disequilibrium-Based Clumping Analysis. <i>Frontiers in Psychiatry</i> , 2021, 12, 746206.	1.3	6
26	Dopamine D3 Receptors: From Bench to Bedside. <i>Neuropsychopharmacologia Hungarica</i> , 2021, 23, 272-280.	0.1	0
27	Can you get off the rollercoaster? Psychotherapeutic interventions in bipolar disorder. <i>Neuropsychopharmacologia Hungarica</i> , 2021, 23, 296-307.	0.1	0
28	A specific "eat risk" profile related to recent stressful life events in euthymic major depressive disorder. <i>European Psychiatry</i> , 2021, 64, S108-S109.	0.1	0
29	P.0383 Switching to duloxetine following inadequate antidepressant response improves symptoms and quality of life in a prospective, real-world, observational study. <i>European Neuropsychopharmacology</i> , 2021, 53, S279-S280.	0.3	0
30	P.0109 Association of foxo1 gene variants with depression and childhood stress effects in a european sample. <i>European Neuropsychopharmacology</i> , 2021, 53, S79-S80.	0.3	0
31	Biology of Perseverative Negative Thinking: The Role of Timing and Folate Intake. <i>Nutrients</i> , 2021, 13, 4396.	1.7	1
32	P.0900 The potential role of interferon signaling in migraine: a gene expression study. <i>European Neuropsychopharmacology</i> , 2021, 53, S661-S662.	0.3	0
33	P.0413 Modifiable risk and protective factors influencing changes in subjective depression during the COVID-19-lockdown: identifying targets for prevention and intervention. <i>European Neuropsychopharmacology</i> , 2021, 53, S299-S300.	0.3	0
34	Spatiotemporal brain activation pattern following acute citalopram challenge is dose dependent and associated with neuroticism: A human phMRI study. <i>Neuropharmacology</i> , 2020, 170, 107807.	2.0	5
35	Recent Stressful Life Events in Euthymic Major Depressive Disorder Patients: Sociodemographic and Clinical Characteristics. <i>Frontiers in Psychiatry</i> , 2020, 11, 566017.	1.3	2
36	P.174 Variation in OXTR gene is associated with current depression severity and possibly mediates the effects of recent negative life events. <i>European Neuropsychopharmacology</i> , 2020, 40, S101-S102.	0.3	0

#	ARTICLE	IF	CITATIONS
37	P.176 Investigating the polymorphisms of CDC 45 gene and gene-environment interactions related to depression. <i>European Neuropsychopharmacology</i> , 2020, 40, S103-S104.	0.3	0
38	Nature and Nurture: Effects of Affective Temperaments on Depressive Symptoms Are Markedly Modified by Stress Exposure. <i>Frontiers in Psychiatry</i> , 2020, 11, 599.	1.3	13
39	What's Love Got to do with it: Role of oxytocin in trauma, attachment and resilience. , 2020, 214, 107602.		30
40	âœœOut, out, brief candle! Lifeâ€™s but a walking shadowâ€™ 5-HTTLPR Is Associated With Current Suicidal Ideation but Not With Previous Suicide Attempts and Interacts With Recent Relationship Problems. <i>Frontiers in Psychiatry</i> , 2020, 11, 567.	1.3	4
41	Estimation of the relationship between the persistent decrease of the suicide rate and the changes in sociodemographic composition in Hungary between 1990 and 2011. <i>PLoS ONE</i> , 2020, 15, e0241314.	1.1	2
42	P.43 The Association Between Early Vascular Aging and Cyclothymic Affective Temperament. <i>Artery Research</i> , 2020, 26, S65-S65.	0.3	0
43	Az antidepresszÃvumok Ã©s a cukorbetegsÃ©g kÃ¶zti kapcsolat. <i>Lege Artis Medicinae</i> , 2020, 30, 181-189.	0.1	0
44	Impact of education on dimensions of adherence in patients with chronic obstructive pulmonary disease. <i>Acta Poloniae Pharmaceutica</i> , 2020, 77, 195-204.	0.3	0
45	The UKB envirome of depression: from interactions to synergistic effects. <i>Scientific Reports</i> , 2019, 9, 9723.	1.6	14
46	Suicide Risk in Bipolar Disorder: A Brief Review. <i>Medicina (Lithuania)</i> , 2019, 55, 403.	0.8	132
47	The Human Connectome: Functional Anatomy of the Brain. , 2019, , 1-48.		0
48	Temperament-Personality-Character and Evolutionary Biology. , 2019, , 111-138.		0
49	SU85CLOCK CLICKS WITH FINANCIAL STRESS BEHIND MIGRAINE. <i>European Neuropsychopharmacology</i> , 2019, 29, S1311.	0.3	0
50	Circadian Variation of Migraine Attack Onset: A Review of Clinical Studies. <i>BioMed Research International</i> , 2019, 2019, 1-9.	0.9	17
51	Bipolar subtypes and their clinical correlates in a sample of 391 bipolar individuals. <i>Psychiatry Research</i> , 2019, 281, 112528.	1.7	6
52	Staging of Schizophrenia With the Use of PANSS: An International Multi-Center Study. <i>International Journal of Neuropsychopharmacology</i> , 2019, 22, 681-697.	1.0	28
53	Modeling human temperament and character on the basis of combined theoretical approaches. <i>Annals of General Psychiatry</i> , 2019, 18, 21.	1.2	11
54	Patterns of mentalisation and empathy as possible predictors of violence in schizophrenia. <i>European Neuropsychopharmacology</i> , 2019, 29, S129-S130.	0.3	0

#	ARTICLE	IF	CITATIONS
55	Childhood Adversity Moderates the Effects of HTR2A Epigenetic Regulatory Polymorphisms on Rumination. <i>Frontiers in Psychiatry</i> , 2019, 10, 394.	1.3	9
56	Predictors of recurrence in a sample of 508 outpatients with major depressive disorder. <i>Journal of Psychiatric Research</i> , 2019, 114, 80-87.	1.5	6
57	A case-control study of paternal and maternal age as risk factors in mood disorders. <i>International Journal of Psychiatry in Clinical Practice</i> , 2019, 23, 90-98.	1.2	8
58	Genome-wide association analysis reveals KCTD12 and miR-383-binding genes in the background of rumination. <i>Translational Psychiatry</i> , 2019, 9, 119.	2.4	18
59	Effects of Different Stressors Are Modulated by Different Neurobiological Systems: The Role of GABA-A Versus CB1 Receptor Gene Variants in Anxiety and Depression. <i>Frontiers in Cellular Neuroscience</i> , 2019, 13, 138.	1.8	29
60	SU52GENOME-WIDE ASSOCIATION STUDY OF RUMINATIVE RESPONSE STYLE HIGHLIGHTS GENES PREVIOUSLY ASSOCIATED WITH INTELLECTUAL DISABILITY OR RUMINATION-RELATED MENTAL DISORDERS. <i>European Neuropsychopharmacology</i> , 2019, 29, S1295.	0.3	0
61	Association between Cyclothymic Affective Temperament and Age of Onset of Hypertension. <i>International Journal of Hypertension</i> , 2019, 2019, 1-6.	0.5	12
62	Genetic variants in major depressive disorder: From pathophysiology to therapy. , 2019, 194, 22-43.		57
63	Natural health products, dietary minerals and over-the-counter medications as add-on therapies to antidepressants in the treatment of major depressive disorder: a review. <i>Brain Research Bulletin</i> , 2019, 146, 51-78.	1.4	33
64	Neurological soft signs in familial and sporadic schizophrenia. <i>Psychiatry Research</i> , 2019, 272, 222-229.	1.7	8
65	Vortioxetine: a novel antidepressant for the treatment of major depressive disorder. <i>Expert Opinion on Drug Discovery</i> , 2019, 14, 81-89.	2.5	70
66	Financial Stress Interacts With CLOCK Gene to Affect Migraine. <i>Frontiers in Behavioral Neuroscience</i> , 2019, 13, 284.	1.0	4
67	Association between Irritable Affective Temperament and Nighttime Peripheral and Central Systolic Blood Pressure in Hypertension. <i>Artery Research</i> , 2019, 25, 41-47.	0.3	9
68	P92 The Association of Agreeableness and Conscientiousness with 24-Hour Brachial Blood Pressure and Hemodynamic Parameters in Untreated Hypertensive Patients. <i>Artery Research</i> , 2019, 25, S134-S134.	0.3	0
69	P43 The Association of Irritable Affective Temperament with 24-Hour Brachial and Central Blood Pressure and Hemodynamic Parameters in Untreated Hypertensive Men. <i>Artery Research</i> , 2019, 25, S83-S83.	0.3	0
70	Transcriptomic changes following chronic administration of selective serotonin reuptake inhibitors: a review of animal studies. <i>Neuropsychopharmacologia Hungarica</i> , 2019, 21, 26-35.	0.1	0
71	Ancestry and different rates of suicide and homicide in European countries: A study with population-level data. <i>Journal of Affective Disorders</i> , 2018, 232, 152-162.	2.0	9
72	Depressive residual symptoms are associated with illness course characteristics in a sample of outpatients with bipolar disorder. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2018, 268, 757-768.	1.8	8

#	ARTICLE	IF	CITATIONS
73	Suicidal Risk and Affective Temperaments, Evaluated with the TEMPS-A Scale: A Systematic Review. <i>Harvard Review of Psychiatry</i> , 2018, 26, 8-18.	0.9	45
74	Prevalence and correlates of neurological soft signs in healthy controls without family history of any mental disorder: A neurodevelopmental variation rather than a specific risk factor?. <i>International Journal of Developmental Neuroscience</i> , 2018, 68, 59-65.	0.7	12
75	Significance of risk polymorphisms for depression depends on stress exposure. <i>Scientific Reports</i> , 2018, 8, 3946.	1.6	39
76	Collaborative meta-analysis finds no evidence of a strong interaction between stress and 5-HTTLPR genotype contributing to the development of depression. <i>Molecular Psychiatry</i> , 2018, 23, 133-142.	4.1	247
77	Paternal and maternal age as risk factors for schizophrenia: a case-control study. <i>International Journal of Psychiatry in Clinical Practice</i> , 2018, 22, 170-176.	1.2	24
78	How can the depressed mind extract and remember predictive relationships of the environment? Evidence from implicit probabilistic sequence learning. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2018, 81, 17-24.	2.5	28
79	Genes Linking Mitochondrial Function, Cognitive Impairment and Depression are Associated with Endophenotypes Serving Precision Medicine. <i>Neuroscience</i> , 2018, 370, 207-217.	1.1	46
80	Sensory profiles as potential mediators of the association between hypomania and hopelessness in 488 major affective outpatients. <i>Journal of Affective Disorders</i> , 2018, 225, 466-473.	2.0	3
81	Possible predictors of age at illness onset and illness duration in a cohort study comparing younger adults and older major affective patients. <i>Journal of Affective Disorders</i> , 2018, 225, 691-701.	2.0	7
82	Neurological soft signs significantly differentiate schizophrenia patients from healthy controls. <i>Acta Neuropsychiatrica</i> , 2018, 30, 97-105.	1.0	17
83	Life events in schizoaffective disorder: A systematic review. <i>Journal of Affective Disorders</i> , 2018, 227, 563-570.	2.0	6
84	Temperaments in psychotic and major affective disorders. <i>Journal of Affective Disorders</i> , 2018, 225, 195-200.	2.0	25
85	Mediators in the Association Between Affective Temperaments and Suicide Risk Among Psychiatric Inpatients. <i>Psychiatry (New York)</i> , 2018, 81, 240-257.	0.3	24
86	Sensory profiles in unipolar and bipolar affective disorders: Possible predictors of response to antidepressant medications? A prospective follow-up study. <i>Journal of Affective Disorders</i> , 2018, 240, 237-246.	2.0	8
87	Mentalization and empathy as predictors of violence in schizophrenic patients: Comparison with nonviolent schizophrenic patients, violent controls and nonviolent controls. <i>Psychiatry Research</i> , 2018, 268, 198-205.	1.7	9
88	Autism Spectrum Disorder: Classification, diagnosis and therapy. , 2018, 190, 91-104.		296
89	The development of a short version of TEMPS-A in Hungarian non-clinical samples. <i>Neuropsychopharmacologia Hungarica</i> , 2018, 20, 4-13.	0.1	0
90	Measuring affective temperaments: a systematic review of validation studies of the Temperament Evaluation in Memphis Pisa and San Diego (TEMPS) instruments. <i>Journal of Affective Disorders</i> , 2017, 212, 25-37.	2.0	26

#	ARTICLE	IF	CITATIONS
91	Differential correlation of suicide and homicide rates according to geographical areas: A study with population-level data. <i>Psychiatry Research</i> , 2017, 249, 167-171.	1.7	15
92	Higher than recommended dosages of antipsychotics in male patients with schizophrenia are associated with increased depression but no major neurocognitive side effects: Results of a cross-sectional pilot naturalistic study. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2017, 75, 113-119.	2.5	3
93	Extreme sensory processing patterns show a complex association with depression, and impulsivity, alexithymia, and hopelessness. <i>Journal of Affective Disorders</i> , 2017, 210, 249-257.	2.0	132
94	A new stress sensor and risk factor for suicide: the T allele of the functional genetic variant in the GABRA6 gene. <i>Scientific Reports</i> , 2017, 7, 12887.	1.6	14
95	Sensory Hypersensitivity Predicts Reduced Sleeping Quality in Patients With Major Affective Disorders. <i>Journal of Psychiatric Practice</i> , 2017, 23, 11-24.	0.3	3
96	Inverse association between hyperthymic affective temperament and coronary atherosclerosis: A coronary computed tomography angiography study. <i>Journal of Psychosomatic Research</i> , 2017, 103, 108-112.	1.2	12
97	Weak associations between the daily number of suicide cases and amount of daily sunlight. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2017, 73, 41-48.	2.5	12
98	Financial hardship may trigger migraine through circadian dysregulation – a possible role for the CLOCK gene. <i>European Neuropsychopharmacology</i> , 2017, 27, S578-S579.	0.3	0
99	Commentary: A Neural Basis for the Acquired Capacity for Suicide. <i>Frontiers in Psychiatry</i> , 2017, 8, 93.	1.3	0
100	Alexithymia and Suicide Risk in Psychiatric Disorders: A Mini-Review. <i>Frontiers in Psychiatry</i> , 2017, 8, 148.	1.3	118
101	Decreased Openness to Experience Is Associated with Migraine-Type Headaches in Subjects with Lifetime Depression. <i>Frontiers in Neurology</i> , 2017, 8, 270.	1.1	13
102	A ténetsi profil és a szénhidrát és az emberéletét elkövetett és a nem erőszakos szkizofrén betegek csoportjainál. <i>Ideggyógyászati Szemle</i> , 2017, 70, 43-52.	0.4	3
103	Is Mania the Hypertension of the Mood? Discussion of A Hypothesis. <i>Current Neuropharmacology</i> , 2017, 15, 424-433.	1.4	9
104	MOOD SYMPTOMS IN STABILIZED PATIENTS WITH SCHIZOPHRENIA: A BIPOLAR TYPE WITH PREDOMINANT PSYCHOTIC FEATURES?. <i>Psychiatria Danubina</i> , 2017, 29, 148-154.	0.2	10
105	Why are migraineurs more depressed? A review of the factors contributing to the comorbidity of migraine and depression. <i>Neuropsychopharmacologia Hungarica</i> , 2017, 19, 37-44.	0.1	8
106	Sensory processing patterns, coping strategies, and quality of life among patients with unipolar and bipolar disorders. <i>Revista Brasileira De Psiquiatria</i> , 2016, 38, 207-215.	0.9	29
107	The Role of Temperament in the Etiopathogenesis of Bipolar Spectrum Illness. <i>Harvard Review of Psychiatry</i> , 2016, 24, 36-52.	0.9	28
108	Depression and insomnia are independently associated with satisfaction and enjoyment of life in medication-overuse headache patients. <i>International Journal of Psychiatry in Medicine</i> , 2016, 51, 442-455.	0.8	7

#	ARTICLE	IF	CITATIONS
109	Association of ATP6V1B2 rs1106634 with lifetime risk of depression and hippocampal neurocognitive deficits: possible novel mechanisms in the etiopathology of depression. <i>Translational Psychiatry</i> , 2016, 6, e945-e945.	2.4	12
110	The association between traumatic childhood experiences, sensory processing patterns, and quality of life among unipolar and bipolar outpatients. <i>European Neuropsychopharmacology</i> , 2016, 26, S410.	0.3	0
111	Effect of age and gender in association with spatial anxiety on navigation strategy preferences. <i>European Neuropsychopharmacology</i> , 2016, 26, S356-S357.	0.3	0
112	Effects of IL1B single nucleotide polymorphisms on depressive and anxiety symptoms are determined by severity and type of life stress. <i>Brain, Behavior, and Immunity</i> , 2016, 56, 96-104.	2.0	53
113	The impact of periventricular white matter lesions in patients with bipolar disorder type I. <i>CNS Spectrums</i> , 2016, 21, 23-34.	0.7	7
114	Distinct effects of folate pathway genes MTHFR and MTHFD1L on ruminative response style: a potential risk mechanism for depression. <i>Translational Psychiatry</i> , 2016, 6, e745-e745.	2.4	23
115	Financial difficulties but not other types of recent negative life events show strong interactions with 5-HTTLPR genotype in the development of depressive symptoms. <i>Translational Psychiatry</i> , 2016, 6, e798-e798.	2.4	18
116	Psychological side effects of immune therapies: symptoms and pathomechanism. <i>Current Opinion in Pharmacology</i> , 2016, 29, 97-103.	1.7	25
117	Neurobiology and Pharmacological Prevention of Suicide in Mood Disorders. , 2016, , 501-522.		0
118	Understanding the Biologically Adaptive Side of Mood Disorders: A Focus on Affective Temperaments. , 2016, , 335-346.		0
119	Relationship of suicide rates with climate and economic variables in Europe during 2000â€“2012. <i>Annals of General Psychiatry</i> , 2016, 15, 19.	1.2	48
120	Association of affective temperaments with blood pressure and arterial stiffness in hypertensive patients: a cross-sectional study. <i>BMC Cardiovascular Disorders</i> , 2016, 16, 158.	0.7	31
121	The relationship between sensory processing patterns, alexithymia, traumatic childhood experiences, and quality of life among patients with unipolar and bipolar disorders. <i>Child Abuse and Neglect</i> , 2016, 62, 39-50.	1.3	103
122	Hyperthymic affective temperament and hypertension are independent determinants of serum brain-derived neurotrophic factor level. <i>Annals of General Psychiatry</i> , 2016, 15, 17.	1.2	20
123	Sensory hypersensitivity predicts reduced sleeping quality in patients with major affective disorders. <i>European Psychiatry</i> , 2016, 33, S110-S110.	0.1	2
124	Temperaments in completed suicides: Are they different from those in suicide attempters and controls?. <i>Comprehensive Psychiatry</i> , 2016, 65, 98-102.	1.5	12
125	Interleukin-6 promoter polymorphism interacts with pain and life stress influencing depression phenotypes. <i>Journal of Neural Transmission</i> , 2016, 123, 541-548.	1.4	31
126	Dimensions of adult attachment are significantly associated with specific affective temperament constellations in a Hungarian university sample. <i>Journal of Affective Disorders</i> , 2016, 191, 78-81.	2.0	2

#	ARTICLE	IF	CITATIONS
127	Temperament in Suicidal Behaviour. , 2016, , 43-51.		0
128	The role of cognitive dysfunction in the symptoms and remission from depression. Annals of General Psychiatry, 2015, 14, 27.	1.2	124
129	Identification of hypertensive patients with dominant affective temperaments might improve the psychopathological and cardiovascular risk stratification: a pilot, caseâ€“control study. Annals of General Psychiatry, 2015, 14, 33.	1.2	11
130	The association of affective temperaments with smoking initiation and maintenance in adult primary care patients. Journal of Affective Disorders, 2015, 172, 397-402.	2.0	14
131	Preliminary investigation of the possible association between arsenic levels in drinking water and suicide mortality. Journal of Affective Disorders, 2015, 182, 23-25.	2.0	6
132	Report of the WPA section of pharmacopsychiatry on the relationship of antiepileptic drugs with suicidality in epilepsy. International Journal of Psychiatry in Clinical Practice, 2015, 19, 158-167.	1.2	24
133	Are DSM and logic not on good terms?. British Journal of Psychiatry, 2015, 207, 91-92.	1.7	0
134	Social support decreases depressogenic effect of low-dose interferon alpha treatment in melanoma patients. Journal of Psychosomatic Research, 2015, 78, 579-584.	1.2	8
135	Cyclothymic temperament rather than polarity is associated with hopelessness and suicidality in hospitalized patients with mood disorders. Journal of Affective Disorders, 2015, 170, 161-165.	2.0	25
136	Variability in the Effect of 5-HTTLPR on Depression in a Large European Population: The Role of Age, Symptom Profile, Type and Intensity of Life Stressors. PLoS ONE, 2015, 10, e0116316.	1.1	28
137	Theoretical and clinical overview of affective temperaments in mood disorders. Psicodebate, 2015, 14, 39.	0.1	8
138	NMDA receptor antagonists for depression: Critical considerations. Annals of Clinical Psychiatry, 2015, 27, 213-20.	0.6	6
139	Impact of living with bipolar patients: Making sense of caregiversâ€™ burden. World Journal of Psychiatry, 2014, 4, 1.	1.3	55
140	Pharmacotherapy in bipolar disorders during hospitalization and at discharge predicts clinical and psychosocial functioning at followâ€“up. Human Psychopharmacology, 2014, 29, 578-588.	0.7	13
141	Standardization of the NEO-PI-3 in the Greek general population. Annals of General Psychiatry, 2014, 13, 36.	1.2	14
142	Antidepressant treatment response is modulated by genetic and environmental factors and their interactions. Annals of General Psychiatry, 2014, 13, 17.	1.2	18
143	Affective Temperaments Contribute to Cardiac Complications in Hypertension Independently of Depression. Psychotherapy and Psychosomatics, 2014, 83, 187-189.	4.0	18
144	Predominant polarity as a course specifier for bipolar disorder: A systematic review. Journal of Affective Disorders, 2014, 163, 56-64.	2.0	74

#	ARTICLE	IF	CITATIONS
145	Brain galanin system genes interact with life stresses in depression-related phenotypes. Proceedings of the National Academy of Sciences of the United States of America, 2014, 111, E1666-73.	3.3	83
146	Personality and cardiovascular risk: Association between hypertension and affective temperamentsâ€”a cross-sectional observational study in primary care settings. European Journal of General Practice, 2014, 20, 247-252.	0.9	33
147	Relationship of suicide rates to economic variables in Europe: 2000â€”2011. British Journal of Psychiatry, 2014, 205, 486-496.	1.7	86
148	P.2.b.022 Different genes modulate risk for depression after childhood maltreatment and recent negative life events. European Neuropsychopharmacology, 2014, 24, S390-S391.	0.3	0
149	Possible delayed effect of unemployment on suicidal rates: the case of Hungary. Annals of General Psychiatry, 2014, 13, 12.	1.2	25
150	Standardization of the TEMPS-A in the Greek general population. Journal of Affective Disorders, 2014, 158, 19-29.	2.0	17
151	Investigation of the marked and long-standing spatial inhomogeneity of the Hungarian suicide rate: A spatial regression approach. Journal of Affective Disorders, 2014, 155, 180-185.	2.0	21
152	Characterization of patients with mood disorders for their prevalent temperament and level of hopelessness. Journal of Affective Disorders, 2014, 166, 285-291.	2.0	33
153	Rapid Cycling in Bipolar Disorder. Journal of Clinical Psychiatry, 2014, 75, e578-e586.	1.1	92
154	White matter abnormalities: Insights into the pathophysiology of major affective disorders. World Journal of Radiology, 2014, 6, 223.	0.5	1
155	The effect of negative mood and major depressive episode on working memory and implicit learning. Neuropsychopharmacologia Hungarica, 2014, 16, 29-42.	0.1	5
156	Depression in Parkinson's disease. Ideggyogyaszati Szemle, 2014, 67, 229-36.	0.4	6
157	A systematic review on the role of anticonvulsants in the treatment of acute bipolar depression. International Journal of Neuropsychopharmacology, 2013, 16, 485-496.	1.0	41
158	Suicide in Hungary-epidemiological and clinical perspectives. Annals of General Psychiatry, 2013, 12, 21.	1.2	39
159	Peripheral vascular endothelial growth factor level is associated with antidepressant treatment response: Results of a preliminary study. Journal of Affective Disorders, 2013, 144, 269-273.	2.0	37
160	S.25.02 Molecular genetic aspects to serotonergic drugs in bipolar disorder. European Neuropsychopharmacology, 2013, 23, S148.	0.3	0
161	Associations between depression severity and purinergic receptor P2RX7 gene polymorphisms. Journal of Affective Disorders, 2013, 150, 104-109.	2.0	45
162	Epidemiology of suicide in bipolar disorders: a systematic review of the literature. Bipolar Disorders, 2013, 15, 457-490.	1.1	271

#	ARTICLE	IF	CITATIONS
163	No differences between drug naive and drug experienced unipolar depressed patients in terms of neurobiological testing: A cross sectional study. <i>Journal of Psychiatric Research</i> , 2013, 47, 1984-1990.	1.5	6
164	Affective temperaments and self-harm in adolescents: A cross-sectional study from a community sample. <i>Journal of Affective Disorders</i> , 2013, 151, 891-898.	2.0	18
165	Affective temperament, history of suicide attempt and family history of suicide in general practice patients. <i>Journal of Affective Disorders</i> , 2013, 149, 350-354.	2.0	46
166	Affective temperaments and hopelessness as predictors of health and social functioning in mood disorder patients: A prospective follow-up study. <i>Journal of Affective Disorders</i> , 2013, 150, 216-222.	2.0	81
167	Suicide, recession, and unemployment. <i>Lancet, The</i> , 2013, 381, 722-723.	6.3	15
168	Pharmacological prevention of suicide in patients with major mood disorders. <i>Neuroscience and Biobehavioral Reviews</i> , 2013, 37, 2398-2403.	2.9	49
169	A systematic review of the evidence on the treatment of rapid cycling bipolar disorder. <i>Bipolar Disorders</i> , 2013, 15, 115-137.	1.1	65
170	Affective Temperaments and Mood Disorders: A Review of Current Knowledge. <i>Current Psychiatry Reviews</i> , 2013, 9, 21-32.	0.9	6
171	Antidepressant Response and Subthreshold Bipolarity in "Unipolar" Major Depressive Disorder. <i>Journal of Clinical Psychopharmacology</i> , 2013, 33, 449-452.	0.7	11
172	Does economic environment influence the strength of the positive association between suicide and unemployment?: Table A1. <i>Journal of Epidemiology and Community Health</i> , 2013, 67, 1074-1075.	2.0	7
173	Affective Temperaments and Mood Disorders: A Review of Current Knowledge. <i>Current Psychiatry Reviews</i> , 2013, 9, 21-32.	0.9	12
174	Hypomania and bipolar II disorder -- diagnostic validity and clinical utility. <i>Psychiatria Hungarica</i> , 2013, 28, 345-8.	0.2	0
175	Basic Pharmacology of NMDA Receptors. <i>Current Pharmaceutical Design</i> , 2012, 18, 1558-1567.	0.9	57
176	Antiepileptic drugs and suicidality. <i>Journal of Psychopharmacology</i> , 2012, 26, 1401-1407.	2.0	20
177	Effects of smoking on health outcomes in bipolar disorder with a special focus on suicidal behavior. <i>Neuropsychiatry</i> , 2012, 2, 429-441.	0.4	8
178	The Effect of Pharmacotherapy on Suicide Rates in Bipolar Patients. <i>CNS Neuroscience and Therapeutics</i> , 2012, 18, 238-242.	1.9	11
179	Psychiatry should not become hostage to placebo: An alternative interpretation of antidepressant "placebo" differences in the treatment response in depression. <i>European Neuropsychopharmacology</i> , 2012, 22, 782-786.	0.3	3
180	Star-crossed? The association of the 5-HTTLPR s allele with season of birth in a healthy female population, and possible consequences for temperament, depression and suicide. <i>Journal of Affective Disorders</i> , 2012, 143, 75-83.	2.0	7

#	ARTICLE	IF	CITATIONS
181	Suicidal behavior in bipolar disorder: Epidemiology, characteristics and major risk factors. <i>Journal of Affective Disorders</i> , 2012, 143, 16-26.	2.0	159
182	Treatment of mixed bipolar states. <i>International Journal of Neuropsychopharmacology</i> , 2012, 15, 1015-1026.	1.0	58
183	Temperaments mediate suicide risk and psychopathology among patients with bipolar disorders. <i>Comprehensive Psychiatry</i> , 2012, 53, 280-285.	1.5	78
184	Genetic variants in the catechol <i>o</i> methyltransferase gene are associated with impulsivity and executive function: Relevance for major depression. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2012, 159B, 928-940.	1.1	16
185	How does subjective experience of pain relate to psychopathology among psychiatric patients?. <i>General Hospital Psychiatry</i> , 2012, 34, 534-540.	1.2	18
186	Affective temperaments in general population: A review and combined analysis from national studies. <i>Journal of Affective Disorders</i> , 2012, 139, 18-22.	2.0	77
187	Investigation of circulating endothelial progenitor cells and angiogenic and inflammatory cytokines during recovery from an episode of major depression. <i>Journal of Affective Disorders</i> , 2012, 136, 1159-1163.	2.0	26
188	Cyclothymicâ€‘depressiveâ€‘anxious temperament pattern is related to suicide risk in 346 patients with major mood disorders. <i>Journal of Affective Disorders</i> , 2012, 136, 405-411.	2.0	79
189	Development of the Risk Assessment Suicidality Scale (RASS): A population-based study. <i>Journal of Affective Disorders</i> , 2012, 138, 449-457.	2.0	46
190	CB1 receptor antagonists: new discoveries leading to new perspectives. <i>Acta Physiologica</i> , 2012, 205, 41-60.	1.8	54
191	Predisposition for Self-Destruction? Affective Temperaments as a Suicide Risk Factor in Patients With Mood Disorders. <i>Crisis</i> , 2012, 33, 309-312.	0.9	2
192	CB1 receptor antagonists: new discoveries leading to new perspectives. <i>Acta Physiologica</i> , 2012, 205, 41-60.	1.8	37
193	Pharmacogenetics of antidepressive drugs: a way towards personalized treatment of major depressive disorder. <i>Neuropsychopharmacologia Hungarica</i> , 2012, 14, 87-101.	0.1	17
194	Associations between season of birth and suicide: a brief review. <i>Neuropsychopharmacologia Hungarica</i> , 2012, 14, 177-87.	0.1	9
195	A new clinical evidence-based gene-environment interaction model of depression. <i>Neuropsychopharmacologia Hungarica</i> , 2012, 14, 213-20.	0.1	21
196	Pharmaco- and therapygenetic aspects in the treatment of anxiety disorders beyond the serotonergic system: a brief review. <i>Neuropsychopharmacologia Hungarica</i> , 2012, 14, 221-9.	0.1	6
197	The role of general practitioners in prevention of depression-related suicides. <i>Neuropsychopharmacologia Hungarica</i> , 2012, 14, 245-51.	0.1	11
198	Cultural differences in the development and characteristics of depression. <i>Neuropsychopharmacologia Hungarica</i> , 2012, 14, 259-65.	0.1	21

#	ARTICLE	IF	CITATIONS
199	Early onset of action and sleep-improving effect are crucial in decreasing suicide risk: the role of quetiapine XR in the treatment of unipolar and bipolar depression. <i>Rivista Di Psichiatria</i> , 2012, 47, 489-97.	0.6	8
200	Prediction and Prevention of Suicide in Elderly Depressives. <i>European Psychiatry</i> , 2011, 26, 2019-2019.	0.1	0
201	FC22-03 - Annual periodicity and personality: Season of birth is associated with affective temperaments. <i>European Psychiatry</i> , 2011, 26, 1936-1936.	0.1	0
202	Effects of depression, anxiety, self-esteem, and health behaviour on neonatal outcomes in a population-based Hungarian sample. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 2011, 154, 45-50.	0.5	32
203	Is Anticonvulsant Treatment of Mania a Class Effect? Data from Randomized Clinical Trials. <i>CNS Neuroscience and Therapeutics</i> , 2011, 17, 167-177.	1.9	31
204	Genetics and impulsivity. <i>International Clinical Psychopharmacology</i> , 2011, 26, e18-e19.	0.9	1
205	Biochemical, neuroanatomical and genetic factors of suicide. <i>International Clinical Psychopharmacology</i> , 2011, 26, e20.	0.9	0
206	Suicide prevention programs through community intervention. <i>Journal of Affective Disorders</i> , 2011, 130, 10-16.	2.0	93
207	From putative genes to temperament and culture: Cultural characteristics of the distribution of dominant affective temperaments in national studies. <i>Journal of Affective Disorders</i> , 2011, 131, 45-51.	2.0	36
208	Association between affective temperaments and season of birth in a general student population. <i>Journal of Affective Disorders</i> , 2011, 132, 64-70.	2.0	20
209	Psychometric properties of the Gotland Scale for Depression in Italian psychiatric inpatients and its utility in the prediction of suicide risk. <i>Journal of Affective Disorders</i> , 2011, 132, 99-103.	2.0	75
210	Interaction of 5-HTTLPR genotype and unipolar major depression in the emergence of aggressive/hostile traits. <i>Journal of Affective Disorders</i> , 2011, 132, 432-437.	2.0	20
211	The possible contributory role of the S allele of 5-HTTLPR in the emergence of suicidality. <i>Journal of Psychopharmacology</i> , 2011, 25, 857-866.	2.0	43
212	Humor appreciation of captionless cartoons in obsessive-compulsive disorder. <i>Annals of General Psychiatry</i> , 2011, 10, 31.	1.2	4
213	Class effect of pharmacotherapy in bipolar disorder: fact or misbelief?. <i>Annals of General Psychiatry</i> , 2011, 10, 8.	1.2	16
214	Novel approaches to drug-placebo difference calculation: evidence from short-term antidepressant drug-trials. <i>Human Psychopharmacology</i> , 2011, 26, 307-312.	0.7	4
215	Relationship between Temperament, Depression, Anxiety, and Hopelessness in Adolescents: A Structural Equation Model. <i>Depression Research and Treatment</i> , 2011, 2011, 1-6.	0.7	11
216	Antidepressant-Resistant Depression and Antidepressant-Associated Suicidal Behaviour: The Role of Underlying Bipolarity. <i>Depression Research and Treatment</i> , 2011, 2011, 1-5.	0.7	26

#	ARTICLE	IF	CITATIONS
217	Hyperthymic temperament may protect against suicidal ideation. <i>Journal of Affective Disorders</i> , 2010, 127, 38-42.	2.0	41
218	Significant association between the C(â~1019)G functional polymorphism of the HTR_{1A} gene and impulsivity. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2010, 153B, 592-599.	1.1	62
219	How possible is the development of an operational psychometric method to assess the presence of the 5-HTTLPR s allele? Equivocal preliminary findings. <i>Annals of General Psychiatry</i> , 2010, 9, 21.	1.2	3
220	Extrapyramidal side effects and suicidal ideation under fluoxetine treatment: a case report. <i>Annals of General Psychiatry</i> , 2010, 9, 5.	1.2	6
221	Gender differences in antidepressant use-related seasonality change in suicide mortality in Hungary, 1998â€“2006. <i>World Journal of Biological Psychiatry</i> , 2010, 11, 579-585.	1.3	19
222	Suicidal and violent behaviour in mood disorders: A major public health problem. A review for the clinician. <i>International Journal of Psychiatry in Clinical Practice</i> , 2010, 14, 88-94.	1.2	10
223	Association of a trait-like bias towards the perception of negative subjective life events with risk of developing premenstrual symptoms. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2010, 34, 500-505.	2.5	8
224	The possible protective role of personality dimensions against premenstrual syndrome. <i>Psychiatry Research</i> , 2010, 179, 81-85.	1.7	10
225	P.1.a.012 Association of aggressive traits with the 5-HTTLPR polymorphism in depressed and healthy women. <i>European Neuropsychopharmacology</i> , 2010, 20, S219.	0.3	0
226	P.1.f.005 Risk of development of premenstrual symptoms is associated with a traitlike negative bias in perception of life events. <i>European Neuropsychopharmacology</i> , 2010, 20, S308.	0.3	0
227	P.2.b.011 In search for a tool selectively evaluating depressive symptoms associated with different neurotransmitter systems. <i>European Neuropsychopharmacology</i> , 2010, 20, S359-S360.	0.3	0
228	Seasonality and winter-type seasonal depression are associated with the rs731779 polymorphism of the serotonin-2A receptor gene. <i>European Neuropsychopharmacology</i> , 2010, 20, 655-662.	0.3	24
229	Barriers of antenatal folate-supplementation: The role of depression and trait-anxiety on periconceptual folate-intake. <i>International Journal of Psychiatry in Clinical Practice</i> , 2010, 14, 102-108.	1.2	0
230	Development of Depression Profile: a new psychometric instrument to selectively evaluate depressive symptoms based on the neurocircuitry theory. <i>Neuropsychopharmacologia Hungarica</i> , 2010, 12, 337-45.	0.1	0
231	Towards a genetically validated new affective temperament scale: A delineation of the temperament 'phenotype' of 5-HTTLPR using the TEMPS-A. <i>Journal of Affective Disorders</i> , 2009, 112, 19-29.	2.0	52
232	Psychotherapeutic intervention and suicide risk reduction in bipolar disorder: A review of the evidence. <i>Journal of Affective Disorders</i> , 2009, 113, 21-29.	2.0	45
233	Affective temperaments, as measured by TEMPS-A, among nonviolent suicide attempters. <i>Journal of Affective Disorders</i> , 2009, 116, 18-22.	2.0	92
234	Family history of suicide: A clinical marker for major depression in primary care practice?. <i>Journal of Affective Disorders</i> , 2009, 117, 202-204.	2.0	10

#	ARTICLE	IF	CITATIONS
235	Promoter variants of the cannabinoid receptor 1 gene (CNR1) in interaction with 5-HTTLPR affect the anxious phenotype. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2009, 150B, 1118-1127.	1.1	66
236	Association of the s allele of the 5-HTTLPR with neuroticism-related traits and temperaments in a psychiatrically healthy population. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2009, 259, 106-113.	1.8	136
237	Association of depressive phenotype with affective family history is mediated by affective temperaments. <i>Psychiatry Research</i> , 2009, 168, 145-152.	1.7	15
238	Cognitive and Affective Endophenotypes Related to Major Depression are Associated with P2RX7. <i>European Psychiatry</i> , 2009, 24, .	0.1	0
239	Delineation of a Genetically Validated Affective Temperament Scale: Association of TEMPS-A Items with 5-HTTLPR. <i>European Psychiatry</i> , 2009, 24, .	0.1	0
240	Treatment of psychotic symptoms in bipolar disorder with aripiprazole monotherapy: a meta-analysis. <i>Annals of General Psychiatry</i> , 2009, 8, 27.	1.2	18
241	Revisiting the Dexamethasone Suppression Test in unipolar major depression: an exploratory study. <i>Annals of General Psychiatry</i> , 2008, 7, 22.	1.2	28
242	A study of affective temperaments in Hungary: Internal consistency and concurrent validity of the TEMPS-A against the TCI and NEO-PI-R. <i>Journal of Affective Disorders</i> , 2008, 106, 45-53.	2.0	109
243	Is drug "placebo" difference in short-term antidepressant drug trials on unipolar major depression much greater than previously believed?. <i>Journal of Affective Disorders</i> , 2008, 108, 195-198.	2.0	13
244	New Evidence for the Association of the Serotonin Transporter Gene (SLC6A4) Haplotypes, Threatening Life Events, and Depressive Phenotype. <i>Biological Psychiatry</i> , 2008, 64, 498-504.	0.7	89
245	Association of the STin2 polymorphism of the serotonin transporter gene with a neurocognitive endophenotype in major depressive disorder. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2008, 32, 1667-1672.	2.5	39
246	Patterns of mood changes throughout the reproductive cycle in healthy women without premenstrual dysphoric disorders. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2008, 32, 1782-1788.	2.5	81
247	P.1.a.024 The s allele of the 5-HTTLPR: a possible genetic correlate of traits associated with neuroticism. <i>European Neuropsychopharmacology</i> , 2008, 18, S216-S217.	0.3	0
248	P.2.a.020 Gender differences in patterns of neurocognitive impairment during the acute phase of major depression. <i>European Neuropsychopharmacology</i> , 2008, 18, S303-S304.	0.3	1
249	P.2.a.036 Analyses of haplotypes tagging the serotonin transporter gene (SLC6A4) provide new evidence for the gene - environment model of depression. <i>European Neuropsychopharmacology</i> , 2008, 18, S312-S313.	0.3	0
250	Association study for neurocognitive endophenotype and STin2 polymorphism in major depressive disorder. <i>European Psychiatry</i> , 2008, 23, S172.	0.1	0
251	Association of 5HTTLPR with factors related to risk of suicide. <i>European Psychiatry</i> , 2008, 23, S175-S176.	0.1	1
252	The Serotonin Transporter Gene and Personality: Association of the 5-HTTLPR S Allele, Anxiety, Depression and Affective Temperaments. <i>Hungarian Medical Journal</i> , 2008, 2, 639-645.	0.0	5

#	ARTICLE	IF	CITATIONS
253	Lithium and Suicidal Behaviour in Patients With Bipolar Disorder. <i>Journal of Clinical Psychiatry</i> , 2008, 69, 1831-1832.	1.1	4
254	The importance of depressive mixed states in suicidal behaviour. <i>Neuropsychopharmacologia Hungarica</i> , 2008, 10, 45-9.	0.1	14
255	Mood parameters and severe physical symptoms of the female reproductive cycle. <i>Neuropsychopharmacologia Hungarica</i> , 2008, 10, 91-6.	0.1	2
256	Affective Temperament: A Mediating Variable Between Environment and Clinical Depression?. <i>Archives of General Psychiatry</i> , 2007, 64, 1096.	13.8	9
257	High anxiety and migraine are associated with the s allele of the 5HTTLPR gene polymorphism. <i>Psychiatry Research</i> , 2007, 149, 261-266.	1.7	71
258	P.8.a.018 Association of smoking and suicide attempts in psychiatric outpatients in Hungary. <i>European Neuropsychopharmacology</i> , 2007, 17, S590.	0.3	0
259	The role of hyperventilation: hypocapnia in the pathomechanism of panic disorder. <i>Revista Brasileira De Psiquiatria</i> , 2007, 29, 375-379.	0.9	18
260	Prediction and prevention of suicide in patients with unipolar depression and anxiety. <i>Annals of General Psychiatry</i> , 2007, 6, 23.	1.2	51
261	Effects of Autogenic Training on Nitroglycerin-Induced Headaches. <i>Headache</i> , 2007, 47, 070222151332002-???	1.8	22
262	Cigarette smoking and suicide attempts in psychiatric outpatients in Hungary. <i>Neuropsychopharmacologia Hungarica</i> , 2007, 9, 63-7.	0.1	13
263	Relationship between obsessive-compulsive symptoms and smoking habits amongst schizophrenic patients. <i>Psychiatry Research</i> , 2006, 144, 227-231.	1.7	8
264	The 5HTTLPR polymorphism of the serotonin transporter gene is associated with affective temperaments as measured by TEMPS-A. <i>Journal of Affective Disorders</i> , 2006, 91, 125-131.	2.0	140
265	Suicide behaviour of patients treated with antidepressants. <i>Neuropsychopharmacologia Hungarica</i> , 2006, 8, 13-6.	0.1	3
266	Subthreshold depression is linked to the functional polymorphism of the 5HT transporter gene. <i>Journal of Affective Disorders</i> , 2005, 87, 291-297.	2.0	69
267	Cigarette smoking and psychiatric disorders in Hungary. <i>International Journal of Psychiatry in Clinical Practice</i> , 2005, 9, 145-148.	1.2	19
268	ASSOCIATION ANALYSIS OF 5-HTTLPR VARIANTS, 5-HT _{2A} RECEPTOR GENE 102T/C POLYMORPHISM AND MIGRAINE. <i>Journal of Neurogenetics</i> , 2003, 17, 231-240.	0.6	47
269	ASSOCIATION ANALYSIS OF 5-HTTLPR VARIANTS, 5-HT _{2A} RECEPTOR GENE 102T/C POLYMORPHISM AND MIGRAINE. <i>Journal of Neurogenetics</i> , 2003, 17, 231-240.	0.6	18
270	Association analysis of 5-HTTLPR variants, 5-HT _{2a} receptor gene 102T/C polymorphism and migraine. <i>Journal of Neurogenetics</i> , 2003, 17, 231-40.	0.6	27