Richard G Brown

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/1926583/publications.pdf

Version: 2024-02-01

153 22,027 papers citations

69 h-index 145 g-index

158 all docs

158 docs citations 158 times ranked 18300 citing authors

#	Article	IF	Citations
1	Clinical diagnostic criteria for dementia associated with Parkinson's disease. Movement Disorders, 2007, 22, 1689-1707.	3.9	2,497
2	Self-initiated versus externally triggered movements. Brain, 1995, 118, 913-933.	7.6	980
3	Diagnostic procedures for Parkinson's disease dementia: Recommendations from the movement disorder society task force. Movement Disorders, 2007, 22, 2314-2324.	3.9	885
4	International multicenter pilot study of the first comprehensive selfâ€completed nonmotor symptoms questionnaire for Parkinson's disease: The NMSQuest study. Movement Disorders, 2006, 21, 916-923.	3.9	865
5	The metric properties of a novel nonâ€motor symptoms scale for Parkinson's disease: Results from an international pilot study. Movement Disorders, 2007, 22, 1901-1911.	3.9	838
6	‰FRONTAL' COGNITIVE FUNCTION IN PATIENTS WITH PARKINSON'S DISEASE ‰ON'AND ‰OFF' I 1988, 111, 299-321.	LEYODOP	A. Brain,
7	The anatomy of melancholia – focal abnormalities of cerebral blood flow in major depression. Psychological Medicine, 1992, 22, 607-615.	4.5	692
8	The assessment of fatigue. Journal of Psychosomatic Research, 2004, 56, 157-170.	2.6	677
9	Donepezil and Memantine for Moderate-to-Severe Alzheimer's Disease. New England Journal of Medicine, 2012, 366, 893-903.	27.0	626
10	Depression rating scales in Parkinson's disease: Critique and recommendations. Movement Disorders, 2007, 22, 1077-1092.	3.9	583
11	INTERNAL VERSUS EXTERNAL CUES AND THE CONTROL OF ATTENTION IN PARKINSON'S DISEASE. Brain, 1988, 111, 323-345.	7.6	531
12	Prevalence of nonmotor symptoms in Parkinson's disease in an international setting; Study using nonmotor symptoms questionnaire in 545 patients. Movement Disorders, 2007, 22, 1623-1629.	3.9	461
13	Cognitive function in Parkinson's disease: From description to theory. Trends in Neurosciences, 1990, 13, 21-29.	8.6	430
14	Proteome-based plasma biomarkers for Alzheimer's disease. Brain, 2006, 129, 3042-3050.	7.6	427
15	Apathy in Parkinson's disease. Journal of Neurology, Neurosurgery and Psychiatry, 2002, 73, 636-642.	1.9	389
16	Short- and long-term survival and function of unilateral intrastriatal dopaminergic grafts in Parkinson's disease. Annals of Neurology, 1997, 42, 95-107.	5.3	331
17	Rumination and executive function in depression: an experimental study. Journal of Neurology, Neurosurgery and Psychiatry, 2002, 72, 400-402.	1.9	298
18	Fatigue in Parkinson's disease: A review. Movement Disorders, 2007, 22, 297-308.	3.9	294

#	Article	IF	CITATIONS
19	Donepezil for the Treatment of Agitation in Alzheimer's Disease. New England Journal of Medicine, 2007, 357, 1382-1392.	27.0	292
20	Cognitive impairment in patients with multiple system atrophy and progressive supranuclear palsy. Brain, 2010, 133, 2382-2393.	7.6	266
21	The Parkinson fatigue scale. Parkinsonism and Related Disorders, 2005, 11, 49-55.	2.2	260
22	Negative symptoms: the â€~pathology' of motivation and goal-directed behaviour. Trends in Neurosciences, 2000, 23, 412-417.	8.6	256
23	Sequential bilateral transplantation in Parkinson's disease: Effects of the second graft. Brain, 1999, 122, 1121-1132.	7.6	241
24	â€~Subcorttcal dementia': The neuropsychological evidence. Neuroscience, 1988, 25, 363-387.	2.3	237
25	Regional cerebral blood flow abnormalities in depressed patients with cognitive impairment Journal of Neurology, Neurosurgery and Psychiatry, 1992, 55, 768-773.	1.9	212
26	SIMPLE AND CHOICE REACTION TIME AND THE USE OF ADVANCE INFORMATION FOR MOTOR PREPARATION IN PARKINSON'S DISEASE. Brain, 1992, 115, 539-564.	7.6	201
27	Cognitive impairment in multiple system atrophy: A position statement by the neuropsychology task force of the MDS multiple system atrophy (MODIMSA) study group. Movement Disorders, 2014, 29, 857-867.	3.9	193
28	Accuracy of Self-Reported Disability in Patients With Parkinsonism. Archives of Neurology, 1989, 46, 955-959.	4.5	171
29	VISUOSPATIAL FUNCTION IN PARKINSON'S DISEASE. Brain, 1986, 109, 987-1002.	7.6	167
30	Anosognosia in Alzheimer's disease – The petrified self. Consciousness and Cognition, 2009, 18, 989-1003.	1.5	165
31	Trial of CBT for impulse control behaviors affecting Parkinson patients and their caregivers. Neurology, 2013, 80, 792-799.	1.1	163
32	A Randomized, Controlled Trial With 6-Month Follow-Up of Repetitive Transcranial Magnetic Stimulation and Electroconvulsive Therapy for Severe Depression. American Journal of Psychiatry, 2007, 164, 73-81.	7.2	157
33	The effects of transcranial magnetic stimulation over the dorsolateral prefrontal cortex on suppression of habitual counting during random number generation. Brain, 1998, 121, 1533-1544.	7.6	150
34	Depression and anxiety related subtypes in Parkinson's disease. Journal of Neurology, Neurosurgery and Psychiatry, 2011, 82, 803-809.	1.9	150
35	Neural abnormalities during cognitive generation of affect in Treatment-Resistant depression. Biological Psychiatry, 2003, 54, 777-791.	1.3	148
36	Impact of deep brain stimulation on upper limb akinesia in Parkinson's disease. Annals of Neurology, 1999, 45, 473-488.	5.3	145

#	Article	IF	CITATIONS
37	Neural response to pleasant stimuli in anhedonia: an fMRI study. NeuroReport, 2003, 14, 177-182.	1.2	139
38	Measuring brain stem and cerebellar damage in parkinsonian syndromes using diffusion tensor MRI. Neurology, 2006, 67, 2199-2205.	1.1	137
39	Is language impairment more common than executive dysfunction in amyotrophic lateral sclerosis?. Journal of Neurology, Neurosurgery and Psychiatry, 2013, 84, 494-498.	1.9	130
40	Determining the minimum clinically important differences for outcomes in the DOMINO trial. International Journal of Geriatric Psychiatry, 2011, 26, 812-817.	2.7	126
41	Nursing home placement in the Donepezil and Memantine in Moderate to Severe Alzheimer's Disease (DOMINO-AD) trial: secondary and post-hoc analyses. Lancet Neurology, The, 2015, 14, 1171-1181.	10.2	124
42	FMRI BOLD response to increasing task difficulty during successful paired associates learning. NeuroImage, 2003, 20, 1006-1019.	4.2	116
43	Nonmotor versus motor symptoms: How much do they matter to health status in Parkinson's disease?. Movement Disorders, 2012, 27, 236-241.	3.9	116
44	Risk of developing dementia in people with diabetes and mild cognitive impairment. British Journal of Psychiatry, 2010, 196, 36-40.	2.8	115
45	Parkinson's disease motor subtypes and mood. Movement Disorders, 2012, 27, 379-386.	3.9	114
46	Glycogen synthase kinase-3 is increased in white cells early in Alzheimer's disease. Neuroscience Letters, 2004, 373, 1-4.	2.1	112
47	Rotigotine and specific non-motor symptoms of Parkinson's disease: Post hoc analysis of RECOVER. Parkinsonism and Related Disorders, 2013, 19, 660-665.	2.2	112
48	Core assessment program for intracerebral transplantation in Huntington's disease (CAPIT-HD). Movement Disorders, 1996, 11, 143-150.	3.9	110
49	Predictors of psychological distress in carers of people with amyotrophic lateral sclerosis: a longitudinal study. Psychological Medicine, 2006, 36, 865-875.	4.5	108
50	Repetitive transcranial magnetic stimulation for negative symptoms of schizophrenia: A randomized controlled pilot study. Schizophrenia Research, 2007, 93, 221-228.	2.0	104
51	Brain mechanisms of successful compensation during learning in Alzheimer disease. Neurology, 2006, 67, 1011-1017.	1.1	100
52	A comparative study of simple and choice reaction time in Parkinson's, Huntington's and cerebellar disease Journal of Neurology, Neurosurgery and Psychiatry, 1993, 56, 1169-1177.	1.9	98
53	Frequency, prevalence, incidence and risk factors associated with visual hallucinations in a sample of patients with Parkinson's disease: a longitudinal 4â€year study. International Journal of Geriatric Psychiatry, 2013, 28, 626-631.	2.7	97
54	A Proposal for a Comprehensive Grading of Parkinson's Disease Severity Combining Motor and Non-Motor Assessments: Meeting an Unmet Need. PLoS ONE, 2013, 8, e57221.	2.5	95

#	Article	IF	CITATIONS
55	The burden of non-motor symptoms in Parkinson's disease using a self-completed non-motor questionnaire: A simple grading system. Parkinsonism and Related Disorders, 2015, 21, 287-291.	2.2	93
56	Management of impulse control disorders in Parkinson's disease: Controversies and future approaches. Movement Disorders, 2015, 30, 150-159.	3.9	92
57	Learning manual pursuit tracking skills in patients with Parkinson's disease. Brain, 1997, 120, 1325-1337.	7.6	91
58	Non-motor outcomes depend on location of neurostimulation in Parkinson's disease. Brain, 2019, 142, 3592-3604.	7.6	90
59	Executive processes in Parkinsons disease—random number generation and response suppression. Neuropsychologia, 1998, 36, 1355-1362.	1.6	89
60	Cognitive behavioural therapy (CBT) for carers of patients with Parkinson's disease: a preliminary randomised controlled trial. Journal of Neurology, Neurosurgery and Psychiatry, 2005, 76, 491-497.	1.9	87
61	Differences between Alzheimer's disease and dementia with Lewy bodies: an fMRI study of task-related brain activity. Brain, 2006, 129, 1780-1788.	7.6	84
62	A randomized controlled trial with 4-month follow-up of adjunctive repetitive transcranial magnetic stimulation of the left prefrontal cortex for depression. Psychological Medicine, 2008, 38, 323-333.	4.5	82
63	Behavioural and emotional symptoms of apathy are associated with distinct patterns of brain atrophy in neurodegenerative disorders. Journal of Neurology, 2013, 260, 2481-2490.	3.6	82
64	Increased striatal dopamine (D2/D3) receptor availability and delusions in Alzheimer disease. Neurology, 2009, 72, 528-534.	1.1	79
65	Why don't older adults with subjective memory complaints seek help?. International Journal of Geriatric Psychiatry, 2012, 27, 394-400.	2.7	76
66	The effect of withdrawal of dopaminergic medication on simple and choice reaction time and the use of advance information in Parkinson's disease Journal of Neurology, Neurosurgery and Psychiatry, 1992, 55, 1168-1176.	1.9	75
67	The effects of commonly prescribed drugs in patients with Alzheimer's disease on the rate of deterioration. Journal of Neurology, Neurosurgery and Psychiatry, 2006, 78, 233-239.	1.9	74
68	Premorbid Personality and Behavioral and Psychological Symptoms in Probable Alzheimer Disease. American Journal of Geriatric Psychiatry, 2007, 15, 202-213.	1.2	73
69	Brief Psychosocial Therapy for the Treatment of Agitation in Alzheimer Disease (The CALM-AD Trial). American Journal of Geriatric Psychiatry, 2009, 17, 726-733.	1.2	73
70	Training improves the speed of aimed movements in Parkinson's disease. Brain, 1998, 121, 505-514.	7.6	72
71	Diffusion Tensor Imaging of Parkinson's Disease, Multiple System Atrophy and Progressive Supranuclear Palsy: A Tract-Based Spatial Statistics Study. PLoS ONE, 2014, 9, e112638.	2.5	72
72	Functional Neuroanatomy of Successful Paired Associate Learning in Alzheimer's Disease. American Journal of Psychiatry, 2005, 162, 2049-2060.	7.2	71

#	Article	IF	CITATIONS
73	Response choice in Parkinson's disease. Brain, 1993, 116, 869-885.	7.6	67
74	Unawareness of memory impairment in dementia: a population-based study. International Psychogeriatrics, 2012, 24, 931-939.	1.0	66
75	The effects of cognitive reserve and lifestyle on cognition and dementia in Parkinson's disease—a longitudinal cohort study. International Journal of Geriatric Psychiatry, 2016, 31, 13-23.	2.7	63
76	Task-induced deactivations during successful paired associates learning: An effect of age but not Alzheimer's disease. Neurolmage, 2006, 31, 818-831.	4.2	62
77	Cognitive behavioural therapy and persistent post-concussional symptoms: Integrating conceptual issues and practical aspects in treatment. Neuropsychological Rehabilitation, 2012, 22, 1-25.	1.6	60
78	Cognitive behaviour therapy for the treatment of depression in individuals with brain injury. Neuropsychological Rehabilitation, 2003, 13, 89-107.	1.6	59
79	The "cold hands sign―in multiple system atrophy. Movement Disorders, 1997, 12, 514-518.	3.9	58
80	Thinking positively about chronic illness: An exploration of optimism, illness perceptions and wellâ€being in patients with <scp>P</scp> arkinson's disease. British Journal of Health Psychology, 2014, 19, 363-379.	3.5	57
81	Rapid rate transcranial magnetic stimulation \hat{a} a safety study. Electroencephalography and Clinical Neurophysiology - Electromyography and Motor Control, 1997, 105, 422-429.	1.4	54
82	The effects of posteroventral pallidotomy on the preparation and execution of voluntary hand and arm movements in Parkinson's disease. Brain, 1999, 122, 315-327.	7.6	53
83	Longitudinal predictors of psychological distress and self-esteem in people with ALS. Neurology, 2006, 67, 1652-1658.	1.1	53
84	Emotional reactivity and awareness of task performance in Alzheimer's disease. Neuropsychologia, 2012, 50, 2075-2084.	1.6	52
85	Infusion Therapies and Development of Impulse Control Disorders in Advanced Parkinson Disease. Clinical Neuropharmacology, 2015, 38, 132-134.	0.7	52
86	Cortical effects of quetiapine in first-episode schizophrenia: A preliminary functional magnetic resonance imaging study. Biological Psychiatry, 2004, 56, 938-942.	1.3	51
87	Scales to assess impulsive and compulsive behaviors in Parkinson's disease: Critique and recommendations. Movement Disorders, 2019, 34, 791-798.	3.9	49
88	Costâ€effectiveness of donepezil and memantine in moderate to severe Alzheimer's disease (the) Tj ETQq0 0 0	rgBŢ /Ove	rlock 10 Tf 50
89	Memory impairment in schizophrenia: Its' relationship to executive function. Schizophrenia Research, 1996, 21, 85-96.	2.0	46
90	Randomised, waiting list controlled trial of cognitive–behavioural therapy for persistent postconcussional symptoms after predominantly mild–moderate traumatic brain injury. Journal of Neurology, Neurosurgery and Psychiatry, 2016, 87, 1075-1083.	1.9	46

#	Article	IF	Citations
91	Cortical Thickness, Surface Area and Volume Measures in Parkinson's Disease, Multiple System Atrophy and Progressive Supranuclear Palsy. PLoS ONE, 2014, 9, e114167.	2.5	45
92	DOMINO-AD protocol: done pezil and memantine in moderate to severe Alzheimer's disease â \in a multicentre RCT. Trials, 2009, 10, 57.	1.6	44
93	Striatal Contribution to Cognition: Working Memory and Executive Function in Parkinson's Disease before and after Unilateral Posteroventral Pallidotomy. Journal of Cognitive Neuroscience, 2002, 14, 298-310.	2.3	43
94	Cognitive behavioural interventions for depression in chronic neurological conditions: A systematic review. Journal of Psychosomatic Research, 2015, 78, 411-419.	2.6	43
95	A Randomized, Controlled Trial With 6-Month Follow-Up of Repetitive Transcranial Magnetic Stimulation and Electroconvulsive Therapy for Severe Depression. American Journal of Psychiatry, 2007, 164, 73.	7.2	43
96	Parkinsonism following bilateral lesions of the globus pallidus: performance on a variety of motor tasks shows similarities with Parkinson's disease. Journal of Neurology, Neurosurgery and Psychiatry, 2005, 76, 482-490.	1.9	41
97	Cognition, coping, and outcome in Parkinson's disease. International Psychogeriatrics, 2012, 24, 1656-1663.	1.0	41
98	Perceptions of symptoms and expectations of advanced therapy for Parkinsonâ \in ™s disease: preliminary report of a Patient-Reported Outcome tool for Advanced Parkinsonâ \in ™s disease (PRO-APD). Health and Quality of Life Outcomes, 2014, 12, 11.	2.4	41
99	Cost-effectiveness of transcranial magnetic stimulation vs. electroconvulsive therapy for severe depression: A multi-centre randomised controlled trial. Journal of Affective Disorders, 2008, 109, 273-285.	4.1	40
100	Impulse control disorders and dopamine dysregulation in Parkinson's disease: a broader conceptual framework. European Journal of Neurology, 2011, 18, 1379-1383.	3.3	40
101	Abulia: A Delphi survey of British neurologists and psychiatrists. Movement Disorders, 2002, 17, 1052-1057.	3.9	38
102	Executive dysfunction predicts social cognition impairment in amyotrophic lateral sclerosis. Journal of Neurology, 2015, 262, 1681-1690.	3.6	36
103	The NEO-FFI is a reliable measure of premorbid personality in patients with probable Alzheimer's disease. International Journal of Geriatric Psychiatry, 2006, 21, 477-484.	2.7	34
104	Fear of heights: cognitive performance and postural control. European Archives of Psychiatry and Clinical Neuroscience, 2009, 259, 114-119.	3.2	34
105	Impact of disease, cognitive and behavioural factors on caregiver outcome in amyotrophic lateral sclerosis. Amyotrophic Lateral Sclerosis and Frontotemporal Degeneration, 2015, 16, 316-323.	1.7	33
106	Metacognitions, anxiety, and distress related to motor fluctuations in Parkinson's disease. Journal of Psychosomatic Research, 2015, 78, 143-148.	2.6	32
107	Barriers to reporting non-motor symptoms to health-care providers in people with Parkinson's. Parkinsonism and Related Disorders, 2019, 64, 220-225.	2.2	32
108	Report from a multidisciplinary meeting on anxiety as a non-motor manifestation of Parkinson's disease. Npj Parkinson's Disease, 2019, 5, 30.	5.3	32

#	Article	IF	Citations
109	Pallidotomy and incidental sequence learning in Parkinson's disease. NeuroReport, 2003, 14, 21-24.	1.2	31
110	Psychotherapy and pharmacotherapy interventions to reduce distress or improve well-being in people with amyotrophic lateral sclerosis: A systematic review. Amyotrophic Lateral Sclerosis and Frontotemporal Degeneration, 2015, 16, 293-302.	1.7	30
111	The Role of Self-Awareness and Cognitive Dysfunction in Parkinson's Disease With and Without Impulse-Control Disorder. Journal of Neuropsychiatry and Clinical Neurosciences, 2013, 25, 141-149.	1.8	29
112	Social problem solving, social cognition, and mild cognitive impairment in Parkinson's disease Behavioral Neuroscience, 2013, 127, 184-192.	1.2	29
113	The dopaminergic basis of cognitive and motor performance in Alzheimer's disease. Neurobiology of Disease, 2010, 37, 477-482.	4.4	28
114	Dysregulation of the behavioral activation system in remitted bipolar I disorder Journal of Abnormal Psychology, 2008, 117, 838-848.	1.9	26
115	Diagnosing Alzheimer's diseaseâ€"non-clinicians and computerised algorithms together are as accurate as the best clinical practice. International Journal of Geriatric Psychiatry, 2007, 22, 1154-1163.	2.7	25
116	Parkinson's Impulseâ€Control Scale for the Severity Rating of Impulseâ€Control Behaviors in Parkinson's Disease: A Semistructured Clinical Assessment Tool. Movement Disorders Clinical Practice, 2016, 3, 494-499.	1.5	25
117	Coping in Parkinson's disease: an examination of the coping inventory for stressful situations. International Journal of Geriatric Psychiatry, 2011, 26, 1030-1037.	2.7	24
118	Predictors of response to a cognitive behavioral intervention for impulse control behaviors in Parkinson's disease. Movement Disorders, 2015, 30, 736-739.	3.9	23
119	Cognitive-Motor Dysfunction in Parkinson's Disease. European Neurology, 1996, 36, 24-31.	1.4	22
120	Midlife Neuroticism and the age of onset of Alzheimer's disease. Psychological Medicine, 2009, 39, 665-673.	4.5	22
121	Perceptions of subjective memory complaint in older adults: the Illness Perception Questionnaire – Memory (IPQ-M). International Psychogeriatrics, 2010, 22, 750-760.	1.0	22
122	The relationship of depression and disease stage to patient perceptions of Parkinson's disease. Journal of Health Psychology, 2012, 17, 1076-1088.	2.3	22
123	Are abnormal premorbid personality traits associated with Alzheimer's disease? ―A case ontrol study. International Journal of Geriatric Psychiatry, 2010, 25, 345-351.	2.7	21
124	Marital relationships in amyotrophic lateral sclerosis. Amyotrophic Lateral Sclerosis and Other Motor Neuron Disorders, 2010, 11, 344-350.	2.1	20
125	Thinking about motor fluctuations: An examination of metacognitions in Parkinson's disease. Journal of Psychosomatic Research, 2015, 79, 669-673.	2.6	19
126	Guided Self-Help for the Management of Worry in Parkinson's Disease: A Pilot Study. Journal of Parkinson's Disease, 2013, 3, 61-68.	2.8	18

#	Article	IF	Citations
127	Rumination and behavioural factors in Parkinson's disease depression. Journal of Psychosomatic Research, 2016, 82, 48-53.	2.6	18
128	Measuring disability in patients with neurodegenerative disease using the ?Yesterday Interview?. International Journal of Geriatric Psychiatry, 2004, 19, 1058-1064.	2.7	17
129	Emotional Reactivity to Film Material in Alzheimer's Disease. Dementia and Geriatric Cognitive Disorders, 2012, 34, 351-359.	1.5	17
130	Motor Phenotypes, Medication and Mood: Further Associations with Impulsive Behaviours in Parkinson's Disease. Journal of Parkinson's Disease, 2014, 4, 245-254.	2.8	16
131	Cognitive approach to rehabilitation in children with hyperkinetic movement disorders post-DBS. Neurology, 2019, 92, e1212-e1224.	1.1	15
132	Identifying barriers to help-seeking for non-motor symptoms in people with Parkinson's disease. Journal of Health Psychology, 2019, 24, 561-571.	2.3	12
133	Heterogeneity of anosognosia in Alzheimer's disease according to the object of awareness Psychology and Neuroscience, 2019, 12, 282-290.	0.8	12
134	Cognitive Abnormalities in Schizophrenia and Schizophrenia-Like Psychosis of Epilepsy. Journal of Neuropsychiatry and Clinical Neurosciences, 2004, 16, 472-479.	1.8	12
135	Neuropsychological and Behavioral Disturbance Correlates of Unawareness of Memory Impairment in Dementia. Journal of Geriatric Psychiatry and Neurology, 2015, 28, 3-11.	2.3	11
136	Reduced approach motivation following nonreward: Extension of the BIS/BAS scales. Personality and Individual Differences, 2009, 47, 753-757.	2.9	10
137	Motor fluctuations and psychological distress in Parkinson's disease Health Psychology, 2019, 38, 518-526.	1.6	10
138	Dementia in multiple system atrophy: does it exist?. European Journal of Neurology, 2009, 16, 551-552.	3.3	8
139	Cognitive and Affective Correlates of Temperament in Parkinson's Disease. Depression Research and Treatment, 2011, 2011, 1-8.	1.3	8
140	Protocol for $\langle i \rangle N \langle i \rangle$ -of-1 trials proof of concept for rehabilitation of childhood-onset dystonia: Study 1. Canadian Journal of Occupational Therapy, 2018, 85, 242-254.	1.3	8
141	Metacognition and attribution of difficulty for self and others in Alzheimer's disease Psychology and Neuroscience, 2014, 7, 417-424.	0.8	8
142	Behavioural disorders, Parkinson's disease, and subthalamic stimulation. Journal of Neurology, Neurosurgery and Psychiatry, 2002, 72, 689-689.	1.9	7
143	No effect of donepezil on striatal dopamine release in mild to moderate Alzheimer's disease. Journal of Neurology, Neurosurgery and Psychiatry, 2010, 81, 119-121.	1.9	7
144	Implicit Behavioral Change in Response to Cognitive Tasks in Alzheimer Disease. Cognitive and Behavioral Neurology, 2018, 31, 2-12.	0.9	7

#	Article	IF	CITATIONS
145	An exploration of worry content and catastrophic thinking in middleâ€aged and olderâ€aged adults with and without Parkinson's disease. International Journal of Geriatric Psychiatry, 2015, 30, 376-383.	2.7	6
146	Measuring Illness beliefs in neurodegenerative disease: Why we need to be specific. Journal of Health Psychology, 2015, 20, 69-79.	2.3	4
147	The development of computerised success-failure manipulation paradigms for the experimental study of metacognition in neurological patients. Temas Em Psicologia, 2014, 22, 579-588.	0.3	4
148	Testâ€"Retest Reliability of the ECO Computerised Cognitive Battery for the Elderly. Aging, Neuropsychology, and Cognition, 2004, 11, 51-57.	1.3	3
149	Impact of a brief auditory attention training on a modified colour-word Stroop task in a high anxiety and worry sample. Journal of Cognitive Psychology, 2019, 31, 303-316.	0.9	3
150	Cognitive Strategy Training in Childhood-Onset Movement Disorders: Replication Across Therapists. Frontiers in Pediatrics, 2020, 8, 600337.	1.9	3
151	Rehabilitation in childhood-onset hyperkinetic movement disorders including dystonia: Treatment change in outcomes across the ICF and feasibility of outcomes for full trial evaluation. European Journal of Paediatric Neurology, 2021, 33, 159-167.	1.6	3
152	Behavioural and Psychiatric Symptoms in Patients With Neurodegenerative Diseases. Brain Impairment, 2005, 6, 181-190.	0.7	0
153	Bridging the gapâ€"delivery of mental health provision in neurological services. British Journal of Neuroscience Nursing, 2011, 7, 417-418.	0.2	0