

Paola Bucci

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1929484/publications.pdf>

Version: 2024-02-01

41
papers

1,978
citations

361413

20
h-index

345221

36
g-index

42
all docs

42
docs citations

42
times ranked

2319
citing authors

#	ARTICLE	IF	CITATIONS
1	The influence of illness-related variables, personal resources and context-related factors on real-life functioning of people with schizophrenia. <i>World Psychiatry</i> , 2014, 13, 275-287.	10.4	346
2	Categorical and dimensional approaches to negative symptoms of schizophrenia: Focus on long-term stability and functional outcome. <i>Schizophrenia Research</i> , 2013, 147, 157-162.	2.0	148
3	Amisulpride and olanzapine followed by open-label treatment with clozapine in first-episode schizophrenia and schizophreniform disorder (OPTiMiSE): a three-phase switching study. <i>Lancet Psychiatry</i> , 2018, 5, 797-807.	7.4	141
4	Persistent negative symptoms in first episode patients with schizophrenia: Results from the European First Episode Schizophrenia Trial. <i>European Neuropsychopharmacology</i> , 2013, 23, 196-204.	0.7	137
5	The Brief Negative Symptom Scale (BNSS): Independent validation in a large sample of Italian patients with schizophrenia. <i>European Psychiatry</i> , 2015, 30, 641-647.	0.2	114
6	Is avolition in schizophrenia associated with a deficit of dorsal caudate activity? A functional magnetic resonance imaging study during reward anticipation and feedback. <i>Psychological Medicine</i> , 2015, 45, 1765-1778.	4.5	108
7	The interplay among psychopathology, personal resources, context-related factors and real-life functioning in schizophrenia: stability in relationships after 4 years and differences in network structure between recovered and non-recovered patients. <i>World Psychiatry</i> , 2020, 19, 81-91.	10.4	96
8	Factors Associated With Real-Life Functioning in Persons With Schizophrenia in a 4-Year Follow-up Study of the Italian Network for Research on Psychoses. <i>JAMA Psychiatry</i> , 2021, 78, 550.	11.0	89
9	Network Analysis Reveals the Latent Structure of Negative Symptoms in Schizophrenia. <i>Schizophrenia Bulletin</i> , 2019, 45, 1033-1041.	4.3	88
10	Pathways to functional outcome in subjects with schizophrenia living in the community and their unaffected first-degree relatives. <i>Schizophrenia Research</i> , 2016, 175, 154-160.	2.0	66
11	Social cognition in people with schizophrenia: a cluster-analytic approach. <i>Psychological Medicine</i> , 2016, 46, 2717-2729.	4.5	65
12	The Specific Level of Functioning Scale: Construct validity, internal consistency and factor structure in a large Italian sample of people with schizophrenia living in the community. <i>Schizophrenia Research</i> , 2014, 159, 144-150.	2.0	64
13	Executive hypercontrol in obsessive-compulsive disorder: electrophysiological and neuropsychological indices. <i>Clinical Neurophysiology</i> , 2004, 115, 1340-1348.	1.5	60
14	Induced Gamma Activity and Event-Related Coherence in Schizophrenia. <i>Clinical EEG and Neuroscience</i> , 2007, 38, 96-104.	1.7	57
15	Personal resources and depression in schizophrenia: The role of self-esteem, resilience and internalized stigma. <i>Psychiatry Research</i> , 2017, 256, 359-364.	3.3	49
16	Reward anticipation and trait anhedonia: An electrophysiological investigation in subjects with schizophrenia. <i>Clinical Neurophysiology</i> , 2016, 127, 2149-2160.	1.5	45
17	Premorbid academic and social functioning in patients with schizophrenia and its associations with negative symptoms and cognition. <i>Acta Psychiatrica Scandinavica</i> , 2018, 138, 253-266.	4.5	44
18	Gender Differences in Clinical and Psychosocial Features Among Persons With Schizophrenia: A Mini Review. <i>Frontiers in Psychiatry</i> , 2021, 12, 789179.	2.6	35

#	ARTICLE	IF	CITATIONS
19	Neurocognitive indices of executive hypercontrol in obsessive-compulsive disorder. <i>Acta Psychiatrica Scandinavica</i> , 2007, 115, 380-387.	4.5	34
20	Persistent negative symptoms in recent-onset psychosis: Relationship to treatment response and psychosocial functioning. <i>European Neuropsychopharmacology</i> , 2020, 34, 76-86.	0.7	30
21	Characterization of premorbid functioning during childhood in patients with deficit vs. non-deficit schizophrenia and in their healthy siblings. <i>Schizophrenia Research</i> , 2016, 174, 172-176.	2.0	25
22	Neurocognitive individualized training versus social skills individualized training: A randomized trial in patients with schizophrenia. <i>Schizophrenia Research</i> , 2013, 150, 69-75.	2.0	24
23	Accuracy of self-assessment of real-life functioning in schizophrenia. <i>NPJ Schizophrenia</i> , 2021, 7, 11.	3.6	18
24	Improving Knowledge on Pathways to Functional Outcome in Schizophrenia: Main Results From the Italian Network for Research on Psychoses. <i>Frontiers in Psychiatry</i> , 2021, 12, 791117.	2.6	15
25	Assessment of de novo copy-number variations in Italian patients with schizophrenia: Detection of putative mutations involving regulatory enhancer elements. <i>World Journal of Biological Psychiatry</i> , 2019, 20, 126-136.	2.6	12
26	Rasch analysis of the PANSS negative subscale and exploration of negative symptom trajectories in first-episode schizophrenia – data from the OPTiMISE trial. <i>Psychiatry Research</i> , 2020, 289, 112970.	3.3	11
27	Autism spectrum in patients with schizophrenia: correlations with real-life functioning, resilience, and coping styles. <i>CNS Spectrums</i> , 2021, , 1-11.	1.2	10
28	Investigating the Relationship between White Matter Connectivity and Motivational Circuits in Subjects with Deficit Schizophrenia: A Diffusion Tensor Imaging (DTI) Study. <i>Journal of Clinical Medicine</i> , 2022, 11, 61.	2.4	10
29	Mismatch Negativity and P3a Impairment through Different Phases of Schizophrenia and Their Association with Real-Life Functioning. <i>Journal of Clinical Medicine</i> , 2021, 10, 5838.	2.4	8
30	WPA partnership with the World Health Organization in the development of the ICD-11 chapter on mental disorders. <i>World Psychiatry</i> , 2013, 12, 87-88.	10.4	7
31	The Cognitive Assessment Interview (CAI): Association with neuropsychological scores and real-life functioning in a large sample of Italian subjects with schizophrenia. <i>Schizophrenia Research</i> , 2022, 241, 161-170.	2.0	5
32	Physiologic Basis of the EEG Signal. , 2011, , 7-12.		4
33	Genome-wide association study detected novel susceptibility genes for social cognition impairment in people with schizophrenia. <i>World Journal of Biological Psychiatry</i> , 2022, 23, 46-54.	2.6	4
34	Scalability of the Positive and Negative Syndrome Scale in first-episode schizophrenia assessed by Rasch models. <i>Acta Psychiatrica Scandinavica</i> , 2022, 146, 21-35.	4.5	4
35	Social skills vs. Neurocognitive training in psychotic patients. <i>European Psychiatry</i> , 2011, 26, 1475-1475.	0.2	1
36	Relationships between neurocognition, social cognition and functional outcome in schizophrenia. <i>European Psychiatry</i> , 2016, 33, S67-S67.	0.2	1

#	ARTICLE	IF	CITATIONS
37	Resilience in people with schizophrenia. Results from the Italian Network for Research on Psychoses. European Journal of Public Health, 2017, 27, .	0.3	1
38	Determinants of Clinical Recovery in Schizophrenia. Comprehensive Approach To Psychiatry, 2022, , 23-43.	1.0	1
39	A comprehensive systematic screening protocol for assessment of medical comorbidities in schizophrenia. European Psychiatry, 2016, 33, S574-S574.	0.2	0
40	Avolition in schizophrenia: associations with trait and state anhedonia. European Psychiatry, 2016, 33, s246-s246.	0.2	0
41	Plans for the chapter on mental disorders of ICD-11: a synopsis for WPA constituencies. Psychiatria Hungarica, 2014, 29, 124-30.	0.2	0