

Ralf Thomas Weitz

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/193432/publications.pdf>

Version: 2024-02-01

84
papers

6,832
citations

117625

34
h-index

74163

75
g-index

86
all docs

86
docs citations

86
times ranked

11519
citing authors

#	ARTICLE	IF	CITATIONS
1	Electronic Transport Properties of Individual Chemically Reduced Graphene Oxide Sheets. <i>Nano Letters</i> , 2007, 7, 3499-3503.	9.1	2,177
2	Contact and edge effects in graphene devices. <i>Nature Nanotechnology</i> , 2008, 3, 486-490.	31.5	658
3	Broken-Symmetry States in Doubly Gated Suspended Bilayer Graphene. <i>Science</i> , 2010, 330, 812-816.	12.6	355
4	Fabry-Pérot Resonances in One-Dimensional Plasmonic Nanostructures. <i>Nano Letters</i> , 2009, 9, 2372-2377.	9.1	276
5	Organic n-Channel Transistors Based on Core-Cyanated Perylene Carboxylic Diimide Derivatives. <i>Journal of the American Chemical Society</i> , 2008, 130, 4637-4645.	13.7	262
6	Electronic decoupling of an epitaxial graphene monolayer by gold intercalation. <i>Physical Review B</i> , 2010, 81, .	3.2	214
7	Polymer Nanofibers via Nozzle-Free Centrifugal Spinning. <i>Nano Letters</i> , 2008, 8, 1187-1191.	9.1	193
8	Inkjet-printed energy storage device using graphene/polyaniline inks. <i>Journal of Power Sources</i> , 2014, 248, 483-488.	7.8	182
9	Local Compressibility Measurements of Correlated States in Suspended Bilayer Graphene. <i>Physical Review Letters</i> , 2010, 105, 256806.	7.8	142
10	Flexible low-voltage high-frequency organic thin-film transistors. <i>Science Advances</i> , 2020, 6, eaaz5156.	10.3	133
11	Vertical, electrolyte-gated organic transistors show continuous operation in the $MA \approx 10^{-2}$ regime and artificial synaptic behaviour. <i>Nature Nanotechnology</i> , 2019, 14, 579-585.	31.5	128
12	Organic Transistors Based on Di(phenylvinyl)anthracene: Performance and Stability. <i>Advanced Materials</i> , 2007, 19, 3882-3887.	21.0	120
13	High-Performance Carbon Nanotube Field Effect Transistors with a Thin Gate Dielectric Based on a Self-Assembled Monolayer. <i>Nano Letters</i> , 2007, 7, 22-27.	9.1	102
14	Bias stress effect in low-voltage organic thin-film transistors. <i>Applied Physics A: Materials Science and Processing</i> , 2009, 95, 139-145.	2.3	95
15	Threshold-Voltage Shifts in Organic Transistors Due to Self-Assembled Monolayers at the Dielectric: Evidence for Electronic Coupling and Dipolar Effects. <i>ACS Applied Materials & Interfaces</i> , 2015, 7, 22775-22785.	8.0	87
16	Direct Uniaxial Alignment of a Donor-Acceptor Semiconducting Polymer Using Single-Step Solution Shearing. <i>ACS Applied Materials & Interfaces</i> , 2016, 8, 9285-9296.	8.0	87
17	Chemical Vapor Deposition of High Quality Graphene Films from Carbon Dioxide Atmospheres. <i>ACS Nano</i> , 2015, 9, 31-42.	14.6	82
18	Energy barriers at grain boundaries dominate charge carrier transport in an electron-conductive organic semiconductor. <i>Scientific Reports</i> , 2018, 8, 14868.	3.3	73

#	ARTICLE	IF	CITATIONS
19	Carbon nanotube transistors – chemical functionalization and device characterization. <i>Physica Status Solidi (A) Applications and Materials Science</i> , 2008, 205, 633-646.	1.8	68
20	Top-Gate ZnO Nanowire Transistors and Integrated Circuits with Ultrathin Self-Assembled Monolayer Gate Dielectric. <i>Nano Letters</i> , 2011, 11, 5309-5315.	9.1	65
21	High-Mobility, Ultrathin Organic Semiconducting Films Realized by Surface-Mediated Crystallization. <i>Nano Letters</i> , 2018, 18, 9-14.	9.1	64
22	A Critical Outlook for the Pursuit of Lower Contact Resistance in Organic Transistors. <i>Advanced Materials</i> , 2022, 34, e2104075.	21.0	53
23	Core-Fluorinated Naphthalene Diimides: Synthesis, Characterization, and Application in n-Type Organic Field-Effect Transistors. <i>Organic Letters</i> , 2016, 18, 456-459.	4.6	52
24	Effect of the Degree of the Gate-Dielectric Surface Roughness on the Performance of Bottom-Gate Organic Thin-Film Transistors. <i>Advanced Materials Interfaces</i> , 2020, 7, 1902145.	3.7	52
25	The Importance of Grain Boundaries for the Time-Dependent Mobility Degradation in Organic Thin-Film Transistors. <i>Chemistry of Materials</i> , 2009, 21, 4949-4954.	6.7	47
26	Diketopyrrolopyrrole (DPP)-Based Donor-Acceptor Polymers for Selective Dispersion of Large-Diameter Semiconducting Carbon Nanotubes. <i>Small</i> , 2015, 11, 2946-2954.	10.0	47
27	Graphene rests easy. <i>Nature Nanotechnology</i> , 2010, 5, 699-700.	31.5	46
28	Understanding Polymorph Transformations in Core-Chlorinated Naphthalene Diimides and their Impact on Thin-Film Transistor Performance. <i>Advanced Functional Materials</i> , 2016, 26, 2357-2364.	14.9	42
29	Highly Reliable Carbon Nanotube Transistors with Patterned Gates and Molecular Gate Dielectric. <i>Nano Letters</i> , 2009, 9, 1335-1340.	9.1	40
30	New Charge-Transfer Salts for Reversible Resistive Memory Switching. <i>Nano Letters</i> , 2006, 6, 2810-2813.	9.1	39
31	Quantum anomalous Hall octet driven by orbital magnetism in bilayer graphene. <i>Nature</i> , 2021, 598, 53-58.	27.8	39
32	Metal-free synthesis of nanocrystalline graphene on insulating substrates by carbon dioxide-assisted chemical vapor deposition. <i>Carbon</i> , 2017, 112, 201-207.	10.3	38
33	Strong p-Type Doping of Individual Carbon Nanotubes by Prussian Blue Functionalization. <i>Small</i> , 2008, 4, 1671-1675.	10.0	37
34	Interfacial Synthesis of Layer-Oriented 2D Conjugated Metal-Organic Framework Films toward Directional Charge Transport. <i>Journal of the American Chemical Society</i> , 2021, 143, 13624-13632.	13.7	36
35	Dispersion of High-Purity Semiconducting Arc-Discharged Carbon Nanotubes Using Backbone Engineered Diketopyrrolopyrrole (DPP)-Based Polymers. <i>Advanced Electronic Materials</i> , 2016, 2, 1500299.	5.1	35
36	Transconductance Fluctuations as a Probe for Interaction-Induced Quantum Hall States in Graphene. <i>Physical Review Letters</i> , 2012, 109, 056602.	7.8	32

#	ARTICLE	IF	CITATIONS
37	Electrical Characteristics of Field-Effect Transistors based on Chemically Synthesized Graphene Nanoribbons. <i>Advanced Electronic Materials</i> , 2015, 1, 1400010.	5.1	32
38	DNA-templated synthesis of ZnO thin layers and nanowires. <i>Nanotechnology</i> , 2009, 20, 365302.	2.6	30
39	Presence of Short Intermolecular Contacts Screens for Kinetic Stability in Packing Polymorphs. <i>Journal of the American Chemical Society</i> , 2018, 140, 7519-7525.	13.7	29
40	Nanoscale Electrolyte-Gated Vertical Organic Transistors with Low Operation Voltage and Five Orders of Magnitude Switching Range for Neuromorphic Systems. <i>Nano Letters</i> , 2022, 22, 973-978.	9.1	27
41	Separating the impact of oxygen and water on the long-term stability of n-channel perylene diimide thin-film transistors. <i>Organic Electronics</i> , 2015, 26, 340-344.	2.6	26
42	Crystalline Inverted Membranes Grown on Surfaces by Electro spray Ion Beam Deposition in Vacuum. <i>Advanced Materials</i> , 2012, 24, 2761-2767.	21.0	25
43	Anisotropic Strain-Induced Soliton Movement Changes Stacking Order and Band Structure of Graphene Multilayers: Implications for Charge Transport. <i>ACS Applied Nano Materials</i> , 2019, 2, 6067-6075.	5.0	24
44	Quantitative Analysis of the Density of Trap States in Semiconductors by Electrical Transport Measurements on Low-Voltage Field-Effect Transistors. <i>Physical Review Applied</i> , 2018, 10, .	3.8	23
45	Synthesis of large-area rhombohedral few-layer graphene by chemical vapor deposition on copper. <i>Carbon</i> , 2021, 177, 282-290.	10.3	22
46	Microstructural Evolution of the Thin Films of a Donor-Acceptor Semiconducting Polymer Deposited by Meniscus-Guided Coating. <i>Macromolecules</i> , 2018, 51, 4325-4340.	4.8	21
47	Plasmonic nanostructures in apertureless scanning near-field optical microscopy (aSNOM). <i>Physica Status Solidi (B): Basic Research</i> , 2008, 245, 2255-2260.	1.5	20
48	Complete Suppression of Bias-Induced Threshold Voltage Shift below 273 K in Solution-Processed High-Performance Organic Transistors. <i>ACS Applied Materials & Interfaces</i> , 2018, 10, 35449-35454.	8.0	20
49	Optimizing the plasma oxidation of aluminum gate electrodes for ultrathin gate oxides in organic transistors. <i>Scientific Reports</i> , 2021, 11, 6382.	3.3	19
50	Ionic gel as gate dielectric for the easy characterization of graphene and polymer field-effect transistors and electrochemical resistance modification of graphene. <i>Journal of Applied Physics</i> , 2015, 118, .	2.5	18
51	High-Performance Vertical Organic Transistors of Sub-5 nm Channel Length. <i>Nano Letters</i> , 2021, 21, 4430-4436.	9.1	18
52	Subthreshold Swing of $59 \text{ mV decade}^{-1}$ in Nanoscale Flexible Ultralow-Voltage Organic Transistors. <i>Advanced Electronic Materials</i> , 2022, 8, .	5.1	18
53	One-Dimensional Heterostructures of Single-Walled Carbon Nanotubes and CdSe Nanowires. <i>Small</i> , 2010, 6, 376-380.	10.0	17
54	Materials depth distribution and degradation of a FIrpic based solution-processed blue OLED. <i>Organic Electronics</i> , 2015, 26, 365-370.	2.6	17

#	ARTICLE	IF	CITATIONS
55	Solution-Processed Organic Transistors with Excellent Electrical Stability under Ambient Conditions. <i>Advanced Electronic Materials</i> , 2019, 5, 1900295.	5.1	17
56	Photo-Cross-Linkable Polymeric Optoelectronics Based on the [2 + 2] Cycloaddition Reaction of Cinnamic Acid. <i>Macromolecules</i> , 2016, 49, 1518-1522.	4.8	16
57	Dielectric-Semiconductor Interface Limits Charge Carrier Motion at Elevated Temperatures and Large Carrier Densities in a High-Mobility Organic Semiconductor. <i>Advanced Functional Materials</i> , 2019, 29, 1807867.	14.9	16
58	Logic circuits based on individual semiconducting and metallic carbon-nanotube devices. <i>Nanotechnology</i> , 2010, 21, 475207.	2.6	13
59	Low-voltage organic n-channel thin-film transistors based on a core-cyanated perylene tetracarboxylic diimide derivative. <i>Synthetic Metals</i> , 2009, 159, 2362-2364.	3.9	12
60	Charge Traps in All-Inorganic CsPbBr ₃ Perovskite Nanowire Field-Effect Phototransistors. <i>Advanced Electronic Materials</i> , 2021, 7, 2100105.	5.1	12
61	E-beam lithography of catalyst patterns for carbon nanotube growth on insulating substrates. <i>Microelectronic Engineering</i> , 2008, 85, 768-773.	2.4	11
62	Electrochemically modified single-walled carbon nanotubes. <i>Physica Status Solidi (B): Basic Research</i> , 2007, 244, 4021-4025.	1.5	10
63	Identification of grain boundaries as degradation site in n-channel organic field-effect transistors determined via conductive atomic force microscopy. <i>Physica Status Solidi - Rapid Research Letters</i> , 2016, 10, 339-345.	2.4	9
64	Highly Efficient and Scalable Separation of Semiconducting Carbon Nanotubes via Weak Field Centrifugation. <i>Scientific Reports</i> , 2016, 6, 26259.	3.3	8
65	Bulk transport and contact limitation of MoS ₂ multilayer flake transistors untangled via temperature-dependent transport measurements. <i>Physica Status Solidi (A) Applications and Materials Science</i> , 2015, 212, 2059-2067.	1.8	6
66	Solvent-Molecule Interactions Govern Crystal-Habit Selection in Naphthalene Tetracarboxylic Diimides. <i>Chemistry of Materials</i> , 2019, 31, 9691-9698.	6.7	6
67	Growth mechanism of solution-deposited layers of the charge-transfer salt CuDDQ. <i>Physica Status Solidi (B): Basic Research</i> , 2007, 244, 4346-4350.	1.5	5
68	Ionic liquid gating of single-walled carbon nanotube devices with ultra-short channel length down to 10 nm. <i>Applied Physics Letters</i> , 2021, 118, .	3.3	5
69	Charge transport in semiconducting polymers at the nanoscale. <i>APL Materials</i> , 2021, 9, .	5.1	5
70	All About the Interface: Do Residual Contaminants at A High-Quality h-BN Monolayer Perylene Diimide Interface Cause Charge Trapping?. <i>Advanced Materials Interfaces</i> , 2022, 9, .	3.7	5
71	Freely Suspended, van der Waals Bound Organic Nanometer-Thin Functional Films: Mechanical and Electronic Characterization. <i>Advanced Materials</i> , 2019, 31, 1808309.	21.0	4
72	Locally-triggered hydrophobic collapse induces global interface self-cleaning in van-der-Waals heterostructures at room-temperature. <i>2D Materials</i> , 2020, 7, 035002.	4.4	4

#	ARTICLE	IF	CITATIONS
73	Low-voltage metal-gate top-contact organic thin-film transistors and complementary inverters with submicron channel length. , 2009, , .		3
74	Understanding organic thin-film transistor fabrication based on application-relevant deposition and patterning techniques. Physica Status Solidi (A) Applications and Materials Science, 2015, 212, 1634-1642.	1.8	3
75	Spontaneous Gully-Polarized Quantum Hall States in ABA Trilayer Graphene. Nano Letters, 2022, 22, 3317-3322.	9.1	3
76	Single-walled carbon nanotube transistors on an ultra-thin gate dielectric. Physica Status Solidi (B): Basic Research, 2006, 243, 3394-3398.	1.5	1
77	Low-Voltage Organic Thin-Film Transistors with Improved Stability and Large Transconductance. Device Research Conference, IEEE Annual, 2007, , .	0.0	0
78	Carbon Nanotube Transistorsâ€“ Chemical Functionalisation and Device Characterisation. , 0, , 565-593.		0
79	Top-gate ZnO nanowire transistors with ultrathin organic gate dielectric. , 2009, , .		0
80	Back Cover: Identification of grain boundaries as degradation site in n-channel organic field-effect transistors determined via conductive atomic force microscopy (Phys. Status Solidi RRL 4/2016). Physica Status Solidi - Rapid Research Letters, 2016, 10, .	2.4	0
81	Polymorphism: Understanding Polymorph Transformations in Core-Chlorinated Naphthalene Diimides and their Impact on Thin-Film Transistor Performance (Adv. Funct. Mater. 14/2016). Advanced Functional Materials, 2016, 26, 2395-2395.	14.9	0
82	Organic monolayer dielectric for high-performance carbon nanotube transistors. SPIE Newsroom, 2007, , .	0.1	0
83	Manipulation and statistical analysis of the fluid flow of polymer semiconductor solutions during meniscus-guided coating. MRS Bulletin, 0, , 1-14.	3.5	0
84	All About the Interface: Do Residual Contaminants at A Highâ€“Quality hâ€“BN Monolayer Perylene Diimide Interface Cause Charge Trapping? (Adv. Mater. Interfaces 10/2022). Advanced Materials Interfaces, 2022, 9, .	3.7	0