

Peter A Bandettini

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1934958/publications.pdf>

Version: 2024-02-01

45
papers

9,734
citations

159585

30
h-index

276875

41
g-index

55
all docs

55
docs citations

55
times ranked

7681
citing authors

#	ARTICLE	IF	CITATIONS
1	The positiveâ€“negative mode link between brain connectivity, demographics and behaviour: a pre-registered replication of Smith <i>et al</i> . (2015). Royal Society Open Science, 2022, 9, 201090.	2.4	2
2	Higher and deeper: Bringing layer fMRI to association cortex. Progress in Neurobiology, 2021, 207, 101930.	5.7	21
3	Layer-dependent functional connectivity methods. Progress in Neurobiology, 2021, 207, 101835.	5.7	67
4	Leslie Ungerleider, 1946â€“2020: Who, what, and where. Proceedings of the National Academy of Sciences of the United States of America, 2021, 118, e2102784118.	7.1	1
5	TE-dependent analysis of multi-echo fMRI with tedana. Journal of Open Source Software, 2021, 6, 3669.	4.6	39
6	Sub-millimeter fMRI reveals multiple topographical digit representations that form action maps in human motor cortex. NeuroImage, 2020, 208, 116463.	4.2	88
7	Theta-burst TMS to the posterior superior temporal sulcus decreases resting-state fMRI connectivity across the face processing network. Network Neuroscience, 2020, 4, 746-760.	2.6	17
8	A deconvolution algorithm for multi-echo functional MRI: Multi-echo Sparse Paradigm Free Mapping. NeuroImage, 2019, 202, 116081.	4.2	21
9	Layer-dependent activity in human prefrontal cortex during working memory. Nature Neuroscience, 2019, 22, 1687-1695.	14.8	130
10	Layer-specific activation of sensory input and predictive feedback in the human primary somatosensory cortex. Science Advances, 2019, 5, eaav9053.	10.3	62
11	The Integration of Functional Brain Activity from Adolescence to Adulthood. Journal of Neuroscience, 2018, 38, 3559-3570.	3.6	32
12	Ridding fMRI data of motion-related influences: Removal of signals with distinct spatial and physical bases in multiecho data. Proceedings of the National Academy of Sciences of the United States of America, 2018, 115, E2105-E2114.	7.1	250
13	Task-based dynamic functional connectivity: Recent findings and open questions. NeuroImage, 2018, 180, 526-533.	4.2	239
14	Quantitative Deconvolution of fMRI Data with Multi-echo Sparse Paradigm Free Mapping. Lecture Notes in Computer Science, 2018, , 311-319.	1.3	3
15	A temporal deconvolution algorithm for multiecho functional MRI. , 2018, , .		1
16	Ultra-high resolution blood volume fMRI and BOLD fMRI in humans at 9.4â€“T: Capabilities and challenges. NeuroImage, 2018, 178, 769-779.	4.2	44
17	Physiological basis of vascular autocalibration (Vas<sc>A</sc>): Comparison to hypercapnia calibration methods. Magnetic Resonance in Medicine, 2017, 78, 1168-1173.	3.0	7
18	Multi-echo fMRI: A review of applications in fMRI denoising and analysis of BOLD signals. NeuroImage, 2017, 154, 59-80.	4.2	238

#	ARTICLE	IF	CITATIONS
19	Time-Resolved Resting-State Functional Magnetic Resonance Imaging Analysis: Current Status, Challenges, and New Directions. <i>Brain Connectivity</i> , 2017, 7, 465-481.	1.7	84
20	High-Resolution CBV-fMRI Allows Mapping of Laminar Activity and Connectivity of Cortical Input and Output in Human M1. <i>Neuron</i> , 2017, 96, 1253-1263.e7.	8.1	255
21	Evaluation of multi-echo ICA denoising for task based fMRI studies: Block designs, rapid event-related designs, and cardiac-gated fMRI. <i>NeuroImage</i> , 2016, 141, 452-468.	4.2	49
22	Tracking ongoing cognition in individuals using brief, whole-brain functional connectivity patterns. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2015, 112, 8762-8767.	7.1	312
23	Robust resting state fMRI processing for studies on typical brain development based on multi-echo EPI acquisition. <i>Brain Imaging and Behavior</i> , 2015, 9, 56-73.	2.1	47
24	Separating slow BOLD from non-BOLD baseline drifts using multi-echo fMRI. <i>NeuroImage</i> , 2015, 105, 189-197.	4.2	60
25	Resting-state fMRI confounds and cleanup. <i>NeuroImage</i> , 2013, 80, 349-359.	4.2	598
26	Integrated strategy for improving functional connectivity mapping using multiecho fMRI. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2013, 110, 16187-16192.	7.1	342
27	Whole-brain, time-locked activation with simple tasks revealed using massive averaging and model-free analysis. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2012, 109, 5487-5492.	7.1	312
28	Differentiating BOLD and non-BOLD signals in fMRI time series using multi-echo EPI. <i>NeuroImage</i> , 2012, 60, 1759-1770.	4.2	528
29	Periodic changes in fMRI connectivity. <i>NeuroImage</i> , 2012, 63, 1712-1719.	4.2	350
30	Event-related fMRI contrast when using constant interstimulus interval: Theory and experiment. <i>Magnetic Resonance in Medicine</i> , 2000, 43, 540-548.	3.0	220
31	Comparison of simultaneously measured perfusion and BOLD signal increases during brain activation with T1-based tissue identification. <i>Magnetic Resonance in Medicine</i> , 2000, 44, 137-143.	3.0	130
32	Comparison of simultaneously measured perfusion and BOLD signal increases during brain activation with T1-based tissue identification. <i>Magnetic Resonance in Medicine</i> , 2000, 44, 137-143.	3.0	2
33	QUIPSS II with thin-slice T1 periodic saturation: A method for improving accuracy of quantitative perfusion imaging using pulsed arterial spin labeling. <i>Magnetic Resonance in Medicine</i> , 1999, 41, 1246-1254.	3.0	460
34	Event-related fMRI of tasks involving brief motion. <i>Human Brain Mapping</i> , 1999, 7, 106-114.	3.6	243
35	Event-related fMRI of tasks involving brief motion. <i>Human Brain Mapping</i> , 1999, 7, 106-114.	3.6	4
36	QUIPSS II with thin-slice T1 periodic saturation: A method for improving accuracy of quantitative perfusion imaging using pulsed arterial spin labeling. , 1999, 41, 1246.		2

#	ARTICLE	IF	CITATIONS
37	Functional MRI of brain activation induced by scanner acoustic noise. <i>Magnetic Resonance in Medicine</i> , 1998, 39, 410-416.	3.0	220
38	Magnetic field changes in the human brain due to swallowing or speaking. <i>Magnetic Resonance in Medicine</i> , 1998, 40, 55-60.	3.0	165
39	Single-shot halfk-space high-resolution gradient-recalled EPI for fMRI at 3 tesla. <i>Magnetic Resonance in Medicine</i> , 1998, 40, 754-762.	3.0	94
40	Simultaneous gradient-echo/spin-echo EPI of graded ischemia in human skeletal muscle. <i>Journal of Magnetic Resonance Imaging</i> , 1998, 8, 1106-1113.	3.4	59
41	A hypercapnia-based normalization method for improved spatial localization of human brain activation with fMRI. , 1997, 10, 197-203.		179
42	Artifacts in functional magnetic resonance imaging from gaseous oxygen. <i>Journal of Magnetic Resonance Imaging</i> , 1995, 5, 443-445.	3.4	19
43	Spin-echo and gradient-echo epi of human brain activation using bold contrast: A comparative study at 1.5 T. <i>NMR in Biomedicine</i> , 1994, 7, 12-20.	2.8	293
44	Processing strategies for timeâ€course data sets in functional mri of the human brain. <i>Magnetic Resonance in Medicine</i> , 1993, 30, 161-173.	3.0	1,710
45	Time course EPI of human brain function during task activation. <i>Magnetic Resonance in Medicine</i> , 1992, 25, 390-397.	3.0	1,695