

Colin P Smith

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1936718/publications.pdf>

Version: 2024-02-01

68
papers

15,836
citations

94433

37
h-index

106344

65
g-index

76
all docs

76
docs citations

76
times ranked

29647
citing authors

#	ARTICLE	IF	CITATIONS
1	Vitamins D2 and D3 Have Overlapping But Different Effects on the Human Immune System Revealed Through Analysis of the Blood Transcriptome. <i>Frontiers in Immunology</i> , 2022, 13, 790444.	4.8	20
2	Elucidation of Focal Adhesion Kinase as a Modulator of Migration and Invasion and as a Potential Therapeutic Target in Chronic Lymphocytic Leukemia. <i>Cancers</i> , 2022, 14, 1600.	3.7	6
3	Chemotranscriptomic Profiling Defines Drug-Specific Signatures of the Glycopeptide Antibiotics Dalbavancin, Vancomycin and Chlorobiphenyl-Vancomycin in a VanB-Type-Resistant <i>Streptomyces</i> . <i>Frontiers in Microbiology</i> , 2021, 12, 641756.	3.5	0
4	Exponential growth, high prevalence of SARS-CoV-2, and vaccine effectiveness associated with the Delta variant. <i>Science</i> , 2021, 374, eabl9551.	12.6	111
5	Vitamin D and SARS-CoV-2 virus/COVID-19 disease. <i>BMJ Nutrition, Prevention and Health</i> , 2020, 3, 106-110.	3.7	116
6	Vitamins D3 and D2 have marked but different global effects on gene expression in a rat oligodendrocyte precursor cell line. <i>Molecular Medicine</i> , 2020, 26, 32.	4.4	9
7	Stress hormone-mediated acceleration of breast cancer metastasis is halted by inhibition of nitric oxide synthase. <i>Cancer Letters</i> , 2019, 459, 59-71.	7.2	32
8	Genome-wide analysis of the role of the antibiotic biosynthesis regulator AbsA2 in <i>Streptomyces coelicolor</i> A3(2). <i>PLoS ONE</i> , 2019, 14, e0200673.	2.5	24
9	Translational control plays an important role in the adaptive heat-shock response of <i>Streptomyces coelicolor</i> . <i>Nucleic Acids Research</i> , 2018, 46, 5692-5703.	14.5	17
10	Daily supplementation with 15 μ g vitamin D2 compared with vitamin D3 to increase wintertime 25-hydroxyvitamin D status in healthy South Asian and white European women: a 12-wk randomized, placebo-controlled food-fortification trial. <i>American Journal of Clinical Nutrition</i> , 2017, 106, 481-490.	4.7	83
11	The dynamic transcriptional and translational landscape of the model antibiotic producer <i>Streptomyces coelicolor</i> A3(2). <i>Nature Communications</i> , 2016, 7, 11605.	12.8	201
12	OsdR of <i>Streptomyces coelicolor</i> and the Dormancy Regulator DevR of <i>Mycobacterium tuberculosis</i> Control Overlapping Regulons. <i>MSystems</i> , 2016, 1, .	3.8	30
13	Exploiting human and mouse transcriptomic data: Identification of circadian genes and pathways influencing health. <i>BioEssays</i> , 2015, 37, 544-556.	2.5	28
14	A <i>terD</i> Domain-Encoding Gene (SCO2368) Is Involved in Calcium Homeostasis and Participates in Calcium Regulation of a DosR-Like Regulon in <i>Streptomyces coelicolor</i> . <i>Journal of Bacteriology</i> , 2015, 197, 913-923.	2.2	14
15	Genome-Wide Analysis of In Vivo Binding of the Master Regulator DasR in <i>Streptomyces coelicolor</i> Identifies Novel Non-Canonical Targets. <i>PLoS ONE</i> , 2015, 10, e0122479.	2.5	51
16	A comparison of key aspects of gene regulation in <i>Streptomyces coelicolor</i> and <i>Escherichia coli</i> using nucleotide-resolution transcription maps produced in parallel by global and differential RNA sequencing. <i>Molecular Microbiology</i> , 2014, 94, 963-987.	2.5	48
17	Mistimed sleep disrupts circadian regulation of the human transcriptome. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2014, 111, E682-91.	7.1	312
18	Deciphering the Regulon of <i>Streptomyces coelicolor</i> AbrC3, a Positive Response Regulator of Antibiotic Production. <i>Applied and Environmental Microbiology</i> , 2014, 80, 2417-2428.	3.1	39

#	ARTICLE	IF	CITATIONS
19	Identification of new developmentally regulated genes involved in <i>Streptomyces coelicolor</i> sporulation. <i>BMC Microbiology</i> , 2013, 13, 281.	3.3	30
20	Reconstructing regulatory networks in <i>Streptomyces</i> using evolutionary algorithms. , 2013, , .		1
21	The ROK Family Regulator Rok7B7 Pleiotropically Affects Xylose Utilization, Carbon Catabolite Repression, and Antibiotic Production in <i>Streptomyces coelicolor</i> . <i>Journal of Bacteriology</i> , 2013, 195, 1236-1248.	2.2	53
22	Effects of insufficient sleep on circadian rhythmicity and expression amplitude of the human blood transcriptome. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2013, 110, E1132-41.	7.1	452
23	Diverse control of metabolism and other cellular processes in <i>Streptomyces coelicolor</i> by the PhoP transcription factor: genome-wide identification of in vivo targets. <i>Nucleic Acids Research</i> , 2012, 40, 9543-9556.	14.5	85
24	Comparison of vitamin D2 and vitamin D3 supplementation in raising serum 25-hydroxyvitamin D status: a systematic review and meta-analysis. <i>American Journal of Clinical Nutrition</i> , 2012, 95, 1357-1364.	4.7	593
25	Introduction of a Non-Natural Amino Acid into a Nonribosomal Peptide Antibiotic by Modification of Adenylation Domain Specificity. <i>Angewandte Chemie - International Edition</i> , 2012, 51, 7181-7184.	13.8	103
26	Active site modification of the β -ketoacyl-ACP synthase FabF3 of <i>Streptomyces coelicolor</i> affects the fatty acid chain length of the CDA lipopeptides. <i>Chemical Communications</i> , 2011, 47, 1860-1862.	4.1	16
27	Genome-wide transcriptomic analysis of the response to nitrogen limitation in <i>Streptomyces coelicolor</i> A3(2). <i>BMC Research Notes</i> , 2011, 4, 78.	1.4	35
28	Metabolic and evolutionary insights into the closely-related species <i>Streptomyces coelicolor</i> and <i>Streptomyces lividans</i> deduced from high-resolution comparative genomic hybridization. <i>BMC Genomics</i> , 2010, 11, 682.	2.8	36
29	RankProdIt: A web-interactive Rank Products analysis tool. <i>BMC Research Notes</i> , 2010, 3, 221.	1.4	38
30	One of the Two Genes Encoding Nucleoid-Associated HU Proteins in <i>Streptomyces coelicolor</i> Is Developmentally Regulated and Specifically Involved in Spore Maturation. <i>Journal of Bacteriology</i> , 2009, 191, 6489-6500.	2.2	64
31	NepA is a structural cell wall protein involved in maintenance of spore dormancy in <i>Streptomyces coelicolor</i> . <i>Molecular Microbiology</i> , 2009, 71, 1591-1603.	2.5	42
32	Development and application of versatile high density microarrays for genome-wide analysis of <i>Streptomyces coelicolor</i> : characterization of the HspR regulon. <i>Genome Biology</i> , 2009, 10, R5.	9.6	36
33	Acidic pH shock induces the expressions of a wide range of stress-response genes. <i>BMC Genomics</i> , 2008, 9, 604.	2.8	44
34	Antibiotic Overproduction in <i>Streptomyces coelicolor</i> A3(2) Mediated by Phosphofructokinase Deletion*. <i>Journal of Biological Chemistry</i> , 2008, 283, 25186-25199.	3.4	131
35	An asparagine oxygenase (AsnO) and a 3-hydroxyasparaginyl phosphotransferase (HasP) are involved in the biosynthesis of calcium-dependent lipopeptide antibiotics. <i>Microbiology (United Kingdom)</i> , 2007, 153, 768-776.	1.8	40
36	Engineered Biosynthesis of Nonribosomal Lipopeptides with Modified Fatty Acid Side Chains. <i>Journal of the American Chemical Society</i> , 2007, 129, 15182-15191.	13.7	42

#	ARTICLE	IF	CITATIONS
37	Loss of the controlled localization of growth stage-specific cell-wall synthesis pleiotropically affects developmental gene expression in an <i>ssgA</i> mutant of <i>Streptomyces coelicolor</i> . <i>Molecular Microbiology</i> , 2007, 64, 1244-1259.	2.5	55
38	Statistical Reconstruction of Transcription Factor Activity Using Michaelis-Menten Kinetics. <i>Biometrics</i> , 2007, 63, 816-823.	1.4	30
39	New pleiotropic effects of eliminating a rare tRNA from <i>Streptomyces coelicolor</i> , revealed by combined proteomic and transcriptomic analysis of liquid cultures. <i>BMC Genomics</i> , 2007, 8, 261.	2.8	57
40	pH shock induces overexpression of regulatory and biosynthetic genes for actinorhodin production in <i>Streptomyces coelicolor</i> A3(2). <i>Applied Microbiology and Biotechnology</i> , 2007, 76, 1119-1130.	3.6	33
41	1151: A Blinded, Randomized Controlled Trial of Neo-Adjuvant Celecoxib in Patients with CT1-2 Prostate Cancer. <i>Journal of Urology</i> , 2007, 177, 380-380.	0.4	0
42	Analysis of gene expression in operons of <i>Streptomyces coelicolor</i> . <i>Genome Biology</i> , 2006, 7, R46.	9.6	34
43	Biosynthesis of the (2S,3R)-3-Methyl Glutamate Residue of Nonribosomal Lipopeptides. <i>Journal of the American Chemical Society</i> , 2006, 128, 11250-11259.	13.7	73
44	High efficiency intergeneric conjugal transfer of plasmid DNA from <i>Escherichia coli</i> to methyl DNA-restricting streptomycetes. <i>FEMS Microbiology Letters</i> , 2006, 155, 223-229.	1.8	395
45	A bacterial hormone (the SCB1) directly controls the expression of a pathway-specific regulatory gene in the cryptic type I polyketide biosynthetic gene cluster of <i>Streptomyces coelicolor</i> . <i>Molecular Microbiology</i> , 2005, 56, 465-479.	2.5	146
46	SsgA-like proteins determine the fate of peptidoglycan during sporulation of <i>Streptomyces coelicolor</i> . <i>Molecular Microbiology</i> , 2005, 58, 929-944.	2.5	70
47	Gene Expression Profiling of Human Cancers. <i>Annals of the New York Academy of Sciences</i> , 2004, 1028, 28-37.	3.8	52
48	Intercellular Communication and Human Hepatocellular Carcinoma. <i>Annals of the New York Academy of Sciences</i> , 2004, 1028, 202-212.	3.8	13
49	Metabolic flux analysis for calcium dependent antibiotic (CDA) production in <i>Streptomyces coelicolor</i> . <i>Metabolic Engineering</i> , 2004, 6, 313-325.	7.0	36
50	Active-Site Modifications of Adenylation Domains Lead to Hydrolysis of Upstream Nonribosomal Peptidyl Thioester Intermediates. <i>Journal of the American Chemical Society</i> , 2004, 126, 5032-5033.	13.7	58
51	Bioconductor: open software development for computational biology and bioinformatics. <i>Genome Biology</i> , 2004, 5, R80.	9.6	10,796
52	Negative feedback regulation of <i>dnaK</i> , <i>clpB</i> and <i>lon</i> expression by the DnaK chaperone machine in <i>Streptomyces coelicolor</i> , identified by transcriptome and in vivo DnaK-depletion analysis. <i>Molecular Microbiology</i> , 2003, 50, 153-166.	2.5	76
53	The statistical distribution of the intensity of pixels within spots of DNA microarrays: what is the appropriate single-value representative?. <i>Applied Bioinformatics</i> , 2003, 2, 229-39.	1.6	3
54	<i>Streptomyces coelicolor</i> A3(2): from genome sequence to function. <i>Methods in Microbiology</i> , 2002, 33, 321-336.	0.8	5

#	ARTICLE	IF	CITATIONS
55	Structure, Biosynthetic Origin, and Engineered Biosynthesis of Calcium-Dependent Antibiotics from <i>Streptomyces coelicolor</i> . <i>Chemistry and Biology</i> , 2002, 9, 1175-1187.	6.0	256
56	The HspR regulon of <i>Streptomyces coelicolor</i> : a role for the DnaK chaperone as a transcriptional co-repressor. <i>Molecular Microbiology</i> , 2002, 38, 1093-1103.	2.5	71
57	A 'Gram-negative-type' DNA polymerase III is essential for replication of the linear chromosome of <i>Streptomyces coelicolor</i> A3(2). <i>Molecular Microbiology</i> , 1999, 31, 949-958.	2.5	21
58	Physical identification of a chromosomal locus encoding biosynthetic genes for the lipopeptide calcium-dependent antibiotic (CDA) of <i>Streptomyces coelicolor</i> A3(2). <i>Microbiology (United Kingdom)</i> , 1998, 144, 193-199.	1.8	58
59	High efficiency intergeneric conjugal transfer of plasmid DNA from <i>Escherichia coli</i> to methyl DNA-restricting streptomycetes. <i>FEMS Microbiology Letters</i> , 1997, 155, 223-229.	1.8	25
60	The dnaK operon of <i>Streptomyces coelicolor</i> encodes a novel heat-shock protein which binds to the promoter region of the operon. <i>Molecular Microbiology</i> , 1995, 17, 663-674.	2.5	86
61	Substrate induction and catabolite repression of the <i>Streptomyces coelicolor</i> glycerol operon are mediated through the GylR protein. <i>Molecular Microbiology</i> , 1994, 12, 737-745.	2.5	99
62	Construction and application of streptomycete promoter probe vectors which employ the <i>Streptomyces glaucescens</i> tyrosinase-encoding gene as reporter. <i>Gene</i> , 1994, 146, 105-110.	2.2	37
63	Sequence and transcriptional analysis of the nourseothricin acetyltransferase-encoding gene nat1 from <i>Streptomyces noursei</i> . <i>Gene</i> , 1993, 127, 127-131.	2.2	72
64	Cloning and sequencing of the dnaK region of <i>Streptomyces coelicolor</i> A3(2). <i>Gene</i> , 1993, 130, 141-144.	2.2	21
65	Cloning and transcription analysis of the entire glycerol utilization (gylABX) operon of <i>Streptomyces coelicolor</i> A3(2) and identification of a closely associated transcription unit. <i>Molecular Genetics and Genomics</i> , 1988, 211, 129-137.	2.4	48
66	Structure and regulation of controlling sequences for the <i>Streptomyces coelicolor</i> glycerol operon. <i>Journal of Molecular Biology</i> , 1988, 204, 569-580.	4.2	98
67	Dissecting the <i>Streptomyces</i> genome. <i>Biochemical Society Transactions</i> , 1984, 12, 584-586.	3.4	4
68	UK Nutrition Research Partnership "Hot Topic" workshop: Vitamin D: A multi-disciplinary approach to (1) elucidate its role in human health and (2) develop strategies to improve vitamin D status in the UK population. <i>Nutrition Bulletin</i> , 0, , .	1.8	3