

Eleonor I Fransson

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1936835/publications.pdf>

Version: 2024-02-01

69
papers

6,712
citations

94433

37
h-index

95266

68
g-index

69
all docs

69
docs citations

69
times ranked

8713
citing authors

#	ARTICLE	IF	CITATIONS
1	Relationships first: Formal and informal home care of older adults in Sweden. <i>Health and Social Care in the Community</i> , 2022, 30, .	1.6	5
2	Physical functioning associated with life-space mobility in later life among men and women. <i>BMC Geriatrics</i> , 2022, 22, 364.	2.7	7
3	Technostress operationalised as information and communication technology (ICT) demands among managers and other occupational groups – Results from the Swedish Longitudinal Occupational Survey of Health (SLOSH). <i>Computers in Human Behavior</i> , 2021, 114, 106486.	8.5	23
4	Factors associated to functioning and health in relation to home rehabilitation in Sweden: a non-randomized pre-post intervention study. <i>BMC Geriatrics</i> , 2021, 21, 416.	2.7	1
5	Physical activity related to mastery and vitality in a Swedish adult population with economic difficulties. <i>BMC Public Health</i> , 2021, 21, 2193.	2.9	3
6	Long working hours and change in body weight: analysis of individual-participant data from 19 cohort studies. <i>International Journal of Obesity</i> , 2020, 44, 1368-1375.	3.4	29
7	Healthcare managers’s experiences of technostress and the actions they take to handle it – a critical incident analysis. <i>BMC Medical Informatics and Decision Making</i> , 2020, 20, 244.	3.0	13
8	Onset of substance use among early adolescents in Sweden. <i>Journal of Social Work Practice in the Addictions</i> , 2020, 20, 105-121.	0.7	1
9	Repeated exposure to high ICT demands at work, and development of suboptimal self-rated health: findings from a 4-year follow-up of the SLOSH study. <i>International Archives of Occupational and Environmental Health</i> , 2019, 92, 717-728.	2.3	15
10	Can physical activity compensate for low socioeconomic status with regard to poor self-rated health and low quality-of-life?. <i>Health and Quality of Life Outcomes</i> , 2019, 17, 33.	2.4	20
11	Cognitive trajectories in relation to hospitalization among older Swedish adults. <i>Archives of Gerontology and Geriatrics</i> , 2018, 74, 9-14.	3.0	7
12	Body mass index and risk of dementia: Analysis of individual-level data from 1.3 million individuals. <i>Alzheimer's and Dementia</i> , 2018, 14, 601-609.	0.8	284
13	Obesity and loss of disease-free years owing to major non-communicable diseases: a multicohort study. <i>Lancet Public Health</i> , The, 2018, 3, e490-e497.	10.0	241
14	Work stress and risk of death in men and women with and without cardiometabolic disease: a multicohort study. <i>Lancet Diabetes and Endocrinology</i> , the, 2018, 6, 705-713.	11.4	100
15	Job strain and atrial fibrillation – Results from the Swedish Longitudinal Occupational Survey of Health and meta-analysis of three studies. <i>European Journal of Preventive Cardiology</i> , 2018, 25, 1142-1149.	1.8	39
16	Job strain as a risk factor for clinical depression: systematic review and meta-analysis with additional individual participant data. <i>Psychological Medicine</i> , 2017, 47, 1342-1356.	4.5	314
17	Effort–Reward Imbalance at Work and Incident Coronary Heart Disease. <i>Epidemiology</i> , 2017, 28, 619-626.	2.7	224
18	Overweight, obesity, and risk of cardiometabolic multimorbidity: pooled analysis of individual-level data for 120 813 adults from 16 cohort studies from the USA and Europe. <i>Lancet Public Health</i> , The, 2017, 2, e277-e285.	10.0	375

#	ARTICLE	IF	CITATIONS
19	Domestic work division and satisfaction in cohabiting adults: Associations with life satisfaction and self-rated health. <i>Scandinavian Journal of Occupational Therapy</i> , 2017, 24, 24-31.	1.7	7
20	Long working hours as a risk factor for atrial fibrillation: a multi-cohort study. <i>European Heart Journal</i> , 2017, 38, 2621-2628.	2.2	76
21	Factors associated with hospitalization risk among community living middle aged and older persons: Results from the Swedish Adoption/Twin Study of Aging (SATSA). <i>Archives of Gerontology and Geriatrics</i> , 2016, 66, 102-108.	3.0	21
22	Information and communication technology demands at work: the association with job strain, effort-reward imbalance and self-rated health in different socio-economic strata. <i>International Archives of Occupational and Environmental Health</i> , 2016, 89, 1049-1058.	2.3	40
23	Long working hours and cancer risk: a multi-cohort study. <i>British Journal of Cancer</i> , 2016, 114, 813-818.	6.4	17
24	Prevalence of and factors related to mild and substantial dizziness in community-dwelling older adults: a cross-sectional study. <i>BMC Geriatrics</i> , 2016, 16, 159.	2.7	19
25	Job insecurity and risk of diabetes: a meta-analysis of individual participant data. <i>Cmaj</i> , 2016, 188, E447-E455.	2.0	47
26	Association between occupational physical activity and myocardial infarction: a prospective cohort study. <i>BMJ Open</i> , 2016, 6, e012692.	1.9	19
27	Concurrent validity of the Swedish version of the life-space assessment questionnaire. <i>BMC Geriatrics</i> , 2016, 16, 181.	2.7	25
28	The Association between Job Strain and Atrial Fibrillation: Results from the Swedish WOLF Study. <i>BioMed Research International</i> , 2015, 2015, 1-7.	1.9	29
29	Job Strain and the Risk of Stroke. <i>Stroke</i> , 2015, 46, 557-559.	2.0	97
30	Long working hours and alcohol use: systematic review and meta-analysis of published studies and unpublished individual participant data. <i>BMJ</i> , The, 2015, 350, g7772-g7772.	6.0	152
31	Long working hours, socioeconomic status, and the risk of incident type 2 diabetes: a meta-analysis of published and unpublished data from 222 120 individuals. <i>Lancet Diabetes and Endocrinology</i> , the, 2015, 3, 27-34.	11.4	197
32	Long working hours and risk of coronary heart disease and stroke: a systematic review and meta-analysis of published and unpublished data for 603 838 individuals. <i>Lancet</i> , The, 2015, 386, 1739-1746.	13.7	529
33	Mobility and satisfaction with lower-limb prostheses and orthoses among users in Sierra Leone: A cross-sectional study. <i>Journal of Rehabilitation Medicine</i> , 2014, 46, 438-446.	1.1	30
34	Test-retest reliability of the Swedish version of the Life-Space Assessment Questionnaire among community-dwelling older adults. <i>Clinical Rehabilitation</i> , 2014, 28, 817-823.	2.2	37
35	Job strain and COPD exacerbations: an individual-participant meta-analysis. <i>European Respiratory Journal</i> , 2014, 44, 247-251.	6.7	11
36	Job strain and the risk of severe asthma exacerbations: a meta-analysis of individual-participant data from 100 000 European men and women. <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 2014, 69, 775-783.	5.7	18

#	ARTICLE	IF	CITATIONS
37	Use of Scandinavian Moist Smokeless Tobacco (Snus) and the Risk of Atrial Fibrillation. <i>Epidemiology</i> , 2014, 25, 872-876.	2.7	24
38	Validating abbreviated measures of effort-reward imbalance at work in European cohort studies: the IPD-Work consortium. <i>International Archives of Occupational and Environmental Health</i> , 2014, 87, 249-256.	2.3	46
39	Perceptions of intimate relationships in partners before and after a patient's myocardial infarction. <i>Journal of Clinical Nursing</i> , 2014, 23, 2196-2204.	3.0	3
40	Job Strain as a Risk Factor for Type 2 Diabetes: A Pooled Analysis of 124,808 Men and Women. <i>Diabetes Care</i> , 2014, 37, 2268-2275.	8.6	185
41	Job Strain and the Risk of Inflammatory Bowel Diseases: Individual-Participant Meta-Analysis of 95,000 Men and Women. <i>PLoS ONE</i> , 2014, 9, e88711.	2.5	17
42	Measures of frailty in population-based studies: an overview. <i>BMC Geriatrics</i> , 2013, 13, 64.	2.7	352
43	Body mass index across midlife and cognitive change in late life. <i>International Journal of Obesity</i> , 2013, 37, 296-302.	3.4	86
44	Perceived job insecurity as a risk factor for incident coronary heart disease: systematic review and meta-analysis. <i>BMJ</i> , The, 2013, 347, f4746-f4746.	6.0	181
45	Work stress and risk of cancer: meta-analysis of 5700 incident cancer events in 116 000 European men and women. <i>BMJ</i> , The, 2013, 346, f165-f165.	6.0	112
46	Associations of job strain and lifestyle risk factors with risk of coronary artery disease: a meta-analysis of individual participant data. <i>Cmaj</i> , 2013, 185, 763-769.	2.0	95
47	Short- and long-term effects of major organisational change on minor psychiatric disorder and self-rated health: results from the Whitehall II study. <i>Occupational and Environmental Medicine</i> , 2013, 70, 688-696.	2.8	17
48	Job Strain and Health-Related Lifestyle: Findings From an Individual-Participant Meta-Analysis of 118,000 Working Adults. <i>American Journal of Public Health</i> , 2013, 103, 2090-2097.	2.7	114
49	Malawian prosthetic and orthotic users' mobility and satisfaction with their lower limb assistive device. <i>Journal of Rehabilitation Medicine</i> , 2013, 45, 385-391.	1.1	39
50	Study protocol for examining job strain as a risk factor for severe unipolar depression in an individual participant meta-analysis of 14 European cohorts. <i>F1000Research</i> , 2013, 2, 233.	1.6	3
51	Job Strain and Cardiovascular Disease Risk Factors: Meta-Analysis of Individual-Participant Data from 47,000 Men and Women. <i>PLoS ONE</i> , 2013, 8, e67323.	2.5	144
52	Breast cancer among shift workers: results of the WOLF longitudinal cohort study. <i>Scandinavian Journal of Work, Environment and Health</i> , 2013, 39, 170-177.	3.4	94
53	Job Strain as a Risk Factor for Leisure-Time Physical Inactivity: An Individual-Participant Meta-Analysis of Up to 170,000 Men and Women: The IPD-Work Consortium. <i>American Journal of Epidemiology</i> , 2012, 176, 1078-1089.	3.4	198
54	Job strain as a risk factor for coronary heart disease: a collaborative meta-analysis of individual participant data. <i>Lancet</i> , The, 2012, 380, 1491-1497.	13.7	786

#	ARTICLE	IF	CITATIONS
55	Job Strain and Tobacco Smoking: An Individual-Participant Data Meta-Analysis of 166 130 Adults in 15 European Studies. <i>PLoS ONE</i> , 2012, 7, e35463.	2.5	102
56	Job strain in relation to body mass index: pooled analysis of 160 000 adults from 13 cohort studies. <i>Journal of Internal Medicine</i> , 2012, 272, 65-73.	6.0	132
57	Comparison of alternative versions of the job demand-control scales in 17 European cohort studies: the IPD-Work consortium. <i>BMC Public Health</i> , 2012, 12, 62.	2.9	137
58	Job Strain and Alcohol Intake: A Collaborative Meta-Analysis of Individual-Participant Data from 140 000 Men and Women. <i>PLoS ONE</i> , 2012, 7, e40101.	2.5	93
59	Agreement between self-reported and measured height, weight and body mass index in old age—a longitudinal study with 20 years of follow-up. <i>Age and Ageing</i> , 2010, 39, 445-451.	1.6	84
60	Being Overweight in Midlife Is Associated With Lower Cognitive Ability and Steeper Cognitive Decline in Late Life. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2010, 65A, 57-62.	3.6	95
61	Association between Change in Body Composition and Change in Inflammatory Markers: An 11-Year Follow-Up in the Whitehall II Study. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2010, 95, 5370-5374.	3.6	40
62	Loneliness among older Europeans. <i>European Journal of Ageing</i> , 2009, 6, 267-275.	2.8	189
63	Relationship between serum progesterone concentrations and cardiovascular disease, diabetes, and mortality in elderly Swedish men and women: An 8-Year prospective study. <i>Gender Medicine</i> , 2009, 6, 433-443.	1.4	17
64	Indications of recall bias found in a retrospective study of physical activity and myocardial infarction. <i>Journal of Clinical Epidemiology</i> , 2008, 61, 840-847.	5.0	30
65	The effect of leisure-time physical activity on the risk of acute myocardial infarction depending on Body Mass Index: a population-based case-control study. <i>BMC Public Health</i> , 2006, 6, 296.	2.9	8
66	The Risk of Acute Myocardial Infarction. <i>Epidemiology</i> , 2004, 15, 573-582.	2.7	74
67	Leisure time, occupational and household physical activity, and risk factors for cardiovascular disease in working men and women: the WOLF study. <i>Scandinavian Journal of Public Health</i> , 2003, 31, 324-333.	2.3	55
68	Job strain and major risk factors for coronary heart disease among employed males and females in a Swedish study on work, lipids and fibrinogen. <i>Scandinavian Journal of Work, Environment and Health</i> , 2002, 28, 238-248.	3.4	87
69	Study protocol for examining job strain as a risk factor for severe unipolar depression in an individual participant meta-analysis of 14 European cohorts. <i>F1000Research</i> , 0, 2, 233.	1.6	1