
## Marleen Kok

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/1937551/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Neoadjuvant immunotherapy leads to pathological responses in MMR-proficient and MMR-deficient early-stage colon cancers. Nature Medicine, 2020, 26, 566-576.	30.7	736
2	Immune induction strategies in metastatic triple-negative breast cancer to enhance the sensitivity to PD-1 blockade: the TONIC trial. Nature Medicine, 2019, 25, 920-928.	30.7	589
3	The path to a better biomarker: application of a risk management framework for the implementation of PDâ€L1 and TILs as immunoâ€oncology biomarkers in breast cancer clinical trials and daily practice. Journal of Pathology, 2020, 250, 667-684.	4.5	142
4	The tale of TILs in breast cancer: A report from The International Immuno-Oncology Biomarker Working Group. Npj Breast Cancer, 2021, 7, 150.	5.2	112
5	Pitfalls in assessing stromal tumor infiltrating lymphocytes (sTILs) in breast cancer. Npj Breast Cancer, 2020, 6, 17.	5.2	106
6	Spatial immunophenotypes predict response to anti-PD1 treatment and capture distinct paths of T cell evasion in triple negative breast cancer. Nature Communications, 2021, 12, 5668.	12.8	91
7	Report on computational assessment of Tumor Infiltrating Lymphocytes from the International Immuno-Oncology Biomarker Working Group. Npj Breast Cancer, 2020, 6, 16.	5.2	90
8	Cancer-immune interactions in ER-positive breast cancers: PI3K pathway alterations and tumor-infiltrating lymphocytes. Breast Cancer Research, 2019, 21, 90.	5.0	81
9	Assessment of PD-L1 expression across breast cancer molecular subtypes, in relation to mutation rate, <i>BRCA1</i> -like status, tumor-infiltrating immune cells and survival. Oncolmmunology, 2018, 7, e1509820.	4.6	80
10	PKA-induced phosphorylation of ERα at serine 305 and high PAK1 levels is associated with sensitivity to tamoxifen in ER-positive breast cancer. Breast Cancer Research and Treatment, 2011, 125, 1-12.	2.5	49
11	Targeting the programmed cell death-1 pathway in breast and ovarian cancer. Current Opinion in Obstetrics and Gynecology, 2016, 28, 142-147.	2.0	47
12	Prognostic Value of Stromal Tumor-Infiltrating Lymphocytes in Young, Node-Negative, Triple-Negative Breast Cancer Patients Who Did Not Receive (neo)Adjuvant Systemic Therapy. Journal of Clinical Oncology, 2022, 40, 2361-2374.	1.6	45
13	Neoadjuvant Therapy for Breast Cancer: Established Concepts and Emerging Strategies. Drugs, 2017, 77, 1313-1336.	10.9	39
14	The NF-κB Pathway Promotes Tamoxifen Tolerance and Disease Recurrence in Estrogen Receptor–Positive Breast Cancers. Molecular Cancer Research, 2020, 18, 1018-1027.	3.4	31
15	Comprehensive evaluation of methods to assess overall and cell-specific immune infiltrates in breast cancer. Breast Cancer Research, 2019, 21, 151.	5.0	30
16	Progress and pitfalls in the use of immunotherapy for patients with triple negative breast cancer. Expert Opinion on Investigational Drugs, 2022, 31, 567-591.	4.1	29
17	Tumor-infiltrating lymphocytes and ductal carcinoma in situ of the breast: friends or foes?. Modern Pathology, 2018, 31, 1012-1025.	5.5	25
18	Protein Kinase A-induced tamoxifen resistance is mediated by anchoring protein AKAP13. BMC Cancer, 2015, 15, 588.	2.6	24

Marleen Kok

#	Article	IF	CITATIONS
19	Tumour-infiltrating lymphocytes (TILs) and BRCA-like status in stage III breast cancer patients randomised to adjuvant intensified platinum-based chemotherapy versus conventional chemotherapy. European Journal of Cancer, 2020, 127, 240-250.	2.8	21
20	LCOR mediates interferon-independent tumor immunogenicity and responsiveness to immune-checkpoint blockade in triple-negative breast cancer. Nature Cancer, 2022, 3, 355-370.	13.2	21
21	Replication stress response defects are associated with response to immune checkpoint blockade in nonhypermutated cancers. Science Translational Medicine, 2021, 13, eabe6201.	12.4	19
22	Application of a risk-management framework for integration of stromal tumor-infiltrating lymphocytes in clinical trials. Npj Breast Cancer, 2020, 6, 15.	5.2	16
23	A High-Dimensional Window into the Micro-Environment of Triple Negative Breast Cancer. Cancers, 2021, 13, 316.	3.7	16
24	Profound Immunotherapy Response in Mismatch Repair-Deficient Breast Cancer. JCO Precision Oncology, 2017, 1, 1-3.	3.0	11
25	Interobserver Agreement of PD-L1/SP142 Immunohistochemistry and Tumor-Infiltrating Lymphocytes (TILs) in Distant Metastases of Triple-Negative Breast Cancer: A Proof-of-Concept Study. A Report on Behalf of the International Immuno-Oncology Biomarker Working Group. Cancers, 2021, 13, 4910.	3.7	8
26	Independent replication of polymorphisms predicting toxicity in breast cancer patients randomized between dose-dense and docetaxel-containing adjuvant chemotherapy. Oncotarget, 2017, 8, 113531-113542.	1.8	8
27	Differential Survival and Therapy Benefit of Patients with Breast Cancer Are Characterized by Distinct Epithelial and Immune Cell Microenvironments. Clinical Cancer Research, 2022, 28, 960-971.	7.0	4
28	Carboplatin-Cyclophosphamide or Paclitaxel without or with Bevacizumab as First-Line Treatment for Metastatic Triple-Negative Breast Cancer (BOOG 2013-01). Breast Care, 2021, 16, 1-9.	1.4	3