

# Frederic Guittard

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1938801/publications.pdf>

Version: 2024-02-01

268  
papers

8,959  
citations

71004

43  
h-index

60403

85  
g-index

283  
all docs

283  
docs citations

283  
times ranked

9192  
citing authors

#	ARTICLE	IF	CITATIONS
1	A bioinspired approach to fabricate fluorescent nanotubes with strong water adhesion by soft template electropolymerization and post-grafting. <i>Journal of Colloid and Interface Science</i> , 2022, 606, 236-247.	5.0	4
2	Effect of Electrolyte Nature on Micellar Soft-Template Electropolymerization in Organic Solvent to Form Nanoporous Polymer Films with a Bioinspired Strategy. <i>Journal of Bionic Engineering</i> , 2022, 19, 547.	2.7	1
3	Formation of Nanotubular Structures with Petal Effect by Soft-Template Electropolymerization of Benzotrithiophene with Hydrophilic Carboxyl Group. <i>Journal of Bionic Engineering</i> , 2022, 19, 1054-1063.	2.7	1
4	A soft template approach to various porous nanostructures from conjugated carbazole-based monomers. <i>Journal of Colloid and Interface Science</i> , 2021, 584, 795-803.	5.0	11
5	Surface Nanostructure Control with Poly(ethylene glycol) (PEG) Spacer by Templateless Electropolymerization. <i>Journal of Bionic Engineering</i> , 2021, 18, 65-76.	2.7	0
6	Densely packed open microspheres by soft template electropolymerization of benzotrithiophene-based monomers. <i>Electrochimica Acta</i> , 2021, 369, 137677.	2.6	5
7	Micellar formation by soft template electropolymerization in organic solvents. <i>Journal of Colloid and Interface Science</i> , 2021, 590, 260-267.	5.0	19
8	Controlling water adhesion on superhydrophobic surfaces with bi-functional polymers. <i>Colloids and Surfaces A: Physicochemical and Engineering Aspects</i> , 2021, 616, 126307.	2.3	4
9	Highly conjugated carbazole-based monomers for the control of nanotubular surface structures by soft template electropolymerization. <i>Pure and Applied Chemistry</i> , 2021, .	0.9	1
10	Designing Tunable Omniphobic Surfaces by Controlling the Electropolymerization Sites of Carbazole-Based Monomers. <i>Macromolecular Chemistry and Physics</i> , 2021, 222, 2100262.	1.1	0
11	Very low surface tensions with $\alpha$ -surfactants. <i>Colloids and Surfaces A: Physicochemical and Engineering Aspects</i> , 2021, 631, 127690.	2.3	3
12	Nanotubular structures via templateless electropolymerization using thieno[3,4-b]thiophene monomers with various substituents and polar linkers. <i>Progress in Organic Coatings</i> , 2020, 138, 105382.	1.9	5
13	The influence of bath temperature on the one-step electrodeposition of non-wetting copper oxide coatings. <i>Applied Surface Science</i> , 2020, 503, 144094.	3.1	15
14	Tuning nanotubular structures by templateless electropolymerization with thieno[3,4-b]thiophene-based monomers with different substituents and water content. <i>Journal of Colloid and Interface Science</i> , 2020, 564, 19-27.	5.0	7
15	Influence of alkyl spacer in nanostructure shape control by templateless electropolymerization. <i>Progress in Organic Coatings</i> , 2020, 146, 105698.	1.9	3
16	Bioinspired surfaces with strong water adhesion from electrodeposited poly(thieno[3,4-b]thiophene) with various branched alkyl chains. <i>Journal of Polymer Research</i> , 2020, 27, 1.	1.2	1
17	A bioinspired strategy for designing well-ordered nanotubular structures by templateless electropolymerization of thieno[3,4- <i>b</i> ]thiophene-based monomers. <i>Philosophical Transactions Series A, Mathematical, Physical, and Engineering Sciences</i> , 2020, 378, 20190450.	1.6	7
18	Bioinspired surfaces with strong water adhesion by electropolymerization of thieno[3,4-b]thiophene with mixed hydrocarbon/short fluorocarbon chains. <i>Journal of Fluorine Chemistry</i> , 2020, 236, 109574.	0.9	1

#	ARTICLE	IF	CITATIONS
19	Templateless Electrodeposition of Conducting Polymer Nanotubes on Mesh Substrates. <i>Macromolecular Chemistry and Physics</i> , 2020, 221, 1900529.	1.1	3
20	A bioinspired strategy for poly(3,4-ethylenedioxyppyrrrole) films with strong water adhesion. <i>Pure and Applied Chemistry</i> , 2020, 92, 315-322.	0.9	1
21	Designing bioinspired coral-like structures using a templateless electropolymerization approach with a high water content. <i>Philosophical Transactions Series A, Mathematical, Physical, and Engineering Sciences</i> , 2019, 377, 20190123.	1.6	7
22	Designing Nanoporous Membranes through Templateless Electropolymerization of Thieno[3,4- <i>b</i> ]thiophene Derivatives with High Water Content. <i>ACS Omega</i> , 2019, 4, 13080-13085.	1.6	19
23	Bioinspired and Biobased Materials. <i>Macromolecular Chemistry and Physics</i> , 2019, 220, 1900241.	1.1	6
24	Wetting Transition from Hydrophilic to Superhydrophobic over Dendrite Copper Leaves Grown on Steel Meshes. <i>Journal of Bionic Engineering</i> , 2019, 16, 719-729.	2.7	12
25	Templateless Electropolymerization for Controlled Growth of Polymeric Nanotubes on Micropatterned Surfaces. <i>ChemNanoMat</i> , 2019, 5, 1239-1243.	1.5	2
26	Cupric Oxide Nanostructures from Plasma Surface Modification of Copper. <i>Biomimetics</i> , 2019, 4, 42.	1.5	10
27	Dynamic Wetting Properties of Mesh Substrates with Tunable Water Adhesion. <i>ChemPhysChem</i> , 2019, 20, 1907-1907.	1.0	2
28	Nanotubular structures through templateless electropolymerization using thieno[3,4- <i>b</i> ]thiophene derivatives with different substituents and water content. <i>Electrochimica Acta</i> , 2019, 320, 134594.	2.6	12
29	Exceptionally Strong Effect of Small Structural Variations in Functionalized 3,4-Phenylenedioxythiophenes on the Surface Nanostructure and Parahydrophobic Properties of Their Electropolymerized Films. <i>Macromolecules</i> , 2019, 52, 8088-8102.	2.2	17
30	Coral-like nanostructures. <i>Materials Today</i> , 2019, 31, 119-120.	8.3	18
31	Dynamic Wetting Properties of Mesh Substrates with Tunable Water Adhesion. <i>ChemPhysChem</i> , 2019, 20, 1918-1921.	1.0	1
32	Fabrication of Superhydrophobic Hierarchical Surfaces by Square Pulse Electrodeposition: Copper-Based Layers on Gold/Silicon (100) Substrates. <i>ChemPlusChem</i> , 2019, 84, 368-373.	1.3	11
33	Micro- and nanoscopic observations of sexual dimorphisms in <i>Mecynorhina polyphemus confluens</i> (Kraatz, 1890) (Coleoptera, Cetoniidae, Goliathini) and consequences for surface wettability. <i>Arthropod Structure and Development</i> , 2019, 49, 10-18.	0.8	4
34	Water-in-CO <sub>2</sub> Microemulsions Stabilized by Fluorinated Cationic-Anion Surfactant Pairs. <i>Langmuir</i> , 2019, 35, 3445-3454.	1.6	16
35	Hybrid surfaces combining electropolymerization and lithography: fabrication and wetting properties. <i>Soft Matter</i> , 2019, 15, 9352-9358.	1.2	1
36	Designing bioinspired parahydrophobic surfaces by electrodeposition of poly(3,4-ethylenedioxyppyrrrole) and poly(3,4-propylenedioxyppyrrrole) with mixed hydrocarbon and fluorocarbon chains. <i>European Polymer Journal</i> , 2019, 110, 76-84.	2.6	5

#	ARTICLE	IF	CITATIONS
37	Superhydrophobic and fluorescent properties of fluorinated polypyrene surfaces using various polar linkers prepared via electropolymerization. <i>Reactive and Functional Polymers</i> , 2019, 135, 65-76.	2.0	11
38	A Templateless Electropolymerization Approach to Porous Hydrophobic Nanostructures Using 3,4-Phenylenedioxythiophene Monomers with Electron-Withdrawing Groups. <i>ChemNanoMat</i> , 2018, 4, 656-662.	1.5	14
39	Nanofold-decorated surfaces from the electrodeposition of dialkylcyclopentadithiophenes. <i>Polymers for Advanced Technologies</i> , 2018, 29, 1170-1181.	1.6	2
40	Major influence of the hydrophobic chain length in the formation of poly(3,4-propylenedioxyppyrrrole) (PProDOP) nanofibers with special wetting properties. <i>Materials Today Chemistry</i> , 2018, 7, 65-75.	1.7	6
41	Anisotropic reversed micelles with fluorocarbon-hydrocarbon hybrid surfactants in supercritical CO <sub>2</sub> . <i>Colloids and Surfaces B: Biointerfaces</i> , 2018, 168, 201-210.	2.5	17
42	Anti-bacterial and fluorescent properties of hydrophobic electrodeposited non-fluorinated polypyrenes. <i>Applied Surface Science</i> , 2018, 452, 352-363.	3.1	10
43	Intrinsically water-repellent copper oxide surfaces; An electro-crystallization approach. <i>Applied Surface Science</i> , 2018, 443, 191-197.	3.1	15
44	A Templateless Electropolymerization Approach to Nanorings Using Substituted 3,4-Naphthalenedioxythiophene (NaPhDOT) Monomers. <i>ChemNanoMat</i> , 2018, 4, 140-147.	1.5	11
45	Parahydrophobic and Nanostructured Poly(3,4-ethylenedioxyppyrrrole) and Poly(3,4-propylenedioxyppyrrrole) Films with Hyperbranched Alkyl Chains. <i>ACS Omega</i> , 2018, 3, 12428-12436.	1.6	3
46	Experimental Characterization of Droplet Adhesion: The Ejection Test Method (ETM) Applied to Surfaces with Various Hydrophobicity. <i>Journal of Physical Chemistry A</i> , 2018, 122, 8693-8700.	1.1	8
47	Variation of <i>Goliathus orientalis</i> (Moser, 1909) Elytra Nanostructurations and Their Impact on Wettability. <i>Biomimetics</i> , 2018, 3, 6.	1.5	9
48	Switchable and Reversible Superhydrophobic Surfaces: Part Two. , 2018, , .		0
49	Functionalized and grafted TiO <sub>2</sub> , CeO <sub>2</sub> , and SiO <sub>2</sub> nanoparticles' ecotoxicity on <i>Daphnia magna</i> and relevance of ecofriendly polymeric networks. <i>Environmental Science and Pollution Research</i> , 2018, 25, 21216-21223.	2.7	9
50	Formation of Nanofibers with High Water Adhesion by Electrodeposition of Films of Poly(3,4-ethylenedioxyppyrrrole) and Poly(3,4-propylenedioxyppyrrrole) Substituted by Alkyl Chains. <i>ChemPlusChem</i> , 2018, 83, 968-975.	1.3	3
51	Surface Nanostructuration and Wettability of Electrodeposited Poly(3,4-ethylenedioxyppyrrrole) and Poly(3,4-propylenedioxyppyrrrole) Films Substituted by Aromatic Groups. <i>ACS Omega</i> , 2018, 3, 8393-8400.	1.6	1
52	Superhydrophobic, superoleophobic and underwater superoleophobic conducting polymer films. <i>Surface Innovations</i> , 2018, 6, 181-204.	1.4	13
53	Rapid, Template-Less Patterning of Polymeric Interfaces for Controlled Wettability via in Situ Heterogeneous Photopolymerizations. <i>Macromolecular Chemistry and Physics</i> , 2018, 219, 1800090.	1.1	1
54	Barrier cream based on CeO <sub>2</sub> nanoparticles grafted polymer as an active compound against the penetration of organophosphates. <i>Chemico-Biological Interactions</i> , 2017, 267, 17-24.	1.7	14

#	ARTICLE	IF	CITATIONS
55	Recent advances in the study and design of parahydrophobic surfaces: From natural examples to synthetic approaches. <i>Advances in Colloid and Interface Science</i> , 2017, 241, 37-61.	7.0	81
56	One-pot Staudinger Ureation reaction to develop superhydrophobic/oleophobic surfaces with urea linkers. <i>Materials and Design</i> , 2017, 114, 116-122.	3.3	5
57	The major influence of the substrate nature on the formation of nanotubes with high water adhesion using a templateless electropolymerization process. <i>Synthetic Metals</i> , 2017, 224, 99-108.	2.1	3
58	Controlling the wettability of mesh substrates by post-functionalization using the Huisgen reaction. <i>Materials Chemistry and Physics</i> , 2017, 195, 67-73.	2.0	0
59	A travel in the <i>Echeveria</i> genus wettability's world. <i>Applied Surface Science</i> , 2017, 411, 291-302.	3.1	14
60	Superhydrophobic properties of electrodeposited fluorinated polypyrenes. <i>Journal of Fluorine Chemistry</i> , 2017, 193, 73-81.	0.9	16
61	The design of superhydrophobic stainless steel surfaces by controlling nanostructures: A key parameter to reduce the implantation of pathogenic bacteria. <i>Materials Science and Engineering C</i> , 2017, 73, 40-47.	3.8	80
62	Bioinspired Roseâ€Petalâ€Like Substrates Generated by Electropolymerization on Micropatterned Gold Substrates. <i>ChemPlusChem</i> , 2017, 82, 336-336.	1.3	0
63	Poly(3,4-propylenedioxyppyrole) Nanofibers with Branched Alkyl Chains by Electropolymerization to Obtain Sticky Surfaces with High Contact Angles. <i>ChemistrySelect</i> , 2017, 2, 9490-9494.	0.7	5
64	pHâ€Driven Wetting Switchability of Electrodeposited Superhydrophobic Copolymers of Pyrene Bearing Acid Functions and Fluorinated Chains. <i>ChemPhysChem</i> , 2017, 18, 3429-3436.	1.0	9
65	Superpropulsion of Droplets and Soft Elastic Solids. <i>Physical Review Letters</i> , 2017, 119, 108001.	2.9	25
66	Direct Electrodeposition of Superhydrophobic and Highly Oleophobic Poly(3,4â€ethylenedioxyppyrole) (PEDOP) and Poly(3,4â€propylenedioxyppyrole) (PProDOP) Nanofibers. <i>ChemNanoMat</i> , 2017, 3, 885-894.	1.5	14
67	Combining Staudinger Reductive Amination and Amidification for the Control of Surface Hydrophobicity and Water Adhesion by Introducing Heterobifunctional Groups: Postâ€and Anteâ€Approach. <i>Macromolecular Chemistry and Physics</i> , 2017, 218, 1700250.	1.1	2
68	Topological characterization of plasma-etched polymer surface using discontinuous percolation transition. <i>Materials Chemistry and Physics</i> , 2017, 200, 322-330.	2.0	0
69	Nanoparticles covered surfaces for post-functionalization with aromatic groups to obtain parahydrophobic surface with high water adhesion (petal effect). <i>Journal of Bionic Engineering</i> , 2017, 14, 468-475.	2.7	1
70	Selected Papers from the 3 <sup>rd</sup> International Conference on Bioinspired and Biobased Chemistry & Materials (NICE-2016). <i>Pure and Applied Chemistry</i> , 2017, 89, 1739-1739.	0.9	0
71	Electrodeposited Poly(thieno[3,2â€i>b</i>]thiophene) Films for the Templateless Formation of Porous Structures by Galvanostatic and Pulse Deposition. <i>ChemPlusChem</i> , 2017, 82, 1351-1358.	1.3	18
72	Trimethylsilyl hedgehogs â€“ a novel class of super-efficient hydrocarbon surfactants. <i>Physical Chemistry Chemical Physics</i> , 2017, 19, 23869-23877.	1.3	14

#	ARTICLE	IF	CITATIONS
73	Superhydrophobicity of polymer films via fluorine atoms covalent attachment and surface nano-texturing. <i>Journal of Fluorine Chemistry</i> , 2017, 200, 123-132.	0.9	18
74	Superhydrophobic and superoleophobic poly(3,4-ethylenedioxythiophene) polymers synthesized using the Staudinger-Vilarrasa reaction. <i>Pure and Applied Chemistry</i> , 2017, 89, 1751-1760.	0.9	2
75	Bioinspired Rose-Petal-Like Substrates Generated by Electropolymerization on Micropatterned Gold Substrates. <i>ChemPlusChem</i> , 2017, 82, 352-357.	1.3	9
76	Bioinspired and Biobased Chemistry & Materials. <i>Chemistry International</i> , 2017, 39, .	0.3	0
77	Surfaces Bearing Fluorinated Nucleoperfluorolipids for Potential Anti-Graffiti Surface Properties. <i>Coatings</i> , 2017, 7, 220.	1.2	7
78	Bifunctionalized Monomers for Surfaces with Controlled Hydrophobicity. <i>ChemPlusChem</i> , 2017, 82, 1245-1252.	1.3	1
79	Staudinger-Vilarrasa reaction versus Huisgen reaction for the control of surface hydrophobicity and water adhesion. <i>Polymers for Advanced Technologies</i> , 2016, 27, 993-998.	1.6	8
80	Gas discharge plasma treatment of poly(ethylene glycol-co-1,3/1,4-cyclohexanedimethanol) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 Surfaces and Films, 2016, 34, .	0.9	7
81	Superhydrophobic/highly oleophobic surfaces based on poly(3,4-propylenedioxythiophene) surface post-functionalization. <i>Journal of Polymer Research</i> , 2016, 23, 1.	1.2	6
82	Poly(3,4-propylenedioxythiophene) mono-azide and di-azide as platforms for surface post-functionalization. <i>European Polymer Journal</i> , 2016, 78, 38-45.	2.6	9
83	Perfluorinated ProDOT monomers for superhydrophobic/oleophobic surfaces elaboration. <i>Journal of Fluorine Chemistry</i> , 2016, 191, 90-96.	0.9	7
84	One-step, self-assembled highly oleophobic nanocomposite coatings. <i>Composites Communications</i> , 2016, 2, 1-4.	3.3	1
85	Silica- and perfluoro-based nanoparticulate polymeric network for the skin protection against organophosphates. <i>Materials Research Express</i> , 2016, 3, 065019.	0.8	7
86	A template-free approach to nanotube-decorated polymer surfaces using 3,4-phenylenedioxythiophene (PhEDOT) monomers. <i>Journal of Materials Chemistry A</i> , 2016, 4, 17308-17323.	5.2	44
87	Staudinger-Ureation: A new and fast reaction for surface post-functionalization. <i>Materials Today Communications</i> , 2016, 8, 165-171.	0.9	3
88	One-Step and Templateless Electropolymerization Process Using Thienothiophene Derivatives To Develop Arrays of Nanotubes and Tree-like Structures with High Water Adhesion. <i>ACS Applied Materials &amp; Interfaces</i> , 2016, 8, 22732-22743.	4.0	36
89	3,4-Dialkoxythiophene for the Formation of Bioinspired Rose Petal-like Substrates with High Water Adhesion. <i>Langmuir</i> , 2016, 32, 12476-12487.	1.6	21
90	Macromol. Chem. Phys. 19/2016. <i>Macromolecular Chemistry and Physics</i> , 2016, 217, 2200-2200.	1.1	0

#	ARTICLE	IF	CITATIONS
91	Azido Platform Surfaces for Post-Functionalization with Aromatic Groups Using the Huisgen Reaction to Obtain High Water Adhesion. <i>Macromolecular Chemistry and Physics</i> , 2016, 217, 2107-2115.	1.1	4
92	Post-functionalization of plasma treated polycarbonate substrates: An efficient way to hydrophobic, oleophobic plastics. <i>Applied Surface Science</i> , 2016, 387, 28-35.	3.1	19
93	Switchable surfaces from highly hydrophobic to highly hydrophilic using covalent imine bonds. <i>Journal of Applied Polymer Science</i> , 2016, 133, .	1.3	16
94	Switchable Surface Wettability by Using Boronic Ester Chemistry. <i>ChemPhysChem</i> , 2016, 17, 305-309.	1.0	8
95	Nucleoside surfaces as a platform for the control of surface hydrophobicity. <i>RSC Advances</i> , 2016, 6, 62471-62477.	1.7	3
96	Templateless electrodeposition of conducting polymer nanotubes on mesh substrates for high water adhesion. <i>Nano Structures Nano Objects</i> , 2016, 7, 64-68.	1.9	10
97	Spontaneous, Phase-Separation Induced Surface Roughness: A New Method to Design Parahydrophobic Polymer Coatings with Rose Petal-like Morphology. <i>ACS Applied Materials &amp; Interfaces</i> , 2016, 8, 3063-3071.	4.0	45
98	Hydrocarbon/perfluorocarbon mixed chain azides for surface post-functionalization. <i>Journal of Fluorine Chemistry</i> , 2016, 184, 8-15.	0.9	6
99	Staudinger-Vilarrasa reaction to develop novel monomers with amide bonds for superhydrophobic properties. <i>Progress in Organic Coatings</i> , 2016, 90, 431-437.	1.9	6
100	Branched Hydrocarbon Low Surface Energy Materials for Superhydrophobic Nanoparticle Derived Surfaces. <i>ACS Applied Materials &amp; Interfaces</i> , 2016, 8, 660-666.	4.0	138
101	Electrodeposition of Polypyrenes with Tunable Hydrophobicity, Water Adhesion, and Fluorescence Properties. <i>Journal of Physical Chemistry C</i> , 2016, 120, 7077-7087.	1.5	24
102	Postfunctionalization of Azido or Alkyne Poly(3,4-ethylenedioxythiophene) Surfaces: Superhydrophobic and Parahydrophobic Surfaces. <i>Macromolecular Chemistry and Physics</i> , 2016, 217, 554-561.	1.1	8
103	Parahydrophobic Surfaces by Electrodeposition of PEDOT Polymers with Aromatic Groups. <i>Materials and Manufacturing Processes</i> , 2016, 31, 1177-1182.	2.7	2
104	Nanoparticle covered surfaces: An efficient way to enhance superhydrophobic properties. <i>Materials and Design</i> , 2016, 92, 911-918.	3.3	17
105	A one-step electrodeposition of homogeneous and vertically aligned nanotubes with parahydrophobic properties (high water adhesion). <i>Journal of Materials Chemistry A</i> , 2016, 4, 3197-3203.	5.2	55
106	Influence of the monomer structure and electrochemical parameters on the formation of nanotubes with parahydrophobic properties (high water adhesion) by a templateless electropolymerization process. <i>Journal of Colloid and Interface Science</i> , 2016, 466, 413-424.	5.0	26
107	Superoleophobic/superhydrophobic PEDOP conducting copolymers with dual-responsivity by voltage and ion exchange. <i>Materials Today Communications</i> , 2016, 6, 1-8.	0.9	14
108	CHAPTER 3. Superoleophobic Materials. <i>RSC Soft Matter</i> , 2016, , 42-83.	0.2	0

#	ARTICLE	IF	CITATIONS
109	2nd International Conference on Bioinspired and Biobased Chemistry & Materials (N.I.C.E. 2014). Pure and Applied Chemistry, 2015, 87, 717-718.	0.9	0
110	Robust superhydrophobicity by candle soot deposition on plasma-treated PETG. Surface Innovations, 2015, 3, 192-195.	1.4	3
111	A bioinspired approach to produce parahydrophobic properties using PEDOP conducting polymers with branched alkyl chains. Pure and Applied Chemistry, 2015, 87, 805-814.	0.9	8
112	Synergistic effect of organoclay fillers based on fluorinated surfmers for preparation of polystyrene nanocomposites. Journal of Applied Polymer Science, 2015, 132, .	1.3	7
113	Highly Polar Linkers (Urea, Carbamate, Thiocarbamate) for Superoleophobic/Superhydrophobic or Oleophobic/Hydrophilic Properties. Advanced Materials Interfaces, 2015, 2, 1500081.	1.9	33
114	Control over Water Adhesion on Nanostructured Parahydrophobic Films Using Mesh Substrates. ChemNanoMat, 2015, 1, 497-501.	1.5	6
115	Step-by-Step Layer-by-Layer Assembly Using 1,2,3-Triazole as a Platform for Controlled Multicharged and Multifunctional Coatings. ChemPlusChem, 2015, 80, 1691-1695.	1.3	3
116	Nanostructured superhydrophobic films synthesized by electrodeposition of fluorinated polyindoles. Beilstein Journal of Nanotechnology, 2015, 6, 2078-2087.	1.5	11
117	Controlling electrodeposited conducting polymer nanostructures with the number and the length of fluorinated chains for adjusting superhydrophobic properties and adhesion. RSC Advances, 2015, 5, 37196-37205.	1.7	17
118	Azidomethyl-EDOT as a Platform for Tunable Surfaces with Nanostructures and Superhydrophobic Properties. Journal of Physical Chemistry B, 2015, 119, 6873-6877.	1.2	25
119	Characterization of air/water interface adsorption of a series of partially fluorinated/hydrogenated quaternary ammonium salts. Journal of Fluorine Chemistry, 2015, 178, 241-248.	0.9	4
120	Using poly(3,4-ethylenedioxythiophene) containing a carbamate linker as a platform to develop electrodeposited surfaces with tunable wettability and adhesion. RSC Advances, 2015, 5, 89407-89414.	1.7	8
121	Highly hydrophobic films with high water adhesion by electrodeposition of poly(3,4-propylenedioxythiophene) containing two alkoxy groups. Colloid and Polymer Science, 2015, 293, 933-940.	1.0	14
122	New CeO <sub>2</sub> nanoparticles-based topical formulations for the skin protection against organophosphates. Toxicology Reports, 2015, 2, 1007-1013.	1.6	31
123	Low bioaccumulative materials for parahydrophobic nanosheets with sticking behaviour. Journal of Colloid and Interface Science, 2015, 447, 167-172.	5.0	19
124	Ante versus post-functionalization to control surface structures with superhydrophobic and superoleophobic properties. RSC Advances, 2015, 5, 63945-63951.	1.7	9
125	3,4-Ethylenedioxythiopyrrole (EDOP) Monomers with Aromatic Substituents for Parahydrophobic Surfaces by Electropolymerization. Macromolecules, 2015, 48, 5188-5195.	2.2	23
126	Staudinger Vilarassa reaction: A powerful tool for surface modification and superhydrophobic properties. Journal of Colloid and Interface Science, 2015, 457, 72-77.	5.0	20



#	ARTICLE	IF	CITATIONS
127	Effect of Fluorocarbon and Hydrocarbon Chain Lengths in Hybrid Surfactants for Supercritical CO <sub>2</sub> . Langmuir, 2015, 31, 7479-7487.	1.6	20
128	Superhydrophobic (low adhesion) and parahydrophobic (high adhesion) surfaces with micro/nanostructures or nanofilaments. Journal of Colloid and Interface Science, 2015, 453, 42-47.	5.0	22
129	Flagella but not type IV pili are involved in the initial adhesion of Pseudomonas aeruginosa PAO1 to hydrophobic or superhydrophobic surfaces. Colloids and Surfaces B: Biointerfaces, 2015, 131, 59-66.	2.5	50
130	Superhydrophobic surface properties with various nanofibrous structures by electrodeposition of PEDOT polymers with short fluorinated chains and rigid spacers. Synthetic Metals, 2015, 205, 58-63.	2.1	13
131	Superhydrophobic and superoleophobic properties in nature. Materials Today, 2015, 18, 273-285.	8.3	518
132	Reactive-ion etching of nylon fabric meshes using oxygen plasma for creating surface nanostructures. Applied Surface Science, 2015, 356, 408-415.	3.1	20
133	Switchable and reversible superhydrophobic and oleophobic surfaces by redox response using covalent S-S bond. Reactive and Functional Polymers, 2015, 96, 44-49.	2.0	11
134	Periodic Formation/Breakdown of Lamellar Aggregates with Anionic Cyanobiphenyl Surfactants. Langmuir, 2015, 31, 13040-13047.	1.6	0
135	Control of Conducting Polymer Nanostructures for Parahydrophobic Properties. Recent Patents on Materials Science, 2015, 8, 247-252.	0.5	2
136	Robust Superhydrophobicity by Candle Soot Deposition on Plasma-Treated PETG. Surface Innovations, 2015, , 1-16.	1.4	0
137	Parahydrophobic Surfaces Made of Intrinsically Hydrophilic PProDOT Nanofibers with Branched Alkyl Chains. Advanced Engineering Materials, 2014, 16, 1400-1405.	1.6	13
138	Superhydrophobic surfaces with low and high adhesion made from mixed (hydrocarbon and) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 307 T Physics, 2014, 52, 782-788.	2.4	18
139	Superoleophobic Meshes with Relatively Low Hysteresis and Sliding Angles by Electropolymerization: Importance of Polymer Growth Control. ChemPlusChem, 2014, 79, 382-386.	1.3	18
140	Effect of hydrocarbon chain branching in the elaboration of superhydrophobic materials by electrodeposition of conducting polymers. Surface and Coatings Technology, 2014, 259, 594-598.	2.2	16
141	Superoleophobic Meshes with Relatively Low Hysteresis and Sliding Angles by Electropolymerization: Importance of Polymer Growth Control. ChemPlusChem, 2014, 79, 334-334.	1.3	0
142	Major influence of the alkyl chain length of poly(2,4-dialkyl-3,4-propylenedioxythiophene) on the surface fibrous structures and hydrophobicity. Polymers for Advanced Technologies, 2014, 25, 1252-1256.	1.6	3
143	Surface properties of new catanionic semi-fluorinated hybrid surfactants. Journal of Fluorine Chemistry, 2014, 161, 60-65.	0.9	3
144	Chemical and Physical Pathways for the Preparation of Superoleophobic Surfaces and Related Wetting Theories. Chemical Reviews, 2014, 114, 2694-2716.	23.0	466

#	ARTICLE	IF	CITATIONS
145	Wettability of poly(3-alkyl-3,4-propylenedioxythiophene) fibrous structures forming nanoporous, microporous or micro/nanostructured networks. <i>Materials Chemistry and Physics</i> , 2014, 146, 6-11.	2.0	14
146	Superhydrophobic and oleophobic surfaces containing wrinkles and nanoparticles of PEDOT with two short fluorinated chains. <i>RSC Advances</i> , 2014, 4, 10935.	1.7	20
147	Wettability of conducting polymers: From superhydrophilicity to superoleophobicity. <i>Progress in Polymer Science</i> , 2014, 39, 656-682.	11.8	213
148	Spider-web-like fiber toward highly oleophobic fluorinated materials with low bioaccumulative potential. <i>Reactive and Functional Polymers</i> , 2014, 74, 46-51.	2.0	21
149	Enhancement of the Superoleophobic Properties of Fluorinated PEDOP Using Polar Glycol Spacers. <i>Journal of Physical Chemistry C</i> , 2014, 118, 26912-26920.	1.5	22
150	The Major Influences of Substituent Size and Position of 3,4-Propylenedioxythiophene on the Formation of Highly Hydrophobic Nanofibers. <i>ChemPlusChem</i> , 2014, 79, 1434-1439.	1.3	22
151	Elaboration of Superhydrophobic Surfaces containing Nanofibers and Wrinkles with Controllable Water and Oil Adhesion. <i>Macromolecular Materials and Engineering</i> , 2014, 299, 959-965.	1.7	13
152	One-Pot Process to Control the Elaboration of Non-Wetting Nanofibers. <i>Advanced Materials Interfaces</i> , 2014, 1, 1300094.	1.9	22
153	A spiral designed surface based on amino-perylene grafted polyacrylic acid. <i>Chemical Communications</i> , 2014, 50, 12034-12036.	2.2	3
154	Superoleophobic Meshes with High Adhesion by Electrodeposition of Conducting Polymer Containing Short Perfluorobutyl Chains. <i>Journal of Physical Chemistry C</i> , 2014, 118, 2052-2057.	1.5	55
155	Elaboration of Voltage and Ion Exchange Stimuli-Responsive Conducting Polymers with Selective Switchable Liquid-Repellency. <i>ACS Applied Materials &amp; Interfaces</i> , 2014, 6, 7953-7960.	4.0	40
156	Recent advances in the potential applications of bioinspired superhydrophobic materials. <i>Journal of Materials Chemistry A</i> , 2014, 2, 16319-16359.	5.2	490
157	Low-Surface Energy Surfactants with Branched Hydrocarbon Architectures. <i>Langmuir</i> , 2014, 30, 3413-3421.	1.6	74
158	Hyperbranched Hydrocarbon Surfactants Give Fluorocarbon-like Low Surface Energies. <i>Langmuir</i> , 2014, 30, 6057-6063.	1.6	53
159	Sticky superhydrophobic hard nanofibers from soft matter. <i>RSC Advances</i> , 2014, 4, 35708-35716.	1.7	10
160	Homogeneous growth of conducting polymer nanofibers by electrodeposition for superhydrophobic and superoleophilic stainless steel meshes. <i>RSC Advances</i> , 2014, 4, 50401-50405.	1.7	23
161	Superhydrophobic conducting polymers with switchable water and oil repellency by voltage and ion exchange. <i>RSC Advances</i> , 2014, 4, 3550-3555.	1.7	24
162	Branched versus linear perfluorocarbon chains in the formation of superhydrophobic electrodeposited films with low bioaccumulative potential. <i>Journal of Materials Science</i> , 2014, 49, 7760-7769.	1.7	17

#	ARTICLE	IF	CITATIONS
163	Copolymerization of novel reactive fluorinated acrylic monomers with styrene: reactivity ratio determination. <i>Colloid and Polymer Science</i> , 2014, 292, 1711-1717.	1.0	10
164	Texturation and superhydrophobicity of polyethylene terephthalate thanks to plasma technology. <i>Applied Surface Science</i> , 2014, 292, 782-789.	3.1	28
165	Spontaneous patterned superhydrophilic hybrid surfaces. <i>Materials Letters</i> , 2014, 128, 333-335.	1.3	8
166	Superhydrophobic surfaces from 3,4-propylenedioxythiophene (ProDOT) derivatives. <i>European Polymer Journal</i> , 2013, 49, 2267-2274.	2.6	20
167	Robustness tests on superoleophobic PEDOP films. <i>Colloids and Surfaces A: Physicochemical and Engineering Aspects</i> , 2013, 433, 47-54.	2.3	12
168	Superhydrophobic Fibrous Polymers. <i>Polymer Reviews</i> , 2013, 53, 460-505.	5.3	61
169	Behavior of wormlike micellar solutions formed without any additives from semi-fluorinated quaternary ammonium salts. <i>Soft Matter</i> , 2013, 9, 8992.	1.2	8
170	Super liquid-repellent properties of electrodeposited hydrocarbon and fluorocarbon copolymers. <i>RSC Advances</i> , 2013, 3, 10848.	1.7	12
171	New fluorinated hybrid organic/inorganic water soluble polymeric network. <i>Polymer</i> , 2013, 54, 6089-6095.	1.8	11
172	pH- and Voltage- Switchable Superhydrophobic Surfaces by Electro- Copolymerization of EDOT Derivatives Containing Carboxylic Acids and Long Alkyl Chains. <i>ChemPhysChem</i> , 2013, 14, 2529-2533.	1.0	33
173	Toxicity assessment of silica nanoparticles, functionalised silica nanoparticles, and HASE-grafted silica nanoparticles. <i>Science of the Total Environment</i> , 2013, 450-451, 120-128.	3.9	39
174	Influence of intrinsic oleophobicity and surface structuration on the superoleophobic properties of PEDOP films bearing two fluorinated tails. <i>Journal of Materials Chemistry A</i> , 2013, 1, 2896.	5.2	37
175	Superhydrophobic Conducting Polymers Based on Hydrocarbon Poly(3,4-Ethylenedioxy-selenophene). <i>ChemPhysChem</i> , 2013, 14, 2947-2953.	1.0	18
176	Highly hydrophobic films with various adhesion by electrodeposition of poly(3,4-bis(alkoxy)thiophene)s. <i>Soft Matter</i> , 2013, 9, 1500-1505.	1.2	25
177	One <i>n</i> -Octyl versus Two <i>n</i> -Butyl Chains in Surfactant Aggregation Behavior. <i>Langmuir</i> , 2013, 29, 14815-14822.	1.6	17
178	Analogy of morphology in electrodeposited hydrocarbon and fluorocarbon polymers. <i>RSC Advances</i> , 2013, 3, 647-652.	1.7	30
179	Glycerol carbonate as a versatile building block for tomorrow: synthesis, reactivity, properties and applications. <i>Green Chemistry</i> , 2013, 15, 283-306.	4.6	428
180	Synthesis and mesomorphic properties of novel [1,2,3]-triazole mesogenic based compounds. <i>Journal of Molecular Structure</i> , 2013, 1034, 22-28.	1.8	19

#	ARTICLE	IF	CITATIONS
181	Superoleophobic polymers with metal ion affinity toward materials with both oleophobic and hydrophilic properties. <i>Journal of Colloid and Interface Science</i> , 2013, 408, 101-106.	5.0	26
182	Investigation of structure–surface properties relationship of semi-fluorinated polymerizable cationic surfactants. <i>Journal of Colloid and Interface Science</i> , 2013, 408, 125-131.	5.0	12
183	Superhydrophobic Surfaces by Electrochemical Processes. <i>Advanced Materials</i> , 2013, 25, 1378-1394.	11.1	395
184	Stability of the hydrophilic and superhydrophobic properties of oxygen plasma-treated poly(tetrafluoroethylene) surfaces. <i>Journal of Colloid and Interface Science</i> , 2013, 396, 287-292.	5.0	58
185	Homogeneous dispersion of SiO <sub>2</sub> nanoparticles in an hydrosoluble polymeric network. <i>Reactive and Functional Polymers</i> , 2013, 73, 1065-1071.	2.0	8
186	Superoleophobic surfaces with short fluorinated chains?. <i>Soft Matter</i> , 2013, 9, 5982.	1.2	108
187	Influence of long alkyl spacers in the elaboration of superoleophobic surfaces with short fluorinated chains. <i>RSC Advances</i> , 2013, 3, 5556.	1.7	33
188	Recent advances in designing superhydrophobic surfaces. <i>Journal of Colloid and Interface Science</i> , 2013, 402, 1-18.	5.0	609
189	Highly Oleophobic Properties of PEDOP Polymers with Short Perfluorobutyl Chains Separated by Long Alkyl Spacers and Amido Connectors. <i>Macromolecular Chemistry and Physics</i> , 2013, 214, 2036-2042.	1.1	17
190	Influence of intrinsic hydrophobicity and surface structuration. <i>Surface Innovations</i> , 2013, 1, 98-104.	1.4	6
191	Superoleophobic Meshes with Relatively Low Hysteresis and Sliding Angles by Electropolymerization: Importance of Polymer-Growth Control. <i>ChemPlusChem</i> , 2013, , n/a-n/a.	1.3	1
192	Tunable Surface Nanoporosity by Electropolymerization of <i>N</i> -alkyl-3,4-ethylenedioxyppyroles With Different Alkyl Chain Lengths. <i>Macromolecular Chemistry and Physics</i> , 2012, 213, 2492-2497.	1.1	25
193	Structured biotinylated poly(3,4-ethylenedioxyppyrole) electrodes for biochemical applications. <i>RSC Advances</i> , 2012, 2, 1033-1039.	1.7	15
194	Superhydrophobic hollow spheres by electrodeposition of fluorinated poly(3,4-ethylenedioxyppyrole). <i>RSC Advances</i> , 2012, 2, 10899.	1.7	21
195	Surface Structuration (Micro and/or Nano) Governed by the Fluorinated Tail Lengths toward Superoleophobic Surfaces. <i>Langmuir</i> , 2012, 28, 186-192.	1.6	60
196	Superhydrophobic nanofiber arrays and flower-like structures of electrodeposited conducting polymers. <i>Soft Matter</i> , 2012, 8, 9110.	1.2	44
197	Microwave-assisted synthesis of silver nanoprisms/nanoplates using a “modified polyol process”. <i>Colloids and Surfaces A: Physicochemical and Engineering Aspects</i> , 2012, 395, 145-151.	2.3	67
198	Synthesis, characterization and surface wettability of polythiophene derivatives containing semi-fluorinated liquid-crystalline segment. <i>Journal of Fluorine Chemistry</i> , 2012, 134, 85-89.	0.9	13

#	ARTICLE	IF	CITATIONS
199	Superoleophobic behavior of fluorinated conductive polymer films combining electropolymerization and lithography. <i>Soft Matter</i> , 2011, 7, 1053-1057.	1.2	93
200	Low Fluorine Content CO <sub>2</sub> -philic Surfactants. <i>Langmuir</i> , 2011, 27, 10562-10569.	1.6	56
201	Giant Brainlike Aggregates from New Fluorocarbon/Hydrocarbon Hybrid Cationic Surfactants. <i>Langmuir</i> , 2011, 27, 1668-1674.	1.6	16
202	Three steps to organic-inorganic hybrid films showing superhydrophilic properties. <i>Soft Matter</i> , 2011, 7, 10057.	1.2	14
203	Versatile Superhydrophobic Surfaces from a Bioinspired Approach. <i>Macromolecules</i> , 2011, 44, 9286-9294.	2.2	46
204	Superhydrophobic Fiber Mats by Electrodeposition of Fluorinated Poly(3,4-ethyleneoxythiathiophene). <i>Journal of the American Chemical Society</i> , 2011, 133, 15627-15634.	6.6	121
205	Anionic Surfactants and Surfactant Ionic Liquids with Quaternary Ammonium Counterions. <i>Langmuir</i> , 2011, 27, 4563-4571.	1.6	145
206	Influence of fluorinated segments of variable length on the thickening properties of a model HASE skeleton. <i>Journal of Applied Polymer Science</i> , 2011, 120, 2685-2692.	1.3	11
207	Surface and antimicrobial properties of semi-fluorinated quaternary ammonium thiol surfactants potentially usable for Self-Assembled Monolayers. <i>Journal of Fluorine Chemistry</i> , 2010, 131, 592-596.	0.9	17
208	Superhydrophobic Surfaces of Electrodeposited Polypyrroles Bearing Fluorinated Liquid Crystalline Segments. <i>Macromolecules</i> , 2010, 43, 9365-9370.	2.2	32
209	Connector Ability To Design Superhydrophobic and Oleophobic Surfaces from Conducting Polymers. <i>Langmuir</i> , 2010, 26, 13545-13549.	1.6	40
210	Hydrocarbon versus Fluorocarbon in the Electrodeposition of Superhydrophobic Polymer Films. <i>Langmuir</i> , 2010, 26, 17596-17602.	1.6	64
211	Synthesis and antimicrobial properties of polymerizable quaternary ammoniums. <i>European Journal of Medicinal Chemistry</i> , 2009, 44, 3201-3208.	2.6	80
212	Polymerizable semi-fluorinated gemini surfactants designed for antimicrobial materials. <i>Journal of Colloid and Interface Science</i> , 2009, 332, 201-207.	5.0	110
213	One-pot method for build-up nanoporous super oil-repellent films. <i>Journal of Colloid and Interface Science</i> , 2009, 335, 146-149.	5.0	32
214	Preparation and antimicrobial behaviour of quaternary ammonium thiol derivatives able to be grafted on metal surfaces. <i>European Journal of Medicinal Chemistry</i> , 2009, 44, 717-724.	2.6	52
215	Enhanced activity of fluorinated quaternary ammonium surfactants against <i>Pseudomonas aeruginosa</i> . <i>European Journal of Medicinal Chemistry</i> , 2009, 44, 1615-1622.	2.6	39
216	Contact-active microbicidal gold surfaces using immobilization of quaternary ammonium thiol derivatives. <i>European Journal of Medicinal Chemistry</i> , 2009, 44, 4227-4234.	2.6	14

#	ARTICLE	IF	CITATIONS
217	Molecular Design of Conductive Polymers To Modulate Superoleophobic Properties. Journal of the American Chemical Society, 2009, 131, 7928-7933.	6.6	187
218	Reverse Water-in-Fluorocarbon Microemulsions Stabilized by New Polyhydroxylated Nonionic Fluorinated Surfactants. Langmuir, 2009, 25, 8919-8926.	1.6	9
219	Fabrication of Superhydrophobic PDMS Surfaces by Combining Acidic Treatment and Perfluorinated Monolayers. Langmuir, 2009, 25, 6448-6453.	1.6	83
220	Covalent Layer-by-Layer Assembled Superhydrophobic Organic-Inorganic Hybrid Films. Langmuir, 2009, 25, 11073-11077.	1.6	138
221	Fluorophobic Effect for Building up the Surface Morphology of Electrodeposited Substituted Conductive Polymers. Langmuir, 2009, 25, 5463-5466.	1.6	42
222	One methylene unit to control super oil-repellency properties of conducting polymers. Chemical Communications, 2009, , 2210.	2.2	17
223	Super oil-repellent surfaces from conductive polymers. Journal of Materials Chemistry, 2009, 19, 7130.	6.7	39
224	Novel highly fluorinated sulfamates: Synthesis and evaluation of their surfactant properties. Journal of Colloid and Interface Science, 2008, 326, 235-239.	5.0	16
225	Liquid crystal polymers for non-reconstructing fluorinated surfaces. Journal of Materials Chemistry, 2008, 18, 5382.	6.7	25
226	Electrodeposited polymer films with both superhydrophobicity and superoleophilicity. Physical Chemistry Chemical Physics, 2008, 10, 4322.	1.3	57
227	Synthesis and Properties of Perfluorinated Conjugated Polymers Based on Polyethylenedioxythiophene, Polypyrrole, and Polyfluorene. Toward Surfaces with Special Wettabilities. Langmuir, 2008, 24, 9739-9746.	1.6	47
228	Liquid crystalline semifluorinated ionic dendrimers. Liquid Crystals, 2007, 34, 395-400.	0.9	21
229	2-DE using hemi-fluorinated surfactants. Electrophoresis, 2007, 28, 2489-2497.	1.3	6
230	Synthesis and properties of new fluorinated ester, thioester, and amide substituted polythiophenes. Towards superhydrophobic surfaces. Journal of Polymer Science Part A, 2007, 45, 4707-4719.	2.5	15
231	Synthesis and surface properties of new semi-fluorinated sulfobetaines potentially usable for 2D-electrophoresis. Journal of Fluorine Chemistry, 2007, 128, 211-218.	0.9	8
232	Fluorosurfactants at Structural Extremes: Adsorption and Aggregation. Langmuir, 2006, 22, 2034-2038.	1.6	29
233	Stable Superhydrophobic and Lipophobic Conjugated Polymers Films. Langmuir, 2006, 22, 3081-3088.	1.6	62
234	Synthesis and characterization of copolymers based on styrene and partially fluorinated acrylates. European Polymer Journal, 2006, 42, 702-710.	2.6	51

#	ARTICLE	IF	CITATIONS
235	Fluorinated acrylic polymers: Surface properties and XPS investigations. <i>Journal of Applied Polymer Science</i> , 2006, 99, 821-827.	1.3	20
236	Synthesis of Stable Super Water- and Oil-Repellent Polythiophene Films. <i>Angewandte Chemie - International Edition</i> , 2006, 45, 2251-2254.	7.2	97
237	Self-assembled monolayers of semifluorinated thiols on electrochemically modified polycrystalline nickel surfaces. <i>Thin Solid Films</i> , 2005, 491, 253-259.	0.8	28
238	Low Surface Energy Perfluorooctylalkyl Acrylate Copolymers for Surface Modification of PET. <i>Macromolecular Chemistry and Physics</i> , 2005, 206, 1098-1105.	1.1	48
239	Fluorinated comblike homopolymers: The effect of spacer lengths on surface properties. <i>Journal of Polymer Science Part A</i> , 2005, 43, 3737-3747.	2.5	42
240	Preparation and Liquid Crystalline Behaviour of a Series of Semifluorinated Allylic Monomers. <i>Molecular Crystals and Liquid Crystals</i> , 2005, 436, 237/[1191]-246/[1200].	0.4	2
241	LC Acrylic Monomers Incorporating Monothiobenzoate Unit. <i>Molecular Crystals and Liquid Crystals</i> , 2005, 437, 71/[1315]-80/[1324].	0.4	6
242	Nitro and bromo derivatives of a highly fluorinated thiobenzoate. <i>Liquid Crystals</i> , 2004, 31, 491-495.	0.9	7
243	Hybrid Fluorocarbon $\sim$ Hydrocarbon CO <sub>2</sub> -philic Surfactants. 1. Synthesis and Properties of Aqueous Solutions. <i>Langmuir</i> , 2004, 20, 9953-9959.	1.6	45
244	Hybrid Fluorocarbon $\sim$ Hydrocarbon CO <sub>2</sub> -philic Surfactants. 2. Formation and Properties of Water-in-CO <sub>2</sub> Microemulsions. <i>Langmuir</i> , 2004, 20, 9960-9967.	1.6	49
245	Preparation and Antimicrobial Behavior of Gemini Fluorosurfactants.. <i>ChemInform</i> , 2003, 34, no.	0.1	0
246	Preparation and antimicrobial behaviour of gemini fluorosurfactants. <i>European Journal of Medicinal Chemistry</i> , 2003, 38, 519-523.	2.6	37
247	Microphasic separation-induced enantiotropic liquid crystal behaviour single phenyl unit series based on the fluorophobic effect. <i>Liquid Crystals</i> , 2003, 30, 663-669.	0.9	23
248	Antimicrobial properties of highly fluorinated bis-ammonium salts. <i>International Journal of Antimicrobial Agents</i> , 2003, 21, 20-26.	1.1	71
249	Influence of the structure of the mesogenic core on the thermotropic properties of $\beta$ -unsaturated fluorinated liquid crystals. <i>Liquid Crystals</i> , 2003, 30, 251-257.	0.9	17
250	Monomers reactivity ratios of fluorinated acrylates-styrene copolymers. <i>Polymer International</i> , 2002, 51, 1058-1062.	1.6	16
251	X-Ray photoelectron spectroscopy study of polycrystalline zinc modified by n-dodecanethiol and 3-perfluorooctyl-propanethiol. <i>Thin Solid Films</i> , 2002, 405, 186-193.	0.8	42
252	Molecular Design of Highly Fluorinated Liquid Crystals. <i>ACS Symposium Series</i> , 2001, , 180-194.	0.5	12

#	ARTICLE	IF	CITATIONS
253	Preparation and Mesomorphic Properties of Highly Fluorinated Materials Incorporating S-Ethyl-Lactate. <i>Molecular Crystals and Liquid Crystals</i> , 2001, 365, 91-98.	0.3	0
254	Preparation and Thermotropic Properties of Partially Fluorinated Acrylates. <i>Molecular Crystals and Liquid Crystals</i> , 2001, 365, 263-270.	0.3	1
255	Highly fluorinated molecular organised systems: strategy and concept. <i>Journal of Fluorine Chemistry</i> , 2001, 107, 363-374.	0.9	59
256	Preparation and Evaluation of Monodisperse Nonionic Surfactants Based on Fluorine-Containing Dicarbamates. <i>Journal of Colloid and Interface Science</i> , 2000, 229, 440-444.	5.0	7
257	Convenient synthesis of thiols and disulfides in the polyfluorinated series incorporating a butylic spacer. <i>Tetrahedron Letters</i> , 2000, 41, 2885-2889.	0.7	18
258	Synthesis and mesomorphic properties of perfluorinated rod-like liquid crystals with sulphur-containing spacers. <i>Liquid Crystals</i> , 1999, 26, 1371-1377.	0.9	32
259	Synthesis and Mesomorphic Behavior of Chiral Partially Fluorinated Liquid Crystal Incorporating S-2-Methylbutyl. <i>Molecular Crystals and Liquid Crystals</i> , 1999, 332, 9-16.	0.3	4
260	Synthesis and Thermotropic Liquid Crystal Partially Fluorinated Materials Derived from Biphenyl Incorporating an Ester Connector. <i>Molecular Crystals and Liquid Crystals</i> , 1999, 332, 1-7.	0.3	10
261	Highly fluorinated thermotropic liquid crystals: an update. <i>Journal of Fluorine Chemistry</i> , 1999, 100, 85-96.	0.9	159
262	Highly fluorinated monomers precursors of side-chain liquid crystalline polysiloxanes. <i>Journal of Polymer Science Part A</i> , 1999, 37, 4487-4496.	2.5	23
263	Branched Fluorinated Nonionic Y-Shaped Surfactants. Effect of Molecular Geometry on Liquid Crystalline Phase Behavior. <i>Langmuir</i> , 1996, 12, 6346-6350.	1.6	22
264	Synthesis and Behavior at the Air/Water Interface of Fluorinated Nonionic Surfactants Containing Two Methylated Polyoxyethylene Moieties. <i>Journal of Colloid and Interface Science</i> , 1996, 177, 101-105.	5.0	11
265	Convenient synthesis of monodisperse fluorinated nonionic surfactants containing two hydrophilic hydroxylated moieties. <i>Tetrahedron Letters</i> , 1995, 36, 7863-7866.	0.7	6
266	Preparation and Liquid Crystalline Properties of (Hydroxypropyl) cellulose Perfluorooctanoate. <i>Macromolecules</i> , 1994, 27, 6988-6990.	2.2	16
267	Highly fluorinated sulfamates with thermotropic liquid crystalline properties. <i>Liquid Crystals</i> , 0, , 1-8.	0.9	0
268	Switchable and Reversible Superhydrophobic Surfaces: Part One. , 0, , .		2