

# Jeffrey B Kopp

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1941498/publications.pdf>

Version: 2024-02-01

367  
papers

31,697  
citations

3334

91  
h-index

5394

164  
g-index

388  
all docs

388  
docs citations

388  
times ranked

26979  
citing authors

| #  | ARTICLE   | IF  | CITATIONS |
|----|---|-----|-----------|
| 1  | Urine Single-Cell RNA Sequencing in Focal Segmental Glomerulosclerosis Reveals Inflammatory Signatures. <i>Kidney International Reports</i> , 2022, 7, 289-304.   | 0.8 | 21        |
| 2  | Alpha Globin Gene Copy Number Is Associated with Prevalent Chronic Kidney Disease and Incident End-Stage Kidney Disease among Black Americans. <i>Journal of the American Society of Nephrology: JASN</i> , 2022, 33, 213-224.    | 6.1 | 8         |
| 3  | &lt;b&gt;&lt;i&gt;APOL1&lt;/i&gt;&lt;/b&gt; Risk Variants Associated with Serum Albumin in a Population-Based Cohort Study. <i>American Journal of Nephrology</i> , 2022, 53, 182-190.  | 3.1 | 0         |
| 4  | Aryl Hydrocarbon Receptor Mechanisms Affecting Chronic Kidney Disease. <i>Frontiers in Pharmacology</i> , 2022, 13, 782199.   | 3.5 | 13        |
| 5  | The evolving story of apolipoprotein L1 nephropathy: the end of the beginning. <i>Nature Reviews Nephrology</i> , 2022, 18, 307-320.  | 9.6 | 38        |
| 6  | Associations between APOL1 genetic variants and blood pressure in African American mothers and children from a U.S. pregnancy cohort: Modification by air pollution exposures. <i>Environmental Research</i> , 2022, 212, 113186. | 7.5 | 0         |
| 7  | Antisense oligonucleotides ameliorate kidney dysfunction in podocyte-specific APOL1 risk variant mice. <i>Molecular Therapy</i> , 2022, 30, 2491-2504.  | 8.2 | 4         |
| 8  | Genetics in chronic kidney disease: conclusions from a Kidney Disease: Improving Global Outcomes (KDIGO) Controversies Conference. <i>Kidney International</i> , 2022, 101, 1126-1141.  | 5.2 | 46        |
| 9  | Susceptibility to kidney fibrosis in mice is associated with early growth response-2 protein and tissue inhibitor of metalloproteinase-1 expression. <i>Kidney International</i> , 2022, 102, 337-354.                            | 5.2 | 10        |
| 10 | PodoCount: A Robust, Fully Automated, Whole-Slide Podocyte Quantification Tool. <i>Kidney International Reports</i> , 2022, 7, 1377-1392.   | 0.8 | 7         |
| 11 | Impact of APOL1 kidney risk variants on glomerular transcriptomes. <i>Kidney International</i> , 2022, 102, 16-19.  | 5.2 | 0         |
| 12 | Etiology of Persistent Microalbuminuria in Nigeria (P_MICRO study): protocol and study design. <i>BMC Infectious Diseases</i> , 2022, 22, .   | 2.9 | 0         |
| 13 | APOL1 risk variants affect podocyte lipid homeostasis and energy production in focal segmental glomerulosclerosis. <i>Human Molecular Genetics</i> , 2021, 30, 182-197.   | 2.9 | 27        |
| 14 | Proteinuria Reduction and Kidney Survival in Focal Segmental Glomerulosclerosis. <i>American Journal of Kidney Diseases</i> , 2021, 77, 216-225.  | 1.9 | 23        |
| 15 | APOL1 variant alleles associate with reduced risk for opportunistic infections in HIV infection. <i>Communications Biology</i> , 2021, 4, 284.  | 4.4 | 4         |
| 16 | APOL1 genotype-associated morphologic changes among patients with focal segmental glomerulosclerosis. <i>Pediatric Nephrology</i> , 2021, 36, 2747-2757.  | 1.7 | 3         |
| 17 | PD-1 immunobiology in glomerulonephritis and renal cell carcinoma. <i>BMC Nephrology</i> , 2021, 22, 80.  | 1.8 | 17        |
| 18 | Diagnosis, Education, and Care of Patients with APOL1-Associated Nephropathy: A Delphi Consensus and Systematic Review. <i>Journal of the American Society of Nephrology: JASN</i> , 2021, 32, 1765-1778.                         | 6.1 | 13        |

| #  | ARTICLE   | IF  | CITATIONS |
|----|---|-----|-----------|
| 19 | Severity modeling of propionic acidemia using clinical and laboratory biomarkers. <i>Genetics in Medicine</i> , 2021, 23, 1534-1542.  | 2.4 | 13        |
| 20 | Joint Associations of Maternal-Fetal APOL1 Genotypes and Maternal Country of Origin With Preeclampsia Risk. <i>American Journal of Kidney Diseases</i> , 2021, 77, 879-888.e1.  | 1.9 | 20        |
| 21 | Racial-Ethnic Differences in Health-Related Quality of Life among Adults and Children with Glomerular Disease. <i>Glomerular Diseases</i> , 2021, 1, 105-117.   | 1.0 | 6         |
| 22 | APOL1 at 10 years: progress and next steps. <i>Kidney International</i> , 2021, 99, 1296-1302.  | 5.2 | 14        |
| 23 | <i>APOL1</i> Genetic Variants Are Associated With Increased Risk of Coronary Atherosclerotic Plaque Rupture in the Black Population. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2021, 41, 2201-2214. | 2.4 | 8         |
| 24 | Apolipoprotein-1 risk variants and associated kidney phenotypes in an adult HIV cohort in Nigeria. <i>Kidney International</i> , 2021, 100, 146-154.  | 5.2 | 16        |
| 25 | Association of Sickle Cell Trait With Incidence of Coronary Heart Disease Among African American Individuals. <i>JAMA Network Open</i> , 2021, 4, e2030435.   | 5.9 | 5         |
| 26 | Introduction: Obesity and the kidney. <i>Seminars in Nephrology</i> , 2021, 41, 295.  | 1.6 | 0         |
| 27 | Podocytopathy in Obesity: Challenges of Living Large. <i>Seminars in Nephrology</i> , 2021, 41, 307-317.  | 1.6 | 2         |
| 28 | The key role of NLRP3 and STING in APOL1-associated podocytopathy. <i>Journal of Clinical Investigation</i> , 2021, 131, .  | 8.2 | 66        |
| 29 | Lessons From APOL1 Animal Models. <i>Frontiers in Medicine</i> , 2021, 8, 762901.   | 2.6 | 4         |
| 30 | Glomerular Kidney Diseases in the Single-Cell Era. <i>Frontiers in Medicine</i> , 2021, 8, 761996.  | 2.6 | 4         |
| 31 | Observations from the emergency management of dialysis patients evacuated from the US Virgin Islands to Puerto Rico following hurricane Irma. <i>BMC Health Services Research</i> , 2021, 21, 1239.                   | 2.2 | 3         |
| 32 | circHIPK3 Exacerbates Folic Acid-Induced Renal Tubulointerstitial Fibrosis by Sponging miR-30a. <i>Frontiers in Physiology</i> , 2021, 12, 715567.  | 2.8 | 11        |
| 33 | APOL1 Nephropathy Risk Alleles and Mortality in African American Adults: A Cohort Study. <i>American Journal of Kidney Diseases</i> , 2020, 75, 54-60.  | 1.9 | 7         |
| 34 | Human Immunodeficiency Virus Infection and Chronic Kidney Disease. , 2020, , 849-861.   |     | 1         |
| 35 | miR-150 inhibitor ameliorates adriamycin-induced focal segmental glomerulosclerosis. <i>Biochemical and Biophysical Research Communications</i> , 2020, 522, 618-625.   | 2.1 | 12        |
| 36 | Longitudinal Changes in Health-Related Quality of Life in Primary Glomerular Disease: Results From the CureGN Study. <i>Kidney International Reports</i> , 2020, 5, 1679-1689.  | 0.8 | 17        |

| #  | ARTICLE   | IF   | CITATIONS |
|----|---|------|-----------|
| 37 | CircZNF609 is involved in the pathogenesis of focal segmental glomerulosclerosis by sponging miR-615-5p. <i>Biochemical and Biophysical Research Communications</i> , 2020, 531, 341-349.   | 2.1  | 17        |
| 38 | Macrophage polarization in innate immune responses contributing to pathogenesis of chronic kidney disease. <i>BMC Nephrology</i> , 2020, 21, 270.   | 1.8  | 63        |
| 39 | miR-150-Based RNA Interference Attenuates Tubulointerstitial Fibrosis through the SOCS1/JAK/STAT Pathway In Vivo and In Vitro. <i>Molecular Therapy - Nucleic Acids</i> , 2020, 22, 871-884.  | 5.1  | 33        |
| 40 | Podocytopathies. <i>Nature Reviews Disease Primers</i> , 2020, 6, 68.   | 30.5 | 237       |
| 41 | APOL1 renal risk variants exacerbate podocyte injury by increasing inflammatory stress. <i>BMC Nephrology</i> , 2020, 21, 371.  | 1.8  | 21        |
| 42 | APOL1, Acidity, and ATP: Affecting Mitochondrial Function. <i>American Journal of Nephrology</i> , 2020, 51, 693-694.   | 3.1  | 0         |
| 43 | Improving Care for Patients after Hospitalization with AKI. <i>Journal of the American Society of Nephrology: JASN</i> , 2020, 31, 2237-2241.   | 6.1  | 24        |
| 44 | The longitudinal relationship between patient-reported outcomes and clinical characteristics among patients with focal segmental glomerulosclerosis in the Nephrotic Syndrome Study Network. <i>CKJ: Clinical Kidney Journal</i> , 2020, 13, 597-606. | 2.9  | 14        |
| 45 | COVID-19 Usurps Host Regulatory Networks. <i>Frontiers in Pharmacology</i> , 2020, 11, 1278.  | 3.5  | 27        |
| 46 | COVID-19 Associated Collapsing Glomerulopathy: An Emerging Entity. <i>Kidney International Reports</i> , 2020, 5, 759-761.  | 0.8  | 96        |
| 47 | Genetic Testing for APOL1 Genetic Variants in Clinical Practice. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2020, 15, 126-128.  | 4.5  | 17        |
| 48 | Launching APOLLO: The Role of APOL1 Genetic Variants in Live- and Deceased-Donor Kidney Transplantation. <i>Kidney International Reports</i> , 2020, 5, 252-254.  | 0.8  | 3         |
| 49 | Persistent Disease Activity in Patients With Long-Standing Glomerular Disease. <i>Kidney International Reports</i> , 2020, 5, 860-871.  | 0.8  | 2         |
| 50 | Interferon lambda promotes immune dysregulation and tissue inflammation in TLR7-induced lupus. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2020, 117, 5409-5419.   | 7.1  | 81        |
| 51 | Podocyte Density and Albuminuria in Aging Diabetic Ins2± Mice with or Without Adenosine A1 Receptor Signaling. <i>International Journal of Nephrology and Renovascular Disease</i> , 2020, Volume 13, 19-26.  | 1.8  | 1         |
| 52 | Elevated Plasma Free Sialic Acid Levels in Individuals with Reduced Glomerular Filtration Rates. <i>Kidney360</i> , 2020, 1, 957-961.   | 2.1  | 2         |
| 53 | Chronic kidney disease in propionic acidemia. <i>Genetics in Medicine</i> , 2019, 21, 2830-2835.  | 2.4  | 27        |
| 54 | APOL1 Nephropathy Risk Alleles and Risk of Sepsis in Blacks. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2019, 14, 1733-1740.  | 4.5  | 20        |

| #  | ARTICLE  | IF   | CITATIONS |
|----|--|------|-----------|
| 55 | Rationale and Design for a Phase 1 Study of N-Acetylmannosamine for Primary Glomerular Diseases. <i>Kidney International Reports</i> , 2019, 4, 1454-1462.                               | 0.8  | 8         |
| 56 | Impact of APOL1 Genetic Variants on HIV-1 Infection and Disease Progression. <i>Frontiers in Immunology</i> , 2019, 10, 53.  | 4.8  | 13        |
| 57 | Optimal management of HIV- positive adults at risk for kidney disease in Nigeria (Renal Risk Reduction) Tj ETQq1 1,0,784314 rgBT /O  | 1.6  | 10        |
| 58 | Renal Failure Patients in Disasters. <i>Disaster Medicine and Public Health Preparedness</i> , 2019, 13, 782-790.  | 1.3  | 10        |
| 59 | APOL1 renal risk variants promote cholesterol accumulation in tissues and cultured macrophages from APOL1 transgenic mice. <i>PLoS ONE</i> , 2019, 14, e0211559.                         | 2.5  | 39        |
| 60 | Gut microbiome-derived phenyl sulfate contributes to albuminuria in diabetic kidney disease. <i>Nature Communications</i> , 2019, 10, 1835.  | 12.8 | 173       |
| 61 | Survival Advantage of African American Dialysis Patients with End-Stage Renal Disease Causes Related to APOL1. <i>CardioRenal Medicine</i> , 2019, 9, 212-221.                           | 1.9  | 8         |
| 62 | Health-related quality of life in glomerular disease. <i>Kidney International</i> , 2019, 95, 1209-1224.   | 5.2  | 38        |
| 63 | Open-Label Clinical Trials of Oral Pulse Dexamethasone for Adults with Idiopathic Nephrotic Syndrome. <i>American Journal of Nephrology</i> , 2019, 49, 377-385.                         | 3.1  | 3         |
| 64 | APOL1 Kidney Risk Variants and Cardiovascular Disease: An Individual Participant Data Meta-Analysis. <i>Journal of the American Society of Nephrology: JASN</i> , 2019, 30, 2027-2036.   | 6.1  | 26        |
| 65 | LNA-anti-miR-150 ameliorated kidney injury of lupus nephritis by inhibiting renal fibrosis and macrophage infiltration. <i>Arthritis Research and Therapy</i> , 2019, 21, 276.           | 3.5  | 35        |
| 66 | One Actor, Many Roles: Histopathologies Associated With APOL1 Genetic Variants. <i>Advances in Anatomic Pathology</i> , 2019, 26, 215-219.   | 4.3  | 5         |
| 67 | Apolipoprotein L1 Testing in African Americans: Involving the Community in Policy Discussions. <i>American Journal of Nephrology</i> , 2019, 50, 303-311.                                | 3.1  | 22        |
| 68 | CureGN Study Rationale, Design, and Methods: Establishing a Large Prospective Observational Study of Glomerular Disease. <i>American Journal of Kidney Diseases</i> , 2019, 73, 218-229. | 1.9  | 68        |
| 69 | c-Src is in the effector pathway linking uPAR and podocyte injury. <i>Journal of Clinical Investigation</i> , 2019, 129, 1827-1829.  | 8.2  | 10        |
| 70 | Alpha Globin Gene Copy Number Is Associated with Kidney Disease Among Black Individuals. <i>Blood</i> , 2019, 134, 2248-2248.  | 1.4  | 0         |
| 71 | Global glomerulosclerosis in primary nephrotic syndrome: including age as a variable to predict renal outcomes. <i>Kidney International</i> , 2018, 93, 1043-1044.                       | 5.2  | 7         |
| 72 | Association of Sickle Cell Trait With Ischemic Stroke Among African Americans. <i>JAMA Neurology</i> , 2018, 75, 802.  | 9.0  | 25        |

| #  | ARTICLE  | IF   | CITATIONS |
|----|--|------|-----------|
| 73 | Kidney Diseases Associated with Human Immunodeficiency Virus Infection. <i>New England Journal of Medicine</i> , 2018, 378, 1654-1656.   | 27.0 | 6         |
| 74 | Genetic Testing in Clinical Settings. <i>American Journal of Kidney Diseases</i> , 2018, 72, 569-581.  | 1.9  | 33        |
| 75 | Apolipoprotein L1 nephropathies. <i>Current Opinion in Nephrology and Hypertension</i> , 2018, 27, 153-158.  | 2.0  | 4         |
| 76 | APOL1 Genotype and Renal Function of Black Living Donors. <i>Journal of the American Society of Nephrology: JASN</i> , 2018, 29, 1309-1316.  | 6.1  | 111       |
| 77 | Banff Classification of Polyomavirus Nephropathy: A New Tool for Research and Clinical Practice. <i>Journal of the American Society of Nephrology: JASN</i> , 2018, 29, 354-355.                         | 6.1  | 4         |
| 78 | FXR/TGR5 Dual Agonist Prevents Progression of Nephropathy in Diabetes and Obesity. <i>Journal of the American Society of Nephrology: JASN</i> , 2018, 29, 118-137.                                       | 6.1  | 133       |
| 79 | APOL1 Risk Variants Independently Associated With Early Cardiovascular Disease Death. <i>Kidney International Reports</i> , 2018, 3, 89-98.  | 0.8  | 14        |
| 80 | Randomized Clinical Trial Design to Assess Abatacept in Resistant Nephrotic Syndrome. <i>Kidney International Reports</i> , 2018, 3, 115-121.  | 0.8  | 21        |
| 81 | APOL1 nephropathy risk variants do not associate with subclinical atherosclerosis or left ventricular mass in middle-aged black adults. <i>Kidney International</i> , 2018, 93, 727-732.                 | 5.2  | 18        |
| 82 | Opposing Roles of Dendritic Cell Subsets in Experimental GN. <i>Journal of the American Society of Nephrology: JASN</i> , 2018, 29, 138-154.   | 6.1  | 65        |
| 83 | Whole Exome Sequencing of Patients with Steroid-Resistant Nephrotic Syndrome. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2018, 13, 53-62.                                    | 4.5  | 170       |
| 84 | Expanding the spectrum of APOL1-related renal disease: de novo collapsing glomerulopathy following kidney transplant. <i>Kidney International</i> , 2018, 94, 1048-1050.                                 | 5.2  | 4         |
| 85 | APOL1 risk allele RNA contributes to renal toxicity by activating protein kinase R. <i>Communications Biology</i> , 2018, 1, 188.  | 4.4  | 59        |
| 86 | APOL1 Nephropathy Risk Variants and Incident Cardiovascular Disease Events in Community-Dwelling Black Adults. <i>Circulation Genomic and Precision Medicine</i> , 2018, 11, e002098.                    | 3.6  | 26        |
| 87 | APOL1 miR-193 Axis as a Bifunctional Regulator of the Glomerular Parietal Epithelium. <i>American Journal of Pathology</i> , 2018, 188, 2461-2463.   | 3.8  | 4         |
| 88 | APOL1-Associated Nephropathy: A Key Contributor to Racial Disparities in CKD. <i>American Journal of Kidney Diseases</i> , 2018, 72, S8-S16.   | 1.9  | 113       |
| 89 | NPHS2 V260E Is a Frequent Cause of Steroid-Resistant Nephrotic Syndrome in Black South African Children. <i>Kidney International Reports</i> , 2018, 3, 1354-1362.                                       | 0.8  | 16        |
| 90 | Clinical Characteristics and Treatment Patterns of Children and Adults With IgA Nephropathy or IgA Vasculitis: Findings From the CureGN Study. <i>Kidney International Reports</i> , 2018, 3, 1373-1384. | 0.8  | 39        |

| #   | ARTICLE   | IF   | CITATIONS |
|-----|---|------|-----------|
| 91  | Fetalâ€”Not Maternalâ€”APOL1 Genotype Associated with Risk for Preeclampsia in Those with African Ancestry. <i>American Journal of Human Genetics</i> , 2018, 103, 367-376.   | 6.2  | 49        |
| 92  | Association of <i>APOL1</i> With Heart Failure With Preserved Ejection Fraction in Postmenopausal African American Women. <i>JAMA Cardiology</i> , 2018, 3, 712.  | 6.1  | 17        |
| 93  | Genetics, Genomics, and Precision Medicine in End-Stage Kidney Disease. <i>Seminars in Nephrology</i> , 2018, 38, 317-324.  | 1.6  | 12        |
| 94  | An eQTL Landscape of Kidney Tissue in Human Nephrotic Syndrome. <i>American Journal of Human Genetics</i> , 2018, 103, 232-244.   | 6.2  | 147       |
| 95  | ApoL1 renal risk variants induce aberrant THP-1 monocyte differentiation and increase eicosanoid production via enhanced expression of cyclooxygenase-2. <i>American Journal of Physiology - Renal Physiology</i> , 2018, 315, F140-F150.                           | 2.7  | 12        |
| 96  | <i>APOL1</i>-associated glomerular disease among African-American children: a collaboration of the Chronic Kidney Disease in Children (CKiD) and Nephrotic Syndrome Study Network (NEPTUNE) cohorts. <i>Nephrology Dialysis Transplantation</i> , 2017, 32, gfw061. | 0.7  | 60        |
| 97  | Transgenic expression of human APOL1 risk variants in podocytes induces kidney disease in mice. <i>Nature Medicine</i> , 2017, 23, 429-438.   | 30.7 | 282       |
| 98  | SGLT2 Protein Expression Is Increased in Human Diabetic Nephropathy. <i>Journal of Biological Chemistry</i> , 2017, 292, 5335-5348.   | 3.4  | 231       |
| 99  | Sickle Cell Trait and the Risk of ESRD in Blacks. <i>Journal of the American Society of Nephrology: JASN</i> , 2017, 28, 2180-2187.   | 6.1  | 79        |
| 100 | Focal Segmental Glomerulosclerosis. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2017, 12, 502-517.   | 4.5  | 359       |
| 101 | APOL1 genetic variants are not associated with longitudinal blood pressure in young black adults. <i>Kidney International</i> , 2017, 92, 964-971.  | 5.2  | 17        |
| 102 | Therapeutics for APOL1 nephropathies: putting out the fire in the podocyte. <i>Nephrology Dialysis Transplantation</i> , 2017, 32, i65-i70.   | 0.7  | 27        |
| 103 | Extracellular microRNA signature in chronic kidney disease. <i>American Journal of Physiology - Renal Physiology</i> , 2017, 312, F982-F991.  | 2.7  | 46        |
| 104 | Absence of APOL1 risk alleles in a remote living Australian Aboriginal group with high rates of CKD, hypertension, diabetes, and cardiovascular disease. <i>Kidney International</i> , 2017, 91, 990.   | 5.2  | 5         |
| 105 | APOL1 Renal Risk Variants: Fertile Soil for HIV-Associated Nephropathy. <i>Seminars in Nephrology</i> , 2017, 37, 514-519.  | 1.6  | 28        |
| 106 | HIV-1 viral protein R (Vpr) induces fatty liver in mice via LXR $\beta$ and PPAR $\alpha$ dysregulation: implications for HIV-specific pathogenesis of NAFLD. <i>Scientific Reports</i> , 2017, 7, 13362.   | 3.3  | 27        |
| 107 | Chronic Kidney Disease in the Aging Human Immunodeficiency Virusâ€”Infected Population. <i>Journal of Infectious Diseases</i> , 2017, 216, 619-621.   | 4.0  | 9         |
| 108 | Kidney Diseases Associated with Human Immunodeficiency Virus Infection. <i>New England Journal of Medicine</i> , 2017, 377, 2363-2374.  | 27.0 | 72        |

| #   | ARTICLE   | IF   | CITATIONS |
|-----|---|------|-----------|
| 109 | A tripartite complex of suPAR, APOL1 risk variants and Î±vÎ²3 integrin on podocytes mediates chronic kidney disease. <i>Nature Medicine</i> , 2017, 23, 945-953.  | 30.7 | 176       |
| 110 | Effect of Antiretroviral Therapy on Bone and Renal Health in Young Adults Infected With HIV in Early Life. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2017, 102, 2896-2904.  | 3.6  | 16        |
| 111 | Redefined clinical features and diagnostic criteria in autoimmune polyendocrinopathy-candidiasis-ectodermal dystrophy. <i>JCI Insight</i> , 2016, 1, .  | 5.0  | 219       |
| 112 | Renal and Cardiovascular Morbidities Associated with APOL1 Status among African-American and Non-African-American Children with Focal Segmental Glomerulosclerosis. <i>Frontiers in Pediatrics</i> , 2016, 4, 122.                              | 1.9  | 29        |
| 113 | Brief Report: APOL1 Renal Risk Variants Are Associated With Chronic Kidney Disease in Children and Youth With Perinatal HIV Infection. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , 2016, 73, 63-68.                         | 2.1  | 30        |
| 114 | Intravital and Kidney Slice Imaging of Podocyte Membrane Dynamics. <i>Journal of the American Society of Nephrology: JASN</i> , 2016, 27, 3285-3290.  | 6.1  | 50        |
| 115 | Combined Effects of GSTM1 Null Allele and APOL1 Renal Risk Alleles in CKD Progression in the African American Study of Kidney Disease and Hypertension Trial. <i>Journal of the American Society of Nephrology: JASN</i> , 2016, 27, 3140-3152. | 6.1  | 38        |
| 116 | Tenofovir Alafenamide as Part of a Salvage Regimen in a Patient with Multi-Drug Resistant HIV and Tenofovir-DF-Associated Renal Tubulopathy. <i>Antiviral Therapy</i> , 2016, 21, 553-558.  | 1.0  | 10        |
| 117 | APOL1 Risk Alleles Are Associated With More Severe Arteriosclerosis in Renal Resistance Vessels With Aging and Hypertension. <i>Kidney International Reports</i> , 2016, 1, 10-23.  | 0.8  | 19        |
| 118 | Complete Remission in the Nephrotic Syndrome Study Network. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2016, 11, 81-89.   | 4.5  | 53        |
| 119 | Association of APOL1 Genotype with Renal Histology among Black HIV-Positive Patients Undergoing Kidney Biopsy. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2016, 11, 262-270.  | 4.5  | 27        |
| 120 | APOL1 Genotype and Race Differences in Incident Albuminuria and Renal Function Decline. <i>Journal of the American Society of Nephrology: JASN</i> , 2016, 27, 887-893.   | 6.1  | 115       |
| 121 | G Protein-Coupled Bile Acid Receptor TGR5 Activation Inhibits Kidney Disease in Obesity and Diabetes. <i>Journal of the American Society of Nephrology: JASN</i> , 2016, 27, 1362-1378.   | 6.1  | 140       |
| 122 | Integrative Genomics Identifies Novel Associations with APOL1 Risk Genotypes in Black NEPTUNE Subjects. <i>Journal of the American Society of Nephrology: JASN</i> , 2016, 27, 814-823.   | 6.1  | 110       |
| 123 | A role for genetic susceptibility in sporadic focal segmental glomerulosclerosis. <i>Journal of Clinical Investigation</i> , 2016, 126, 1067-1078.  | 8.2  | 41        |
| 124 | Association of Sickle Cell Trait with Risk of Coronary Heart Disease in African Americans. <i>Blood</i> , 2016, 128, 11-11.   | 1.4  | 3         |
| 125 | Shank2 Regulates Renal Albumin Endocytosis. <i>Physiological Reports</i> , 2015, 3, e12510.   | 1.7  | 10        |
| 126 | Strategy and rationale for urine collection protocols employed in the NEPTUNE study. <i>BMC Nephrology</i> , 2015, 16, 190.   | 1.8  | 14        |

| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 127 | HIV and chronic kidney disease. <i>Clinical Nephrology</i> , 2015, 83 (2015), 32-38.   | 0.7 | 69        |
| 128 | Renin Lineage Cells Repopulate the Glomerular Mesangium after Injury. <i>Journal of the American Society of Nephrology: JASN</i> , 2015, 26, 48-54.  | 6.1 | 69        |
| 129 | Replenishment of the podocyte compartment by parietal epithelial cells. <i>Kidney International</i> , 2015, 88, 934-935.   | 5.2 | 9         |
| 130 | Circulating and urinary microRNA profile in focal segmental glomerulosclerosis: a pilot study. <i>European Journal of Clinical Investigation</i> , 2015, 45, 394-404.  | 3.4 | 86        |
| 131 | HIV-associated nephropathies: epidemiology, pathology, mechanisms and treatment. <i>Nature Reviews Nephrology</i> , 2015, 11, 150-160.   | 9.6 | 142       |
| 132 | Clinical Features and Histology of Apolipoprotein L1-Associated Nephropathy in the FSGS Clinical Trial. <i>Journal of the American Society of Nephrology: JASN</i> , 2015, 26, 1443-1448.                            | 6.1 | 104       |
| 133 | APOL1 Kidney Disease Risk Variants: An Evolving Landscape. <i>Seminars in Nephrology</i> , 2015, 35, 222-236.  | 1.6 | 125       |
| 134 | Activation of AMP-Activated Protein Kinase Prevents TGF- $\beta$ -Induced Epithelial-Mesenchymal Transition and Myofibroblast Activation. <i>American Journal of Pathology</i> , 2015, 185, 2168-2180.               | 3.8 | 73        |
| 135 | APOL1 Risk Variants Are Strongly Associated with HIV-Associated Nephropathy in Black South Africans. <i>Journal of the American Society of Nephrology: JASN</i> , 2015, 26, 2882-2890.                               | 6.1 | 256       |
| 136 | APOL1 toxin, innate immunity, and kidney injury. <i>Kidney International</i> , 2015, 88, 28-34.  | 5.2 | 55        |
| 137 | Sequencing rare and common APOL1 coding variants to determine kidney disease risk. <i>Kidney International</i> , 2015, 88, 754-763.  | 5.2 | 30        |
| 138 | Preparing for Disasters for Patients on Dialysis. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2015, 10, 1316-1317.  | 4.5 | 2         |
| 139 | APOL1 Risk Alleles Are Associated with Exaggerated Age-Related Changes in Glomerular Number and Volume in African-American Adults. <i>Journal of the American Society of Nephrology: JASN</i> , 2015, 26, 3179-3189. | 6.1 | 36        |
| 140 | Innate immunity pathways regulate the nephropathy gene Apolipoprotein L1. <i>Kidney International</i> , 2015, 87, 332-342.   | 5.2 | 278       |
| 141 | Human Immunodeficiency Virus Infection and Chronic Kidney Disease. , 2015, , 534-543.  |     | 0         |
| 142 | Loss of KrÄppel-like factor 6 cripples podocyte mitochondrial function. <i>Journal of Clinical Investigation</i> , 2015, 125, 968-971.  | 8.2 | 7         |
| 143 | Copy Number Variation at the APOL1 Locus. <i>PLoS ONE</i> , 2015, 10, e0125410.  | 2.5 | 17        |
| 144 | Association of Hemoglobin S and C Traits with Kidney Disease in African Americans in the Reasons for Geographic and Racial Differences in Stroke (REGARDS) Study. <i>Blood</i> , 2015, 126, 70-70.                   | 1.4 | 0         |

| #   | ARTICLE  | IF   | CITATIONS |
|-----|--|------|-----------|
| 145 | New horizons for human pathogenic autoantibodies. <i>Discovery Medicine</i> , 2015, 20, 17-25.   | 0.5  | 5         |
| 146 | Podocyte Injury Caused by Indoxyl Sulfate, a Uremic Toxin and Aryl-Hydrocarbon Receptor Ligand. <i>PLoS ONE</i> , 2014, 9, e108448.  | 2.5  | 77        |
| 147 | Protective effects of aliskiren and valsartan in mice with diabetic nephropathy. <i>JRAAS - Journal of the Renin-Angiotensin-Aldosterone System</i> , 2014, 15, 384-395.   | 1.7  | 31        |
| 148 | Mutations in the Gene That Encodes the F-Actin Binding Protein Anillin Cause FSGS. <i>Journal of the American Society of Nephrology: JASN</i> , 2014, 25, 1991-2002.   | 6.1  | 124       |
| 149 | Evolution of the primate trypanolytic factor APOL1. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2014, 111, E2130-9.   | 7.1  | 183       |
| 150 | Lipid biology of the podocyte—new perspectives offer new opportunities. <i>Nature Reviews Nephrology</i> , 2014, 10, 379-388.  | 9.6  | 91        |
| 151 | Human podocytes perform polarized, caveolae-dependent albumin endocytosis. <i>American Journal of Physiology - Renal Physiology</i> , 2014, 306, F941-F951.  | 2.7  | 64        |
| 152 | Enabling the genomic revolution in Africa. <i>Science</i> , 2014, 344, 1346-1348.  | 12.6 | 361       |
| 153 | APOL1 Kidney Risk Alleles: Population Genetics and Disease Associations. <i>Advances in Chronic Kidney Disease</i> , 2014, 21, 426-433.  | 1.4  | 158       |
| 154 | Increased mitochondrial activity in renal proximal tubule cells from young spontaneously hypertensive rats. <i>Kidney International</i> , 2014, 85, 561-569.   | 5.2  | 42        |
| 155 | Podocytes Degrade Endocytosed Albumin Primarily in Lysosomes. <i>PLoS ONE</i> , 2014, 9, e99771.   | 2.5  | 39        |
| 156 | PPAR $\alpha$ and Sirt1 Mediate Erythropoietin Action in Increasing Metabolic Activity and Browning of White Adipocytes to Protect Against Obesity and Metabolic Disorders. <i>Diabetes</i> , 2013, 62, 4122-4131. | 0.6  | 108       |
| 157 | Erythropoietin contributes to slow oxidative muscle fiber specification via PGC-1 $\alpha$ and AMPK activation. <i>International Journal of Biochemistry and Cell Biology</i> , 2013, 45, 1155-1164.               | 2.8  | 32        |
| 158 | HIV-1 Vpr Induces Adipose Dysfunction in Vivo Through Reciprocal Effects on PPAR/GR Co-Regulation. <i>Science Translational Medicine</i> , 2013, 5, 213ra164.  | 12.4 | 60        |
| 159 | Hurricane Sandy as a Kidney Failure Disaster. <i>American Journal of Kidney Diseases</i> , 2013, 61, 865-868.  | 1.9  | 23        |
| 160 | Systemic Diagnostic Testing in Patients With Apparently Isolated Uveal Coloboma. <i>American Journal of Ophthalmology</i> , 2013, 156, 1159-1168.e4.   | 3.3  | 11        |
| 161 | Recent Progress in the Pathophysiology and Treatment of FSGS Recurrence. <i>American Journal of Transplantation</i> , 2013, 13, 266-274.   | 4.7  | 97        |
| 162 | miR-150 Promotes Renal Fibrosis in Lupus Nephritis by Downregulating SOCS1. <i>Journal of the American Society of Nephrology: JASN</i> , 2013, 24, 1073-1087.  | 6.1  | 149       |

| #   | ARTICLE   | IF   | CITATIONS |
|-----|---|------|-----------|
| 163 | Metabolomics Reveals Signature of Mitochondrial Dysfunction in Diabetic Kidney Disease. <i>Journal of the American Society of Nephrology: JASN</i> , 2013, 24, 1901-1912.   | 6.1  | 454       |
| 164 | HIV-1 Vpr Enhances PPAR $\alpha$ -Mediated Transcription, Increases PDK4 Expression, and Reduces PDC Activity. <i>Molecular Endocrinology</i> , 2013, 27, 1564-1576.  | 3.7  | 11        |
| 165 | Renal growth in isolated methylmalonic acidemia. <i>Genetics in Medicine</i> , 2013, 15, 990-996.   | 2.4  | 41        |
| 166 | JC viruria and kidney disease in APOL1 risk genotype individuals: is this a clue to a gene–environment interaction?. <i>Kidney International</i> , 2013, 84, 1069-1072.   | 5.2  | 8         |
| 167 | More mechanistic insights, but translational progress is slow. <i>Nature Reviews Nephrology</i> , 2013, 9, 67-68.   | 9.6  | 0         |
| 168 | Urinary exosomal Wilms' tumor-1 as a potential biomarker for podocyte injury. <i>American Journal of Physiology - Renal Physiology</i> , 2013, 305, F553-F559.  | 2.7  | 96        |
| 169 | Focal segmental glomerulosclerosis is associated with a <i>PDSS2</i> haplotype and, independently, with a decreased content of coenzyme Q <sub>10</sub> . <i>American Journal of Physiology - Renal Physiology</i> , 2013, 305, F1228-F1238.                      | 2.7  | 36        |
| 170 | Rethinking hypertensive kidney disease. <i>Current Opinion in Nephrology and Hypertension</i> , 2013, 22, 266-272.  | 2.0  | 65        |
| 171 | Viruses and collapsing glomerulopathy: a brief critical review: Table 1. <i>CKJ: Clinical Kidney Journal</i> , 2013, 6, 1-5.  | 2.9  | 57        |
| 172 | An Expanding Universe of FSGS Genes and Phenotypes. <i>Journal of the American Society of Nephrology: JASN</i> , 2013, 24, 1183-1185.   | 6.1  | 10        |
| 173 | LMX1B is Essential for the Maintenance of Differentiated Podocytes in Adult Kidneys. <i>Journal of the American Society of Nephrology: JASN</i> , 2013, 24, 1830-1848.  | 6.1  | 60        |
| 174 | Digital Pathology Evaluation in the Multicenter Nephrotic Syndrome Study Network (NEPTUNE). <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2013, 8, 1449-1459.  | 4.5  | 80        |
| 175 | <i>APOL1</i> Risk Variants, Race, and Progression of Chronic Kidney Disease. <i>New England Journal of Medicine</i> , 2013, 369, 2183-2196.   | 27.0 | 654       |
| 176 | TGF- $\beta$ 1 stimulates mitochondrial oxidative phosphorylation and generation of reactive oxygen species in cultured mouse podocytes, mediated in part by the mTOR pathway. <i>American Journal of Physiology - Renal Physiology</i> , 2013, 305, F1477-F1490. | 2.7  | 78        |
| 177 | Apolipoprotein L1 gene variants associate with hypertension-attributed nephropathy and the rate of kidney function decline in African Americans. <i>Kidney International</i> , 2013, 83, 114-120.   | 5.2  | 210       |
| 178 | Design of the Nephrotic Syndrome Study Network (NEPTUNE) to evaluate primary glomerular nephropathy by a multidisciplinary approach. <i>Kidney International</i> , 2013, 83, 749-756.   | 5.2  | 268       |
| 179 | Tenofovir Treatment Duration Predicts Proteinuria in a Multiethnic United States Cohort of Children and Adolescents With Perinatal HIV-1 Infection. <i>Pediatric Infectious Disease Journal</i> , 2013, 32, 495-500.  | 2.0  | 44        |
| 180 | Microalbuminuria in HIV Disease. <i>American Journal of Nephrology</i> , 2013, 37, 443-451.   | 3.1  | 30        |

| #   | ARTICLE   | IF   | CITATIONS |
|-----|---|------|-----------|
| 181 | Crucial Roles of the Protein Kinases MK2 and MK3 in a Mouse Model of Glomerulonephritis. PLoS ONE, 2013, 8, e54239.   | 2.5  | 18        |
| 182 | Endocytosis of Albumin by Podocytes Elicits an Inflammatory Response and Induces Apoptotic Cell Death. PLoS ONE, 2013, 8, e54817.   | 2.5  | 70        |
| 183 | Glomerular Homeostasis Requires a Match between Podocyte Mass and Metabolic Load. Journal of the American Society of Nephrology: JASN, 2012, 23, 1273-1275.   | 6.1  | 6         |
| 184 | Preventing renal and cardiovascular risk by renal function assessment: insights from a cross-sectional study in low-income countries and the USA. BMJ Open, 2012, 2, bmjopen-2012-001357.                   | 1.9  | 32        |
| 185 | HIV-associated nephropathy patients with and without apolipoprotein L1 gene variants have similar clinical and pathological characteristics. Kidney International, 2012, 82, 338-343.                       | 5.2  | 57        |
| 186 | Mouse models of MYH9-related disease: mutations in nonmuscle myosin II-A. Blood, 2012, 119, 238-250.  | 1.4  | 151       |
| 187 | The Gne M712T Mouse as a Model for Human Glomerulopathy. American Journal of Pathology, 2012, 180, 1431-1440.   | 3.8  | 27        |
| 188 | Retinoid and TGF- $\beta$ Families: Crosstalk in Development, Neoplasia, Immunity, and Tissue Repair. Seminars in Nephrology, 2012, 32, 287-294.  | 1.6  | 31        |
| 189 | Discovery and Fine Mapping of Serum Protein Loci through Transethnic Meta-analysis. American Journal of Human Genetics, 2012, 91, 744-753.  | 6.2  | 69        |
| 190 | Genetic Risk Prediction for CKD: A Journey of a Thousand Miles. American Journal of Kidney Diseases, 2012, 59, 4-8.   | 1.9  | 1         |
| 191 | Epidermal growth factor receptor promotes glomerular injury and renal failure in rapidly progressive crescentic glomerulonephritis. Nature Medicine, 2011, 17, 1242-1250.                                   | 30.7 | 204       |
| 192 | Off the Beaten Renin-“Angiotensin”-Aldosterone System Pathway: New Perspectives on Antiproteinuric Therapy. Advances in Chronic Kidney Disease, 2011, 18, 300-311.  | 1.4  | 13        |
| 193 | Mouse Models of Human MYH9-Related Diseases. Biophysical Journal, 2011, 100, 594a-595a.   | 0.5  | 0         |
| 194 | Endogenous Retinoic Acid Activity in Principal Cells and Intercalated Cells of Mouse Collecting Duct System. PLoS ONE, 2011, 6, e16770.   | 2.5  | 17        |
| 195 | Increased Prevalence of Albuminuria in HIV-Infected Adults with Diabetes. PLoS ONE, 2011, 6, e24610.  | 2.5  | 23        |
| 196 | Longitudinal assessment of metabolic abnormalities in adolescents and young adults with HIV-infection acquired perinatally or in early childhood. Metabolism: Clinical and Experimental, 2011, 60, 874-880. | 3.4  | 41        |
| 197 | 113 Acute Kidney Injury Secondary to Kidney Crystallization Attributable to Nelfinavir. American Journal of Kidney Diseases, 2011, 57, B45.   | 1.9  | 0         |
| 198 | Chronic kidney disease worsens sepsis and sepsis-induced acute kidney injury by releasing High Mobility Group Box Protein-1. Kidney International, 2011, 80, 1198-1211.                                     | 5.2  | 130       |

| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 199 | Kidney markers predict mortality in patients with HIV disease. <i>Nature Reviews Nephrology</i> , 2011, 7, 186-188.  | 9.6 | 3         |
| 200 | TGF-beta1 reduces Wilms' tumor suppressor gene expression in podocytes. <i>Nephrology Dialysis Transplantation</i> , 2011, 26, 2746-2752.  | 0.7 | 24        |
| 201 | APOL1 Genetic Variants in Focal Segmental Glomerulosclerosis and HIV-Associated Nephropathy. <i>Journal of the American Society of Nephrology: JASN</i> , 2011, 22, 2129-2137.                                     | 6.1 | 713       |
| 202 | Pirfenidone for Diabetic Nephropathy. <i>Journal of the American Society of Nephrology: JASN</i> , 2011, 22, 1144-1151.  | 6.1 | 257       |
| 203 | Differential Effects of MYH9 and APOL1 Risk Variants on FRMD3 Association with Diabetic ESRD in African Americans. <i>PLoS Genetics</i> , 2011, 7, e1002150.   | 3.5 | 81        |
| 204 | Arhgap24 inactivates Rac1 in mouse podocytes, and a mutant form is associated with familial focal segmental glomerulosclerosis. <i>Journal of Clinical Investigation</i> , 2011, 121, 4127-4137.                   | 8.2 | 234       |
| 205 | Phase 1 Trial of Adalimumab in Focal Segmental Glomerulosclerosis (FSGS): II. Report of the FONT (Novel Therapies for Resistant FSGS) Study Group. <i>American Journal of Kidney Diseases</i> , 2010, 55, 50-60.   | 1.9 | 73        |
| 206 | Solid-phase synthesis and screening of N-acylated polyamine (NAPA) combinatorial libraries for protein binding. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2010, 20, 6500-6503.                           | 2.2 | 11        |
| 207 | Worldwide Distribution of the MYH9 Kidney Disease Susceptibility Alleles and Haplotypes: Evidence of Historical Selection in Africa. <i>PLoS ONE</i> , 2010, 5, e11474.  | 2.5 | 33        |
| 208 | De novo expression of podocyte proteins in parietal epithelial cells during experimental glomerular disease. <i>American Journal of Physiology - Renal Physiology</i> , 2010, 298, F702-F711.                      | 2.7 | 100       |
| 209 | The Apolipoprotein L1 (APOL1) Gene and Nondiabetic Nephropathy in African Americans. <i>Journal of the American Society of Nephrology: JASN</i> , 2010, 21, 1422-1426.   | 6.1 | 242       |
| 210 | African ancestry allelic variation at the MYH9 gene contributes to increased susceptibility to non-diabetic end-stage kidney disease in Hispanic Americans. <i>Human Molecular Genetics</i> , 2010, 19, 1816-1827. | 2.9 | 75        |
| 211 | TGF- $\beta$ 2 Signaling and the Renal Tubular Epithelial Cell: Too Much, Too Little, and Just Right. <i>Journal of the American Society of Nephrology: JASN</i> , 2010, 21, 1241-1243.                            | 6.1 | 10        |
| 212 | Adenovirus nephritis and obstructive uropathy in a renal transplant recipient: case report and literature review. <i>CKJ: Clinical Kidney Journal</i> , 2010, 3, 388-392.  | 2.9 | 9         |
| 213 | Human Immunodeficiency Virus Infection and the Kidney. , 2010, , 675-683.  |     | 0         |
| 214 | Kidneys of Alb/TGF- $\beta$ 1 Transgenic Mice Are Deficient in Retinoic Acid and Exogenous Retinoic Acid Shows Dose-Dependent Toxicity. <i>Nephron Experimental Nephrology</i> , 2010, 114, e127-e132.             | 2.2 | 8         |
| 215 | Diabetic Nephropathy Is Accelerated by Farnesoid X Receptor Deficiency and Inhibited by Farnesoid X Receptor Activation in a Type 1 Diabetes Model. <i>Diabetes</i> , 2010, 59, 2916-2927.                         | 0.6 | 149       |
| 216 | Dense mapping of MYH9 localizes the strongest kidney disease associations to the region of introns 13 to 15. <i>Human Molecular Genetics</i> , 2010, 19, 1805-1815.  | 2.9 | 58        |

| #   | ARTICLE   | IF   | CITATIONS |
|-----|---|------|-----------|
| 217 | Advanced Glycation End-Products Induce Tubular CTGF via TGF- $\beta$ -Independent Smad3 Signaling. <i>Journal of the American Society of Nephrology: JASN</i> , 2010, 21, 249-260.                                | 6.1  | 168       |
| 218 | Bioenergetic characterization of mouse podocytes. <i>American Journal of Physiology - Cell Physiology</i> , 2010, 299, C464-C476.   | 4.6  | 123       |
| 219 | Conditionally immortalized human podocyte cell lines established from urine. <i>American Journal of Physiology - Renal Physiology</i> , 2010, 298, F557-F567.   | 2.7  | 63        |
| 220 | Cell-cell contact regulates gene expression in CDK4-transformed mouse podocytes. <i>American Journal of Physiology - Renal Physiology</i> , 2010, 299, F802-F809.   | 2.7  | 12        |
| 221 | Proteomic analysis identifies insulin-like growth factor-binding protein-related protein-1 as a podocyte product. <i>American Journal of Physiology - Renal Physiology</i> , 2010, 299, F776-F784.                | 2.7  | 20        |
| 222 | Trophoblast Glycoprotein: Possible Candidate Mediating Podocyte Injuries in Glomerulonephritis. <i>American Journal of Nephrology</i> , 2010, 32, 505-521.  | 3.1  | 5         |
| 223 | Overexpression of VEGF-A in podocytes of adult mice causes glomerular disease. <i>Kidney International</i> , 2010, 77, 989-999.   | 5.2  | 162       |
| 224 | The Non-Muscle Myosin Heavy Chain 9 Gene (MYH9) Is Not Associated with Lupus Nephritis in African Americans. <i>American Journal of Nephrology</i> , 2010, 32, 66-72.   | 3.1  | 18        |
| 225 | Glomerular pathology in autosomal dominant MYH9 spectrum disorders: what are the clues telling us about disease mechanism?. <i>Kidney International</i> , 2010, 78, 130-133.                                      | 5.2  | 32        |
| 226 | Angiotensin II overcomes strain-dependent resistance of rapid CKD progression in a new remnant kidney mouse model. <i>Kidney International</i> , 2010, 78, 1136-1153.   | 5.2  | 139       |
| 227 | Genetics of Focal Segmental Glomerulosclerosis and Human Immunodeficiency Virus-Associated Collapsing Glomerulopathy: The Role of MYH9 Genetic Variation. <i>Seminars in Nephrology</i> , 2010, 30, 111-125.      | 1.6  | 30        |
| 228 | MYH9 Genetic Variants Associated With Glomerular Disease: What Is the Role for Genetic Testing?. <i>Seminars in Nephrology</i> , 2010, 30, 409-417.   | 1.6  | 24        |
| 229 | Pirfenidone: an anti-fibrotic therapy for progressive kidney disease. <i>Expert Opinion on Investigational Drugs</i> , 2010, 19, 275-283.   | 4.1  | 85        |
| 230 | Association of Trypanolytic ApoL1 Variants with Kidney Disease in African Americans. <i>Science</i> , 2010, 329, 841-845.   | 12.6 | 1,725     |
| 231 | Monoclonal antibodies for podocytopathies: rationale and clinical responses. <i>Nature Reviews Nephrology</i> , 2009, 5, 337-348.   | 9.6  | 12        |
| 232 | Non-muscle myosin heavy chain 9 gene MYH9 associations in African Americans with clinically diagnosed type 2 diabetes mellitus-associated ESRD. <i>Nephrology Dialysis Transplantation</i> , 2009, 24, 3366-3371. | 0.7  | 95        |
| 233 | Dystroglycan in the Molecular Diagnosis of the Podocytopathies. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2009, 4, 1696-1698.  | 4.5  | 7         |
| 234 | Tetracycline-Inducible Gene Expression in Conditionally Immortalized Mouse Podocytes. <i>American Journal of Nephrology</i> , 2009, 29, 153-163.  | 3.1  | 19        |

| #   | ARTICLE   | IF   | CITATIONS |
|-----|---|------|-----------|
| 235 | Fluvastatin prevents podocyte injury in a murine model of HIV-associated nephropathy. <i>Nephrology Dialysis Transplantation</i> , 2009, 24, 2378-2383.   | 0.7  | 21        |
| 236 | Missed dialysis sessions and hospitalization in hemodialysis patients after Hurricane Katrina. <i>Kidney International</i> , 2009, 75, 1202-1208.   | 5.2  | 91        |
| 237 | Polymorphisms in the Nonmuscle Myosin Heavy Chain 9 Gene &lt;i>&gt;(MYH9)&lt;i>&gt; Are Associated with Albuminuria in Hypertensive African Americans: The HyperGEN Study. <i>American Journal of Nephrology</i> , 2009, 29, 626-632.   | 3.1  | 71        |
| 238 | Polymorphisms in the non-muscle myosin heavy chain 9 gene (MYH9) are strongly associated with end-stage renal disease historically attributed to hypertension in African Americans. <i>Kidney International</i> , 2009, 75, 736-745.  | 5.2  | 166       |
| 239 | Phase I Trial of Rosiglitazone in FSGS. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2009, 4, 39-47.  | 4.5  | 34        |
| 240 | Description of familial keloids in five pedigrees: evidence for autosomal dominant inheritance and phenotypic heterogeneity. <i>BMC Dermatology</i> , 2009, 9, 8.   | 2.1  | 53        |
| 241 | Renal Gene and Protein Expression Signatures for Prediction of Kidney Disease Progression. <i>American Journal of Pathology</i> , 2009, 174, 2073-2085.   | 3.8  | 60        |
| 242 | Advances in the biology and genetics of the podocytopathies: implications for diagnosis and therapy. <i>Archives of Pathology and Laboratory Medicine</i> , 2009, 133, 201-16.  | 2.5  | 49        |
| 243 | Advances in the Biology and Genetics of the Podocytopathies: Implications for Diagnosis and Therapy. <i>Archives of Pathology and Laboratory Medicine</i> , 2009, 133, 201-216.   | 2.5  | 87        |
| 244 | MYH9 is a major-effect risk gene for focal segmental glomerulosclerosis. <i>Nature Genetics</i> , 2008, 40, 1175-1184.  | 21.4 | 636       |
| 245 | The Notch pathway in podocytes plays a role in the development of glomerular disease. <i>Nature Medicine</i> , 2008, 14, 290-298.   | 30.7 | 368       |
| 246 | VEGF Inhibition and Renal Thrombotic Microangiopathy. <i>New England Journal of Medicine</i> , 2008, 358, 1129-1136.  | 27.0 | 1,348     |
| 247 | Urinary exosomal transcription factors, a new class of biomarkers for renal disease. <i>Kidney International</i> , 2008, 74, 613-621.   | 5.2  | 238       |
| 248 | Viruses and Kidney Disease: Beyond HIV. <i>Seminars in Nephrology</i> , 2008, 28, 595-607.  | 1.6  | 25        |
| 249 | Lack of A1 Adenosine Receptors Augments Diabetic Hyperfiltration and Glomerular Injury. <i>Journal of the American Society of Nephrology: JASN</i> , 2008, 19, 722-730.   | 6.1  | 84        |
| 250 | Podocytes use FcRn to clear IgG from the glomerular basement membrane. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2008, 105, 967-972.   | 7.1  | 233       |
| 251 | Human Immunodeficiency Virus (HIV)-1 Viral Protein R Suppresses Transcriptional Activity of Peroxisome Proliferator-Activated Receptor $\beta$ and Inhibits Adipocyte Differentiation: Implications for HIV-Associated Lipodystrophy. <i>Molecular Endocrinology</i> , 2008, 22, 234-247. | 3.7  | 74        |
| 252 | Parvovirus-B19-associated complications in renal transplant recipients. <i>Nature Clinical Practice Nephrology</i> , 2007, 3, 540-550.  | 2.0  | 63        |

| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 253 | In vitro models of TGF- $\beta$ 2-induced fibrosis suitable for high-throughput screening of antifibrotic agents. American Journal of Physiology - Renal Physiology, 2007, 293, F631-F640.               | 2.7 | 108       |
| 254 | NPHS2 Variation in Sporadic Focal Segmental Glomerulosclerosis. Journal of the American Society of Nephrology: JASN, 2007, 18, 2987-2995.  | 6.1 | 56        |
| 255 | Pirfenidone Slows Renal Function Decline in Patients with Focal Segmental Glomerulosclerosis. Clinical Journal of the American Society of Nephrology: CJASN, 2007, 2, 906-913.                           | 4.5 | 186       |
| 256 | Angiotensin II provokes podocyte injury in murine model of HIV-associated nephropathy. American Journal of Physiology - Renal Physiology, 2007, 293, F1214-F1221.  | 2.7 | 28        |
| 257 | Effects of transgenic expression of HIV-1 Vpr on lipid and energy metabolism in mice. American Journal of Physiology - Endocrinology and Metabolism, 2007, 292, E40-E48.                                 | 3.5 | 26        |
| 258 | Rapid isolation of urinary exosomal biomarkers using a nanomembrane ultrafiltration concentrator. American Journal of Physiology - Renal Physiology, 2007, 292, F1657-F1661.                             | 2.7 | 367       |
| 259 | Kidney Patient Care in Disasters. Clinical Journal of the American Society of Nephrology: CJASN, 2007, 2, 814-824.   | 4.5 | 76        |
| 260 | Parvovirus B19 and the Kidney: Table 1.. Clinical Journal of the American Society of Nephrology: CJASN, 2007, 2, S47-S56.  | 4.5 | 105       |
| 261 | Angiotensin II Type 1 Receptor Blockade Inhibits the Development and Progression of HIV-Associated Nephropathy in a Mouse Model. Journal of the American Society of Nephrology: JASN, 2007, 18, 515-527. | 6.1 | 43        |
| 262 | Kidney Patient Care in Disasters: Emergency Planning for Patients and Dialysis Facilities. Clinical Journal of the American Society of Nephrology: CJASN, 2007, 2, 825-838.                              | 4.5 | 50        |
| 263 | A Proposed Taxonomy for the Podocytopathies: A Reassessment of the Primary Nephrotic Diseases. Clinical Journal of the American Society of Nephrology: CJASN, 2007, 2, 529-542.                          | 4.5 | 222       |
| 264 | Sirolimus Therapy of Focal Segmental Glomerulosclerosis Is Associated With Nephrotoxicity. American Journal of Kidney Diseases, 2007, 49, 310-317.   | 1.9 | 63        |
| 265 | Genetics of focal segmental glomerulosclerosis. Pediatric Nephrology, 2007, 22, 638-644.   | 1.7 | 33        |
| 266 | NPHS2 gene, nephrotic syndrome and focal segmental glomerulosclerosis: A HuGE review. Genetics in Medicine, 2006, 8, 63-75.  | 2.4 | 83        |
| 267 | Renal Bone Morphogenetic Protein-7 Protects against Diabetic Nephropathy. Journal of the American Society of Nephrology: JASN, 2006, 17, 2504-2512.  | 6.1 | 156       |
| 268 | The Cyclin-Dependent Kinase Inhibitor p21 Limits Murine Mesangial Proliferative Glomerulonephritis. Nephron Experimental Nephrology, 2006, 102, e8-e18.  | 2.2 | 12        |
| 269 | Kidney in viral infections. , 2006, , 275-287.   |     | 0         |
| 270 | Detection and Localization of Proteinuria by Dynamic Contrast-Enhanced Magnetic Resonance Imaging Using MS325. Journal of the American Society of Nephrology: JASN, 2005, 16, 1752-1757.                 | 6.1 | 13        |

| #   | ARTICLE  | IF   | CITATIONS |
|-----|--|------|-----------|
| 271 | Squirrel Monkeys Support Replication of BK Virus More Efficiently than Simian Virus 40: an Animal Model for Human BK Virus Infection. <i>Journal of Virology</i> , 2005, 79, 1320-1326.  | 3.4  | 19        |
| 272 | Connective Tissue Growth Factor Expressed in Tubular Epithelium Plays a Pivotal Role in Renal Fibrogenesis. <i>Journal of the American Society of Nephrology: JASN</i> , 2005, 16, 133-143.  | 6.1  | 170       |
| 273 | Variants in the Wilms's tumor gene are associated with focal segmental glomerulosclerosis in the African American population. <i>Physiological Genomics</i> , 2005, 21, 212-221.   | 2.3  | 50        |
| 274 | Progressive Glomerulonephritis and Histiocytic Sarcoma Associated with Macrophage Functional Defects in CYP1B1-Deficient Mice. <i>Toxicologic Pathology</i> , 2004, 32, 710-718.   | 1.8  | 31        |
| 275 | Cultured tubule cells from TGF- $\beta$ 1 null mice exhibit impaired hypertrophy and fibronectin expression in high glucose. <i>Kidney International</i> , 2004, 65, 1191-1204.  | 5.2  | 29        |
| 276 | Parapelvic kidney cysts: A distinguishing feature with high prevalence in Fabry disease. <i>Kidney International</i> , 2004, 66, 978-982.  | 5.2  | 41        |
| 277 | Focal glomerulosclerosis in proviral and c-fms transgenic mice links Vpr expression to HIV-associated nephropathy. <i>Virology</i> , 2004, 322, 69-81.   | 2.4  | 58        |
| 278 | Fabry disease in the era of enzyme replacement therapy: a renal perspective. <i>Pediatric Nephrology</i> , 2004, 19, 583-593.  | 1.7  | 15        |
| 279 | HIV and the Kidney: A status report after 20 years. <i>Current HIV/AIDS Reports</i> , 2004, 1, 109-115.  | 3.1  | 10        |
| 280 | Differential Expression of D-Type Cyclins in Podocytes in Vitro and in Vivo. <i>American Journal of Pathology</i> , 2004, 164, 1417-1424.  | 3.8  | 28        |
| 281 | Twenty-one-year trend in ESRD due to focal segmental glomerulosclerosis in the United States. <i>American Journal of Kidney Diseases</i> , 2004, 44, 815-825.  | 1.9  | 230       |
| 282 | Twenty-one-year trend in ESRD due to focal segmental glomerulosclerosis in the United States. <i>American Journal of Kidney Diseases</i> , 2004, 44, 815-25.   | 1.9  | 120       |
| 283 | Mitotic cell cycle proteins increase in podocytes despite lack of proliferation. <i>Kidney International</i> , 2003, 63, 113-122.  | 5.2  | 50        |
| 284 | HIV-associated nephropathy in African Americans<br>The content of this publication does not necessarily reflect the views or policies of the Department of Health and Human Services, nor does mention of trade names, commercial products, or organizations imply endorsement by the U.S. Government. The publisher or recipient acknowledges right of the U.S. Government to retain a nonexclusive, royalty-free license in and to any copyright covering the article.. <i>Kidney International</i> , 2003, 63, S43-S49. | 5.2  | 88        |
| 285 | Introduction: Imperfect past, subjunctive future. <i>Seminars in Nephrology</i> , 2003, 23, 115-116.   | 1.6  | 1         |
| 286 | Trends in the epidemiology of focal segmental glomerulosclerosis. <i>Seminars in Nephrology</i> , 2003, 23, 172-182.   | 1.6  | 157       |
| 287 | Anti-Mouse Mesangial Cell Serum Induces Acute Glomerulonephropathy in Mice. <i>Nephron Experimental Nephrology</i> , 2003, 93, e92-e106.   | 2.2  | 12        |
| 288 | CD2-Associated Protein Haploinsufficiency Is Linked to Glomerular Disease Susceptibility. <i>Science</i> , 2003, 300, 1298-1300.   | 12.6 | 435       |

| #   | ARTICLE   | IF   | CITATIONS |
|-----|---|------|-----------|
| 289 | Hepatocyte growth factor counteracts transforming growth factor- $\beta$ 1, through attenuation of connective tissue growth factor induction, and prevents renal fibrogenesis in 5/6 nephrectomized mice. <i>FASEB Journal</i> , 2003, 17, 268-270. | 0.5  | 128       |
| 290 | Fabry's Disease. <i>New England Journal of Medicine</i> , 2003, 349, e20.   | 27.0 | 0         |
| 291 | Update in podocyte biology: putting one's best foot forward. <i>Current Opinion in Nephrology and Hypertension</i> , 2003, 12, 251-259.   | 2.0  | 29        |
| 292 | Renal fibrosis. <i>Frontiers in Bioscience - Landmark</i> , 2003, 8, e68-86.  | 3.0  | 27        |
| 293 | HIV-associated nephropathy in African Americans1. <i>Kidney International</i> , 2003, 63, 43-49.  | 5.2  | 39        |
| 294 | Inducible Podocyte-Specific Gene Expression in Transgenic Mice. <i>Journal of the American Society of Nephrology: JASN</i> , 2003, 14, 1998-2003.   | 6.1  | 76        |
| 295 | Pathogenesis and Treatment of HIV-Associated Renal Diseases: Lessons from Clinical and Animal Studies, Molecular Pathologic Correlations, and Genetic Investigations. <i>Annals of Internal Medicine</i> , 2003, 139, 214.                          | 3.9  | 82        |
| 296 | Natural History and Treatment of Renal Involvement in Fabry Disease. <i>Journal of the American Society of Nephrology: JASN</i> , 2002, 13, S139-S143.  | 6.1  | 97        |
| 297 | Renal Pathology in Fabry Disease. <i>Journal of the American Society of Nephrology: JASN</i> , 2002, 13, S134-S138.   | 6.1  | 206       |
| 298 | Molecular Identification of SV40 Infection in Human Subjects and Possible Association with Kidney Disease. <i>Journal of the American Society of Nephrology: JASN</i> , 2002, 13, 2320-2330.  | 6.1  | 123       |
| 299 | Indinavir-Associated Interstitial Nephritis and Urothelial Inflammation: Clinical and Cytologic Findings. <i>Clinical Infectious Diseases</i> , 2002, 34, 1122-1128.  | 5.8  | 53        |
| 300 | TGF- $\beta$ 1 is an Autocrine Mediator of Renal Tubular Epithelial Cell Growth and Collagen IV Production. <i>Experimental Biology and Medicine</i> , 2002, 227, 171-181.  | 2.4  | 36        |
| 301 | BK virus and SV40 co-infection in polyomavirus nephropathy1. <i>Transplantation</i> , 2002, 74, 1497-1504.  | 1.0  | 110       |
| 302 | Natural History of Fabry Renal Disease. <i>Medicine (United States)</i> , 2002, 81, 122-138.  | 1.0  | 400       |
| 303 | Urinary Cytology Associated With Human Polyomavirus and Indinavir Therapy in HIV-Infected Patients. <i>American Journal of Clinical Pathology</i> , 2002, 117, 922-926.   | 0.7  | 4         |
| 304 | Nuclear Factor- $\kappa$ B Inhibitors as Potential Novel Anti-Inflammatory Agents for the Treatment of Immune Glomerulonephritis. <i>American Journal of Pathology</i> , 2002, 161, 1497-1505.  | 3.8  | 111       |
| 305 | Interstitial Fibroblast-Like Cells Express Renin-Angiotensin System Components in a Fibrosing Murine Kidney. <i>American Journal of Pathology</i> , 2002, 160, 765-772.   | 3.8  | 29        |
| 306 | Regulation of Inducible Class II MHC, Costimulatory Molecules, and Cytokine Expression in TGF- $\beta$ 1 Knockout Renal Epithelial Cells: Effect of Exogenous TGF- $\beta$ 1. <i>Nephron Experimental Nephrology</i> , 2002, 10, 320-331.           | 2.2  | 6         |

| #   | ARTICLE  | IF   | CITATIONS |
|-----|--|------|-----------|
| 307 | Mice Lacking the p53-Effector Gene Gadd45a Develop a Lupus-Like Syndrome. <i>Immunity</i> , 2002, 16, 499-508.   | 14.3 | 170       |
| 308 | Glomerular hypertrophy is associated with hyperinsulinemia and precedes overt diabetes in aging rhesus monkeys. <i>American Journal of Kidney Diseases</i> , 2002, 40, 1075-1085.  | 1.9  | 88        |
| 309 | Modulation of podocyte phenotype in collapsing glomerulopathies. <i>Microscopy Research and Technique</i> , 2002, 57, 254-262.   | 2.2  | 43        |
| 310 | Renal dysfunction in HIV-1-infected patients. <i>Current Infectious Disease Reports</i> , 2002, 4, 449-460.  | 3.0  | 15        |
| 311 | BMP-7 and the proximal tubule. <i>Kidney International</i> , 2002, 61, 351-352.  | 5.2  | 16        |
| 312 | Renal pathology in Fabry disease. <i>Journal of the American Society of Nephrology: JASN</i> , 2002, 13 Suppl 2, S134-8.   | 6.1  | 74        |
| 313 | Natural history and treatment of renal involvement in Fabry disease. <i>Journal of the American Society of Nephrology: JASN</i> , 2002, 13 Suppl 2, S139-43.   | 6.1  | 39        |
| 314 | Congenital nuclear cataracts and uveitis in HIV-transgenic mice. <i>Eye</i> , 2002, 16, 177-184.   | 2.1  | 2         |
| 315 | Lsh, a SNF2 family member, is required for normal murine development. <i>Biochimica Et Biophysica Acta - General Subjects</i> , 2001, 1526, 211-220.   | 2.4  | 80        |
| 316 | Enzyme Replacement Therapy in Fabry Disease. <i>JAMA - Journal of the American Medical Association</i> , 2001, 285, 2743.  | 7.4  | 1,141     |
| 317 | Apoptosis in podocytes induced by TGF- $\beta^2$ and Smad7. <i>Journal of Clinical Investigation</i> , 2001, 108, 807-816.   | 8.2  | 534       |
| 318 | Glomerulosclerosis and viral gene expression in HIV-transgenic mice: Role of nef. <i>Kidney International</i> , 2000, 58, 1148-1159.   | 5.2  | 59        |
| 319 | BMP receptors in kidney. <i>Kidney International</i> , 2000, 58, 2237-2238.  | 5.2  | 19        |
| 320 | Functional and Structural Characterization of Synthetic HIV-1 Vpr That Transduces Cells, Localizes to the Nucleus, and Induces G2 Cell Cycle Arrest. <i>Journal of Biological Chemistry</i> , 2000, 275, 32016-32026.  | 3.4  | 102       |
| 321 | Parvovirus B19 dna in kidney tissue of patients with focal segmental glomerulosclerosis. <i>American Journal of Kidney Diseases</i> , 2000, 35, 1166-1174.   | 1.9  | 116       |
| 322 | Role of T lymphocytes in renal disease in HIV-transgenic mice. <i>American Journal of Kidney Diseases</i> , 2000, 35, 408-417.   | 1.9  | 7         |
| 323 | Glucocorticoids suppress human immunodeficiency virus type-1 long terminal repeat activity in a cell type-specific, glucocorticoid receptor-mediated fashion: direct protective effects at variance with clinical phenomenology. <i>Journal of Steroid Biochemistry and Molecular Biology</i> , 2000, 75, 283-290. | 2.5  | 33        |
| 324 | Identification of Renox, an NAD(P)H oxidase in kidney. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2000, 97, 8010-8014.   | 7.1  | 751       |

| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 325 | Detection of Indinavir Crystals in Urine. Archives of Pathology and Laboratory Medicine, 2000, 124, 246-250.   | 2.5 | 11        |
| 326 | The HIV-1 Virion-associated Protein Vpr Is a Coactivator of the Human Glucocorticoid Receptor. Journal of Experimental Medicine, 1999, 189, 51-62.   | 8.5 | 211       |
| 327 | Aging accentuates and bone marrow transplantation ameliorates metabolic defects in Fabry disease mice. Proceedings of the National Academy of Sciences of the United States of America, 1999, 96, 6423-6427.                   | 7.1 | 91        |
| 328 | TGF- $\beta$ 2 and fibrosis. Microbes and Infection, 1999, 1, 1349-1365.   | 1.9 | 531       |
| 329 | Chronic rejection of mouse kidney allografts. Kidney International, 1999, 55, 1935-1944.   | 5.2 | 57        |
| 330 | Isoform specificity of commercially-available anti-TGF- $\beta$ 2 antibodies. Journal of Immunological Methods, 1999, 225, 87-93.  | 1.4 | 9         |
| 331 | Glomerulosclerosis, tubulointerstitial fibrosis, and obstructive uropathy in PEPCK-TGF- $\beta$ 1 transgenic mice. American Journal of Kidney Diseases, 1999, 34, 177-180.   | 1.9 | 6         |
| 332 | Renal Expression of Fibrotic Matrix Proteins and of Transforming Growth Factor- $\beta$ 2 (TGF- $\beta$ 2) Isoforms in TGF- $\beta$ 2 Transgenic Mice. Journal of the American Society of Nephrology: JASN, 1999, 10, 271-280. | 6.1 | 116       |
| 333 | Hepatocyte growth factor: Mesenchymal signal for epithelial homeostasis. Kidney International, 1998, 54, 1392-1393.  | 5.2 | 27        |
| 334 | Increased mortality, blunted production of nitric oxide, and increased production of TNF- $\alpha$ in endotoxemic TGF- $\beta$ 1 transgenic mice. Journal of Leukocyte Biology, 1998, 63, 31-39.                               | 3.3 | 38        |
| 335 | Lessons from TGF- $\beta$ 2 Transgenic Mice. Mineral and Electrolyte Metabolism, 1998, 24, 154-160.  | 1.1 | 24        |
| 336 | Indinavir and Interstitial Nephritis. Annals of Internal Medicine, 1998, 128, 320.   | 3.9 | 8         |
| 337 | Crystalluria and Urinary Tract Abnormalities Associated with Indinavir. Annals of Internal Medicine, 1997, 127, 119.   | 3.9 | 282       |
| 338 | Cytokine regulation of schistosoma-induced granuloma and fibrosis. Kidney International, 1997, 51, 1370-1375.  | 5.2 | 52        |
| 339 | Renal TGF- $\beta$ 2 in HIV-associated kidney diseases. Kidney International, 1997, 51, 1568-1577.   | 5.2 | 54        |
| 340 | Long-term sun exposure alters the collagen of the papillary dermis. Journal of the American Academy of Dermatology, 1996, 34, 209-218.   | 1.2 | 202       |
| 341 | Dynamics of Virus versus Host Interaction in Children with Human Immunodeficiency Virus Type 1 Infection. Journal of Infectious Diseases, 1996, 173, 1485-1490.  | 4.0 | 23        |
| 342 | Induction of nephrogenic mesenchyme by osteogenic protein 1 (bone morphogenetic protein 7).. Proceedings of the National Academy of Sciences of the United States of America, 1996, 93, 9021-9026.                             | 7.1 | 165       |

| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 343 | Transgenic models of HIV-1. <i>Aids</i> , 1995, 9, 313-324.  | 2.2 | 14        |
| 344 | Transgenic models of HIV-1. <i>Aids</i> , 1995, 9, 313-324.  | 2.2 | 16        |
| 345 | Transport of phosphorothioate oligonucleotides in kidney: Implications for molecular therapy. <i>Kidney International</i> , 1995, 47, 1462-1469.   | 5.2 | 124       |
| 346 | Role of angiotensin II in the expression and regulation of transforming growth factor- $\beta$ 2 in obstructive nephropathy. <i>Kidney International</i> , 1995, 48, 1233-1246.  | 5.2 | 112       |
| 347 | Hepatic expression of mature transforming growth factor beta 1 in transgenic mice results in multiple tissue lesions.. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1995, 92, 2572-2576. | 7.1 | 635       |
| 348 | Growth Failure and AIDS-like Cachexia Syndrome in HIV-1 Transgenic Mice. <i>Virology</i> , 1994, 201, 147-151.   | 2.4 | 44        |
| 349 | Patterns of HIV-1 mRNA Expression in Transgenic Mice Are Tissue-Dependent. <i>Virology</i> , 1994, 202, 940-948.   | 2.4 | 39        |
| 350 | Host virus interactions and the molecular regulation of HIV-1: Role in the pathogenesis of HIV-associated nephropathy. <i>Kidney International</i> , 1994, 46, 16-27.  | 5.2 | 39        |
| 351 | bFGF and its low affinity receptors in the pathogenesis of HIV-associated nephropathy in transgenic mice. <i>Kidney International</i> , 1994, 46, 759-772.   | 5.2 | 78        |
| 352 | Renal vascular induction of TGF- $\beta$ 2 and renin by potassium depletion. <i>Kidney International</i> , 1993, 44, 1006-1013.  | 5.2 | 29        |
| 353 | Cutaneous Disorders and Viral Gene Expression in HIV-1 Transgenic Mice. <i>AIDS Research and Human Retroviruses</i> , 1993, 9, 267-275.  | 1.1 | 47        |
| 354 | Extracellular matrix gene expression in experimental glomerulonephritis. <i>Current Opinion in Nephrology and Hypertension</i> , 1993, 2, 609-617.   | 2.0 | 12        |
| 355 | Sodium fluoride does not increase human bone cell proliferation or protein synthesis in vitro. <i>Calcified Tissue International</i> , 1992, 50, 96-97.  | 3.1 | 11        |
| 356 | Renal tubular epithelial cells express osteonectin in vivo and in vitro. <i>Kidney International</i> , 1992, 41, 56-64.  | 5.2 | 14        |
| 357 | Angiotensin II receptor-mediated proliferation of cultured human fetal mesangial cells. <i>Kidney International</i> , 1991, 40, 764-771.   | 5.2 | 102       |
| 358 | Changes in apatite crystal size in bones of patients with osteogenesis imperfecta. <i>Calcified Tissue International</i> , 1991, 49, 248-250.  | 3.1 | 101       |
| 359 | Sodium fluoride does not increase human bone cell proliferation or protein synthesis in vitro. <i>Calcified Tissue International</i> , 1990, 47, 221-229.  | 3.1 | 33        |
| 360 | Journal of Bone and Mineral Research. <i>Journal of Bone and Mineral Research</i> , 1990, 5, S137-S141.  | 2.8 | 15        |

| #   | ARTICLE  | IF   | CITATIONS |
|-----|--|------|-----------|
| 361 | Plasma insulin-like growth factors and bone formation in uremic hyperparathyroidism. <i>Kidney International</i> , 1989, 36, 471-477.  | 5.2  | 30        |
| 362 | Bone Aluminum Accumulation in Hemodialysis Patients: A Longitudinal Perspective. <i>American Journal of Kidney Diseases</i> , 1988, 12, 214-219.                             | 1.9  | 6         |
| 363 | Early Deposition of Aluminum in Bone in Diabetic Patients on Hemodialysis. <i>New England Journal of Medicine</i> , 1987, 316, 292-296.                                      | 27.0 | 95        |
| 364 | Bone histomorphometry of renal osteodystrophy in diabetic patients. <i>Journal of Bone and Mineral Research</i> , 1987, 2, 525-531.  | 2.8  | 52        |
| 365 | Comparison of Parathyroid Hormone Assays with Bone Histomorphometry in Renal Osteodystrophy*. <i>Journal of Clinical Endocrinology and Metabolism</i> , 1986, 63, 1163-1169. | 3.6  | 95        |
| 366 | Prospective study of alcoholism treatment. <i>American Journal of Medicine</i> , 1983, 75, 455-463.  | 1.5  | 125       |
| 367 | Infection-Related Nephropathies. , 0, , 253-262.   |      | 0         |