Sharon M Nelis

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/1943051/publications.pdf

Version: 2024-02-01

201674 254184 2,243 66 27 h-index citations papers

g-index 72 72 72 2350 docs citations times ranked citing authors all docs

43

#	Article	IF	Citations
1	Goal-Oriented Cognitive Rehabilitation for People With Early-Stage Alzheimer Disease: A Single-Blind Randomized Controlled Trial of Clinical Efficacy. American Journal of Geriatric Psychiatry, 2010, 18, 928-939.	1.2	221
2	Living well with dementia: a systematic review and correlational meta-analysis of factors associated with quality of life, well-being and life satisfaction in people with dementia. Psychological Medicine, 2018, 48, 2130-2139.	4.5	181
3	The influence of psychological, social and contextual factors on the expression and measurement of awareness in earlyâ€stage dementia: testing a biopsychosocial model. International Journal of Geriatric Psychiatry, 2012, 27, 167-177.	2.7	105
4	Improving the experience of dementia and enhancing active life - living well with dementia: study protocol for the IDEAL study. Health and Quality of Life Outcomes, 2014, 12, 164.	2.4	97
5	The impact of co-morbidity on the quality of life of people with dementia: findings from the IDEAL study. Age and Ageing, 2019, 48, 361-367.	1.6	69
6	Longitudinal Trajectories of Awareness in Early-stage Dementia. Alzheimer Disease and Associated Disorders, 2012, 26, 140-147.	1.3	68
7	What contributes to a good quality of life in early dementia? awareness and the QoL-AD: a cross-sectional study. Health and Quality of Life Outcomes, 2014, 12, 94.	2.4	66
8	Marital Relationship Quality in Early-Stage Dementia. Alzheimer Disease and Associated Disorders, 2012, 26, 148-158.	1.3	60
9	The prevalence and predictors of loneliness in caregivers of people with dementia: findings from the IDEAL programme. Aging and Mental Health, 2021, 25, 1232-1238.	2.8	60
10	Appraisal of Memory Functioning and Memory Performance in Healthy Ageing and Early-Stage Alzheimer's Disease. Aging, Neuropsychology, and Cognition, 2010, 17, 462-491.	1.3	52
11	Predictors of perceived functional ability in earlyâ€stage dementia: selfâ€ratings, informant ratings and discrepancy scores. International Journal of Geriatric Psychiatry, 2014, 29, 852-862.	2.7	51
12	A Comprehensive Model of Factors Associated With Subjective Perceptions of "Living Well―With Dementia. Alzheimer Disease and Associated Disorders, 2019, 33, 36-41.	1.3	50
13	Multidimensional Assessment of Awareness in Early-Stage Dementia: A Cluster Analytic Approach. Dementia and Geriatric Cognitive Disorders, 2011, 31, 317-327.	1.5	49
14	Prevalence and determinants of loneliness in people living with dementia: Findings from the <scp>IDEAL</scp> programme. International Journal of Geriatric Psychiatry, 2020, 35, 851-858.	2.7	47
15	Influence of Positive and Negative Dimensions of Dementia Caregiving on Caregiver Well-Being and Satisfaction With Life: Findings From the IDEAL Study. American Journal of Geriatric Psychiatry, 2019, 27, 838-848.	1.2	46
16	Verbal Fluency and Awareness of Functional Deficits in Early-Stage Dementia. Clinical Neuropsychologist, 2012, 26, 501-519.	2.3	45
17	Awareness of social and emotional functioning in people with early-stage dementia and implications for carers. Aging and Mental Health, 2011, 15, 961-969.	2.8	44
18	Phenomena of awareness in dementia: Heterogeneity and its implications. Consciousness and Cognition, 2014, 25, 17-26.	1.5	43

#	Article	IF	Citations
19	The Agewell trial: a pilot randomised controlled trial of a behaviour change intervention to promote healthy ageing and reduce risk of dementia in later life. BMC Psychiatry, 2015, 15, 25.	2.6	43
20	Trajectories of quality of life in earlyâ€stage dementia: individual variations and predictors of change. International Journal of Geriatric Psychiatry, 2014, 29, 616-623.	2.7	40
21	Brief report: Peer attachment in adolescents. Journal of Adolescence, 2009, 32, 443-447.	2.4	37
22	Caregiver influences on †living well' for people with dementia: Findings from the IDEAL study. Aging and Mental Health, 2020, 24, 1505-1513.	2.8	37
23	Protocol for the IDEAL-2 longitudinal study: following the experiences of people with dementia and their primary carers to understand what contributes to living well with dementia and enhances active life. BMC Public Health, 2018, 18, 1214.	2.9	35
24	A Comprehensive Model of Factors Associated With Capability to "Live Well―for Family Caregivers of People Living With Mild-to-Moderate Dementia. Alzheimer Disease and Associated Disorders, 2019, 33, 29-35.	1.3	35
25	The impact of relationship quality on life satisfaction and well-being in dementia caregiving dyads: findings from the IDEAL study. Aging and Mental Health, 2020, 24, 1411-1420.	2.8	35
26	The AgeWell study of behavior change to promote health and wellbeing in later life: study protocol for a randomized controlled trial. Trials, 2012, 13, 115.	1.6	33
27	Dementia subtype and living well: results from the Improving the experience of Dementia and Enhancing Active Life (IDEAL) study. BMC Medicine, 2018, 16, 140.	5.5	33
28	Determinants of expressed emotion in mothers of schizophrenia patients. Psychiatry Research, 2003, 117, 211-222.	3.3	32
29	The relationship between perceived functional difficulties and the ability to live well with mildâ€toâ€moderate dementia: Findings from the IDEAL programme. International Journal of Geriatric Psychiatry, 2019, 34, 1251-1261.	2.7	31
30	Psychological predictors of â€`living well' with dementia: findings from the IDEAL study. Aging and Mental Health, 2020, 24, 956-964.	2.8	31
31	Dissociation between implicit and explicit manifestations of awareness in early stage dementia: evidence from the emotional Stroop effect for dementiaâ€related words. International Journal of Geriatric Psychiatry, 2011, 26, 92-99.	2.7	30
32	Memory Awareness Profiles Differentiate Mild Cognitive Impairment from Early-Stage Dementia: Evidence from Assessments of Performance Monitoring and Evaluative Judgement. Dementia and Geriatric Cognitive Disorders, 2013, 35, 266-279.	1.5	26
33	Social Support and Attitudes to Aging in Later Life. International Journal of Aging and Human Development, 2017, 84, 109-125.	1.6	24
34	Inequalities in living well with dementia—The impact of deprivation on wellâ€being, quality of life and life satisfaction: Results from the improving the experience of dementia and enhancing active life study. International Journal of Geriatric Psychiatry, 2018, 33, 1736-1742.	2.7	24
35	Selfâ€concept in early stage dementia: profile, course, correlates, predictors and implications for quality of life. International Journal of Geriatric Psychiatry, 2013, 28, 494-503.	2.7	23
36	Attachment representations in people with dementia and their carers: Implications for well-being within the dyad. Aging and Mental Health, 2012, 16, 845-854.	2.8	22

3

#	Article	IF	Citations
37	Dualities of dementia illness narratives and their role in a narrative economy. Sociology of Health and Illness, 2018, 40, 874-891.	2.1	22
38	The level of expressed emotion scale: A useful measure of expressed emotion in adolescents?. Journal of Adolescence, 2011, 34, 311-318.	2.4	21
39	Living Alone with Mild-To-Moderate Dementia: Findings from the IDEAL Cohort. Journal of Alzheimer's Disease, 2020, 78, 1207-1216.	2.6	21
40	How does cognitive reserve impact on the relationships between mood, rumination, and cognitive function in later life?. Aging and Mental Health, 2015, 19, 705-712.	2.8	20
41	Self-esteem, self-efficacy, and optimism as psychological resources among caregivers of people with dementia: findings from the IDEAL study. International Psychogeriatrics, 2019, 31, 1259-1266.	1.0	20
42	Factors associated with self- and informant ratings of quality of life, well-being and life satisfaction in people with mild-to-moderate dementia: results from the Improving the experience of Dementia and Enhancing Active Life programme. Age and Ageing, 2020, 49, 446-452.	1.6	20
43	â€~She might have what I have got': The potential utility of vignettes as an indirect measure of awareness in early-stage dementia. Aging and Mental Health, 2012, 16, 566-575.	2.8	19
44	Attachment in people with dementia and their caregivers: A systematic review. Dementia, 2014, 13, 747-767.	2.0	19
45	Reflections on PPI from the â€~Action on Living Well: Asking You' advisory network of people with dementia and carers as part of the IDEAL study. Dementia, 2018, 17, 1035-1044.	2.0	19
46	Use and costs of services and unpaid care for people with mildâ€toâ€moderate dementia: Baseline results from the IDEAL cohort study. Alzheimer's and Dementia: Translational Research and Clinical Interventions, 2019, 5, 685-696.	3.7	18
47	Goal-setting to Promote a Healthier Lifestyle in Later Life: Qualitative Evaluation of the AgeWell Trial. Clinical Gerontologist, 2018, 41, 335-345.	2.2	16
48	Does cognitive reserve moderate the association between mood and cognition? A systematic review. Reviews in Clinical Gerontology, 2015, 25, 181-193.	0.5	13
49	Is cognitive lifestyle associated with depressive thoughts and self-reported depressive symptoms in later life?. European Journal of Ageing, 2016, 13, 63-73.	2.8	11
50	Caregivers' beliefs about dementia: findings from the IDEAL study. Psychology and Health, 2019, 34, 1214-1230.	2.2	10
51	The Use and Costs of Paid and Unpaid Care for People with Dementia: Longitudinal Findings from the IDEAL Cohort. Journal of Alzheimer's Disease, 2022, 86, 135-153.	2.6	10
52	Longitudinal Trajectories of Quality of Life Among People With Mild-to-Moderate Dementia: A Latent Growth Model Approach With IDEAL Cohort Study Data. Journals of Gerontology - Series B Psychological Sciences and Social Sciences, 2022, 77, 1037-1050.	3.9	9
53	Perceived and objective availability of green and blue spaces and quality of life in people with dementia: results from the IDEAL programme. Social Psychiatry and Psychiatric Epidemiology, 2021, 56, 1601-1610.	3.1	8
54	Predictors of Awareness of Functional Ability in People with Dementia: The Contribution of Personality, Cognition, and Neuropsychiatric Symptoms – Findings from the IDEAL Program. Dementia and Geriatric Cognitive Disorders, 2022, 51, 221-232.	1.5	8

#	Article	IF	CITATIONS
55	"Living Well―Trajectories Among Family Caregivers of People With Mild-to-Moderate Dementia in the IDEAL Cohort. Journals of Gerontology - Series B Psychological Sciences and Social Sciences, 2022, 77, 1852-1863.	3.9	7
56	Future outlook of people living alone with early-stage dementia and their non-resident relatives and friends who support them. Ageing and Society, 2021, 41, 2660-2680.	1.7	5
57	Factor Analyses and Score Validity of the Family Emotional Involvement and Criticism Scale in an Adolescent Sample. Educational and Psychological Measurement, 2006, 66, 676-686.	2.4	4
58	Awareness of memory task impairment versus everyday memory difficulties in dementia. Journal of Neuropsychology, 2016, 10, 130-142.	1.4	4
59	â€^All the world's a stage': Accounting for the dementia experience – insights from the IDEAL study. Qualitative Research, 2020, 20, 703-720.	3.5	3
60	Positive experiences in dementia care-giving: findings from the IDEAL programme. Ageing and Society, 0, $1-21$.	1.7	2
61	[P4–562]: LIVING WELL WITH DEMENTIA: A SYSTEMATIC REVIEW. Alzheimer's and Dementia, 2017, 13, P1567.	0.8	1
62	Promotion of Healthy Aging Within a Community Center Through Behavior Change: Health and Fitness Findings From the AgeWell Pilot Randomized Controlled Trial. Journal of Aging and Physical Activity, 2021, 29, 80-88.	1.0	1
63	F5-03-01: The vignette as an indirect measure of awareness in early dementia. , 2012, 8, P727-P728.		0
64	F1-01-01: BEHAVIOUR CHANGE TO PROMOTE HEALTHY AGEING AND REDUCE RISK OF DEMENTIA IN LATER LIFE: RESULTS FROM THE AGEWELL TRIAL. , 2014, 10, P123-P124.		0
65	Trajectories of socio-emotional functioning in early-stage dementia: implications for the individual with dementia and their family carer. Aging and Mental Health, 2021, , 1-9.	2.8	O
66	Cost-Effectiveness Findings from the Agewell Pilot Study of Behaviour Change to Promote Health and Wellbeing in Later Life. Health Economics & Outcome Research: Open Access, 2015, 01, .	0.1	0