
## Tharick Ali Pascoal

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/1944203/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Blood phosphorylated tau 181 as a biomarker for Alzheimer's disease: a diagnostic performance and prediction modelling study using data from four prospective cohorts. Lancet Neurology, The, 2020, 19, 422-433.	10.2	668
2	Monoamine oxidase B inhibitor, selegiline, reduces 18F-THK5351 uptake in the human brain. Alzheimer's Research and Therapy, 2017, 9, 25.	6.2	285
3	Plasma p-tau231: a new biomarker for incipient Alzheimer's disease pathology. Acta Neuropathologica, 2021, 141, 709-724.	7.7	285
4	Microglial activation and tau propagate jointly across Braak stages. Nature Medicine, 2021, 27, 1592-1599.	30.7	235
5	A multicentre validation study of the diagnostic value of plasma neurofilament light. Nature Communications, 2021, 12, 3400.	12.8	219
6	Differences Between Plasma and Cerebrospinal Fluid Glial Fibrillary Acidic Protein Levels Across the Alzheimer Disease Continuum. JAMA Neurology, 2021, 78, 1471.	9.0	204
7	Diagnostic performance and prediction of clinical progression of plasma phospho-tau181 in the Alzheimer's Disease Neuroimaging Initiative. Molecular Psychiatry, 2021, 26, 429-442.	7.9	186
8	Association of Apolipoprotein E Îμ4 With Medial Temporal Tau Independent of Amyloid-β. JAMA Neurology, 2020, 77, 470.	9.0	154
9	18F-MK-6240 PET for early and late detection of neurofibrillary tangles. Brain, 2020, 143, 2818-2830.	7.6	147
10	In vivo quantification of neurofibrillary tangles with [18F]MK-6240. Alzheimer's Research and Therapy, 2018, 10, 74.	6.2	120
11	Pro-inflammatory interleukin-6 signaling links cognitive impairments and peripheral metabolic alterations in Alzheimer's disease. Translational Psychiatry, 2021, 11, 251.	4.8	112
12	Amyloid-β and hyperphosphorylated tau synergy drives metabolic decline in preclinical Alzheimer's disease. Molecular Psychiatry, 2017, 22, 306-311.	7.9	105
13	Mild behavioral impairment is associated with βâ€amyloid but not tau or neurodegeneration in cognitively intact elderly individuals. Alzheimer's and Dementia, 2020, 16, 192-199.	0.8	102
14	Blood phospho-tau in Alzheimer disease: analysis, interpretation, and clinical utility. Nature Reviews Neurology, 2022, 18, 400-418.	10.1	99
15	Validation of a Regression Technique for Segmentation of White Matter Hyperintensities in Alzheimer's Disease. IEEE Transactions on Medical Imaging, 2017, 36, 1758-1768.	8.9	85
16	Identifying incipient dementia individuals using machine learning and amyloid imaging. Neurobiology of Aging, 2017, 59, 80-90.	3.1	85
17	Synergistic interaction between amyloid and tau predicts the progressionÂto dementia. Alzheimer's and Dementia, 2017, 13, 644-653.	0.8	79
18	VoxelStats: A MATLAB Package for Multi-Modal Voxel-Wise Brain Image Analysis. Frontiers in Neuroinformatics, 2016, 10, 20.	2.5	73

THARICK ALI PASCOAL

#	Article	IF	CITATIONS
19	Biomarker modeling of Alzheimer's disease using PET-based Braak staging. Nature Aging, 2022, 2, 526-535.	11.6	73
20	Determining Amyloid-β Positivity Using <sup>18</sup> F-AZD4694 PET Imaging. Journal of Nuclear Medicine, 2021, 62, 247-252.	5.0	65
21	Cerebrospinal fluid p-tau231 as an early indicator of emerging pathology in Alzheimer's disease. EBioMedicine, 2022, 76, 103836.	6.1	65
22	Neuropsychiatric symptoms predict hypometabolism in preclinical Alzheimer disease. Neurology, 2017, 88, 1814-1821.	1.1	61
23	Stage-specific links between plasma neurofilament light and imaging biomarkers of Alzheimer's disease. Brain, 2020, 143, 3793-3804.	7.6	60
24	Aβ-induced vulnerability propagates via the brain's default mode network. Nature Communications, 2019, 10, 2353.	12.8	58
25	Cerebrospinal fluid synaptosomal-associated protein 25 is a key player in synaptic degeneration in mild cognitive impairment and Alzheimer's disease. Alzheimer's Research and Therapy, 2018, 10, 80.	6.2	55
26	Anosognosia predicts default mode network hypometabolism and clinical progression to dementia. Neurology, 2018, 90, e932-e939.	1.1	54
27	APOEε4 potentiates the relationship between amyloid-β and tau pathologies. Molecular Psychiatry, 2021, 26, 5977-5988.	7.9	51
28	Plasma neurofilament light associates with Alzheimer's disease metabolic decline in amyloidâ€positive individuals. Alzheimer's and Dementia: Diagnosis, Assessment and Disease Monitoring, 2019, 11, 679-689.	2.4	48
29	Longitudinal 18F-MK-6240 tau tangles accumulation follows Braak stages. Brain, 2021, 144, 3517-3528.	7.6	47
30	Validation of the LUMIPULSE automated immunoassay for the measurement of core AD biomarkers in cerebrospinal fluid. Clinical Chemistry and Laboratory Medicine, 2022, 60, 207-219.	2.3	44
31	Cerebrospinal fluid phosphorylated tau, visinin-like protein-1, and chitinase-3-like protein 1 in mild cognitive impairment and Alzheimer's disease. Translational Neurodegeneration, 2018, 7, 23.	8.0	43
32	Frequency of Biologically Defined Alzheimer Disease in Relation to Age, Sex, <i>APOE</i> ε4, and Cognitive Impairment. Neurology, 2021, 96, e975-e985.	1.1	42
33	Subjective Cognitive Decline Is Associated With Altered Default Mode Network Connectivity in Individuals With a Family History of Alzheimer's Disease. Biological Psychiatry: Cognitive Neuroscience and Neuroimaging, 2018, 3, 463-472.	1.5	41
34	A multicenter comparison of [18F]flortaucipir, [18F]RO948, and [18F]MK6240 tau PET tracers to detect a common target ROI for differential diagnosis. European Journal of Nuclear Medicine and Molecular Imaging, 2021, 48, 2295-2305.	6.4	41
35	Direct Comparison of the Tau PET Tracers <sup>18</sup> F-Flortaucipir and <sup>18</sup> F-MK-6240 in Human Subjects. Journal of Nuclear Medicine, 2022, 63, 108-116.	5.0	39
36	Staging of Alzheimer's disease: past, present, and future perspectives. Trends in Molecular Medicine, 2022, 28, 726-741.	6.7	36

THARICK ALI PASCOAL

#	Article	IF	CITATIONS
37	Plasma pTau181 predicts cortical brain atrophy in aging and Alzheimer's disease. Alzheimer's Research and Therapy, 2021, 13, 69.	6.2	34
38	Comparing tau status determined via plasma pTau181, pTau231 and [18F]MK6240 tau-PET. EBioMedicine, 2022, 76, 103837.	6.1	34
39	Imaging Alzheimer's disease pathophysiology with PET. Dementia E Neuropsychologia, 2016, 10, 79-90.	0.8	33
40	Association of plasma P-tau181 with memory decline in non-demented adults. Brain Communications, 2021, 3, fcab136.	3.3	33
41	Vascular retinal biomarkers improves the detection of the likely cerebral amyloid status from hyperspectral retinal images. Alzheimer's and Dementia: Translational Research and Clinical Interventions, 2019, 5, 610-617.	3.7	32
42	Mitochondrial complex I abnormalities is associated with tau and clinical symptoms in mild Alzheimer's disease. Molecular Neurodegeneration, 2021, 16, 28.	10.8	32
43	Topographic Distribution of Amyloid-β, Tau, and Atrophy in Patients With Behavioral/Dysexecutive Alzheimer Disease. Neurology, 2021, 96, e81-e92.	1.1	31
44	Test-retest resting-state fMRI in healthy elderly persons with a family history of Alzheimer's disease. Scientific Data, 2015, 2, 150043.	5.3	30
45	Amyloid and Tau Pathology Associations With Personality Traits, Neuropsychiatric Symptoms, and Cognitive Lifestyle in the Preclinical Phases of Sporadic and Autosomal Dominant Alzheimer's Disease. Biological Psychiatry, 2021, 89, 776-785.	1.3	30
46	Association of locus coeruleus integrity with Braak stage and neuropsychiatric symptom severity in Alzheimer's disease. Neuropsychopharmacology, 2022, 47, 1128-1136.	5.4	30
47	Cholinergic dysfunction in the dorsal striatum promotes habit formation and maladaptive eating. Journal of Clinical Investigation, 2020, 130, 6616-6630.	8.2	29
48	Amyloid-beta modulates the association between neurofilament light chain and brain atrophy in Alzheimer's disease. Molecular Psychiatry, 2021, 26, 5989-6001.	7.9	28
49	Impact of the biological definition of Alzheimer's disease using amyloid, tau and neurodegeneration (ATN): what about the role of vascular changes, inflammation, Lewy body pathology?. Translational Neurodegeneration, 2018, 7, 12.	8.0	27
50	Amyloid and tau signatures of brain metabolic decline in preclinical Alzheimer's disease. European Journal of Nuclear Medicine and Molecular Imaging, 2018, 45, 1021-1030.	6.4	24
51	Neuropsychiatric symptoms are early indicators of an upcoming metabolic decline in Alzheimer's disease. Translational Neurodegeneration, 2021, 10, 1.	8.0	23
52	Rasagiline, a monoamine oxidase B inhibitor, reduces in vivo [18F]THK5351 uptake in progressive supranuclear palsy. NeuroImage: Clinical, 2019, 24, 102091.	2.7	21
53	Regional Amyloid-β Load and White Matter Abnormalities Contribute to Hypometabolism in Alzheimer's Dementia. Molecular Neurobiology, 2019, 56, 4916-4924.	4.0	21
54	What Is T+? A Gordian Knot of Tracers, Thresholds, and Topographies. Journal of Nuclear Medicine, 2021, 62, 614-619.	5.0	21

THARICK ALI PASCOAL

#	Article	IF	CITATIONS
55	Proximity to Parental Symptom Onset and Amyloid-β Burden in Sporadic Alzheimer Disease. JAMA Neurology, 2018, 75, 608.	9.0	19
56	Association between regional tau pathology and neuropsychiatric symptoms in aging and dementia due to Alzheimer's disease. Alzheimer's and Dementia: Translational Research and Clinical Interventions, 2021, 7, e12154.	3.7	19
57	18F-MK-6240 tau-PET in genetic frontotemporal dementia. Brain, 2022, 145, 1763-1772.	7.6	17
58	Posterior Reversible Encephalopathy Syndrome Following a Scorpion Sting. Journal of Neuroimaging, 2013, 23, 535-536.	2.0	16
59	The prevalence and biomarkers' characteristic of rapidly progressive Alzheimer's disease from the Alzheimer's Disease Neuroimaging Initiative database. Alzheimer's and Dementia: Translational Research and Clinical Interventions, 2017, 3, 107-113.	3.7	16
60	Posterior Reversible Encephalopathy Syndrome Associated with FOLFOX Chemotherapy. Case Reports in Oncological Medicine, 2013, 2013, 1-3.	0.3	15
61	Plasma levels of phosphorylated tau 181 are associated with cerebral metabolic dysfunction in cognitively impaired and amyloid-positive individuals. Brain Communications, 2021, 3, fcab073.	3.3	15
62	Interactive rather than independent effect of <i>APOE</i> and sex potentiates tau deposition in women. Brain Communications, 2021, 3, fcab126.	3.3	15
63	Immediate improvement of motor function after epilepsy surgery in congenital hemiparesis. Epilepsia, 2013, 54, e109-11.	5.1	11
64	Targeting Alzheimer's Disease at the Right Time and the Right Place: Validation of a Personalized Approach to Diagnosis and Treatment. Journal of Alzheimer's Disease, 2018, 64, S23-S31.	2.6	11
65	Quantification of SNAP-25 with mass spectrometry and Simoa: a method comparison in Alzheimer's disease. Alzheimer's Research and Therapy, 2022, 14, .	6.2	11
66	Bilateral perisylvian ulegyria: An underâ€recognized, surgically remediable epileptic syndrome. Epilepsia, 2013, 54, 1360-1367.	5.1	10
67	Epistasis analysis links immune cascades and cerebral amyloidosis. Journal of Neuroinflammation, 2015, 12, 227.	7.2	10
68	Characterizing biomarker features of cognitively normal individuals with ventriculomegaly. Alzheimer's and Dementia: Diagnosis, Assessment and Disease Monitoring, 2018, 10, 12-21.	2.4	9
69	CYP2C19 variant mitigates Alzheimer disease pathophysiology in vivo and postmortem. Neurology: Genetics, 2018, 4, e216.	1.9	8
70	A simplified radiosynthesis of [ <sup>18</sup> F]MKâ€6240 for tau PET imaging. Journal of Labelled Compounds and Radiopharmaceuticals, 2019, 62, 109-114.	1.0	8
71	Preclinical <i>in vivo</i> longitudinal assessment of KG207-M as a disease-modifying Alzheimer's disease therapeutic. Journal of Cerebral Blood Flow and Metabolism, 2022, 42, 788-801.	4.3	8
72	Mitochondrial complex I abnormalities underlie neurodegeneration and cognitive decline in Alzheimer's disease. European Journal of Neurology, 2022, 29, 1324-1334.	3.3	8

#	Article	IF	CITATIONS
73	Topographical distribution of AÎ <sup>2</sup> predicts progression to dementia in AÎ <sup>2</sup> positive mild cognitive impairment. Alzheimer's and Dementia: Diagnosis, Assessment and Disease Monitoring, 2020, 12, e12037.	2.4	7
74	Amyloidâ€dependent and amyloidâ€independent effects of Tau in individuals without dementia. Annals of Clinical and Translational Neurology, 2021, 8, 2083-2092.	3.7	7
75	Impact of long- and short-range fibre depletion on the cognitive deficits of fronto-temporal dementia. ELife, 2022, 11, .	6.0	7
76	Rostral-Caudal Hippocampal Functional Convergence Is Reduced Across the Alzheimer's Disease Spectrum. Molecular Neurobiology, 2019, 56, 8336-8344.	4.0	6
77	Frontal Variant of Alzheimer Disease Differentiated From Frontotemporal Dementia Using in Vivo Amyloid and Tau Imaging. Cognitive and Behavioral Neurology, 2020, 33, 288-293.	0.9	6
78	Impact of p-tau181 and p-tau217 levels on enrollment for randomized clinical trials and future use of anti-amyloid and anti-tau drugs. Expert Review of Neurotherapeutics, 2020, 20, 1211-1213.	2.8	5
79	Soluble amyloid-beta isoforms predict downstream Alzheimer's disease pathology. Cell and Bioscience, 2021, 11, 204.	4.8	5
80	Suicidal ideation is common in autosomal dominant Alzheimer's disease atâ€risk persons. International Journal of Geriatric Psychiatry, 2020, 35, 60-68.	2.7	4
81	Wrappers Feature Selection in Alzheimer's Biomarkers Using kNN and SMOTE Oversampling. TeMa, 2017, 18, 15.	0.1	4
82	Microglial activation and tau propagate jointly across Braak stages. Alzheimer's and Dementia, 2021, 17,	0.8	4
83	ICâ€04â€05: IMAGING EPIGENETICS IN THE HUMAN BRAIN WITH THE NOVEL [ <sup>11</sup> C]MARTINOSTAT P IN PRECLINICAL AD, MCI, AD, AND FRONTOTEMPORAL DEMENTIA INDIVIDUALS. Alzheimer's and Dementia, 2018, 14, P9.	ET 0.8	3
84	IC-P-154: Association between apolipoprotein a-i levels and white matter hyperintensities depends on CSF tau levels in a high-risk cohort of aging cognitively normal persons: The prevent-alzheimer's disease study. , 2015, 11, P103-P103.		2
85	Author Response: Frequency of Biologically Defined Alzheimer Disease in Relation to Age, Sex, <i>APOE</i> Îμ4, and Cognitive Impairment. Neurology, 2021, 97, 609-609.	1.1	2
86	[P4–050]: GRAPHâ€THEORY ANALYSIS SHOWS A HIGHLY EFFICIENT BUT REDUNDANT NETWORK IN MCI TAU PROPAGATION. Alzheimer's and Dementia, 2017, 13, P1275.	0.8	1
87	O3â€10â€06: BRAIN EPIGENETIC CHANGES MEASURED WITH THE NOVEL [ <sup>11</sup> C]MARTINOSTAT PET MEDIATE THE EFFECTS OF AMYLOID AND TAU PET DEPOSITION ON COGNITION. Alzheimer's and Dementia, 2018, 14, P1045.	0.8	1
88	Tau368 in cerebrospinal fluid is associated with severity of tau pathology load in the Alzheimer's continuum. Alzheimer's and Dementia, 2021, 17, .	0.8	1
89	Plasma pâ€Tau181 and pâ€Tau231 offer complementary information to identify Alzheimer's disease pathophysiology. Alzheimer's and Dementia, 2021, 17, .	0.8	1
90	P3-133: Association between apolipoprotein a-i levels and white matter hyperintensities depends on CSF tau levels in a high-risk cohort of aging cognitively normal persons: The prevent-alzheimer's disease study. , 2015, 11, P674-P675.		0

#	Article	IF	CITATIONS
91	P4-035: Cerebrospinal fluid ad biomarkers predict poorer cognitive performance in a cognitively intact cohort at risk of Alzheimer's dementia: The prevent-ad program. , 2015, 11, P778-P779.		0
92	P4-097: Should a global or a regional measure of amyloidosis be used in a longitudinal study?. , 2015, 11, P811-P811.		0
93	IC-P-155: Baseline CSF p-tau and fibrillary amyloid load predict mesial temporal hypometabolism in 24-months follow-up in cognitively normal subjects. , 2015, 11, P104-P104.		0
94	O5-01-06: Baseline CSF p-tau and fibrillary amyloid load predict mesial temporal hypometabolism in 24 months' follow-up in cognitively normal subjects. , 2015, 11, P314-P315.		0
95	ICâ€Pâ€027: Amyloidâ€Induced Microglial Activity in Thalamocortical Circuits Predicts Subsequent Cognitive Decline. Alzheimer's and Dementia, 2016, 12, P28.	0.8	0
96	P1â€251: Synergism between Brain Amyloid Accumulation and Neuronal Injury in Corticalâ€6ubcortical Circuits Causes Memory Declines in Animal Models. Alzheimer's and Dementia, 2016, 12, P504.	0.8	0
97	ICâ€Pâ€099: Synergism Between Brain Amyloid Accumulation and Neuronal Injury in Corticalâ€Subcortical Circuits Causes Memory Declines in Animal Models. Alzheimer's and Dementia, 2016, 12, P75.	0.8	0
98	IC-P-101: Synergism Between Baseline Amyloidosis and Neuronal Injury as Determinants of Learning Deficits in AD Transgenic Rat Model. , 2016, 12, P77-P77.		0
99	P3â€⊋21: Synergism Between Baseline Amyloidosis and Neuronal Injury as Determinants of Learning Deficits in Alzheimer's Disease Transgenic Rat Model. Alzheimer's and Dementia, 2016, 12, P910.	0.8	0
100	P2-053: Amyloid-Induced Microglial Activity in Thalamocortical Circuits Predicts Subsequent Cognitive Decline. , 2016, 12, P627-P628.		0
101	Author response: Neuropsychiatric symptoms predict hypometabolism in preclinical Alzheimer disease. Neurology, 2017, 89, 1931.2-1931.	1.1	0
102	[ICâ€₽â€017]: VOXELâ€WISE DETERMINATION OF SENSITIVITY, SPECIFICITY, AND THRESHOLDS FOR AMYLOID POSITIVITY USING [ <sup>18</sup> F]FLORBETAPIR PET. Alzheimer's and Dementia, 2017, 13, P20.	0.8	0
103	[ICâ€₽â€034]: GRAPHâ€THEORY ANALYSIS SHOWS A HIGHLY EFFICIENT BUT REDUNDANT NETWORK IN MCI TAL PROPAGATION. Alzheimer's and Dementia, 2017, 13, P30.	ار 0.8	0
104	O3â€01â€04: CORRELATION BETWEEN CSF Tâ€TAU AND Pâ€TAU WITH [ <sup>18</sup> F]MK6240 IN THE DIAG ALZHEIMER'S DISEASE. Alzheimer's and Dementia, 2018, 14, P1009.	NOSIS OF	0
105	P3â€338: AMYLOID AND MICROGLIAL ACTIVATION SYNERGY LEADS TO HYPOMETABOLISM IN AD BRAIN: MICROPET LONGITUDINAL STUDY. Alzheimer's and Dementia, 2018, 14, P1211.	0.8	0
106	P1â€482: ASSOCIATION OF [ <sup>18</sup> F]MK6240 PET TAU BINDING WITH CLINICAL DIAGNOSIS, APOE4, COGNITION, AMYLOID, AGE, AND BRAAK STAGES ACROSS THE AD CLINICAL SPECTRUM. Alzheimer's and Dementia, 2018, 14, P510.	0.8	0
107	P2â€462: UNBIASED ASSESSMENT OF GLOBAL AMYLOID LOAD AS DETERMINED BY VOXELâ€WISE RECEIVER OPERATING CHARACTERISTIC ANALYSIS. Alzheimer's and Dementia, 2018, 14, P898.	0.8	0
108	ICâ€Pâ€022: LATERAL TEMPORAL AMYLOID LOAD PREDICTS PROGRESSION TO ALZHEIMER'S DEMENTIA. Alzheimer's and Dementia, 2018, 14, P28.	0.8	0

#	Article	IF	CITATIONS
109	P2â€503: COGNITIVE PERFORMANCE FOR VERBAL MEMORY AND SEMANTIC VERBAL FLUENCY AS A FUNCTION OF TAU PROTEIN LEVELS. Alzheimer's and Dementia, 2018, 14, P923.	0.8	0
110	ICâ€Pâ€055: REGIONAL PATTERNS OF TAU DEPOSITION DRIVEN BY LOCAL AMYLOID ACCUMULATION RECAPITULATE BRAAK STAGES IN AD. Alzheimer's and Dementia, 2018, 14, P52.	0.8	0
111	ICâ€Pâ€023: UNBIASED ASSESSMENT OF GLOBAL AMYLOID LOAD AS DETERMINED BY VOXELâ€WISE RECEIVER OPERATING CHARACTERISTIC ANALYSIS. Alzheimer's and Dementia, 2018, 14, P29.	0.8	Ο
112	P2â€353: THE IMPACT OF TSPO RS6971 POLYMORPHISM IN A CANADIAN NEUROIMAGING STUDY OF NEUROINFLAMMATION. Alzheimer's and Dementia, 2018, 14, P823.	0.8	0
113	P1â€148: THE EFFECT OF PROTON PUMP INHIBITORS AND <i>CYP2C19</i> ON AMYLOID PATHOLOGY. Alzheimer's and Dementia, 2018, 14, P333.	0.8	0
114	ICâ€₽â€063: THE EFFECT OF PROTON PUMP INHIBITORS AND CYP2C19 ON AMYLOID PATHOLOGY. Alzheimer's a Dementia, 2018, 14, P58.	and 0.8	0
115	ICâ€Pâ€064: THE IMPACT OF TSPO RS6971 POLYMORPHISM IN A CANADIAN NEUROIMAGING STUDY OF NEUROINFLAMMATION. Alzheimer's and Dementia, 2018, 14, P58.	0.8	0
116	P1â€342: SUICIDAL IDEATION IS PREVALENT IN BOTH ASYMPTOMATIC AUTOSOMAL DOMINANT ALZHEIMER'S DISEASE MUTATION AND NONâ€MUTATION CARRIERS. Alzheimer's and Dementia, 2018, 14, P424.	0.8	0
117	ICâ€Pâ€213: [ <sup>18</sup> F]MK6240 PET TAU BINDING IN ATYPICAL AD AND NONâ€AD TAUOPATHIES. Alzhei and Dementia, 2018, 14, P174.	mer's 0.8	0
118	ICâ€Pâ€208: CORRELATION BETWEEN CSF Tâ€TAU AND Pâ€TAU WITH [ <sup>18</sup> F]MK6240 IN THE DIAGN ALZHEIMER'S DISEASE. Alzheimer's and Dementia, 2018, 14, P171.	OSIS OF	0
119	P3â€441: LOGICAL MEMORY DEFICITS ACROSS ALZHEIMER'S DISEASE SPECTRUM ARE ASSOCIATED WITH PATTERNS OF A TAU PROPAGATION PREDICTED BY BRAAK STAGING. Alzheimer's and Dementia, 2018, 14, P1283.	0.8	0
120	ICâ€₽â€103: LOGICAL MEMORY DEFICITS ACROSS ALZHEIMER'S DISEASE SPECTRUM ARE ASSOCIATED WITH PATTERNS OF TAU PROPAGATION PREDICTED BY BRAAK STAGING. Alzheimer's and Dementia, 2018, 14, P89.	0.8	0
121	ICâ€Pâ€054: AMYLOID AND MICROGLIAL ACTIVATION SYNERGY LEADS TO HYPOMETABOLISM IN THE AD BRAIN: MICROPET LONGITUDINAL STUDY. Alzheimer's and Dementia, 2018, 14, P51.	0.8	0
122	P4â€107: REGIONAL PATTERNS OF TAU DEPOSITION DRIVEN BY LOCAL AMYLOID ACCUMULATION RECAPITULAT BRAAK STAGES IN AD. Alzheimer's and Dementia, 2018, 14, P1479.	Е <sub>0.8</sub>	0
123	P1â€486: LATERAL TEMPORAL AMYLOID LOAD PREDICTS THE PROGRESSION TO ALZHEIMER'S DEMENTIA. Alzheimer's and Dementia, 2018, 14, P513.	0.8	0
124	ICâ€Pâ€168: ISSUES REGARDING [ <sup>18</sup> F]MK6240 REFERENCE REGION SELECTION BASED ON THE FUI KINETIC MODELING. Alzheimer's and Dementia, 2019, 15, P132.	-L <sub>0.8</sub>	0
125	ICâ€Pâ€180: PREDICTING TAU PATHOLOGY PROGRESSION IN ALZHEIMER'S DISEASE BY MATHEMATICAL SIMULATION: FURTHER RESULTS AND PRIORITIZATION OF MODIFICATIONS FOR FURTHER IMPROVEMENTS. Alzheimer's and Dementia, 2019, 15, P141.	0.8	Ο
126	ICâ€Pâ€132: CORTICAL IRON DEPOSITION IN ALZHEIMER'S DISEASE CONTRASTS WITH AGEâ€RELATED SUBCOR DEPOSITION. Alzheimer's and Dementia, 2019, 15, P108.	TICAL	0

#	Article	IF	CITATIONS
127	Elderly Man Repeating Questions about Upcoming Appointments. , 2021, , 14-17.		Ο
128	Clinical Meaningfulness of Biomarker Endpoints in Alzheimer's Disease Research. Neuromethods, 2018, , 235-248.	0.3	0
129	Associations between neutrophils and amyloid deposition in the Alzheimer's disease spectrum. Alzheimer's and Dementia, 2021, 17, .	0.8	Ο
130	Association of tau pathology and vascular risk factor burden with longitudinal measures of plasma neurofilament light. Alzheimer's and Dementia, 2021, 17, .	0.8	0
131	Verbal fluency associated with tau accumulation and not amyloid deposition in the Alzheimer's disease spectrum. Alzheimer's and Dementia, 2021, 17, .	0.8	Ο
132	Profiling tau accumulation with SPReAD: Sub-stages for propagation regions in Alzheimer's disease Alzheimer's and Dementia, 2021, 17 Suppl 3, e054239.	0.8	0