

# Nozomu Motono

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/194741/publications.pdf>

Version: 2024-02-01

74  
papers

404  
citations

840776

11  
h-index

940533

16  
g-index

91  
all docs

91  
docs citations

91  
times ranked

485  
citing authors

#	ARTICLE	IF	CITATIONS
1	Racemose hemangioma revealed by massive intraoperative hemorrhage: A case report. International Journal of Surgery Case Reports, 2022, 91, 106722.	0.6	1
2	Is Overweight Related to the Prognosis of Octogenarians with Lung Cancer?. Obesity Surgery, 2022, 32, 1279-1288.	2.1	1
3	Role of indocyanine green in anomalous arterial supply to the normal dorsobasal segment of the lung. Journal of Cardiothoracic Surgery, 2022, 17, 52.	1.1	2
4	Analysis of risk factors for postoperative complications in non-small cell lung cancer: comparison with the Japanese National Clinical Database risk calculator. BMC Surgery, 2022, 22, 180.	1.3	5
5	Pulmonary resection for a foreign body in respiratory tract with severe aortic valve stenosis: A case report. Asian Journal of Surgery, 2022, , .	0.4	0
6	Unusual local and distant metastases after complete resection of roentgenographically occult squamous cell carcinoma. General Thoracic and Cardiovascular Surgery, 2021, 69, 133-136.	0.9	0
7	Clinical outcomes and survival following placement of self-expandable metallic stents for central airway stenosis and fistula. Thoracic Cancer, 2021, 12, 48-56.	1.9	5
8	Differentiation between suture recurrence and suture granuloma after pulmonary resection for lung cancer by diffusion-weighted magnetic resonance imaging or FDG-PET / CT. Translational Oncology, 2021, 14, 100992.	3.7	6
9	Anterior mediastinal ectopic pancreatic cyst incidentally identified by pericarditis: a case report. General Thoracic and Cardiovascular Surgery, 2021, 69, 597-600.	0.9	2
10	How to Discriminate Lung Cancer From Benign Pulmonary Nodules and Masses? Usefulness of Diffusion-Weighted Magnetic Resonance Imaging With Apparent Diffusion Coefficient and Inside/Wall Apparent Diffusion Coefficient Ratio. Clinical Medicine Insights: Oncology, 2021, 15, 117955492110148.	1.3	0
11	Diffusion-weighted whole-body imaging with background suppression ( DWIBS ) is effective and economical for detection of metastasis or recurrence of lung cancer. Thoracic Cancer, 2021, 12, 676-684.	1.9	7
12	Prognostic Impact of Sphingosine Kinase 1 in Nonsmall Cell Lung Cancer. BMC Clinical Pathology, 2021, 14, 2632010X2098853.	1.7	2
13	Cardiac arrest during lung cancer surgery: A report of four cases. The Journal of the Japanese Association for Chest Surgery, 2021, 35, 37-43.	0.0	0
14	Risk factors of chest wall invasion in non-small cell lung cancer. Journal of Thoracic Disease, 2021, 13, 824-830.	1.4	2
15	Combination Assessment of Diffusion-Weighted Imaging and T2-Weighted Imaging Is Acceptable for the Differential Diagnosis of Lung Cancer from Benign Pulmonary Nodules and Masses. Cancers, 2021, 13, 1551.	3.7	11
16	Pathological diagnosis of a pulmonary cavitory lesion showing idiopathic pulmonary parenchymal laceration: A case report. The Journal of the Japanese Association for Chest Surgery, 2021, 35, 168-171.	0.0	0
17	Benign emptying of the post-pneumonectomy space: A case report. International Journal of Surgery Case Reports, 2021, 80, 105699.	0.6	0
18	Repeat pulmonary resection for lung malignancies does not affect the postoperative complications: a retrospective study. BMC Pulmonary Medicine, 2021, 21, 109.	2.0	2

#	ARTICLE	IF	CITATIONS
19	Whole-Lesion Apparent Diffusion Coefficient Histogram Analysis: Significance for Discriminating Lung Cancer from Pulmonary Abscess and Mycobacterial Infection. <i>Cancers</i> , 2021, 13, 2720.	3.7	5
20	Individualization of risk factors for postoperative complication after lung cancer surgery: a retrospective study. <i>BMC Surgery</i> , 2021, 21, 311.	1.3	19
21	Novel Insights of T2-Weighted Imaging: Significance for Discriminating Lung Cancer from Benign Pulmonary Nodules and Masses. <i>Cancers</i> , 2021, 13, 3713.	3.7	2
22	Asymptomatic renal infarction after left upper lobectomy: Case report. <i>International Journal of Surgery Case Reports</i> , 2021, 85, 106254.	0.6	2
23	First case of lung cancer with pneumoconiosis and endobronchial leiomyoma complicating the diagnosis. <i>BMC Pulmonary Medicine</i> , 2021, 21, 286.	2.0	0
24	Atezolizumab-induced bilateral anterior uveitis: A case report. <i>American Journal of Ophthalmology Case Reports</i> , 2021, 24, 101205.	0.7	2
25	Pulmonary Nodule and Mass: Superiority of MRI of Diffusion-Weighted Imaging and T2-Weighted Imaging to FDG-PET/CT. <i>Cancers</i> , 2021, 13, 5166.	3.7	4
26	Interstitial lung disease and wedge resection are poor prognostic factors for non-small cell lung cancer. <i>Journal of Thoracic Disease</i> , 2021, 14, 0-0.	1.4	2
27	Congenital partial pericardial defect discovered incidentally during surgery for lung cancer: a case report and literature review. <i>BMC Surgery</i> , 2021, 21, 447.	1.3	2
28	Indocyanine green fluorescence detects the blood flow of the bronchial anastomosis for bronchoplasty – case report –. <i>Annals of Medicine and Surgery</i> , 2020, 59, 151-152.	1.1	2
29	Early-stage multi-differentiated gastric carcinosarcoma and post-resection local recurrence: a case report. <i>Diagnostic Pathology</i> , 2020, 15, 118.	2.0	3
30	Operative invasiveness does not affect the prognosis of patients with non-small cell lung cancer. <i>BMC Pulmonary Medicine</i> , 2020, 20, 265.	2.0	4
31	Relationships and Qualitative Evaluation between Diffusion-Weighted Imaging and Pathologic Findings of Resected Lung Cancers. <i>Cancers</i> , 2020, 12, 1194.	3.7	8
32	Higher Tumor Mutation Burden and Higher PD-L1 Activity Predicts the Efficacy of Immune Checkpoint Inhibitor Treatment in a Patient With Four Lung Cancers. A Case Report. <i>Frontiers in Oncology</i> , 2020, 10, 689.	2.8	2
33	Emergence of lung cancer with a low PD-L1 expression level after the administration of immune check point inhibitor for lung adenocarcinoma with a high PD-L1 expression level: A case report. <i>Annals of Medicine and Surgery</i> , 2020, 56, 82-85.	1.1	1
34	Acute empyema treated with pulsed lavage irrigation and curettage in cases with persistent dead space: A report of two cases. <i>The Journal of the Japanese Association for Chest Surgery</i> , 2020, 34, 6-12.	0.0	1
35	A resected case of lung adenocarcinoma difficult to distinguish from infectious lung disease based on the image course. <i>The Journal of the Japanese Association for Chest Surgery</i> , 2020, 34, 260-264.	0.0	0
36	Virtual thoracoscopic imaging-assisted pleural marking of pulmonary nodules. <i>Journal of Thoracic Disease</i> , 2020, 12, 4148-4156.	1.4	0

#	ARTICLE	IF	CITATIONS
37	A case of renal cancer with lung metastasis and contralateral isolated mediastinal lymph node metastasis 13 years after nephrectomy. The Journal of the Japanese Association for Chest Surgery, 2020, 34, 40-45.	0.0	0
38	Ultrasound-guided tube drainage of pneumothorax with pleural adhesion: A pilot study. The Journal of the Japanese Association for Chest Surgery, 2020, 34, 392-397.	0.0	0
39	A case of thoracic aortic dissection that was difficult to differentiate from lung cancer or hemangiosarcoma. The Journal of the Japanese Association for Chest Surgery, 2020, 34, 693-698.	0.0	0
40	Desmoid-type fibromatosis in surgical wound after lung cancer surgery: A case report and review of the literature for the past 50 years. The Journal of the Japanese Association for Chest Surgery, 2020, 34, 722-727.	0.0	0
41	Predictive factors related to pleural dissemination in non-small cell lung cancer. Journal of Thoracic Disease, 2020, 12, 5647-5656.	1.4	0
42	Indocyanine green fluorescence-guided thoroscopic pulmonary resection for intralobar pulmonary sequestration: a case report. Journal of Medical Case Reports, 2019, 13, 228.	0.8	10
43	Diffusion-Weighted Imaging Can Differentiate between Malignant and Benign Pleural Diseases. Cancers, 2019, 11, 811.	3.7	14
44	Lung cancer combined with methotrexate-associated lymphoproliferative disorder: A case report. International Journal of Surgery Case Reports, 2019, 59, 161-164.	0.6	3
45	What is the allowed volume threshold for chest tube removal after lobectomy: A randomized controlled trial. Annals of Medicine and Surgery, 2019, 43, 29-32.	1.1	1
46	Sternal resection and reconstruction for metastasis due to breast cancer: the Marlex sandwich technique and implantation of a pedicled latissimus dorsi musculocutaneous flap. Journal of Cardiothoracic Surgery, 2019, 14, 79.	1.1	5
47	Low-dose indocyanine green fluorescence-navigated segmentectomy: prospective analysis of 20 cases and review of previous reports. Journal of Thoracic Disease, 2019, 11, 702-707.	1.4	22
48	Diffusion-weighted magnetic resonance imaging is useful for the response evaluation of chemotherapy and/or radiotherapy to recurrent lesions of lung cancer. Translational Oncology, 2019, 12, 699-704.	3.7	17
49	Thoroscopic small pulmonary nodule detection using computed tomography-guided cutaneous marking and pleural marking. Journal of Thoracic Disease, 2019, 11, 2745-2753.	1.4	7
50	The impact of PRDX4 and the EGFR mutation status on cellular proliferation in lung adenocarcinoma. International Journal of Medical Sciences, 2019, 16, 1199-1206.	2.5	15
51	A case of intrathoracic beaded schwannomas originating from multiple intercostal nerves. The Journal of the Japanese Association for Chest Surgery, 2019, 33, 85-89.	0.0	0
52	Multilocular thymic cyst that required differentiation from malignant lymphoma : Report of a case. The Journal of the Japanese Association for Chest Surgery, 2019, 33, 156-160.	0.0	0
53	FDG-PET/CT and diffusion-weighted imaging for resected lung cancer: correlation of maximum standardized uptake value and apparent diffusion coefficient value with prognostic factors. Medical Oncology, 2018, 35, 66.	2.5	7
54	Combined pulmonary fibrosis and emphysema predicts recurrence following surgery in patients with stage I non-small cell lung cancer. Medical Oncology, 2018, 35, 31.	2.5	9

#	ARTICLE	IF	CITATIONS
55	Prognostic value of epidermal growth factor receptor mutations and histologic subtypes with lung adenocarcinoma. <i>Medical Oncology</i> , 2018, 35, 22.	2.5	17
56	Atmospheric temperature and pressure influence the onset of spontaneous pneumothorax. <i>Clinical Respiratory Journal</i> , 2018, 12, 557-562.	1.6	12
57	Case report of surgical treatment of scoliosis caused by neurofibroma located posterior mediastinum. <i>International Journal of Surgery Case Reports</i> , 2018, 53, 168-170.	0.6	1
58	A case of neuroblastoma of the anterior mediastinum involving an adult. <i>The Journal of the Japanese Association for Chest Surgery</i> , 2018, 32, 654-658.	0.0	0
59	Expression and Prognostic Impact of VEGF, CD31 and $\beta$ -SMA in Resected Primary Lung Cancers. <i>Anticancer Research</i> , 2018, 38, 4057-4063.	1.1	6
60	The Combination Of Weak Expression Of PRDX4 And Very High MIB-1 Labelling Index Independently Predicts Shorter Disease-free Survival In Stage I Lung Adenocarcinoma. <i>International Journal of Medical Sciences</i> , 2018, 15, 1025-1034.	2.5	11
61	Müllerian cyst in posterior mediastinum: A report of a case. <i>International Journal of Surgery Case Reports</i> , 2018, 49, 163-165.	0.6	7
62	ICG easily detects not only the segmental plane, but also the course and blood distribution of the bronchial artery. <i>Annals of Medicine and Surgery</i> , 2018, 28, 28-29.	1.1	7
63	Tension hemothorax caused by trauma. <i>The Journal of the Japanese Association for Chest Surgery</i> , 2018, 32, 469-474.	0.0	0
64	Prognostic significance of histologic subtype in pStage I lung adenocarcinoma. <i>Medical Oncology</i> , 2017, 34, 100.	2.5	15
65	Successful endovascular coil embolization in an elder and asymptomatic case of anomalous systemic arterial supply to the normal basal segment. <i>International Journal of Surgery Case Reports</i> , 2017, 34, 103-105.	0.6	6
66	A case of primary myoepithelial carcinoma of lung that was difficult to diagnose preoperatively. <i>The Journal of the Japanese Association for Chest Surgery</i> , 2017, 31, 633-637.	0.0	0
67	Economic Benefits and Diagnostic Quality of Diffusion-Weighted Magnetic Resonance Imaging for Primary Lung Cancer. <i>Annals of Thoracic and Cardiovascular Surgery</i> , 2017, 23, 275-280.	0.8	15
68	The Therapeutic Strategy for Clinical Stage IA Non-small Cell Lung Cancer Patients Who Are Ineligible for Lobectomy. <i>Japanese Journal of Lung Cancer</i> , 2016, 56, 183-188.	0.1	0
69	A case of empyema and a posterior mediastinal abscess after an iliopsoas abscess secondary to Crohn's disease. <i>International Journal of Colorectal Disease</i> , 2016, 31, 709-710.	2.2	2
70	Successful Treatment of Bronchial Fistula after Pulmonary Lobectomy by Endobronchial Embolization Using an Endobronchial Watanabe Spigot. <i>Case Reports in Pulmonology</i> , 2015, 2015, 1-3.	0.3	4
71	A survey about further work-up for cases with positive sputum cytology during lung cancer mass screening in Ishikawa Prefecture, Japan: a retrospective analysis about quality assurance of lung cancer screening. <i>Japanese Journal of Clinical Oncology</i> , 2015, 45, 297-302.	1.3	3
72	Differences in the Prognostic Significance of the SUVmax between Patients with Resected Pulmonary Adenocarcinoma and Squamous Cell Carcinoma. <i>Asian Pacific Journal of Cancer Prevention</i> , 2015, 15, 10171-10174.	1.2	8

#	ARTICLE	IF	CITATIONS
73	Diagnostic Performance of Diffusion Weighted Imaging of Malignant and Benign Pulmonary Nodules and Masses: Comparison with Positron Emission Tomography. Asian Pacific Journal of Cancer Prevention, 2014, 15, 4629-4635.	1.2	36
74	Advantages of Diffusion-Weighted Imaging Over Positron Emission Tomography-Computed Tomography in Assessment of Hilar and Mediastinal Lymph Node in Lung Cancer. Annals of Surgical Oncology, 2013, 20, 1676-1683.	1.5	39