

Christos Lampropoulos

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1947720/publications.pdf>

Version: 2024-02-01

42

papers

1,000

citations

394421

19

h-index

434195

31

g-index

42

all docs

42

docs citations

42

times ranked

1114

citing authors

#	ARTICLE	IF	CITATIONS
1	4f-Metal Clusters Exhibiting Slow Relaxation of Magnetization: A {Dy7} Complex with An Hourglass-like Metal Topology. <i>Molecules</i> , 2020, 25, 2191.	3.8	7
2	â€˜Metal Complexes as Ligandsâ€™ for the Synthesis of Coordination Polymers: A MnIII Monomer as a Building Block for the Preparation of an Unprecedented 1-D $\{MnIIMnIII\}_n$ Linear Chain. <i>Materials</i> , 2020, 13, 1352.	2.9	2
3	The surprising pairing of 2-aminoimidazo[1,2- <i>i</i>] <i>a</i> [1,3,5]triazin-4-one, a component of an expanded DNA alphabet. <i>Acta Crystallographica Section C, Structural Chemistry</i> , 2019, 75, 22-28.	0.5	6
4	Structural and Magnetic Variations in a Family of Isoskeletal, Oximateâ€œBridged {Mn IV 2 M III } Complexes (M III =Mn, Gd, Dy). <i>Chemistry - A European Journal</i> , 2018, 24, 2588-2592.	3.3	12
5	New insights in Mnâ€“Ca chemistry from the use of oximate-based ligands: {MnII/III2Ca2} and {MnIV2Ca2} complexes with relevance to both low- and high-valent states of the oxygen-evolving complex. <i>Polyhedron</i> , 2018, 149, 39-44.	2.2	7
6	Oximato-Based Ligands in 3 <i>d</i> / <i>d</i> /4 <i>f</i> / <i>f</i> -Metal Cluster Chemistry: A Family of {Cu ₃ L _n } Complexes with a â€œPropellerâ€ like Topology and Single-Molecule Magnetic Behavior. <i>Inorganic Chemistry</i> , 2018, 57, 13944-13952.	4.0	22
7	Assembly of anion-controlled cadmium(II) coordination polymers from the use of 2-acetyl-pyridyl-isonicotinoylhydrazone. <i>Inorganica Chimica Acta</i> , 2017, 457, 150-159.	2.4	9
8	Controlled Dimerization of Mn ₁₂ Single-Molecule Magnets. <i>Inorganic Chemistry</i> , 2017, 56, 14755-14758.	4.0	7
9	Magnetic properties of the layered III-VI diluted magnetic semiconductor Ga _{1-x} FexTe. <i>AIP Advances</i> , 2016, 6, 056222.	1.3	1
10	â€œLigands-with-Benefitsâ€ Naphthalene-Substituted Schiff Bases Yielding New Ni ^{II} Metal Clusters with Ferromagnetic and Emissive Properties and Undergoing Exciting Transformations. <i>Inorganic Chemistry</i> , 2016, 55, 1270-1277.	4.0	20
11	Introducing Dimensionality to the Archetypical Mn ₁₂ Single-Molecule Magnet: a Family of [Mn ₁₂] _n Chains. <i>Inorganic Chemistry</i> , 2016, 55, 1367-1369.	4.0	16
12	Mercury (II) coordination complexes bearing Schiff base ligands: What affects their nuclearity and/or dimensionality. <i>Polyhedron</i> , 2015, 93, 46-54.	2.2	10
13	Coordination complexes and polymers from the initial application of phenyl-2-pyridyl ketone azine in mercury chemistry. <i>Polyhedron</i> , 2015, 85, 467-475.	2.2	24
14	Manganese/Cerium Clusters Spanning a Range of Oxidation Levels and CeMn ₈ , Ce ₂ Mn ₄ , and Ce ₆ Mn ₄ Nuclearities: Structural, Magnetic, and EPR Properties. <i>Inorganic Chemistry</i> , 2014, 53, 6805-6816.	4.0	21
15	Synthesis, magnetic and spectroscopic characterization of a new Fe ₇ cluster with a six-pointed star topology. <i>Polyhedron</i> , 2013, 64, 280-288.	2.2	6
16	A Mn ^{II} ₆ Mn ^{III} ₆ Single-Strand Molecular Wheel with a Reuleaux Triangular Topology: Synthesis, Structure, Magnetism, and DFT Studies. <i>Inorganic Chemistry</i> , 2013, 52, 12070-12079.	4.0	18
17	Using single-molecule magnets as analyte-recognition compounds in photo-electric chemical sensors: Recent results from [Mn ₁₂ O ₁₂ (O ₂ CCH ₃) ₁₆ (H ₂ O) ₄]â€“2CH ₃ COOHâ€“4H ₂ O, and [Mn ₁₂ O ₁₂ (O ₂ CPh) ₁₆ (H ₂ O) ₄]. <i>Polyhedron</i> , 2013, 53, 62-66.	2.2	2
18	Synthesis, Structure, and Spectroscopic and Magnetic Characterization of [Mn ₁₂ O ₁₂ (O ₂ CCH ₂ Bu ^t) ₁₆ (MeOH) ₄]â€“ ₃₆ A Mn ₁₂ Single-Molecule Magnet with True Axial Symmetry. <i>Inorganic Chemistry</i> , 2013, 52, 258-272.	4.0	

#	ARTICLE	IF	CITATIONS
19	Reprint of "Using single-molecule magnets as analyte-recognition compounds in photo-electric chemical sensors: Recent results from $[Mn_{12}O_{12}(O_2CCH_3)_{16}(H_2O)_4] \cdot 2CH_3COOH \cdot 4H_2O$, and $[Mn_{12}O_{12}(O_2CPh)_{16}(H_2O)_4]$ ". Polyhedron, 2013, 66, 294-298.	2.2	0
20	Geometric-Phase Interference in a M_{12} Cluster. Physical Review Letters, 2013, 110, 087205.	7.8	21
21	New Mixed-Valence $Mn^{II/III}_{12}$ Complexes Bearing Oximato and Azido Ligands: Synthesis, and Structural and Magnetic Characterization. European Journal of Inorganic Chemistry, 2010, 2010, 2244-2253.	2.0	15
22	A variety of new tri- and tetrานuclear Mn^{Ln} and Fe^{Ln} (Ln =lanthanide) complexes. Polyhedron, 2010, 29, 54-65.	2.2	58
23	Realization of random-field Ising ferromagnetism in a molecular magnet. Physical Review B, 2010, 82, .	3.2	24
24	On-chip SQUID measurements in the presence of high magnetic fields. Nanotechnology, 2010, 21, 405504.	2.6	31
25	Experimental determination of the Weiss temperature of Mn_{12} -ac and Mn_{12} -ac-MeOH. Physical Review B, 2010, 82, .	3.2	6
26	β -Benzoin Oxime in Higher Oxidation State 3d Metal Cluster Chemistry: Structural and Magnetic Study of a New Mn^{III}_{12} Complex. Inorganic Chemistry, 2010, 49, 3077-3079.	4.0	16
27	Binding of Higher Alcohols onto Mn_{12} Single-Molecule Magnets (SMMs): Access to the Highest Barrier Mn_{12} SMM. Inorganic Chemistry, 2010, 49, 1325-1336.	4.0	51
28	Inducing Single-Molecule Magnetism in a Family of Loop-of-Loops Aggregates: Heterometallic $Mn_{40}Na_4$ Clusters and the Homometallic Mn_{44} Analogue. Journal of the American Chemical Society, 2010, 132, 16146-16155.	13.7	123
29	Mn_{12} and Mn_{12} Effects of quantum mechanics on the deflagration threshold in the molecular magnet Mn_{12} .	3.2	11
30	Crystal lattice desolvation effects on the magnetic quantum tunneling of single-molecule magnets. Physical Review B, 2009, 79, .	3.2	21
31	A Caveat for Single-Molecule Magnetism: Nonlinear Arrhenius Plots. ChemPhysChem, 2009, 10, 2397-2400.	2.1	48
32	A convenient Mn_{12} starting material for the synthesis of homo- and heterometallic manganese carboxylate clusters: Mn_9 and $Mn_{10-x}Fe_x$ complexes. Polyhedron, 2009, 28, 1958-1964.	2.2	7
33	A Nontwisted, Ferromagnetically Coupled $Mn_{12}O$ Triangular Complex from the Use of 2,6-Bis(hydroxymethyl)-p-cresol. Inorganic Chemistry, 2009, 48, 813-815.	4.0	34
34	Initial Use of Dioximate Ligands in 3d/4f Cluster Chemistry: Synthesis, Structure, and Magnetic Studies of an Unusual $[Gd_{11}2MnIVO]^{8+}$ Complex. Inorganic Chemistry, 2009, 48, 429-431.	4.0	63
35	Spin dynamics in single-molecule magnets combining surface acoustic waves and high-frequency electron paramagnetic resonance. Physical Review B, 2008, 77, .	3.2	14

#	ARTICLE	IF	CITATIONS
37	Synthesis, Magnetism, and High-Frequency EPR Spectroscopy of a Family of Mixed-Valent Cuboctahedral Mn ₁₃ Complexes with 1,8-Naphthalenedicarboxylate Ligands. <i>Inorganic Chemistry</i> , 2008, 47, 11180-11190.	4.0	19
38	High-Yield Syntheses and Reactivity Studies of Fe ₁₀ "Ferric Wheels": Structural, Magnetic, and Computational Characterization of a Star-Shaped Fe ₈ Complex. <i>Inorganic Chemistry</i> , 2008, 47, 9021-9034.	4.0	33
39	A Large [Mn ₁₀ Na] ₄ Loop of Four Linked Mn ₁₀ Loops. <i>Inorganic Chemistry</i> , 2007, 46, 3795-3797.	4.0	61
40	The use of methylsalicyloxime in manganese chemistry: A triangle and its oxidation to a rod. <i>Inorganica Chimica Acta</i> , 2007, 360, 3932-3940.	2.4	53
41	A family of mixed-valent tridecanuclear clusters, and their magnetostructural correlation. <i>Polyhedron</i> , 2007, 26, 2129-2134.	2.2	17
42	⁵⁵ Mn nuclear spin relaxation in the truly axial single-molecule magnet Mn ₁₂ -t-butylacetate thermally-activated down to 400mK. <i>Polyhedron</i> , 2007, 26, 2320-2324.	2.2	16