

# Ingrid Ehrlich

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1953990/publications.pdf>

Version: 2024-02-01

35  
papers

5,017  
citations

331670

21  
h-index

414414

32  
g-index

38  
all docs

38  
docs citations

38  
times ranked

6182  
citing authors

| #  | ARTICLE  | IF   | CITATIONS |
|----|--|------|-----------|
| 1  | Short-term high-fat feeding induces a reversible net decrease in synaptic AMPA receptors in the hypothalamus. <i>Journal of Nutritional Biochemistry</i> , 2021, 87, 108516.   | 4.2  | 2         |
| 2  | An Assessment of Mistletoe-Based Drugs Work in Synergy with Radio-Chemotherapy in the Treatment of Glioma <i>in vitro</i> and <i>in vivo</i> in Glioblastoma Bearing Mice. , 2021, , 20-41.  |      | 0         |
| 3  | Midbrain dopaminergic inputs gate amygdala intercalated cell clusters by distinct and cooperative mechanisms in male mice. <i>ELife</i> , 2021, 10, .  | 6.0  | 6         |
| 4  | Intercalated amygdala clusters orchestrate a switch in fear state. <i>Nature</i> , 2021, 594, 403-407.   | 27.8 | 61        |
| 5  | Fear Memory Retrieval Is Associated With a Reduction in AMPA Receptor Density at Thalamic to Amygdala Intercalated Cell Synapses. <i>Frontiers in Synaptic Neuroscience</i> , 2021, 13, 634558.  | 2.5  | 5         |
| 6  | Studying Neuronal Function <i>Ex Vivo</i> Using and. <i>Methods in Molecular Biology</i> , 2020, 2173, 1-20.   | 0.9  | 0         |
| 7  | Mistletoe-Based Drugs Work in Synergy with Radio-Chemotherapy in the Treatment of Glioma <i>In Vitro</i> and <i>In Vivo</i> in Glioblastoma Bearing Mice. <i>Evidence-based Complementary and Alternative Medicine</i> , 2019, 2019, 1-17. | 1.2  | 9         |
| 8  | Dynamic modulation of inflammatory pain-related affective and sensory symptoms by optical control of amygdala metabotropic glutamate receptor 4. <i>Molecular Psychiatry</i> , 2018, 23, 509-520.  | 7.9  | 56        |
| 9  | <i>In Vivo</i> Regulation of Oligodendrocyte Precursor Cell Proliferation and Differentiation by the AMPA-Receptor Subunit GluA2. <i>Cell Reports</i> , 2018, 25, 852-861.e7.  | 6.4  | 72        |
| 10 | Cortical circuit activity underlying sleep slow oscillations and spindles. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2018, 115, E9220-E9229.  | 7.1  | 196       |
| 11 | Environmental Enrichment Prevents Transcriptional Disturbances Induced by Alpha-Synuclein Overexpression. <i>Frontiers in Cellular Neuroscience</i> , 2018, 12, 112.   | 3.7  | 30        |
| 12 | GABAergic synapses at the axon initial segment of basolateral amygdala projection neuron modulate behavioral flexibility. <i>European Neuropsychopharmacology</i> , 2017, 27, S28-S29.   | 0.7  | 1         |
| 13 | GABAergic Synapses at the Axon Initial Segment of Basolateral Amygdala Projection Neurons Modulate Fear Extinction. <i>Neuropsychopharmacology</i> , 2017, 42, 473-484.  | 5.4  | 33        |
| 14 | Compartmentalised perturbation of GABAergic synapses in the basolateral amygdala principal neurons. <i>European Neuropsychopharmacology</i> , 2017, 27, S539.  | 0.7  | 0         |
| 15 | Combined Optogenetic and Freeze-fracture Replica Immunolabeling to Examine Input-specific Arrangement of Glutamate Receptors in the Mouse Amygdala. <i>Journal of Visualized Experiments</i> , 2016, , .                                   | 0.3  | 5         |
| 16 | Sleep supports cued fear extinction memory consolidation independent of circadian phase. <i>Neurobiology of Learning and Memory</i> , 2016, 132, 9-17.   | 1.9  | 20        |
| 17 | <i>Ex Vivo</i> Optogenetic Dissection of Fear Circuits in Brain Slices. <i>Journal of Visualized Experiments</i> , 2016, , e53628.   | 0.3  | 8         |
| 18 | Postnatal maturation of GABAergic modulation of sensory inputs onto lateral amygdala principal neurons. <i>Journal of Physiology</i> , 2015, 593, 4387-4409.   | 2.9  | 28        |

| #  | ARTICLE  | IF   | CITATIONS |
|----|--|------|-----------|
| 19 | Sensory Inputs to Intercalated Cells Provide Fear-Learning Modulated Inhibition to the Basolateral Amygdala. <i>Neuron</i> , 2015, 86, 541-554.  | 8.1  | 91        |
| 20 | Ex vivo dissection of optogenetically activated mPFC and hippocampal inputs to neurons in the basolateral amygdala: implications for fear and emotional memory. <i>Frontiers in Behavioral Neuroscience</i> , 2014, 8, 64. | 2.0  | 85        |
| 21 | Amygdala interneuron subtypes control fear learning through disinhibition. <i>Nature</i> , 2014, 509, 453-458.   | 27.8 | 433       |
| 22 | Long-Range Connectivity Defines Behavioral Specificity of Amygdala Neurons. <i>Neuron</i> , 2014, 81, 428-437.   | 8.1  | 463       |
| 23 | Encoding of conditioned fear in central amygdala inhibitory circuits. <i>Nature</i> , 2010, 468, 277-282.  | 27.8 | 813       |
| 24 | Neuronal circuits of fear extinction. <i>European Journal of Neuroscience</i> , 2010, 31, 599-612.   | 2.6  | 412       |
| 25 | Disrupting 5-HT <sub>2A</sub> Receptor/PDZ Protein Interactions Reduces Hyperalgesia and Enhances SSRI Efficacy in Neuropathic Pain. <i>Molecular Therapy</i> , 2010, 18, 1462-1470.                                       | 8.2  | 51        |
| 26 | Amygdala Inhibitory Circuits and the Control of Fear Memory. <i>Neuron</i> , 2009, 62, 757-771.  | 8.1  | 815       |
| 27 | Faithful Expression of Multiple Proteins via 2A-Peptide Self-Processing: A Versatile and Reliable Method for Manipulating Brain Circuits. <i>Journal of Neuroscience</i> , 2009, 29, 8621-8629.                            | 3.6  | 156       |
| 28 | ERK-dependent PSD-95 induction in the gustatory cortex is necessary for taste learning, but not retrieval. <i>Nature Neuroscience</i> , 2008, 11, 1149-1151.   | 14.8 | 66        |
| 29 | PSD-95 is required for activity-driven synapse stabilization. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2007, 104, 4176-4181.   | 7.1  | 393       |
| 30 | Two mutations preventing PDZ-protein interactions of GluR1 have opposite effects on synaptic plasticity. <i>Learning and Memory</i> , 2006, 13, 562-565.   | 1.3  | 19        |
| 31 | Postsynaptic Density 95 controls AMPA Receptor Incorporation during Long-Term Potentiation and Experience-Driven Synaptic Plasticity. <i>Journal of Neuroscience</i> , 2004, 24, 916-927.                                  | 3.6  | 465       |
| 32 | Shift from depolarizing to hyperpolarizing glycine action in rat auditory neurones is due to age-dependent Cl <sup>-</sup> regulation. <i>Journal of Physiology</i> , 1999, 520, 121-137.                                  | 2.9  | 160       |
| 33 | Axon regeneration in organotypic slice cultures from the mammalian auditory system is topographic and functional. <i>Journal of Neurocytology</i> , 1999, 41, 596-611.   |      | 10        |
| 34 | Development of glycinergic transmission in organotypic cultures from auditory brain stem. <i>NeuroReport</i> , 1998, 9, 2785-2790.   | 1.2  | 15        |
| 35 | Neurotransmitters acting via different G proteins inhibit N-type calcium current by an identical mechanism in rat sympathetic neurons. <i>Journal of Neurophysiology</i> , 1995, 74, 2251-2257.                            | 1.8  | 35        |