

# Jing Yang

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1954972/publications.pdf>

Version: 2024-02-01

12  
papers

668  
citations

759233

12  
h-index

1199594

12  
g-index

12  
all docs

12  
docs citations

12  
times ranked

969  
citing authors

| #  | ARTICLE   | IF  | CITATIONS |
|----|---|-----|-----------|
| 1  | Prevotellaceae produces butyrate to alleviate PD-1/PD-L1 inhibitor-related cardiotoxicity via PPAR $\alpha$ -CYP4X1 axis in colonic macrophages. <i>Journal of Experimental and Clinical Cancer Research</i> , 2022, 41, 1.                 | 8.6 | 74        |
| 2  | Inhibition of COX-2, mPGES-1 and CYP4A by isoliquiritigenin blocks the angiogenic Akt signaling in glioma through ceRNA effect of miR-194-5p and lncRNA NEAT1. <i>Journal of Experimental and Clinical Cancer Research</i> , 2019, 38, 371. | 8.6 | 74        |
| 3  | Inhibition of COX-2 and EGFR by Melafolone Improves Anti-PD-1 Therapy through Vascular Normalization and PD-L1 Downregulation in Lung Cancer. <i>Journal of Pharmacology and Experimental Therapeutics</i> , 2019, 368, 401-413.            | 2.5 | 30        |
| 4  | CYP4X1 Inhibition by Flavonoid CH625 Normalizes Glioma Vasculature through Reprogramming TAMs via CB2 and EGFR-STAT3 Axis. <i>Journal of Pharmacology and Experimental Therapeutics</i> , 2018, 365, 72-83.                                 | 2.5 | 26        |
| 5  | Inhibition of COX-2/mPGES-1 and 5-LOX in macrophages by leonurine ameliorates monosodium urate crystal-induced inflammation. <i>Toxicology and Applied Pharmacology</i> , 2018, 351, 1-11.  | 2.8 | 47        |
| 6  | Inhibition of CYP4A by a novel flavonoid FLA-16 prolongs survival and normalizes tumor vasculature in glioma. <i>Cancer Letters</i> , 2017, 402, 131-141.   | 7.2 | 33        |
| 7  | Dopamine induces growth inhibition and vascular normalization through reprogramming M2-polarized macrophages in rat C6 glioma. <i>Toxicology and Applied Pharmacology</i> , 2015, 286, 112-123.   | 2.8 | 49        |
| 8  | Downregulation of COX-2 and CYP 4A signaling by isoliquiritigenin inhibits human breast cancer metastasis through preventing anoikis resistance, migration and invasion. <i>Toxicology and Applied Pharmacology</i> , 2014, 280, 10-20.     | 2.8 | 66        |
| 9  | 20-HETE Regulates the Angiogenic Functions of Human Endothelial Progenitor Cells and Contributes to Angiogenesis In Vivo. <i>Journal of Pharmacology and Experimental Therapeutics</i> , 2014, 348, 442-451.                                | 2.5 | 54        |
| 10 | Isoliquiritigenin induces growth inhibition and apoptosis through downregulating arachidonic acid metabolic network and the deactivation of PI3K/Akt in human breast cancer. <i>Toxicology and Applied Pharmacology</i> , 2013, 272, 37-48. | 2.8 | 69        |
| 11 | Increased expression of CYP4Z1 promotes tumor angiogenesis and growth in human breast cancer. <i>Toxicology and Applied Pharmacology</i> , 2012, 264, 73-83.  | 2.8 | 66        |
| 12 | Cytochrome P450 $\omega$ -hydroxylase promotes angiogenesis and metastasis by upregulation of VEGF and MMP-9 in non-small cell lung cancer. <i>Cancer Chemotherapy and Pharmacology</i> , 2011, 68, 619-629.                                | 2.3 | 80        |