Nicolas Rodondi, Mas

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/1956575/publications.pdf

Version: 2024-02-01

345 papers 17,926 citations

64 h-index 120 g-index

362 all docs 362 docs citations

times ranked

362

19779 citing authors

| # | Article | IF | CITATIONS |
|----|--|------|-----------|
| 1 | Subclinical Hypothyroidism and the Risk of Coronary Heart Disease and Mortality. JAMA - Journal of the American Medical Association, 2010, 304, 1365. | 3.8 | 944 |
| 2 | Comparison of 2 Frailty Indexes for Prediction of Falls, Disability, Fractures, and Death in Older Women. Archives of Internal Medicine, 2008, 168, 382. | 4.3 | 765 |
| 3 | Frailty and Risk of Falls, Fracture, and Mortality in Older Women: The Study of Osteoporotic Fractures. Journals of Gerontology - Series A Biological Sciences and Medical Sciences, 2007, 62, 744-751. | 1.7 | 569 |
| 4 | Individualised nutritional support in medical inpatients at nutritional risk: a randomised clinical trial. Lancet, The, 2019, 393, 2312-2321. | 6.3 | 503 |
| 5 | Plasma ceramides predict cardiovascular death in patients with stable coronary artery disease and acute coronary syndromes beyond LDL-cholesterol. European Heart Journal, 2016, 37, 1967-1976. | 1.0 | 433 |
| 6 | Subclinical Hyperthyroidism and the Risk of Coronary Heart Disease and Mortality. Archives of Internal Medicine, 2012, 172, 799-809. | 4.3 | 424 |
| 7 | Subclinical Thyroid Dysfunction and the Risk of Heart Failure Events. Circulation, 2012, 126, 1040-1049. | 1.6 | 410 |
| 8 | Meta-analysis: Subclinical Thyroid Dysfunction and the Risk for Coronary Heart Disease and Mortality. Annals of Internal Medicine, 2008, 148, 832. | 2.0 | 405 |
| 9 | Subclinical Hypothyroidism and the Risk of Heart Failure, Other Cardiovascular Events, and Death. Archives of Internal Medicine, 2005, 165, 2460. | 4.3 | 402 |
| 10 | Inflammatory Markers and Incident Heart Failure Risk in Older Adults. Journal of the American College of Cardiology, 2010, 55, 2129-2137. | 1.2 | 386 |
| 11 | Thyroid Hormone Therapy for Older Adults with Subclinical Hypothyroidism. New England Journal of Medicine, 2017, 376, 2534-2544. | 13.9 | 366 |
| 12 | Adjunct prednisone therapy for patients with community-acquired pneumonia: a multicentre, double-blind, randomised, placebo-controlled trial. Lancet, The, 2015, 385, 1511-1518. | 6.3 | 326 |
| 13 | Gut microbiota-dependent trimethylamine N-oxide in acute coronary syndromes: a prognostic marker for incident cardiovascular events beyond traditional risk factors. European Heart Journal, 2017, 38, ehw582. | 1.0 | 317 |
| 14 | Subclinical Thyroid Dysfunction and Fracture Risk. JAMA - Journal of the American Medical Association, 2015, 313, 2055. | 3.8 | 264 |
| 15 | Premature atherosclerosis in HIV-infected individuals – focus on protease inhibitor therapy. Aids, 2001, 15, 329-334. | 1.0 | 241 |
| 16 | Subclinical Thyroid Dysfunction, Cardiac Function, and the Risk of Heart Failure. Journal of the American College of Cardiology, 2008, 52, 1152-1159. | 1.2 | 221 |
| 17 | Incident Heart Failure Prediction in the Elderly. Circulation: Heart Failure, 2008, 1, 125-133. | 1.6 | 216 |
| 18 | Association of Thyroid Hormone Therapy With Quality of Life and Thyroid-Related Symptoms in Patients With Subclinical Hypothyroidism. JAMA - Journal of the American Medical Association, 2018, 320, 1349. | 3.8 | 184 |

| # | Article | IF | CITATIONS |
|----|---|-----|-----------|
| 19 | Metabolic Syndrome and the Risk of Cardiovascular Disease in Older Adults. Journal of the American College of Cardiology, 2006, 47, 1595-1602. | 1.2 | 179 |
| 20 | Subclinical Hypothyroidism and the Risk of Coronary Heart Disease: A Meta-Analysis. American Journal of Medicine, 2006, 119, 541-551. | 0.6 | 179 |
| 21 | Subclinical Thyroid Dysfunction and the Risk of Heart Failure in Older Persons at High Cardiovascular Risk. Journal of Clinical Endocrinology and Metabolism, 2012, 97, 852-861. | 1.8 | 178 |
| 22 | Marijuana Use, Diet, Body Mass Index, and Cardiovascular Risk Factors (from the CARDIA Study). American Journal of Cardiology, 2006, 98, 478-484. | 0.7 | 176 |
| 23 | Therapy Modifications in Response to Poorly Controlled Hypertension, Dyslipidemia, and Diabetes Mellitus. Annals of Internal Medicine, 2006, 144, 475. | 2.0 | 175 |
| 24 | Risk of Falls and Major Bleeds in Patients on Oral Anticoagulation Therapy. American Journal of Medicine, 2012, 125, 773-778. | 0.6 | 171 |
| 25 | Subclinical Hypothyroidism and the Risk of Stroke Events and Fatal Stroke: An Individual Participant Data Analysis. Journal of Clinical Endocrinology and Metabolism, 2015, 100, 2181-2191. | 1.8 | 164 |
| 26 | Association of Major and Minor ECG Abnormalities With Coronary Heart Disease Events. JAMA - Journal of the American Medical Association, 2012, 307, 1497. | 3.8 | 162 |
| 27 | Epidemiology of Incident Heart Failure in a Contemporary Elderly Cohort. Archives of Internal Medicine, 2009, 169, 708. | 4.3 | 161 |
| 28 | Thyroid Function Within the Normal Range, Subclinical Hypothyroidism, and the Risk of Atrial Fibrillation. Circulation, 2017, 136, 2100-2116. | 1.6 | 159 |
| 29 | Comparing Impact and Cost-Effectiveness of Primary Prevention Strategies for Lipid-Lowering. Annals of Internal Medicine, 2009, 150, 243. | 2.0 | 157 |
| 30 | Frailty and risk for heart failure in older adults: The health, aging, and body composition study. American Heart Journal, 2013, 166, 887-894. | 1.2 | 155 |
| 31 | Relationships of Overt and Silent Brain Lesions With Cognitive Function in Patients With Atrial Fibrillation. Journal of the American College of Cardiology, 2019, 73, 989-999. | 1.2 | 148 |
| 32 | Thyroid function and prevalent and incident metabolic syndrome in older adults: the health, ageing and body composition study. Clinical Endocrinology, 2012, 76, 911-918. | 1.2 | 133 |
| 33 | Subclinical Thyroid Dysfunction and the Risk of Cognitive Decline: a Meta-Analysis of Prospective Cohort Studies. Journal of Clinical Endocrinology and Metabolism, 2016, 101, 4945-4954. | 1.8 | 133 |
| 34 | Prevalence and management of familial hypercholesterolaemia in patients with acute coronary syndromes. European Heart Journal, 2015, 36, 2438-2445. | 1.0 | 129 |
| 35 | Association of Baseline Inflammation With Effectiveness of Nutritional Support Among Patients With Disease-Related Malnutrition. JAMA Network Open, 2020, 3, e200663. | 2.8 | 121 |
| 36 | Prognostic value of PCSK9 levels in patients with acute coronary syndromes. European Heart Journal, 2016, 37, 546-553. | 1.0 | 120 |

| # | Article | IF | Citations |
|----|--|-----|-----------|
| 37 | Overdiagnosis and overtreatment of thyroid cancer: A population-based temporal trend study. PLoS ONE, 2017, 12, e0179387. | 1.1 | 116 |
| 38 | De-implementing wisely: developing the evidence base to reduce low-value care. BMJ Quality and Safety, 2020, 29, 409-417. | 1.8 | 110 |
| 39 | Subclinical thyroid dysfunction and cardiovascular diseases: 2016 update. European Heart Journal, 2018, 39, 503-507. | 1.0 | 106 |
| 40 | Subclinical Hypothyroidism and Functional Mobility in Older Adults. Archives of Internal Medicine, 2009, 169, 2011. | 4.3 | 105 |
| 41 | Alcohol Drinking and Cardiovascular Risk in a Population With High Mean Alcohol Consumption. American Journal of Cardiology, 2009, 103, 361-368. | 0.7 | 102 |
| 42 | Electrocardiographic PR Interval and Adverse Outcomes in Older Adults. Circulation: Arrhythmia and Electrophysiology, 2013, 6, 84-90. | 2.1 | 99 |
| 43 | Prognosis of Patients With Familial Hypercholesterolemia After Acute Coronary Syndromes. Circulation, 2016, 134, 698-709. | 1.6 | 99 |
| 44 | Nutritional risk screening (NRS 2002) is a strong and modifiable predictor risk score for short-term and long-term clinical outcomes: secondary analysis of a prospective randomised trial. Clinical Nutrition, 2020, 39, 2720-2729. | 2.3 | 96 |
| 45 | High Risk for Hyperlipidemia and the Metabolic Syndrome after an Episode of Hypertriglyceridemia during 13- <i>cis</i> Retinoic Acid Therapy for Acne: A Pharmacogenetic Study. Annals of Internal Medicine, 2002, 136, 582. | 2.0 | 91 |
| 46 | The Lausanne cohort Lc65+: a population-based prospective study of the manifestations, determinants and outcomes of frailty. BMC Geriatrics, 2008, 8, 20. | 1.1 | 89 |
| 47 | Markers of Atherosclerosis and Inflammation for Prediction of Coronary Heart Disease in Older Adults. American Journal of Epidemiology, 2010, 171, 540-549. | 1.6 | 87 |
| 48 | Framingham Risk Score and Alternatives for Prediction of Coronary Heart Disease in Older Adults. PLoS ONE, 2012, 7, e34287. | 1.1 | 85 |
| 49 | Scores to Predict Major Bleeding Risk During Oral Anticoagulation Therapy: A Prospective Validation Study. American Journal of Medicine, 2012, 125, 1095-1102. | 0.6 | 84 |
| 50 | International core outcome set for clinical trials of medication review in multi-morbid older patients with polypharmacy. BMC Medicine, 2018, 16, 21. | 2.3 | 84 |
| 51 | Optimizing Therapy to Prevent Avoidable Hospital Admissions in Multimorbid Older Adults (OPERAM): cluster randomised controlled trial. BMJ, The, 2021, 374, n1585. | 3.0 | 84 |
| 52 | Association between aortic calcification and total and cardiovascular mortality in older women. Journal of Internal Medicine, 2007, 261, 238-244. | 2.7 | 81 |
| 53 | Normal Thyroid Function and the Risk of Atrial Fibrillation: the Rotterdam Study. Journal of Clinical Endocrinology and Metabolism, 2015, 100, 3718-3724. | 1.8 | 80 |
| 54 | Predictors and Causes of Long-Term Mortality in Elderly Patients with Acute Venous Thromboembolism: A Prospective Cohort Study. American Journal of Medicine, 2017, 130, 198-206. | 0.6 | 78 |

| # | Article | lF | CITATIONS |
|----|--|-----|------------|
| 55 | Association Between Levothyroxine Treatment and Thyroid-Related Symptoms Among Adults Aged 80 Years and Older With Subclinical Hypothyroidism. JAMA - Journal of the American Medical Association, 2019, 322, 1977. | 3.8 | 78 |
| 56 | Profiling and validation of circulating microRNAs for cardiovascular events in patients presenting with ST-segment elevation myocardial infarction. European Heart Journal, 2017, 38, ehw563. | 1.0 | 77 |
| 57 | Prospective, multicenter validation of prediction scores for major bleeding in elderly patients with venous thromboembolism. Journal of Thrombosis and Haemostasis, 2013, 11, 435-443. | 1.9 | 7 5 |
| 58 | Thyroid Antibody Status, Subclinical Hypothyroidism, and the Risk of Coronary Heart Disease: An Individual Participant Data Analysis. Journal of Clinical Endocrinology and Metabolism, 2014, 99, 3353-3362. | 1.8 | 75 |
| 59 | Serum Resistin Concentrations and Risk of New Onset Heart Failure in Older Persons. Arteriosclerosis, Thrombosis, and Vascular Biology, 2009, 29, 1144-1149. | 1.1 | 74 |
| 60 | Subclinical Thyroid Dysfunction and the Risk for Fractures. Annals of Internal Medicine, 2014, 161, 189. | 2.0 | 74 |
| 61 | Improved risk stratification of patients with acute coronary syndromes using a combination of hsTnT, NT-proBNP and hsCRP with the GRACE score. European Heart Journal: Acute Cardiovascular Care, 2018, 7, 129-138. | 0.4 | 70 |
| 62 | Individualized Nutritional Support for Hospitalized Patients With Chronic HeartÂFailure. Journal of the American College of Cardiology, 2021, 77, 2307-2319. | 1.2 | 70 |
| 63 | The association between subclinical thyroid dysfunction and dementia: The Health, Aging and Body Composition (Health <scp>ABC</scp>) Study. Clinical Endocrinology, 2017, 87, 617-626. | 1.2 | 69 |
| 64 | Treatment Intensification and Risk Factor Control. Medical Care, 2009, 47, 395-402. | 1.1 | 68 |
| 65 | Thyroid Function Within the Reference Range and the Risk of Stroke: An Individual Participant Data Analysis. Journal of Clinical Endocrinology and Metabolism, 2016, 101, 4270-4282. | 1.8 | 67 |
| 66 | Thyroid Hormone Use, Hyperthyroidism and Mortality in Older Women. American Journal of Medicine, 2007, 120, 343-349. | 0.6 | 66 |
| 67 | Hypertriglyceridemia: a potential side effect of propofol sedation in critical illness. Intensive Care Medicine, 2012, 38, 1990-1998. | 3.9 | 66 |
| 68 | Thyroid Function Within the Normal Range and Risk of Coronary Heart Disease. JAMA Internal Medicine, 2015, 175, 1037. | 2.6 | 66 |
| 69 | Polypharmacy is Associated with an Increased Risk of Bleeding in Elderly Patients with Venous Thromboembolism. Journal of General Internal Medicine, 2015, 30, 17-24. | 1.3 | 64 |
| 70 | Interventions for preventing falls and fallâ€related fractures in communityâ€dwelling older adults: A systematic review and network metaâ€analysis. Journal of the American Geriatrics Society, 2021, 69, 2973-2984. | 1.3 | 64 |
| 71 | The Swiss cohort of elderly patients with venous thromboembolism (SWITCO65+): rationale and methodology. Journal of Thrombosis and Thrombolysis, 2013, 36, 475-483. | 1.0 | 63 |
| 72 | Association between subclinical thyroid dysfunction and change in bone mineral density in prospective cohorts. Journal of Internal Medicine, 2018, 283, 56-72. | 2.7 | 62 |

| # | Article | IF | CITATIONS |
|----|---|-----|-----------|
| 73 | Impact of electronic monitoring of drug adherence on blood pressure control in primary care: A cluster 12-month randomised controlled study. European Journal of Internal Medicine, 2008, 19, 427-434. | 1.0 | 61 |
| 74 | Subclinical hypothyroidism: summary of evidence in 2014. Swiss Medical Weekly, 2014, 144, w14058. | 0.8 | 59 |
| 75 | Resting heart rate and incident heart failure and cardiovascular mortality in older adults: role of inflammation and endothelial dysfunction: the PROSPER study. European Journal of Heart Failure, 2013, 15, 581-588. | 2.9 | 57 |
| 76 | Subclinical Thyroid Dysfunction and Cardiovascular Outcomes among Prospective Cohort Studies. Endocrine, Metabolic and Immune Disorders - Drug Targets, 2013, 13, 4-12. | 0.6 | 56 |
| 77 | Polypharmacy and specific comorbidities in university primary care settings. European Journal of Internal Medicine, 2016, 35, 35-42. | 1.0 | 56 |
| 78 | Subclinical thyroid dysfunction and the risk of stroke: a systematic review and meta-analysis. European Journal of Epidemiology, 2014, 29, 791-800. | 2.5 | 54 |
| 79 | Subclinical Thyroid Dysfunction and Depressive Symptoms among the Elderly: A Prospective Cohort Study. Neuroendocrinology, 2016, 103, 291-299. | 1.2 | 53 |
| 80 | Subclinical Thyroid Dysfunction and Cognitive Decline in Old Age. PLoS ONE, 2013, 8, e59199. | 1.1 | 52 |
| 81 | Association of Thyroid Dysfunction With Cognitive Function. JAMA Internal Medicine, 2021, 181, 1440. | 2.6 | 51 |
| 82 | The Effects of Time-Restricted Eating versus Standard Dietary Advice on Weight, Metabolic Health and the Consumption of Processed Food: A Pragmatic Randomised Controlled Trial in Community-Based Adults. Nutrients, 2021, 13, 1042. | 1.7 | 50 |
| 83 | Silent brain infarcts impact on cognitive function in atrial fibrillation. European Heart Journal, 2022, 43, 2127-2135. | 1.0 | 50 |
| 84 | Plasminogen activator inhibitor type 1 gene polymorphisms and haplotypes are associated with plasma plasminogen activator inhibitor type 1 levels but not with myocardial infarction or stroke. American Heart Journal, 2006, 152, 1109-1115. | 1.2 | 49 |
| 85 | Association between resistin levels and cardiovascular disease events in older adults: The health, aging and body composition study. Atherosclerosis, 2016, 245, 181-186. | 0.4 | 49 |
| 86 | Lung Function and Risk for Heart Failure Among Older Adults: The Health ABC Study. American Journal of Medicine, 2011, 124, 334-341. | 0.6 | 48 |
| 87 | Decreased phosphatidylcholine plasmalogens – A putative novel lipid signature in patients with stable coronary artery disease and acute myocardial infarction. Atherosclerosis, 2016, 246, 130-140. | 0.4 | 47 |
| 88 | Impact of Inflammation on the Relationship Among Alcohol Consumption, Mortality, and Cardiac Events. Archives of Internal Medicine, 2006, 166, 1490. | 4.3 | 46 |
| 89 | Counselling overweight and obese patients in primary care: a prospective cohort study. European Journal of Cardiovascular Prevention and Rehabilitation, 2006, 13, 222-228. | 3.1 | 46 |
| 90 | Microalbuminuria, but not cystatin C, is associated with carotid atherosclerosis in middle-aged adults. Nephrology Dialysis Transplantation, 2007, 22, 1107-1114. | 0.4 | 46 |

| # | Article | IF | Citations |
|-----|--|------|-----------|
| 91 | Cysteine-rich angiogenic inducer 61 (Cyr61): a novel soluble biomarker of acute myocardial injury improves risk stratification after acute coronary syndromes. European Heart Journal, 2017, 38, 3493-3502. | 1.0 | 46 |
| 92 | Design of the Swiss Atrial Fibrillation Cohort Study (Swiss-AF): structural brain damage and cognitive decline among patients with atrial fibrillation. Swiss Medical Weekly, 2017, 147, w14467. | 0.8 | 46 |
| 93 | Loss of Sirt3 accelerates arterial thrombosis by increasing formation of neutrophil extracellular traps and plasma tissue factor activity. Cardiovascular Research, 2018, 114, 1178-1188. | 1.8 | 44 |
| 94 | What do older adults with multimorbidity and polypharmacy think about deprescribing? The LESS study - a primary care-based survey. BMC Geriatrics, 2020, 20, 435. | 1.1 | 44 |
| 95 | Medication review interventions to reduce hospital readmissions in older people. Journal of the American Geriatrics Society, 2021, 69, 1646-1658. | 1.3 | 43 |
| 96 | Value of handgrip strength to predict clinical outcomes and therapeutic response in malnourished medical inpatients: Secondary analysis of a randomized controlled trial. American Journal of Clinical Nutrition, 2021, 114, 731-740. | 2.2 | 42 |
| 97 | Thyroid Function Tests in the Reference Range and Fracture: Individual Participant Analysis of Prospective Cohorts. Journal of Clinical Endocrinology and Metabolism, 2017, 102, 2719-2728. | 1.8 | 41 |
| 98 | Design and rationale of the effect of early nutritional therapy on frailty, functional outcomes and recovery of malnourished medical inpatients trial (EFFORT): a pragmatic, multicenter, randomized-controlled trial. International Journal of Clinical Trials, 2018, 5, 142. | 0.0 | 41 |
| 99 | Efficacy of In-Hospital Multidimensional Interventions of Secondary Prevention After Acute Coronary Syndrome. Circulation, 2008, 117, 3109-3117. | 1.6 | 40 |
| 100 | Subclinical Thyroid Dysfunction and Frailty Among Older Men. Journal of Clinical Endocrinology and Metabolism, 2015, 100, 4524-4532. | 1.8 | 40 |
| 101 | Associations of obesity and body fat distribution with incident atrial fibrillation in the biracial health aging and body composition cohort of older adults. American Heart Journal, 2015, 170, 498-505.e2. | 1.2 | 40 |
| 102 | Predictive accuracy and usefulness of calibration of the ESC SCORE in Switzerland. European Journal of Cardiovascular Prevention and Rehabilitation, 2008, 15, 402-408. | 3.1 | 39 |
| 103 | Impact of Carotid Plaque Screening on Smoking Cessation and Other Cardiovascular Risk Factors. Archives of Internal Medicine, 2012, 172, 344. | 4.3 | 39 |
| 104 | Thyroid Hormone Therapy for Older Adults with Subclinical Hypothyroidism. New England Journal of Medicine, 2017, 377, e20. | 13.9 | 39 |
| 105 | The Relation Between Thyroid Function and Anemia: A Pooled Analysis of Individual Participant Data. Journal of Clinical Endocrinology and Metabolism, 2018, 103, 3658-3667. | 1.8 | 39 |
| 106 | contribution of major cardiovascular risk factors to familial premature coronary artery disease. Journal of the American College of Cardiology, 2002, 40, 676-684. | 1.2 | 38 |
| 107 | Prefrailty and Chronic Morbidity in the Youngest Old: An Insight from the Lausanne Cohort Lc65+. Journal of the American Geriatrics Society, 2012, 60, 1687-1694. | 1.3 | 38 |
| 108 | Safety profile of prasugrel and clopidogrel in patients with acute coronary syndromes in Switzerland. Heart, 2015, 101, 854-863. | 1.2 | 38 |

| # | Article | IF | Citations |
|-----|--|-----|-----------|
| 109 | Development of a standardized chart review method to identify drugâ€related hospital admissions in older people. British Journal of Clinical Pharmacology, 2018, 84, 2600-2614. | 1.1 | 38 |
| 110 | Heart Rate Variability Triangular Index as a Predictor of Cardiovascular Mortality in Patients With Atrial Fibrillation. Journal of the American Heart Association, 2020, 9, e016075. | 1.6 | 38 |
| 111 | Alcohol drinking, the metabolic syndrome and diabetes in a population with high mean alcohol consumption. Diabetic Medicine, 2010, 27, 1241-1249. | 1.2 | 37 |
| 112 | Reasons for discontinuation of recommended therapies according to the patients after acute coronary syndromes. European Journal of Internal Medicine, 2015, 26, 56-62. | 1.0 | 37 |
| 113 | Screening and treatment of hypertension in older adults: less is more?. Public Health Reviews, 2018, 39, 26. | 1.3 | 37 |
| 114 | Predicting recurrence after unprovoked venous thromboembolism: prospective validation of the updated Vienna Prediction Model. Blood, 2015, 126, 1949-1951. | 0.6 | 36 |
| 115 | Circulating FABP4 Is a Prognostic Biomarker in Patients With Acute Coronary Syndrome but Not in Asymptomatic Individuals. Arteriosclerosis, Thrombosis, and Vascular Biology, 2015, 35, 1872-1879. | 1.1 | 36 |
| 116 | Study protocol; Thyroid hormone Replacement for Untreated older adults with Subclinical hypothyroidism - a randomised placebo controlled Trial (TRUST). BMC Endocrine Disorders, 2017, 17, 6. | 0.9 | 36 |
| 117 | Rationale and design of OPtimising thERapy to prevent Avoidable hospital admissions in Multimorbid older people (OPERAM): a cluster randomised controlled trial. BMJ Open, 2019, 9, e026769. | 0.8 | 36 |
| 118 | Impact of Thyroid Hormone Therapy on Atherosclerosis in the Elderly With Subclinical Hypothyroidism: A Randomized Trial. Journal of Clinical Endocrinology and Metabolism, 2018, 103, 2988-2997. | 1.8 | 34 |
| 119 | Blood pressure in relation to frailty in older adults: A populationâ€based study. Journal of Clinical Hypertension, 2019, 21, 1895-1904. | 1.0 | 34 |
| 120 | Thyroid dysfunction and anaemia in a large populationâ€based study. Clinical Endocrinology, 2016, 84, 627-631. | 1.2 | 33 |
| 121 | Frailty to predict unplanned hospitalization, stroke, bleeding, and death in atrial fibrillation. European Heart Journal Quality of Care & Clinical Outcomes, 2021, 7, 42-51. | 1.8 | 33 |
| 122 | Improvement of cardiovascular risk prediction: time to review current knowledge, debates, and fundamentals on how to assess test characteristics. European Journal of Cardiovascular Prevention and Rehabilitation, 2010, 17, 18-23. | 3.1 | 32 |
| 123 | Subclinical Thyroid Dysfunction and Functional Capacity Among Elderly. Thyroid, 2014, 24, 208-214. | 2.4 | 32 |
| 124 | Six-month outcomes after individualized nutritional support during the hospital stay in medical patients at nutritional risk: Secondary analysis of a prospective randomized trial. Clinical Nutrition, 2021, 40, 812-819. | 2.3 | 32 |
| 125 | Admission kidney function is a strong predictor for the response to nutritional support in patients at nutritional risk. Clinical Nutrition, 2021, 40, 2762-2771. | 2.3 | 32 |
| 126 | Potentially inappropriate medication and attitudes of older adults towards deprescribing. PLoS ONE, 2020, 15, e0240463. | 1.1 | 32 |

| # | Article | IF | Citations |
|-----|---|-----|-----------|
| 127 | PCSK9 inhibitors and ezetimibe with or without statin therapy for cardiovascular risk reduction: a systematic review and network meta-analysis. BMJ, The, 2022, 377, e069116. | 3.0 | 32 |
| 128 | Low thyroid function is not associated with an accelerated deterioration in renal function. Nephrology Dialysis Transplantation, 2019, 34, 650-659. | 0.4 | 31 |
| 129 | The Impact of Levothyroxine on Cardiac Function in Older Adults With Mild Subclinical Hypothyroidism: A Randomized Clinical Trial. American Journal of Medicine, 2020, 133, 848-856.e5. | 0.6 | 31 |
| 130 | Defining Optimal Health Range for Thyroid Function Based on the Risk of Cardiovascular Disease. Journal of Clinical Endocrinology and Metabolism, 2017, 102, 2853-2861. | 1.8 | 30 |
| 131 | Health-related quality of life in patients with atrial fibrillation: The role of symptoms, comorbidities, and the type of atrial fibrillation. PLoS ONE, 2019, 14, e0226730. | 1.1 | 30 |
| 132 | Eligibility for PCSK9 inhibitors based on the 2019 ESC/EAS and 2018 ACC/AHA guidelines. European Journal of Preventive Cardiology, 2021, 28, 59-65. | 0.8 | 30 |
| 133 | Prospective comparison of clinical prognostic scores in elder patients with a pulmonary embolism. Journal of Thrombosis and Haemostasis, 2012, 10, 2270-2276. | 1.9 | 29 |
| 134 | Eligibility for PCSK9 Inhibitors According to American College of Cardiology (ACC) and European Society of Cardiology/European Atherosclerosis Society (ESC/EAS) Guidelines After Acute Coronary Syndromes. Journal of the American Heart Association, 2017, 6, . | 1.6 | 29 |
| 135 | Gut microbiota-dependent trimethylamine-N-oxide (TMAO) shows a U-shaped association with mortality but not with recurrent venous thromboembolism. Thrombosis Research, 2019, 174, 40-47. | 0.8 | 29 |
| 136 | Quality of Care after Acute Coronary Syndromes in a Prospective Cohort with Reasons for Non-Prescription of Recommended Medications. PLoS ONE, 2014, 9, e93147. | 1.1 | 28 |
| 137 | Physical activity and risk of bleeding in elderly patients taking anticoagulants. Journal of Thrombosis and Haemostasis, 2015, 13, 197-205. | 1.9 | 28 |
| 138 | Aspirin use for the primary prevention of coronary heart disease: A population-based study in Switzerland. Preventive Medicine, 2008, 46, 137-144. | 1.6 | 27 |
| 139 | Predictive accuracy of original and recalibrated Framingham risk score in the Swiss population. International Journal of Cardiology, 2009, 133, 346-353. | 0.8 | 26 |
| 140 | Expected impact of applying new 2013 AHA/ACC cholesterol guidelines criteria on the recommended lipid target achievement after acute coronary syndromes. Atherosclerosis, 2015, 239, 118-124. | 0.4 | 26 |
| 141 | Abdominal aortic calcification and risk of fracture among older women — The SOF study. Bone, 2015, 81, 16-23. | 1.4 | 26 |
| 142 | Association between conventional risk factors and different ultrasound-based markers of atherosclerosis at carotid and femoral levels in a middle-aged population. International Journal of Cardiovascular Imaging, 2013, 29, 589-599. | 0.7 | 25 |
| 143 | Variation in GP decisions on antihypertensive treatment in oldest-old and frail individuals across 29 countries. BMC Geriatrics, 2017, 17, 93. | 1.1 | 25 |
| 144 | Vitamin D deficiency is highly prevalent in malnourished inpatients and associated with higher mortality. Medicine (United States), 2019, 98, e18113. | 0.4 | 25 |

| # | Article | IF | Citations |
|-----|--|-----|-----------|
| 145 | Effect of Levothyroxine Therapy on the Development of Depressive Symptoms in Older Adults With Subclinical Hypothyroidism. JAMA Network Open, 2021, 4, e2036645. | 2.8 | 25 |
| 146 | Sex differences in the prevalence and clinical outcomes of subclinical peripheral artery disease in the Health, Aging, and Body Composition (Health ABC) study. Vascular, 2014, 22, 142-148. | 0.4 | 24 |
| 147 | Omegaâ€3 fatty acids predict recurrent venous thromboembolism or total mortality in elderly patients with acute venous thromboembolism. Journal of Thrombosis and Haemostasis, 2017, 15, 47-56. | 1.9 | 24 |
| 148 | Thyroid Dysfunction and Anemia: A Prospective Cohort Study and a Systematic Review. Thyroid, 2018, 28, 575-582. | 2.4 | 24 |
| 149 | How general practitioners would deprescribe in frail oldest-old with polypharmacy â€" the LESS study. BMC Family Practice, 2018, 19, 169. | 2.9 | 24 |
| 150 | Prognostic value of elevated lipoprotein(a) in patients with acute coronary syndromes. European Journal of Clinical Investigation, 2019, 49, e13117. | 1.7 | 24 |
| 151 | Serum neurofilament light in atrial fibrillation: clinical, neuroimaging and cognitive correlates. Brain Communications, 2020, 2, fcaa166. | 1.5 | 24 |
| 152 | Admission serum albumin concentrations and response to nutritional therapy in hospitalised patients at malnutrition risk: Secondary analysis of a randomised clinical trial. EClinicalMedicine, 2022, 45, 101301. | 3.2 | 24 |
| 153 | Validation of modified GLIM criteria to predict adverse clinical outcome and response to nutritional treatment: A secondary analysis of a randomized clinical trial. Clinical Nutrition, 2022, 41, 795-804. | 2.3 | 24 |
| 154 | Subclinical Hypothyroidism and Cardiovascular Risk: How to End the Controversy. Journal of Clinical Endocrinology and Metabolism, 2013, 98, 2267-2269. | 1.8 | 23 |
| 155 | Multimorbidity in Adult Asylum Seekers: A First Overview. PLoS ONE, 2013, 8, e82671. | 1.1 | 23 |
| 156 | Prevalence of potentially inappropriate prescribing in a subpopulation of older European clinical trial participants: a cross-sectional study. BMJ Open, 2018, 8, e019003. | 0.8 | 23 |
| 157 | Initial evaluation of thyroid dysfunction - Are simultaneous TSH and fT4 tests necessary?. PLoS ONE, 2018, 13, e0196631. | 1.1 | 23 |
| 158 | Intervention protocol: OPtimising the Rapy to prevent avoidable hospital Admission in the Multi-morbid elderly (OPERAM): a structured medication review with support of a computerised decision support system. BMC Health Services Research, 2020, 20, 220. | 0.9 | 23 |
| 159 | Nutritional risk is a predictor for long-term mortality: 5-Year follow-up of the EFFORT trial. Clinical Nutrition, 2021, 40, 1546-1554. | 2.3 | 23 |
| 160 | Using Stress Testing to Guide Primary Prevention of Coronary Heart Disease Among Intermediate-Risk Patients. Circulation, 2012, 125, 260-270. | 1.6 | 22 |
| 161 | Domains of importance to the quality of life of older people from two Swiss regions. Age and Ageing, 2015, 44, 979-985. | 0.7 | 22 |
| 162 | Inflammation during acute coronary syndromes â€" Risk of cardiovascular events and bleeding. International Journal of Cardiology, 2019, 287, 13-18. | 0.8 | 22 |

| # | Article | IF | Citations |
|-----|---|-----|-----------|
| 163 | Effect of nutritional support in patients with lower respiratory tract infection: Secondary analysis of a randomized clinical trial. Clinical Nutrition, 2021, 40, 1843-1850. | 2.3 | 22 |
| 164 | An International Consensus List of Potentially Clinically Significant Drug-Drug Interactions in Older People. Journal of the American Medical Directors Association, 2021, 22, 2121-2133.e24. | 1.2 | 22 |
| 165 | Prevalence of drug-drug interactions in older people before and after hospital admission: analysis from the OPERAM trial. BMC Geriatrics, 2021, 21, 571. | 1.1 | 22 |
| 166 | Obesity and overweight associated with lower rates of colorectal cancer screening in Switzerland. European Journal of Cancer Prevention, 2013, 22, 425-430. | 0.6 | 21 |
| 167 | Change in physical activity after smoking cessation: the <scp>C</scp> oronary <scp>A</scp> rtery <scp>R</scp> isk <scp>D</scp> evelopment in <scp>Y</scp> oung <scp>A</scp> dults (<scp>CARDIA</scp>) study. Addiction, 2014, 109, 1172-1183. | 1.7 | 21 |
| 168 | Chronic symptoms in a representative sample of community-dwelling older people: a cross-sectional study in Switzerland. BMJ Open, 2017, 7, e014485. | 0.8 | 21 |
| 169 | Prognosis of cardiovascular and non-cardiovascular multimorbidity after acute coronary syndrome. PLoS ONE, 2018, 13, e0195174. | 1.1 | 21 |
| 170 | Multimorbidity and Quality of Preventive Care in Swiss University Primary Care Cohorts. PLoS ONE, 2014, 9, e96142. | 1.1 | 21 |
| 171 | How to prevent overdiagnosis. Swiss Medical Weekly, 2015, 145, w14060. | 0.8 | 21 |
| 172 | Creating a List of Low-Value Health Care Activities in Swiss Primary Care. JAMA Internal Medicine, 2015, 175, 640. | 2.6 | 20 |
| 173 | L-Thyroxine Therapy for Older Adults With Subclinical Hypothyroidism and Hypothyroid Symptoms. Annals of Internal Medicine, 2020, 172, 709-716. | 2.0 | 20 |
| 174 | General practitioners' deprescribing decisions in older adults with polypharmacy: a case vignette study in 31 countries. BMC Geriatrics, 2021, 21, 19. | 1.1 | 20 |
| 175 | Aspirin use for the primary prevention of coronary heart disease in older adults. American Journal of Medicine, 2005, 118, 1288.e1-1288.e9. | 0.6 | 19 |
| 176 | The Quality of Primary Care in a Country with Universal Health Care Coverage. Journal of General Internal Medicine, 2011, 26, 724-730. | 1.3 | 19 |
| 177 | Skeletal Effects of Levothyroxine for Subclinical Hypothyroidism in Older Adults: A TRUST Randomized Trial Nested Study. Journal of Clinical Endocrinology and Metabolism, 2020, 105, 336-343. | 1.8 | 19 |
| 178 | Measurement properties of EQ-5D-3L and EQ-5D-5L in recording self-reported health status in older patients with substantial multimorbidity and polypharmacy. Health and Quality of Life Outcomes, 2020, 18, 317. | 1.0 | 19 |
| 179 | An individual participant data analysis of prospective cohort studies on the association between subclinical thyroid dysfunction and depressive symptoms. Scientific Reports, 2020, 10, 19111. | 1.6 | 19 |
| 180 | The impact of nutritional support on malnourished inpatients with aging-related vulnerability. Nutrition, 2021, 89, 111279. | 1.1 | 19 |

| # | Article | IF | CITATIONS |
|-----|---|-----|-----------|
| 181 | The impact of carotid plaque screening on motivation for smoking cessation. Nicotine and Tobacco Research, 2008, 10, 541-546. | 1.4 | 18 |
| 182 | Low statin use in adults hospitalized with acute coronary syndrome. Preventive Medicine, 2015, 77, 131-136. | 1.6 | 18 |
| 183 | Uptake and efficacy of a systematic intensive smoking cessation intervention using motivational interviewing for smokers hospitalised for an acute coronary syndrome: a multicentre before–after study with parallel group comparisons. BMJ Open, 2016, 6, e011520. | 0.8 | 18 |
| 184 | Levothyroxine Treatment and Cardiovascular Outcomes in Older People With Subclinical Hypothyroidism: Pooled Individual Results of Two Randomised Controlled Trials. Frontiers in Endocrinology, 2021, 12, 674841. | 1.5 | 18 |
| 185 | Atherosclerosis Screening by Noninvasive Imaging for Cardiovascular Prevention: A Systematic Review. Journal of General Internal Medicine, 2012, 27, 220-231. | 1.3 | 17 |
| 186 | Risk of falls and bleeding in elderly patients with acute venous thromboembolism. Journal of Internal Medicine, 2014, 276, 378-386. | 2.7 | 17 |
| 187 | Corticosteroid treatment for community-acquired pneumonia - the STEP trial: study protocol for a randomized controlled trial. Trials, 2014, 15, 257. | 0.7 | 17 |
| 188 | International variation in GP treatment strategies for subclinical hypothyroidism in older adults: a case-based survey. British Journal of General Practice, 2015, 65, e121-e132. | 0.7 | 17 |
| 189 | Association between computed tomography obstruction index and mortality in elderly patients with acute pulmonary embolism: A prospective validation study. PLoS ONE, 2017, 12, e0179224. | 1.1 | 17 |
| 190 | Predictors and Outcomes of Recurrent Venous Thromboembolism in Elderly Patients. American Journal of Medicine, 2018, 131, 703.e7-703.e16. | 0.6 | 17 |
| 191 | Barriers and potential solutions in the recruitment and retention of older patients in clinical trials—lessons learned from six large multicentre randomized controlled trials. Age and Ageing, 2021, 50, 1988-1996. | 0.7 | 17 |
| 192 | Physician Response to "By-the-Way―Syndrome in Primary Care. Journal of General Internal Medicine, 2009, 24, 739-741. | 1.3 | 16 |
| 193 | The Joint Influence of Gender and Amount of Smoking on Weight Gain One Year after Smoking Cessation. International Journal of Environmental Research and Public Health, 2014, 11, 8443-8455. | 1.2 | 16 |
| 194 | Patient and physician gender concordance in preventive care in university primary care settings. Preventive Medicine, 2014, 67, 242-247. | 1.6 | 16 |
| 195 | Association between thyroid dysfunction and venous thromboembolism in the elderly: a prospective cohort study. Journal of Thrombosis and Haemostasis, 2016, 14, 685-694. | 1.9 | 16 |
| 196 | Derivation and validation of a novel bleeding risk score for elderly patients with venous thromboembolism on extended anticoagulation. Thrombosis and Haemostasis, 2017, 117, 1930-1936. | 1.8 | 16 |
| 197 | Association of Diabetes With Atrial Fibrillation Phenotype and Cardiac and Neurological Comorbidities: Insights From the Swissâ€AF Study. Journal of the American Heart Association, 2021, 10, e021800. | 1.6 | 16 |
| 198 | Prospective validation of five malnutrition screening and assessment instruments among medical inpatients: Secondary analysis of a randomized clinical trial. Clinical Nutrition, 2022, 41, 1307-1315. | 2.3 | 16 |

| # | Article | IF | CITATIONS |
|-----|---|-----|-----------|
| 199 | Prevalence, treatment and control of dyslipidaemia in Switzerland: still a long way to go. European Journal of Cardiovascular Prevention and Rehabilitation, 2010, 17, 682-687. | 3.1 | 15 |
| 200 | Exercise Capacity, Heart Failure Risk, and Mortality in Older Adults: The Health ABC Study. American Journal of Preventive Medicine, 2017, 52, 144-153. | 1.6 | 15 |
| 201 | Unwarranted regional variation in vertebroplasty and kyphoplasty in Switzerland: A population-based small area variation analysis. PLoS ONE, 2018, 13, e0208578. | 1.1 | 15 |
| 202 | Prognostic value of pulse pressure after an acute coronary syndrome. Atherosclerosis, 2018, 277, 219-226. | 0.4 | 15 |
| 203 | Clinical presentation and outcomes in elderly patients with symptomatic isolated subsegmental pulmonary embolism. Thrombosis Research, 2019, 184, 24-30. | 0.8 | 15 |
| 204 | Frequency and Acceptance of Clinical Decision Support System-Generated STOPP/START Signals for Hospitalised Older Patients with Polypharmacy and Multimorbidity. Drugs and Aging, 2022, 39, 59-73. | 1.3 | 15 |
| 205 | Renal Function and Body Mass Index Contribute to Serum Neurofilament Light Chain Levels in Elderly Patients With Atrial Fibrillation. Frontiers in Neuroscience, 2022, 16, 819010. | 1.4 | 15 |
| 206 | Association of electrocardiogram abnormalities and incident heart failure events. American Heart Journal, 2014, 167, 869-875.e3. | 1.2 | 14 |
| 207 | Health utility indexes in patients with acute coronary syndromes. Open Heart, 2016, 3, e000419. | 0.9 | 14 |
| 208 | Regional variation of hysterectomy for benign uterine diseases in Switzerland. PLoS ONE, 2020, 15, e0233082. | 1.1 | 14 |
| 209 | Novel Blood Biomarkers for a Diagnostic Workup of Acute Aortic Dissection. Diagnostics, 2021, 11, 615. | 1.3 | 14 |
| 210 | Burden of cardiovascular disease across 29 countries and GPs' decision to treat hypertension in oldest-old. Scandinavian Journal of Primary Health Care, 2018, 36, 89-98. | 0.6 | 13 |
| 211 | Prediction of shortâ€term prognosis in elderly patients with acute pulmonary embolism: validation of the RIETE score. Journal of Thrombosis and Haemostasis, 2018, 16, 1313-1320. | 1.9 | 13 |
| 212 | â€~Optimising PharmacoTherapy In the multimorbid elderly in primary CAre' (OPTICA) to improve medication appropriateness: study protocol of a cluster randomised controlled trial. BMJ Open, 2019, 9, e031080. | 0.8 | 13 |
| 213 | Comparison of self-perceived cardiovascular disease risk among smokers with Framingham and PROCAM scores: a cross-sectional analysis of baseline data from a randomised controlled trial. BMJ Open, 2017, 7, e012063. | 0.8 | 12 |
| 214 | Development of a core outcome set for medication review in older patients with multimorbidity and polypharmacy: a study protocol. Clinical Interventions in Aging, 2017, Volume 12, 1379-1389. | 1.3 | 12 |
| 215 | Patient Characteristics and General Practitioners' Advice to Stop Statins in Oldest-Old Patients: a Survey Study Across 30 Countries. Journal of General Internal Medicine, 2019, 34, 1751-1757. | 1.3 | 12 |
| 216 | Biomarkers of Inflammation and Risk of Hospitalization for Heart Failure in Patients With Atrial Fibrillation. Journal of the American Heart Association, 2021, 10, e019168. | 1.6 | 12 |

| # | Article | IF | Citations |
|-----|---|-----|-----------|
| 217 | Baseline characteristics and comparability of older multimorbid patients with polypharmacy and general practitioners participating in a randomized controlled primary care trial. BMC Family Practice, 2021, 22, 123. | 2.9 | 12 |
| 218 | Sex-related electrocardiographic differences in patients with different types of atrial fibrillation: Results from the SWISS-AF study. International Journal of Cardiology, 2020, 307, 63-70. | 0.8 | 12 |
| 219 | The Impact of CAROtid plaque Screening on Smoking (CAROSS) cessation and control of other cardiovascular risk factors: Rationale and design of a randomized controlled trial. Contemporary Clinical Trials, 2008, 29, 767-773. | 0.8 | 11 |
| 220 | The lower quality of preventive care among forced migrants in a country with universal healthcare coverage. Preventive Medicine, 2014, 59, 19-24. | 1.6 | 11 |
| 221 | Echocardiography does not predict mortality in hemodynamically stable elderly patients with acute pulmonary embolism. Thrombosis Research, 2016, 145, 67-71. | 0.8 | 11 |
| 222 | Do Factor V Leiden and Prothrombin G20210A Mutations Predict Recurrent Venous Thromboembolism in Older Patients?. American Journal of Medicine, 2017, 130, 1220.e17-1220.e22. | 0.6 | 11 |
| 223 | Non-Linear Relationship between Anti-Apolipoprotein A-1 IgGs and Cardiovascular Outcomes in Patients with Acute Coronary Syndromes. Journal of Clinical Medicine, 2019, 8, 1002. | 1.0 | 11 |
| 224 | Recent incidence and surgery trends for prostate cancer: Towards an attenuation of overdiagnosis and overtreatment?. PLoS ONE, 2019, 14, e0210434. | 1.1 | 11 |
| 225 | Regional variation in hip and knee arthroplasty rates in Switzerland: A population-based small area analysis. PLoS ONE, 2020, 15, e0238287. | 1.1 | 11 |
| 226 | Effect of Thyroid Hormone Therapy on Fatigability in Older Adults With Subclinical Hypothyroidism: A Nested Study Within a Randomized Placebo-Controlled Trial. Journals of Gerontology - Series A Biological Sciences and Medical Sciences, 2020, 75, e89-e94. | 1.7 | 11 |
| 227 | Physician's prescribing preference as an instrumental variable. Epidemiology, 2015, 27, 1. | 1.2 | 11 |
| 228 | HDL cholesterol and cardiovascular risk. BMJ: British Medical Journal, 2009, 338, a3065-a3065. | 2.4 | 11 |
| 229 | Cardiovascular Risk Estimation and Eligibility for Statins in Primary Prevention Comparing Different Strategies. American Journal of Cardiology, 2009, 103, 1089-1095. | 0.7 | 10 |
| 230 | Subclinical thyroid disorders. Lancet, The, 2012, 380, 335-336. | 6.3 | 10 |
| 231 | Association of Biomarkers of Lipid Modification with Functional and Morphological Indices of Coronary Stenosis Severity in Stable Coronary Artery Disease. Journal of Cardiovascular Translational Research, 2013, 6, 536-544. | 1.1 | 10 |
| 232 | The Dilemma of Treating Subclinical Hypothyroidism: Risk that Current Guidelines Do More Harm than Good. European Thyroid Journal, 2014, 3, 137-138. | 1.2 | 10 |
| 233 | Associations Between Cardiovascular Risk Factors, Inflammation, and Progression of Carotid Atherosclerosis Among Smokers. Nicotine and Tobacco Research, 2016, 18, 1533-1538. | 1.4 | 10 |
| 234 | Improving inappropriate medication and information transfer at hospital discharge: study protocol for a cluster RCT. Implementation Science, 2018, 13, 155. | 2.5 | 10 |

| # | Article | IF | CITATIONS |
|-----|--|-----|-----------|
| 235 | How blood pressure predicts frailty transitions in older adults in a population-based cohort study: a multi-state transition model. International Journal of Epidemiology, 2022, 51, 1167-1177. | 0.9 | 10 |
| 236 | Anticoagulation Management Practices and Outcomes in Elderly Patients with Acute Venous Thromboembolism: A Clinical Research Study. PLoS ONE, 2016, 11, e0148348. | 1.1 | 10 |
| 237 | Prognostic Value of SYNTAX Score II in Patients with Acute Coronary Syndromes Referred for Invasive Management: A Subanalysis from the SPUM and COMFORTABLE AMI Cohorts. Cardiology Research and Practice, 2018, 2018, 1-11. | 0.5 | 9 |
| 238 | A high Gas6 level in plasma predicts venous thromboembolism recurrence, major bleeding and mortality in the elderly: a prospective multicenter cohort study. Journal of Thrombosis and Haemostasis, 2019, 17, 306-318. | 1.9 | 9 |
| 239 | High-value, data-informed, and team-based care for multimorbidity. Lancet Public Health, The, 2020, 5, e84. | 4.7 | 9 |
| 240 | Improving 1-year mortality prediction in ACS patients using machine learning. European Heart Journal: Acute Cardiovascular Care, 2021, 10, 855-865. | 0.4 | 9 |
| 241 | Influence of Prednisone on Inflammatory Biomarkers in Communityâ€Acquired Pneumonia: Secondary Analysis of a Randomized Trial. Journal of Clinical Pharmacology, 2021, 61, 1406-1414. | 1.0 | 9 |
| 242 | MRI Shows Lung Perfusion Changes after Vaping and Smoking. Radiology, 2022, 304, 195-204. | 3.6 | 9 |
| 243 | Aspirin for the Primary Prevention of Cardiovascular Disease: A Comprehensive Review. Comprehensive Therapy, 2005, 31, 186-193. | 0.2 | 8 |
| 244 | Obesity is not associated with recurrent venous thromboembolism in elderly patients: Results from the prospective SWITCO65+ cohort study. PLoS ONE, 2017, 12, e0184868. | 1.1 | 8 |
| 245 | Anticoagulation quality and clinical outcomes in multimorbid elderly patients with acute venous thromboembolism. Thrombosis Research, 2019, 177, 10-16. | 0.8 | 8 |
| 246 | Prognosis of Patients with Chronic and Hospital-Acquired Anaemia After Acute Coronary Syndromes. Journal of Cardiovascular Translational Research, 2020, 13, 618-628. | 1.1 | 8 |
| 247 | Prognosis in patients with cancerâ€associated venous thromboembolism: Comparison of the RIETEâ€VTE and modified Ottawa score. Journal of Thrombosis and Haemostasis, 2020, 18, 1154-1161. | 1.9 | 8 |
| 248 | Associations of symptoms and quality of life with outcomes in patients with atrial fibrillation. Heart, 2020, 106, 1847-1852. | 1.2 | 8 |
| 249 | Blood Pressure and Brain Lesions in Patients With Atrial Fibrillation. Hypertension, 2021, 77, 662-671. | 1.3 | 8 |
| 250 | Comparison of Bleeding Risk Scores in Elderly Patients Receiving Extended Anticoagulation with Vitamin K Antagonists for Venous Thromboembolism. Thrombosis and Haemostasis, 2021, 121, 1512-1522. | 1.8 | 8 |
| 251 | Challenges in the Management of Atrial Fibrillation With Subclinical Hyperthyroidism. Frontiers in Endocrinology, 2021, 12, 795492. | 1.5 | 8 |
| 252 | Statins for Cardiovascular Prevention According to Different Strategies. American Journal of Cardiovascular Drugs, 2011, 11, 33-44. | 1.0 | 7 |

| # | Article | IF | CITATIONS |
|-----|---|-----|-----------|
| 253 | Agenda Setting During Follow-Up Encounters in a University Primary Care Outpatient Clinic. Health Communication, 2017, 32, 714-720. | 1.8 | 7 |
| 254 | Thrombus aspiration in acute coronary syndromes: prevalence, procedural success, change in serial troponin T levels and clinical outcomes in a contemporary Swiss cohort. European Heart Journal: Acute Cardiovascular Care, 2018, 7, 522-531. | 0.4 | 7 |
| 255 | Prognostic values of fasting hyperglycaemia in non-diabetic patients with acute coronary syndrome: A prospective cohort study. European Heart Journal: Acute Cardiovascular Care, 2020, 9, 589-598. | 0.4 | 7 |
| 256 | Prognostic value of total testosterone levels in patients with acute coronary syndromes. European Journal of Preventive Cardiology, 2021, 28, 235-242. | 0.8 | 7 |
| 257 | The Omega-3 Fatty Acid Eicosapentaenoic Acid (EPA) Correlates Inversely with Ischemic Brain Infarcts in Patients with Atrial Fibrillation. Nutrients, 2021, 13, 651. | 1.7 | 7 |
| 258 | Residual inflammatory risk at 12 months after acute coronary syndromes is frequent and associated with combined adverse events. Atherosclerosis, 2021, 320, 31-37. | 0.4 | 7 |
| 259 | Insulin-like growth factor-binding protein 7 and risk of congestive heart failure hospitalization in patients with atrial fibrillation. Heart Rhythm, 2021, 18, 512-519. | 0.3 | 7 |
| 260 | Experience of hospital-initiated medication changes in older people with multimorbidity: a multicentre mixed-methods study embedded in the OPtimising thERapy to prevent Avoidable hospital admissions in Multimorbid older people (OPERAM) trial. BMJ Quality and Safety, 2022, 31, 888-898. | 1.8 | 7 |
| 261 | Public health impact of statin prescribing strategies based on JUPITER. Preventive Medicine, 2011, 52, 159-163. | 1.6 | 6 |
| 262 | Lessons From the Swiss Medical Board Recommendation Against Mammography Screening Programs. JAMA Internal Medicine, 2014, 174, 1541. | 2.6 | 6 |
| 263 | Safety of Prasugrel Loading Doses inÂPatients Pre-Loaded With ClopidogrelÂinÂtheÂSetting of Primary Percutaneous Coronary Intervention. JACC: Cardiovascular Interventions, 2015, 8, 1064-1074. | 1.1 | 6 |
| 264 | Long-term outcomes of elderly patients with CYP2C9 and VKORC1 variants treated with vitamin K antagonists. Journal of Thrombosis and Haemostasis, 2017, 15, 2165-2175. | 1.9 | 6 |
| 265 | Clinical impact of a structured secondary cardiovascular prevention program following acute coronary syndromes: A prospective multicenter healthcare intervention. PLoS ONE, 2019, 14, e0211464. | 1.1 | 6 |
| 266 | Optimal Timing of Invasive Coronary Angiography following NSTEMI. Journal of Interventional Cardiology, 2020, 2020, 1-9. | 0.5 | 6 |
| 267 | Elevated HbA1c is not associated with recurrent venous thromboembolism in the elderly, but with all-cause mortality– the SWEETCO 65+ study. Scientific Reports, 2020, 10, 2495. | 1.6 | 6 |
| 268 | Blood pressure control and complex health conditions in older adults: impact of recent hypertension management guidelines. Journal of Human Hypertension, 2021, 35, 280-289. | 1.0 | 6 |
| 269 | Novel bleeding risk score for patients with atrial fibrillation on oral anticoagulants, including direct oral anticoagulants. Journal of Thrombosis and Haemostasis, 2021, 19, 931-940. | 1.9 | 6 |
| 270 | Validation of the 2019 European Society of Cardiology Risk Stratification Algorithm for Pulmonary Embolism in Normotensive Elderly Patients. Thrombosis and Haemostasis, 2021, 121, 1660-1667. | 1.8 | 6 |

| # | Article | IF | Citations |
|-----|---|-----|-----------|
| 271 | Heart rate and adverse outcomes in patients with prevalent atrial fibrillation. Open Heart, 2021, 8, e001606. | 0.9 | 6 |
| 272 | Clinical outcomes of modifying hypertension treatment intensity in older adults treated to low blood pressure. Journal of the American Geriatrics Society, 2021, 69, 2831-2841. | 1.3 | 6 |
| 273 | CCN family member 1 (CCN1) is an early marker of infarct size and left ventricular dysfunction in STEMI patients. Atherosclerosis, 2021, 335, 77-83. | 0.4 | 6 |
| 274 | Mortality Associated with Diabetes and Cardiovascular Disease in Older Women. PLoS ONE, 2012, 7, e48818. | 1.1 | 6 |
| 275 | Bone geometry in older adults with subclinical hypothyroidism upon levothyroxine therapy: A nested study within a randomized placebo controlled trial. Bone, 2022, 161, 116404. | 1.4 | 6 |
| 276 | Cost-effectiveness of a structured medication review approach for multimorbid older adults: Within-trial analysis of the OPERAM study. PLoS ONE, 2022, 17, e0265507. | 1.1 | 6 |
| 277 | Should we screen for hypothyroidism in patients with cardiovascular disease?. European Heart Journal, 2016, 37, 2066-2068. | 1.0 | 5 |
| 278 | Statin therapy and recurrent venous thromboembolism in the elderly: a prospective cohort study. Scientific Reports, 2019, 9, 14804. | 1.6 | 5 |
| 279 | Intensified lipid lowering using ezetimibe after publication of the IMPROVE-IT trial: A contemporary analysis from the SPUM-ACS cohort. International Journal of Cardiology, 2020, 303, 8-13. | 0.8 | 5 |
| 280 | Prognostic role of plasma galectin-3 levels in acute coronary syndrome. European Heart Journal: Acute Cardiovascular Care, 2020, 9, 869-878. | 0.4 | 5 |
| 281 | Association of psychosocial factors with allâ€cause hospitalizations in patients with atrial fibrillation. Clinical Cardiology, 2021, 44, 51-57. | 0.7 | 5 |
| 282 | Prognostic value of inflammatory biomarkers and GRACE score for cardiac death and acute kidney injury after acute coronary syndromes. European Heart Journal: Acute Cardiovascular Care, 2021, 10, 445-452. | 0.4 | 5 |
| 283 | Long-term risk of adverse outcomes according to atrial fibrillation type. Scientific Reports, 2022, 12, 2208. | 1.6 | 5 |
| 284 | HOSPITAL Score and LACE Index to Predict Mortality in Multimorbid Older Patients. Drugs and Aging, 2022, 39, 223-234. | 1.3 | 5 |
| 285 | Prevalence and factors associated with chronic use of levothyroxine: A cohort study. PLoS ONE, 2021, 16, e0261160. | 1.1 | 5 |
| 286 | Alcohol Consumption and Morning Rise in Blood Pressure in Men From a Population-Based Study. American Journal of Hypertension, 2009, 22, 1134-1134. | 1.0 | 4 |
| 287 | Association between subclinical hypothyroidism and coronary heart disease in 2006. International Journal of Cardiology, 2009, 132, 127-128. | 0.8 | 4 |
| 288 | Educational Level, Anticoagulation Quality, and Clinical Outcomes in Elderly Patients with Acute Venous Thromboembolism: A Prospective Cohort Study. PLoS ONE, 2016, 11, e0162108. | 1.1 | 4 |

| # | Article | IF | CITATIONS |
|-----|---|------------------|------------|
| 289 | Usefulness of D-Dimer Testing in Predicting Recurrence in Elderly Patients with Unprovoked Venous Thromboembolism. American Journal of Medicine, 2017, 130, 1221-1224. | 0.6 | 4 |
| 290 | Association between insurance status, anticoagulation quality, and clinical outcomes in patients with acute venous thromboembolism. Thrombosis Research, 2019, 173, 124-130. | 0.8 | 4 |
| 291 | Cosyntropin testing does not predict response to glucocorticoids in communityâ€acquired pneumonia in a randomized controlled trial. Clinical Endocrinology, 2019, 91, 374-382. | 1.2 | 4 |
| 292 | Symptoms and quality of life in patients with coexistent atrial fibrillation and atrial flutter. IJC Heart and Vasculature, 2020, 29, 100556. | 0.6 | 4 |
| 293 | Alcohol consumption and risk of cardiovascular outcomes and bleeding in patients with established atrial fibrillation. Cmaj, 2021, 193, E117-E123. | 0.9 | 4 |
| 294 | Cardiac autonomic function and cognitive performance in patients with atrial fibrillation. Clinical Research in Cardiology, 2022, 111, 60-69. | 1.5 | 4 |
| 295 | Development and validation of a life expectancy estimator for multimorbid older adults: a cohort study protocol. BMJ Open, 2021, 11, e048168. | 0.8 | 4 |
| 296 | Age and Sex Specific Prevalence of Clinical and Screen-Detected Atrial Fibrillation in Hospitalized Patients. Journal of Clinical Medicine, 2021, 10, 4871. | 1.0 | 4 |
| 297 | Cysteineâ€Rich Angiogenic Inducer 61 Improves Prognostic Accuracy of GRACE (Global Registry of Acute) Tj ETQq Heart Association, 2021, 10, e020488. | 1 1 0.784 1.6 | 314 rgBT (|
| 298 | Participantsâ \in ™ perspectives and preferences on clinical trial result dissemination: The TRUST Thyroid Trial experience. HRB Open Research, 0, 1, 14. | 0.3 | 4 |
| 299 | Predictors of 1â€year drugâ€related admissions in older multimorbid hospitalized adults. Journal of the American Geriatrics Society, 2022, 70, 1510-1516. | 1.3 | 4 |
| 300 | No Effect of Levothyroxine on Hemoglobin in Older Adults With Subclinical Hypothyroidism: Pooled Results From 2 Randomized Controlled Trials. Journal of Clinical Endocrinology and Metabolism, 2022, 107, e2339-e2347. | 1.8 | 4 |
| 301 | Major bleeding risk in anticoagulated patients receiving concomitant antiplatelet therapy: A prospective study. Thrombosis Research, 2013, 131, 502-507. | 0.8 | 3 |
| 302 | The Adherence to Initial Processes of Care in Elderly Patients with Acute Venous Thromboembolism. PLoS ONE, 2014, 9, e100164. | 1.1 | 3 |
| 303 | Subclinical thyroid dysfunction and depressive symptoms: protocol for a systematic review and individual participant data meta-analysis of prospective cohort studies. BMJ Open, 2019, 9, e029716. | 0.8 | 3 |
| 304 | Risk stratification of elderly patients with acute pulmonary embolism. European Journal of Clinical Investigation, 2019, 49, e13154. | 1.7 | 3 |
| 305 | The Admit-AF risk score: A clinical risk score for predicting hospital admissions in patients with atrial fibrillation. European Journal of Preventive Cardiology, 2021, 28, 624-630. | 0.8 | 3 |
| 306 | The SilenT AtRial FIBrillation (STAR-FIB) study programme – design and rationale. Swiss Medical Weekly, 2021, 151, w20421. | 0.8 | 3 |

| # | Article | IF | Citations |
|-----|---|-----|-----------|
| 307 | Biomarkers, Clinical Variables, and the CHA2DS2-VASc Score to Detect Silent Brain Infarcts in Atrial Fibrillation Patients. Journal of Stroke, 2021, 23, 449-452. | 1.4 | 3 |
| 308 | Participants' perspectives and preferences on clinical trial result dissemination: The TRUST Thyroid Trial experience. HRB Open Research, 2018, 1, 14. | 0.3 | 3 |
| 309 | Clinically relevant quality measures for risk factor control in primary care: a retrospective cohort study. BMC Health Services Research, 2014, 14, 306. | 0.9 | 2 |
| 310 | Frequency of use and acceptability of clinical prediction rules for pulmonary embolism among Swiss general internal medicine residents. Thrombosis Research, 2017, 160, 9-13. | 0.8 | 2 |
| 311 | Thyroid Hormone Therapy for Subclinical Hypothyroidismâ€"Reply. JAMA - Journal of the American Medical Association, 2019, 321, 804. | 3.8 | 2 |
| 312 | Association of the CHA2D(S2)-VASc Score and Its Components With Overt and Silent Ischemic Brain Lesions in Patients With Atrial Fibrillation. Frontiers in Neurology, 2020, 11, 609234. | 1.1 | 2 |
| 313 | Hospital revascularisation capability and quality of care after an acute coronary syndrome in Switzerland. Swiss Medical Weekly, 2016, 146, w14275. | 0.8 | 2 |
| 314 | Variation in regional implantation patterns of cardiac implantable electronic device in Switzerland. PLoS ONE, 2022, 17, e0262959. | 1.1 | 2 |
| 315 | Do Patients with a Family or Personal History of Venous Thromboembolism have an Increased Risk of Recurrence?. Thrombosis and Haemostasis, 2021, , . | 1.8 | 2 |
| 316 | Smoking Cessation in People With and Without Diabetes After Acute Coronary Syndrome. Nicotine and Tobacco Research, 2023, 25, 58-65. | 1.4 | 2 |
| 317 | Thyrotropin Levels and Coronary Heart Disease Mortality. Archives of Internal Medicine, 2008, 168, 2498. | 4.3 | 1 |
| 318 | WEIGHT GAIN ACCORDING TO GUM USE IN PARTICIPANTS IN THE INTERVENTION GROUPS: COMMENT ON FERGUSON ⟨i⟩ETâ€∫AL⟨ i⟩. 2011. Addiction, 2011, 106, 1708-1708. | 1.7 | 1 |
| 319 | Evidence and controversies regarding the screening for subclinical hypothyroidism in patients with cardiovascular disease. Journal of Thoracic Disease, 2016, 8, E446-E450. | 0.6 | 1 |
| 320 | Pre-hospital alarm activation for STEMI patients undergoing primary percutaneous coronary intervention in the era of transradial procedures. European Journal of Internal Medicine, 2016, 35, 83-88. | 1.0 | 1 |
| 321 | Control of cardiovascular risk factors and health behaviors in patients post acute coronary syndromes eligible for protein convertase subtilisin/kexin-9 inhibitors. International Journal of Cardiology, 2020, 299, 289-295. | 0.8 | 1 |
| 322 | Response to "Electrocardiographic sexual differences in patients with atrial fibrillation― International Journal of Cardiology, 2020, 308, 50-51. | 0.8 | 1 |
| 323 | High regional variation in prostate surgery for benign prostatic hyperplasia in Switzerland. PLoS ONE, 2021, 16, e0254143. | 1,1 | 1 |
| 324 | Association between income and control of cardiovascular risk factors after acute coronary syndromes: an observational study. Swiss Medical Weekly, 2019, 149, w20049. | 0.8 | 1 |

| # | Article | IF | CITATIONS |
|-----|---|-------------------|--------------|
| 325 | Thrombin Generation to Predict the Risk of Venous Thromboembolism Recurrence, Major Bleeding and Death in the Elderly: A Prospective Multicenter Cohort Study. Blood, 2021, 138, 3222-3222. | 0.6 | 1 |
| 326 | Incorporating Baseline Outcome Data in Individual Participant Data Meta-Analysis of Non-randomized Studies. Frontiers in Psychiatry, 2022, 13, 774251. | 1.3 | 1 |
| 327 | Association of pulmonary vein isolation and major cardiovascular events in patients with atrial fibrillation. Clinical Research in Cardiology, 2022, , $1.$ | 1.5 | 1 |
| 328 | Carotid plaque screening as a motivational tool for healthy behavior. American Heart Journal, 2008, 155, e37. | 1.2 | 0 |
| 329 | Response to Tomoyuki Kawada, MD: Smoking, Systolic Blood Pressure, Fasting Plasma Glucose and Progression of Carotid Atherosclerosis. Nicotine and Tobacco Research, 2016, 18, 1681-1681. | 1.4 | O |
| 330 | Response to the Letter by Choy. Journal of Clinical Endocrinology and Metabolism, 2017, 102, 1409-1410. | 1.8 | 0 |
| 331 | Letter by LA¶we et al Regarding Article, a€œLow-Density Lipoprotein Cholesterol Lowering for the Primary Prevention of Cardiovascular Disease Among Men With Primary Elevations of Low-Density Lipoprotein Cholesterol Levels of 190 mg/dL or Above: Analyses From the WOSCOPS (West of Scotland Coronary) Tj ETQq1 1 | l 0. 78431 | 4 og BT /Ove |
| 332 | The Reply. American Journal of Medicine, 2021, 134, e71. | 0.6 | 0 |
| 333 | Association between self-reported motivation to quit smoking with effectiveness of smoking cessation intervention among patients hospitalized for acute coronary syndromes in Switzerland. Preventive Medicine Reports, 2021, 24, 101583. | 0.8 | О |
| 334 | Relationship Between Subclinical Thyroid Dysfunction and Heart Failure and Mortality., 2009,, 167-177. | | 0 |
| 335 | Appropriateness of Screening of Angiopathic Complications Prevention in Ambulatory Patients with Diabetes. Open Journal of Preventive Medicine, 2015, 05, 244-258. | 0.2 | o |
| 336 | Variation in treatment strategies of Swiss general practitioners for subclinical hypothyroidism in older adults. Swiss Medical Weekly, 2015, 145, w14156. | 0.8 | 0 |
| 337 | New concepts in the management of dyslipidaemiaa. Swiss Medical Weekly, 2016, 146, w14378. | 0.8 | 0 |
| 338 | Cross-sectional study on the prevalence of influenza and pneumococcal vaccination and its association with health conditions and risk factors among hospitalized multimorbid older patients. PLoS ONE, 2021, 16, e0260112. | 1.1 | 0 |
| 339 | Association between ventricular repolarization parameters and cardiovascular death in patients of the SWISS-AF cohort. International Journal of Cardiology, 2022, , . | 0.8 | O |
| 340 | Potentially inappropriate medication and attitudes of older adults towards deprescribing., 2020, 15, e0240463. | | 0 |
| 341 | Potentially inappropriate medication and attitudes of older adults towards deprescribing., 2020, 15, e0240463. | | О |
| 342 | Potentially inappropriate medication and attitudes of older adults towards deprescribing. , 2020, 15, e0240463. | | 0 |

| # | Article | IF | CITATIONS |
|-----|---|----|-----------|
| 343 | Potentially inappropriate medication and attitudes of older adults towards deprescribing. , 2020, 15, e0240463. | | O |
| 344 | Potentially inappropriate medication and attitudes of older adults towards deprescribing., 2020, 15, e0240463. | | 0 |
| 345 | Potentially inappropriate medication and attitudes of older adults towards deprescribing., 2020, 15, e0240463. | | 0 |