

# Eslam El-Fiky

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1959788/publications.pdf>

Version: 2024-02-01

61  
papers

1,359  
citations

304743

22  
h-index

361022

35  
g-index

61  
all docs

61  
docs citations

61  
times ranked

1273  
citing authors

#	ARTICLE	IF	CITATIONS
1	Silicon Photonic Single-Segment IQ Modulator for Net 1 Tbps/s Transmission Using All-Electronic Equalization. <i>Journal of Lightwave Technology</i> , 2023, 41, 1192-1199.	4.6	7
2	CMOS-Compatible and Temperature Insensitive C-Band Wavelength (De-)multiplexer. <i>IEEE Photonics Technology Letters</i> , 2022, 34, 769-772.	2.5	1
3	Demonstration of 108 Gb/s Duo-Binary PAM-8 Transmission and the Probabilistic Modeling of DB-PAM-M BER. <i>IEEE Photonics Journal</i> , 2021, 13, 1-14.	2.0	5
4	Systematic Performance Comparison of (Duobinary)-PAM-2,4 Signaling under Light and Strong Opto-Electronic Bandwidth Conditions. <i>Photonics</i> , 2021, 8, 81.	2.0	1
5	Net 220 Gbps/s IM/DD Transmission in O-Band and C-Band With Silicon Photonic Traveling-Wave MZM. <i>Journal of Lightwave Technology</i> , 2021, 39, 4270-4278.	4.6	24
6	Adiabatic Coupler With Nonlinearly Tapered Mode-Evolution Region. <i>IEEE Photonics Technology Letters</i> , 2021, 33, 840-843.	2.5	5
7	Integrated polarisation handling devices. <i>IET Optoelectronics</i> , 2020, 14, 109-119.	3.3	13
8	Integration of periodic, sub-wavelength structures in silicon-on-insulator photonic device design. <i>IET Optoelectronics</i> , 2020, 14, 125-135.	3.3	7
9	Nonlinearly Tapered 3-dB Adiabatic Coupler. , 2020, , .		0
10	Wavelength-Interleaved 4D-PAM4-TCM in a 4- $\lambda$ 100 Gb/s CWDM System. <i>IEEE Photonics Technology Letters</i> , 2020, 32, 755-758.	2.5	3
11	Experimental Demonstration of 600 Gb/s Net Rate PAM4 Transmissions over 2 km and 10 km with a 4- $\lambda$ CWDM TOSA. <i>Journal of Lightwave Technology</i> , 2020, , 1-1.	4.6	5
12	100 Gb/s/ $\lambda$ Duo-Binary PAM-4 Transmission Using 25G Components Achieving 50 km Reach. <i>IEEE Photonics Technology Letters</i> , 2020, 32, 138-141.	2.5	13
13	240 Gbit/s Silicon Photonic Mach-Zehnder Modulator Enabled by Two 2.3-Vpp Drivers. <i>Journal of Lightwave Technology</i> , 2020, , 1-1.	4.6	20
14	23-dB average isolation using a silicon photonic Mach-Zehnder modulator. <i>Optics Express</i> , 2020, 28, 26056.	3.4	0
15	Ultra-Broadband and Compact Two-Mode Multiplexer Based on Subwavelength-Grating-Slot-Assisted Adiabatic Coupler for the Silicon-on-Insulator Platform. <i>Journal of Lightwave Technology</i> , 2019, 37, 5790-5800.	4.6	33
16	Adiabatic Coupler With Design-Intended Splitting Ratio. <i>Journal of Lightwave Technology</i> , 2019, 37, 6147-6155.	4.6	31
17	C-Band and O-Band Silicon Photonic Based Low-Power Variable Optical Attenuators. <i>IEEE Photonics Journal</i> , 2019, 11, 1-8.	2.0	1
18	Silicon Photonic Mach-Zehnder Modulator Architectures for on Chip PAM-4 Signal Generation. <i>Journal of Lightwave Technology</i> , 2019, 37, 2989-2999.	4.6	42

#	ARTICLE	IF	CITATIONS
19	Silicon-based optical links using novel direct detection, coherent detection and dual polarization methods for new generation transport architectures. <i>Optics Communications</i> , 2019, 450, 48-60.	2.1	11
20	Compact Broadband Polarization Beam Splitter Based on Multimode Interference Coupler With Internal Photonic Crystal for the SOI Platform. <i>Journal of Lightwave Technology</i> , 2019, 37, 1231-1240.	4.6	70
21	25 and 50 Gb/s/ $\lambda$ PAM-4 Transmission Over 43 and 21 km Using a Simplified Coherent Receiver on SOI. <i>IEEE Photonics Technology Letters</i> , 2019, 31, 799-802.	2.5	9
22	Dual Parallel Multielectrode Traveling Wave Mach-Zehnder Modulator for 200 Gb/s Intra-datacenter Optical Interconnects. <i>IEEE Photonics Journal</i> , 2019, 11, 1-9.	2.0	5
23	400 Gb/s O-band silicon photonic transmitter for intra-datacenter optical interconnects. <i>Optics Express</i> , 2019, 27, 10258.	3.4	30
24	Optimization of thermo-optic phase-shifter design and mitigation of thermal crosstalk on the SOI platform. <i>Optics Express</i> , 2019, 27, 10456.	3.4	131
25	180 Gb/s single carrier single polarization 16-QAM transmission using an O-band silicon photonic IQM. <i>Optics Express</i> , 2019, 27, 14447.	3.4	17
26	Broadband 1310/1550-nm wavelength demultiplexer based on a multimode interference coupler with tapered internal photonic crystal for the silicon-on-insulator platform. <i>Optics Letters</i> , 2019, 44, 1770.	3.3	17
27	High extinction ratio and broadband O-band polarization splitter and rotator on silicon-on-insulator. , 2019, , .		3
28	Polarization Beam Splitter Based on MMI Coupler With SWG Birefringence Engineering on SOI. <i>IEEE Photonics Technology Letters</i> , 2018, 30, 403-406.	2.5	71
29	Compact high-performance adiabatic 3-dB coupler enabled by subwavelength grating slot in the silicon-on-insulator platform. <i>Optics Express</i> , 2018, 26, 29873.	3.4	48
30	Compact, Angled Polarization Splitter: Characterization of Broadband Performance and Fabrication Tolerance. <i>IEEE Photonics Journal</i> , 2018, , 1-1.	2.0	7
31	First demonstration of a 400 Gb/s 4 $\lambda$ CWDM TOSA for datacenter optical interconnects. <i>Optics Express</i> , 2018, 26, 19742.	3.4	23
32	100 Gb/s PAM4 transmission system for datacenter interconnects using a SiP ME-MZM based DAC-less transmitter and a VSB self-coherent receiver. <i>Optics Express</i> , 2018, 26, 23969.	3.4	16
33	Modulator material impact on chirp, DSP, and performance in coherent digital links: comparison of the lithium niobate, indium phosphide, and silicon platforms. <i>Optics Express</i> , 2018, 26, 22471.	3.4	14
34	Single-Lane 145 Gbit/s IM/DD Transmission With Faster-Than-Nyquist PAM4 Signaling. <i>IEEE Photonics Technology Letters</i> , 2018, 30, 1238-1241.	2.5	40
35	Polarization-Independent Mode-Evolution-Based Coupler for the Silicon-on-Insulator Platform. <i>IEEE Photonics Journal</i> , 2018, 10, 1-10.	2.0	32
36	Silicon photonic dual-drive MIM based 56 Gb/s DAC-less and DSP-free PAM-4 transmission. <i>Optics Express</i> , 2018, 26, 5395.	3.4	6

#	ARTICLE	IF	CITATIONS
37	DSP-free "coherent-lite"™ transceiver for next generation single wavelength optical intra-datacenter interconnects. Optics Express, 2018, 26, 8890.	3.4	99
38	Transversely coupled Fabry-Perot resonators with Bragg grating reflectors. Optics Letters, 2018, 43, 13.	3.3	18
39	DSP-Free 25-Gbit/s PAM-4 Transmission Using 10G Transmitter and Coherent Amplification. IEEE Photonics Technology Letters, 2018, 30, 1547-1550.	2.5	14
40	Ultra-broadband Compact Adiabatic Coupler in Silicon-on-Insulator for Joint Operation in the C- and O-Bands. , 2018, , .		4
41	CMOS-compatible multi-band plasmonic TE-pass polarizer. Optics Express, 2018, 26, 30292.	3.4	32
42	56 Gb/s DAC-less and DSP-free PAM-4 Using A Silicon Photonic Dual-drive Michelson Interferometric Modulator. , 2018, , .		1
43	Ultra-Broadband and Compact Asymmetrical Beam Splitter Enabled by Angled Sub-Wavelength Grating MMI. , 2018, , .		3
44	Experimental study of performance enhanced IM/DD transmissions combining 4D Trellis coded modulation with precoding. Optics Express, 2018, 26, 32522.	3.4	12
45	Silicon Photonic Ring-Assisted MZI for 50 Gb/s DAC-Less and DSP-Free PAM-4 Transmission. IEEE Photonics Technology Letters, 2017, 29, 1046-1049.	2.5	21
46	A CMOS Compatible Ultracompact Silicon Photonic Optical Add-Drop Multiplexer with Misaligned Sidewall Bragg Gratings. IEEE Photonics Journal, 2017, 9, 1-10.	2.0	22
47	An 80 Gb/s Silicon Photonic Modulator Based on the Principle of Overlapped Resonances. IEEE Photonics Journal, 2017, 9, 1-11.	2.0	9
48	168-Gb/s Single Carrier PAM4 Transmission for Intra-Data Center Optical Interconnects. IEEE Photonics Technology Letters, 2017, 29, 314-317.	2.5	40
49	O-band sub-wavelength grating coupler. , 2017, , .		0
50	Analysis and Experimental Study of a Silicon Photonic Single MRM-Assisted MZI PAM-4 Modulator. IEEE Photonics Journal, 2017, 9, 1-7.	2.0	3
51	High-speed low-chirp PAM-4 transmission based on push-pull silicon photonic microring modulators. Optics Express, 2017, 25, 13222.	3.4	37
52	Experimental parametric study of 128 Gb/s PAM-4 transmission system using a multi-electrode silicon photonic Mach Zehnder modulator. Optics Express, 2017, 25, 13252.	3.4	78
53	Self-homodyne system for next generation intra-datacenter optical interconnects. Optics Express, 2017, 25, 27834.	3.4	35
54	Intensity directed equalizer for the mitigation of DML chirp induced distortion in dispersion-unmanaged C-band PAM transmission. Optics Express, 2017, 25, 28123.	3.4	35

#	ARTICLE	IF	CITATIONS
55	200 Gb/s transmission using a dual-polarization O-Band silicon photonic intensity modulator for Stokes vector direct detection applications. Optics Express, 2017, 25, 30336.	3.4	16
56	Compact single-etched sub-wavelength grating couplers for O-band application. Optics Express, 2017, 25, 30582.	3.4	18
57	Single wavelength 480 Gb/s direct detection over 80km SSMF enabled by Stokes vector Kramers Kronig transceiver. Optics Express, 2017, 25, 33534.	3.4	37
58	Novel polarization beam splitter based on p-i-n structure for an indium phosphide platform. , 2017, , .		5
59	Broadband sub-wavelength grating coupler for O-band application. , 2017, , .		0
60	Polarization Independent Adiabatic 3-dB Coupler for Silicon-on-Insulator. , 2017, , .		8
61	A Silicon Photonic PAM-4 Modulator Based on Dual-Parallel Mach-Zehnder Interferometers. IEEE Photonics Journal, 2016, 8, 1-10.	2.0	51