

# Jamie R Kutasovic

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/196089/publications.pdf>

Version: 2024-02-01

23  
papers

930  
citations

567281

15  
h-index

642732

23  
g-index

26  
all docs

26  
docs citations

26  
times ranked

1930  
citing authors

| #  | ARTICLE   | IF  | CITATIONS |
|----|---|-----|-----------|
| 1  | Invasive lobular carcinoma of the breast: morphology, biomarkers and omics. <i>Breast Cancer Research</i> , 2015, 17, 12.   | 5.0 | 256       |
| 2  | Metastatic progression of breast cancer: insights from 50 years of autopsies. <i>Journal of Pathology</i> , 2014, 232, 23-31.   | 4.5 | 161       |
| 3  | Phenotypic and molecular dissection of metaplastic breast cancer and the prognostic implications. <i>Journal of Pathology</i> , 2019, 247, 214-227.   | 4.5 | 73        |
| 4  | Thrombospondin-4 expression is activated during the stromal response to invasive breast cancer. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , 2013, 463, 535-545.   | 2.8 | 54        |
| 5  | An epithelial to mesenchymal transition programme does not usually drive the phenotype of invasive lobular carcinomas. <i>Journal of Pathology</i> , 2016, 238, 489-494.  | 4.5 | 32        |
| 6  | Mixed ductal-lobular carcinomas: evidence for progression from ductal to lobular morphology. <i>Journal of Pathology</i> , 2018, 244, 460-468.  | 4.5 | 31        |
| 7  | Breast cancer metastasis to gynaecological organs: a clinicopathological and molecular profiling study. <i>Journal of Pathology: Clinical Research</i> , 2019, 5, 25-39.  | 3.0 | 31        |
| 8  | LobSig is a multigene predictor of outcome in invasive lobular carcinoma. <i>Npj Breast Cancer</i> , 2019, 5, 18.   | 5.2 | 28        |
| 9  | Multidimensional phenotyping of breast cancer cell lines to guide preclinical research. <i>Breast Cancer Research and Treatment</i> , 2018, 167, 289-301.   | 2.5 | 27        |
| 10 | Evaluating the repair of DNA derived from formalin-fixed paraffin-embedded tissues prior to genomic profiling by SNP-CGH analysis. <i>Laboratory Investigation</i> , 2013, 93, 701-710.   | 3.7 | 26        |
| 11 | Novel highly specific anti-periostin antibodies uncover the functional importance of the fascilin 1 domain and highlight preferential expression of periostin in aggressive breast cancer. <i>International Journal of Cancer</i> , 2016, 138, 1959-1970.   | 5.1 | 26        |
| 12 | Metaplastic breast cancers frequently express immune checkpoint markers FOXP3 and PD-L1. <i>British Journal of Cancer</i> , 2020, 123, 1665-1672.   | 6.4 | 26        |
| 13 | Recent advances in breast cancer research impacting clinical diagnostic practice. <i>Journal of Pathology</i> , 2019, 247, 552-562.   | 4.5 | 24        |
| 14 | Overexpression of miRNA-25-3p inhibits Notch1 signaling and TGF- $\beta$ -induced collagen expression in hepatic stellate cells. <i>Scientific Reports</i> , 2019, 9, 8541.   | 3.3 | 23        |
| 15 | Secreted cellular prion protein binds doxorubicin and correlates with anthracycline resistance in breast cancer. <i>JCI Insight</i> , 2019, 5, .  | 5.0 | 21        |
| 16 | Integrin alpha-2 and beta-1 expression increases through multiple generations of the EDW01 patient-derived xenograft model of breast cancer insight into their role in epithelial mesenchymal transition in vivo gained from an in vitro model system. <i>Breast Cancer Research</i> , 2020, 22, 136. | 5.0 | 16        |
| 17 | Digital spatial profiling application in breast cancer: a user's perspective. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , 2020, 477, 885-890.   | 2.8 | 16        |
| 18 | Morphologic and Genomic Heterogeneity in the Evolution and Progression of Breast Cancer. <i>Cancers</i> , 2020, 12, 848.  | 3.7 | 14        |

| #  | ARTICLE   | IF  | CITATIONS |
|----|---|-----|-----------|
| 19 | The Genomic Landscape of Lobular Breast Cancer. <i>Cancers</i> , 2021, 13, 1950.  | 3.7 | 13        |
| 20 | Clinicopathologic significance of nuclear HER4 and phospho-YAP(S <sup>127</sup> ) in human breast cancers and matching brain metastases. <i>Therapeutic Advances in Medical Oncology</i> , 2020, 12, 175883592094625. | 3.2 | 11        |
| 21 | Epigenome erosion and SOX10 drive neural crest phenotypic mimicry in triple-negative breast cancer. <i>Npj Breast Cancer</i> , 2022, 8, 57.   | 5.2 | 11        |
| 22 | N-glycolylneuraminic acid serum biomarker levels are elevated in breast cancer patients at all stages of disease. <i>BMC Cancer</i> , 2022, 22, 334.  | 2.6 | 7         |
| 23 | Phenotypic drift in metastatic progression of breast cancer: A case report with histologically heterogeneous lesions that are clonally related. <i>Clinical Case Reports (discontinued)</i> , 2020, 8, 2725-2731.     | 0.5 | 1         |