

Robb Krumlauf

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1965645/publications.pdf>

Version: 2024-02-01

185
papers

26,047
citations

6592

79
h-index

6282

158
g-index

209
all docs

209
docs citations

209
times ranked

14160
citing authors

#	ARTICLE	IF	CITATIONS
1	Transcriptional Regulation and Implications for Controlling Hox Gene Expression. <i>Journal of Developmental Biology</i> , 2022, 10, 4.	0.9	17
2	Diversification and Functional Evolution of HOX Proteins. <i>Frontiers in Cell and Developmental Biology</i> , 2022, 10, .	1.8	8
3	Genome-Wide Binding Analyses of HOXB1 Revealed a Novel DNA Binding Motif Associated with Gene Repression. <i>Journal of Developmental Biology</i> , 2021, 9, 6.	0.9	9
4	Segmentation and patterning of the vertebrate hindbrain. <i>Development (Cambridge)</i> , 2021, 148, .	1.2	41
5	Retinoic Acid Signaling in Vertebrate Hindbrain Segmentation: Evolution and Diversification. <i>Diversity</i> , 2021, 13, 398.	0.7	6
6	Analysis of lamprey meis genes reveals that conserved inputs from Hox, Meis and Pbx proteins control their expression in the hindbrain and neural tube. <i>Developmental Biology</i> , 2021, 479, 61-76.	0.9	6
7	Inter-rhombomeric interactions reveal roles for fibroblast growth factors signaling in segmental regulation of <i>EphA4</i> expression. <i>Developmental Dynamics</i> , 2020, 249, 354-368.	0.8	3
8	FAM20B-catalyzed glycosaminoglycans control murine tooth number by restricting FGFR2b signaling. <i>BMC Biology</i> , 2020, 18, 87.	1.7	13
9	A six-amino-acid motif is a major determinant in functional evolution of HOX1 proteins. <i>Genes and Development</i> , 2020, 34, 1680-1696.	2.7	16
10	A Hox gene regulatory network for hindbrain segmentation. <i>Current Topics in Developmental Biology</i> , 2020, 139, 169-203.	1.0	42
11	A conserved regulatory program initiates lateral plate mesoderm emergence across chordates. <i>Nature Communications</i> , 2019, 10, 3857.	5.8	51
12	<i>Hox</i> genes: Downstream effectors of retinoic acid signaling in vertebrate embryogenesis. <i>Genesis</i> , 2019, 57, e23306.	0.8	45
13	Downregulation of FGF Signaling by <i>Spry4</i> Overexpression Leads to Shape Impairment, Enamel Irregularities, and Delayed Signaling Center Formation in the Mouse Molar. <i>JBMR Plus</i> , 2019, 3, e10205.	1.3	4
14	An atlas of anterior hox gene expression in the embryonic sea lamprey head: Hox-code evolution in vertebrates. <i>Developmental Biology</i> , 2019, 453, 19-33.	0.9	21
15	A Hox-TALE regulatory circuit for neural crest patterning is conserved across vertebrates. <i>Nature Communications</i> , 2019, 10, 1189.	5.8	38
16	Shh Plays an Inhibitory Role in Cusp Patterning by Regulation of <i>Sostdc1</i> . <i>Journal of Dental Research</i> , 2019, 98, 98-106.	2.5	16
17	The sea lamprey germline genome provides insights into programmed genome rearrangement and vertebrate evolution. <i>Nature Genetics</i> , 2018, 50, 270-277.	9.4	262
18	Retinoid-Sensitive Epigenetic Regulation of the Hoxb Cluster Maintains Normal Hematopoiesis and Inhibits Leukemogenesis. <i>Cell Stem Cell</i> , 2018, 22, 740-754.e7.	5.2	33

#	ARTICLE	IF	CITATIONS
19	Coupling the roles of Hox genes to regulatory networks patterning cranial neural crest. <i>Developmental Biology</i> , 2018, 444, S67-S78.	0.9	52
20	Hox genes, clusters and collinearity. <i>International Journal of Developmental Biology</i> , 2018, 62, 659-663.	0.3	44
21	Hox Regulation of Neural Crest Cells during Craniofacial Development. <i>FASEB Journal</i> , 2018, 32, 778.2.	0.2	0
22	FGF signaling refines Wnt gradients to regulate patterning of taste papillae. <i>Development (Cambridge)</i> , 2017, 144, 2212-2221.	1.2	17
23	Dynamic regulation of Nanog and stem cell-signaling pathways by Hoxa1 during early neuro-ectodermal differentiation of ES cells. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2017, 114, 5838-5845.	3.3	54
24	Hoxa1 targets signaling pathways during neural differentiation of ES cells and mouse embryogenesis. <i>Developmental Biology</i> , 2017, 432, 151-164.	0.9	41
25	Modulating Wnt Signaling Rescues Palate Morphogenesis in <i>Pax9</i> Mutant Mice. <i>Journal of Dental Research</i> , 2017, 96, 1273-1281.	2.5	54
26	IRF6 and SPRY4 Signaling Interact in Periderm Development. <i>Journal of Dental Research</i> , 2017, 96, 1306-1313.	2.5	18
27	Segmental arithmetic: summing up the <i>Hox</i> gene regulatory network for hindbrain development in chordates. <i>Wiley Interdisciplinary Reviews: Developmental Biology</i> , 2017, 6, e286.	5.9	47
28	HOXA1 and TALE proteins display cross-regulatory interactions and form a combinatorial binding code on HOXA1 targets. <i>Genome Research</i> , 2017, 27, 1501-1512.	2.4	35
29	Multiple modes of Lrp4 function in modulation of Wnt/ β -catenin signaling during tooth development. <i>Development (Cambridge)</i> , 2017, 144, 2824-2836.	1.2	43
30	Hox Genes and the Hindbrain. <i>Current Topics in Developmental Biology</i> , 2016, 116, 581-596.	1.0	29
31	The vertebrate <i>Hox</i> gene regulatory network for hindbrain segmentation: Evolution and diversification. <i>BioEssays</i> , 2016, 38, 526-538.	1.2	61
32	Analyses of fugu <i>hoxa2</i> genes provide evidence for subfunctionalization of neural crest cell and rhombomere cis-regulatory modules during vertebrate evolution. <i>Developmental Biology</i> , 2016, 409, 530-542.	0.9	10
33	<i>HOX</i> s and lincRNAs: Two sides of the same coin. <i>Science Advances</i> , 2016, 2, e1501402.	4.7	47
34	The Methylation-Sensitive Enhancer Derare Maintains Hematopoietic Stem Cells through Regulation of Hoxb Cluster. <i>Blood</i> , 2016, 128, 725-725.	0.6	0
35	In vivo mechanical loading rapidly activates β -catenin signaling in osteocytes through a prostaglandin mediated mechanism. <i>Bone</i> , 2015, 76, 58-66.	1.4	121
36	Analysis of dynamic changes in retinoid-induced transcription and epigenetic profiles of murine <i>Hox</i> clusters in ES cells. <i>Genome Research</i> , 2015, 25, 1229-1243.	2.4	64

#	ARTICLE	IF	CITATIONS
37	A Conserved Cis-Regulatory Retinoic Acid Responsive Element Is Essential for Maintenance of Primitive Hematopoietic Stem Cells through Regulation of Hoxb Cluster. <i>Blood</i> , 2015, 126, 2377-2377.	0.6	0
38	Wise Regulates Bone Deposition through Genetic Interactions with Lrp5. <i>PLoS ONE</i> , 2014, 9, e96257.	1.1	19
39	Long-range regulation by shared retinoic acid response elements modulates dynamic expression of posterior Hoxb genes in CNS development. <i>Developmental Biology</i> , 2014, 388, 134-144.	0.9	48
40	A Hox regulatory network of hindbrain segmentation is conserved to the base of vertebrates. <i>Nature</i> , 2014, 514, 490-493.	13.7	88
41	Hox Complex Analysis Through BAC Recombineering. <i>Methods in Molecular Biology</i> , 2014, 1196, 59-87.	0.4	0
42	Shadow enhancers flanking the HoxB cluster direct dynamic Hox expression in early heart and endoderm development. <i>Developmental Biology</i> , 2013, 383, 158-173.	0.9	52
43	Combined function of HoxA and HoxB clusters in neural crest cells. <i>Developmental Biology</i> , 2013, 382, 293-301.	0.9	21
44	Lrp4 and Wise interplay controls the formation and patterning of mammary and other skin appendage placodes by modulating Wnt signaling. <i>Development (Cambridge)</i> , 2013, 140, 583-593.	1.2	81
45	Duplications of hox gene clusters and the emergence of vertebrates. <i>Developmental Biology</i> , 2013, 378, 194-199.	0.9	62
46	Sequencing of the sea lamprey (<i>Petromyzon marinus</i>) genome provides insights into vertebrate evolution. <i>Nature Genetics</i> , 2013, 45, 415-421.	9.4	588
47	Insights from transcriptional profiling the mouse hindbrain: Novel feedback between retinoids and Hox genes. <i>FASEB Journal</i> , 2013, 27, 966.1.	0.2	0
48	Poised RNA Polymerase II Changes over Developmental Time and Prepares Genes for Future Expression. <i>Cell Reports</i> , 2012, 2, 1670-1683.	2.9	95
49	Evolution of anterior Hox regulatory elements among chordates. <i>BMC Evolutionary Biology</i> , 2011, 11, 330.	3.2	25
50	Regulation of tooth number by fine-tuning levels of receptor-tyrosine kinase signaling. <i>Development (Cambridge)</i> , 2011, 138, 4063-4073.	1.2	52
51	Dynamic transcriptional events in embryonic stem cells mediated by the super elongation complex (SEC). <i>Genes and Development</i> , 2011, 25, 1486-1498.	2.7	161
52	BAC Modification through Serial or Simultaneous Use of CRE/Lox Technology. <i>Journal of Biomedicine and Biotechnology</i> , 2011, 2011, 1-12.	3.0	7
53	Inhibition of Wnt signaling by Wise (<i>Sostdc1</i>) and negative feedback from Shh controls tooth number and patterning. <i>Development (Cambridge)</i> , 2010, 137, 3221-3231.	1.2	197
54	Special Introduction. <i>Developmental Biology</i> , 2010, 339, 224.	0.9	0

#	ARTICLE	IF	CITATIONS
55	<i>Hox</i> Genes and Segmentation of the Hindbrain and Axial Skeleton. Annual Review of Cell and Developmental Biology, 2009, 25, 431-456.	4.0	267
56	Global Analysis of H3K4 Methylation Defines MLL Family Member Targets and Points to a Role for MLL1-Mediated H3K4 Methylation in the Regulation of Transcriptional Initiation by RNA Polymerase II. Molecular and Cellular Biology, 2009, 29, 6074-6085.	1.1	308
57	Chapter 8 Hox Genes and Segmentation of the Vertebrate Hindbrain. Current Topics in Developmental Biology, 2009, 88, 103-137.	1.0	133
58	Analysis of mouse Cdh6 gene regulation by transgenesis of modified bacterial artificial chromosomes. Developmental Biology, 2008, 315, 506-520.	0.9	24
59	A regulatory module embedded in the coding region of Hoxa2 controls expression in rhombomere 2. Proceedings of the National Academy of Sciences of the United States of America, 2008, 105, 20077-20082.	3.3	67
60	Non-cell-autonomous effects of Ret deletion in early enteric neurogenesis. Development (Cambridge), 2008, 135, 3007-3011.	1.2	15
61	Cranial neural crest cells regulate head muscle patterning and differentiation during vertebrate embryogenesis. Development (Cambridge), 2007, 134, 3065-3075.	1.2	142
62	Expression of Hoxa2 in rhombomere 4 is regulated by a conserved cross-regulatory mechanism dependent upon Hoxb1. Developmental Biology, 2007, 302, 646-660.	0.9	73
63	Cdx1 is a required activator of Hox expression during gastrulation. Developmental Biology, 2007, 306, 399.	0.9	1
64	Expression of Hox Genes in the Nervous System of Vertebrates. , 2007, , 14-41.		13
65	Bone Formation: The Nuclear Matrix Reloaded. Cell, 2006, 125, 840-842.	13.5	41
66	Bone Density Ligand, Sclerostin, Directly Interacts With LRP5 but Not LRP5G171V to Modulate Wnt Activity. Journal of Bone and Mineral Research, 2006, 21, 1738-1749.	3.1	315
67	Evolution of cis elements in the differential expression of two Hoxa2 coparalogous genes in pufferfish (Takifugu rubripes). Proceedings of the National Academy of Sciences of the United States of America, 2006, 103, 5419-5424.	3.3	50
68	Electroporation of Living Embryos. , 2006, , 35-42.		0
69	Direct crossregulation between retinoic acid receptor $\hat{1}^2$ and Hox genes during hindbrain segmentation. Development (Cambridge), 2005, 132, 503-513.	1.2	65
70	Hoxb1 Enhancer and Control of Rhombomere 4 Expression: Complex Interplay between PREP1-PBX1-HOXB1 Binding Sites. Molecular and Cellular Biology, 2005, 25, 8541-8552.	1.1	83
71	Hindbrain Development and Evolution: Past, Present, and Future. Brain, Behavior and Evolution, 2005, 66, 219-221.	0.9	4
72	Neural Crest Cells. , 2004, , 219-232.		5

#	ARTICLE	IF	CITATIONS
73	Connective-tissue growth factor modulates WNT signalling and interacts with the WNT receptor complex. <i>Development (Cambridge)</i> , 2004, 131, 2137-2147.	1.2	181
74	Dll3 pudgy mutation differentially disrupts dynamic expression of somite genes. <i>Genesis</i> , 2004, 39, 115-121.	0.8	53
75	Regulatory analysis of the mouse <i>Fgf3</i> gene: Control of embryonic expression patterns and dependence upon sonic hedgehog (Shh) signalling. <i>Developmental Dynamics</i> , 2004, 230, 44-56.	0.8	24
76	Neural Crest Cells. , 2004, , 205-218.		1
77	Regulation of <i>Hoxb2</i> by APL-associated PLZF protein. <i>Oncogene</i> , 2003, 22, 3685-3697.	2.6	39
78	Wise, a context-dependent activator and inhibitor of Wnt signalling. <i>Development (Cambridge)</i> , 2003, 130, 4295-4305.	1.2	294
79	Coordinated temporal and spatial control of motor neuron and serotonergic neuron generation from a common pool of CNS progenitors. <i>Genes and Development</i> , 2003, 17, 729-737.	2.7	196
80	Neuronal defects in the hindbrain of <i>Hoxa1</i> , <i>Hoxb1</i> and <i>Hoxb2</i> mutants reflect regulatory interactions among these Hox genes. <i>Development (Cambridge)</i> , 2003, 130, 5663-5679.	1.2	113
81	Role of the Isthmus and FGFs in Resolving the Paradox of Neural Crest Plasticity and Prepatterning. <i>Science</i> , 2002, 295, 1288-1291.	6.0	173
82	DEVELOPMENT: Riding the Crest of the Wnt Signaling Wave. <i>Science</i> , 2002, 297, 781-783.	6.0	37
83	Conservation and Diversity in the cis-Regulatory Networks That Integrate Information Controlling Expression of <i>Hoxa2</i> in Hindbrain and Cranial Neural Crest Cells in Vertebrates. <i>Developmental Biology</i> , 2002, 246, 45-56.	0.9	52
84	Spring Forward and Fall Back. <i>Developmental Cell</i> , 2002, 3, 605-606.	3.1	0
85	Krox20 and kreisler co-operate in the transcriptional control of segmental expression of <i>Hoxb3</i> in the developing hindbrain. <i>EMBO Journal</i> , 2002, 21, 365-376.	3.5	62
86	Signalling between the hindbrain and paraxial tissues dictates neural crest migration pathways. <i>Development (Cambridge)</i> , 2002, 129, 433-442.	1.2	128
87	Initiating Hox gene expression: in the early chick neural tube differential sensitivity to FGF and RA signaling subdivides the <i>HoxB</i> genes in two distinct groups. <i>Development (Cambridge)</i> , 2002, 129, 5103-5115.	1.2	266
88	Requirement for downregulation of kreisler during late patterning of the hindbrain. <i>Development (Cambridge)</i> , 2002, 129, 1477-1485.	1.2	20
89	Signalling between the hindbrain and paraxial tissues dictates neural crest migration pathways. <i>Development (Cambridge)</i> , 2002, 129, 433-42.	1.2	36
90	Requirement for downregulation of kreisler during late patterning of the hindbrain. <i>Development (Cambridge)</i> , 2002, 129, 1477-85.	1.2	7

#	ARTICLE	IF	CITATIONS
91	Initiating Hox gene expression: in the early chick neural tube differential sensitivity to FGF and RA signaling subdivides the HoxB genes in two distinct groups. <i>Development (Cambridge)</i> , 2002, 129, 5103-15.	1.2	82
92	Regulatory Analysis of the Mouse Hoxb3 Gene: Multiple Elements Work in Concert to Direct Temporal and Spatial Patterns of Expression. <i>Developmental Biology</i> , 2001, 232, 176-190.	0.9	36
93	Differences in Krox20-Dependent Regulation of Hoxa2 and Hoxb2 during Hindbrain Development. <i>Developmental Biology</i> , 2001, 233, 468-481.	0.9	33
94	The Wnt/ β 2-Catenin Pathway Posteriorizes Neural Tissue in Xenopus by an Indirect Mechanism Requiring FGF Signalling. <i>Developmental Biology</i> , 2001, 239, 148-160.	0.9	117
95	Dynamic expression patterns of the pudgy/spondylocostal dysostosis gene <i>Dll3</i> in the developing nervous system. <i>Mechanisms of Development</i> , 2001, 100, 141-144.	1.7	22
96	An impulse to the brain using in vivo electroporation. <i>Nature Neuroscience</i> , 2001, 4, 1156-1158.	7.1	95
97	Building from the bottom up. <i>Nature Cell Biology</i> , 2001, 3, E138-E139.	4.6	1
98	Hox genes, neural crest cells and branchial arch patterning. <i>Current Opinion in Cell Biology</i> , 2001, 13, 698-705.	2.6	240
99	The Recruitment of SOX/OCT Complexes and the Differential Activity of HOXA1 and HOXB1 Modulate the Hoxb1 Auto-regulatory Enhancer Function. <i>Journal of Biological Chemistry</i> , 2001, 276, 20506-20515.	1.6	61
100	Synergy between <i>Hoxa1</i> and <i>Hoxb1</i> : the relationship between arch patterning and the generation of cranial neural crest. <i>Development (Cambridge)</i> , 2001, 128, 3017-3027.	1.2	97
101	Independent regulation of initiation and maintenance phases of <i>Hoxa3</i> expression in the vertebrate hindbrain involve auto- and cross-regulatory mechanisms. <i>Development (Cambridge)</i> , 2001, 128, 3595-3607.	1.2	89
102	Mutations in the human Delta homologue, <i>DLL3</i> , cause axial skeletal defects in spondylocostal dysostosis. <i>Nature Genetics</i> , 2000, 24, 438-441.	9.4	362
103	Plasticity in mouse neural crest cells reveals a new patterning role for cranial mesoderm. <i>Nature Cell Biology</i> , 2000, 2, 96-102.	4.6	243
104	Defects in pathfinding by cranial neural crest cells in mice lacking the neuregulin receptor ErbB4. <i>Nature Cell Biology</i> , 2000, 2, 103-109.	4.6	162
105	Raising the roof. <i>Nature</i> , 2000, 403, 720-721.	13.7	8
106	Patterning the cranial neural crest: Hinbrain segmentation and hox gene plasticity. <i>Nature Reviews Neuroscience</i> , 2000, 1, 116-124.	4.9	310
107	Conservation and elaboration of Hox gene regulation during evolution of the vertebrate head. <i>Nature</i> , 2000, 408, 854-857.	13.7	167
108	Retinoid signalling and hindbrain patterning. <i>Current Opinion in Genetics and Development</i> , 2000, 10, 380-386.	1.5	180

#	ARTICLE	IF	CITATIONS
109	Dorsal patterning defects in the hindbrain, roof plate and skeleton in the dreher (drj) mouse mutant. <i>Mechanisms of Development</i> , 2000, 94, 147-156.	1.7	40
110	Genetic Interactions During Hindbrain Segmentation in the Mouse Embryo. <i>Results and Problems in Cell Differentiation</i> , 2000, 30, 51-89.	0.2	20
111	Mechanisms of <i>Hox</i> gene colinearity: transposition of the anterior <i>Hoxb1</i> gene into the posterior <i>HoxD</i> complex. <i>Genes and Development</i> , 2000, 14, 198-211.	2.7	83
112	“Shocking” developments in chick embryology: electroporation and in ovo gene expression. <i>Nature Cell Biology</i> , 1999, 1, E203-E207.	4.6	296
113	Identification of Sonic hedgehog as a candidate gene responsible for the polydactylous mouse mutant Sasquatch. <i>Current Biology</i> , 1999, 9, 97-S1.	1.8	125
114	Hoxa2 and Hoxb2 Control Dorsoventral Patterns of Neuronal Development in the Rostral Hindbrain. <i>Neuron</i> , 1999, 22, 677-691.	3.8	167
115	The Role of kreisler in Segmentation during Hindbrain Development. <i>Developmental Biology</i> , 1999, 211, 220-237.	0.9	94
116	Initiation of Rhombomeric Hoxb4 Expression Requires Induction by Somites and a Retinoid Pathway. <i>Neuron</i> , 1998, 21, 39-51.	3.8	260
117	Selectivity, sharing and competitive interactions in the regulation of Hoxb genes. <i>EMBO Journal</i> , 1998, 17, 1788-1798.	3.5	145
118	Cross-regulation in the mouse HoxB complex: the expression of Hoxb2 in rhombomere 4 is regulated by Hoxb1.. <i>Genes and Development</i> , 1997, 11, 1885-1895.	2.7	188
119	Positive cross-regulation and enhancer sharing: two mechanisms for specifying overlapping Hox expression patterns.. <i>Genes and Development</i> , 1997, 11, 900-913.	2.7	234
120	Elements both 5' and 3' to the murine Hoxd4 gene establish anterior borders of expression in mesoderm and neurectoderm. <i>Mechanisms of Development</i> , 1997, 67, 49-58.	1.7	53
121	Organization of the Fugu rubripes Hox clusters: evidence for continuing evolution of vertebrate Hox complexes. <i>Nature Genetics</i> , 1997, 16, 79-83.	9.4	148
122	Hox9 genes and vertebrate limb specification. <i>Nature</i> , 1997, 387, 97-101.	13.7	199
123	Segmental regulation of Hoxb-3 by kreisler. <i>Nature</i> , 1997, 387, 191-195.	13.7	142
124	Reprogramming Hox Expression in the Vertebrate Hindbrain: Influence of Paraxial Mesoderm and Rhombomere Transposition. <i>Neuron</i> , 1996, 16, 487-500.	3.8	189
125	Patterning the Vertebrate Neuraxis. <i>Science</i> , 1996, 274, 1109-1115.	6.0	1,091
126	The conserved role of Krox-20 in directing Hox gene expression during vertebrate hindbrain segmentation.. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1996, 93, 9339-9345.	3.3	113

#	ARTICLE	IF	CITATIONS
127	Transposon tools for recombinant DNA manipulation: characterization of transcriptional regulators from yeast, <i>Xenopus</i> , and mouse.. Proceedings of the National Academy of Sciences of the United States of America, 1996, 93, 2801-2806.	3.3	45
128	Retinoids and Hox genes. FASEB Journal, 1996, 10, 969-978.	0.2	235
129	PARALOGOUSHOXGENES:Function and Regulation. Annual Review of Genetics, 1996, 30, 529-556.	3.2	210
130	Altered segmental identity and abnormal migration of motor neurons in mice lacking Hoxb-1. Nature, 1996, 384, 630-634.	13.7	395
131	Northern Blot Analysis. , 1996, 58, 113-128.		9
132	Expression of the zinc-finger gene PLZF at rhombomere boundaries in the vertebrate hindbrain.. Proceedings of the National Academy of Sciences of the United States of America, 1995, 92, 2249-2253.	3.3	118
133	Improved development of the chick embryo using roller-tube culture. Trends in Genetics, 1995, 11, 259-260.	2.9	25
134	Detecting conserved regulatory elements with the model genome of the Japanese puffer fish, <i>Fugu rubripes</i> .. Proceedings of the National Academy of Sciences of the United States of America, 1995, 92, 1684-1688.	3.3	255
135	Restoration of Normal Hox Code and Branchial Arch Morphogenesis after Extensive Deletion of Hindbrain Neural Crest. Developmental Biology, 1995, 168, 584-597.	0.9	64
136	Comparative analysis of chicken Hoxb-4 regulation in transgenic mice. Mechanisms of Development, 1995, 53, 47-59.	1.7	54
137	Segmental expression of Hoxb-1 is controlled by a highly conserved autoregulatory loop dependent upon <i>exd/pbx</i> . Cell, 1995, 81, 1031-1042.	13.5	479
138	Genetic Mechanisms Responsible for Pattern Formation in the Vertebrate Hindbrain: Regulation of Hoxb-1. , 1995, , 17-28.		0
139	Role of a conserved retinoic acid response element in rhombomere restriction of Hoxb-1. Science, 1994, 265, 1728-1732.	6.0	274
140	Hox Genes and Regionalization of the Nervous System. Annual Review of Neuroscience, 1994, 17, 109-132.	5.0	166
141	Analysis of gene expression by Northern blot. Molecular Biotechnology, 1994, 2, 227-242.	1.3	26
142	A conserved retinoic acid response element required for early expression of the homeobox gene Hoxb-1. Nature, 1994, 370, 567-571.	13.7	443
143	Hox genes in vertebrate development. Cell, 1994, 78, 191-201.	13.5	1,939
144	Hox homeobox genes and regionalisation of the nervous system. Journal of Neurobiology, 1993, 24, 1328-1340.	3.7	172

#	ARTICLE	IF	CITATIONS
145	Hox genes and pattern formation in the branchial region of the vertebrate head. Trends in Genetics, 1993, 9, 106-112.	2.9	227
146	Mouse Hox genetic functions. Current Opinion in Genetics and Development, 1993, 3, 621-625.	1.5	55
147	Hoxb-4 (Hox-2.6) mutant mice show homeotic transformation of a cervical vertebra and defects in the closure of the sternal rudiments. Cell, 1993, 73, 279-294.	13.5	336
148	The zinc finger gene Krox20 regulates HoxB2 (Hox2.8) during hindbrain segmentation. Cell, 1993, 72, 183-196.	13.5	303
149	A G → A substitution in an HNF I binding site in the human Î±-fetoprotein gene is associated with hereditary persistence of Î±-fetoprotein (HPAFP). Human Molecular Genetics, 1993, 2, 379-384.	1.4	70
150	Hox genes: a molecular code for patterning regional diversity in the nervous system and branchial structures. Restorative Neurology and Neuroscience, 1993, 5, 10-12.	0.4	3
151	Local alterations of Krox-20 and Hox gene expression in the hindbrain suggest lack of rhombomeres 4 and 5 in homozygote null Hoxa-1 (Hox-1.6) mutant embryos.. Proceedings of the National Academy of Sciences of the United States of America, 1993, 90, 7666-7670.	3.3	127
152	The Role of Hox Genes in Axis Specification. , 1993, , 161-181.		0
153	Expression of Hox-2 Genes and Their Relationship to Regional Diversity in the Vertebrate Head. , 1993, , 211-228.		0
154	Hox Codes and Positional Specification in Vertebrate Embryonic Axes. Annual Review of Cell Biology, 1992, 8, 227-256.	26.0	146
155	Homeobox genes and axial patterning. Cell, 1992, 68, 283-302.	13.5	2,600
156	Neuroectodermal autonomy of Hox-2.9 expression revealed by rhombomere transpositions. Nature, 1992, 356, 157-159.	13.7	156
157	Retinoic acid alters hindbrain Hox code and induces transformation of rhombomeres 2/3 into a 4/5 identity. Nature, 1992, 360, 737-741.	13.7	453
158	Homeobox cooperativity. Trends in Genetics, 1992, 8, 297-300.	2.9	6
159	Transforming the Hox code. Current Biology, 1992, 2, 641-643.	1.8	6
160	Evolution of the vertebrateHox homeobox genes. BioEssays, 1992, 14, 245-252.	1.2	180
161	Hox Genes and the Development of the Branchial Region. , 1992, , 49-73.		1
162	Deciphering the Hox code: Clues to patterning branchial regions of the head. Cell, 1991, 66, 1075-1078.	13.5	166

#	ARTICLE	IF	CITATIONS
163	Multiple spatially specific enhancers are required to reconstruct the pattern of Hox-2.6 gene expression.. <i>Genes and Development</i> , 1991, 5, 2048-2059.	2.7	282
164	Hox genes coming to a head. <i>Current Biology</i> , 1991, 1, 304-306.	1.8	9
165	Introduction of a subtle mutation into the Hox-2.6 locus in embryonic stem cells. <i>Nature</i> , 1991, 350, 243-246.	13.7	354
166	A distinct Hox code for the branchial region of the vertebrate head. <i>Nature</i> , 1991, 353, 861-864.	13.7	509
167	The Hox gene family in transgenic mice. <i>Current Opinion in Biotechnology</i> , 1991, 2, 796-801.	3.3	1
168	The expression of murine Hox-2 genes is dependent on the differentiation pathway and displays a collinear sensitivity to retinoic acid in F9 cells and <i>Xenopus</i> embryos. <i>Nucleic Acids Research</i> , 1991, 19, 5497-5506.	6.5	115
169	Homeobox genes and models for patterning the hindbrain and branchial arches. <i>Development (Cambridge)</i> , 1991, 113, 187-196.	1.2	82
170	A yeast artificial chromosome containing the mouse homeobox cluster Hox-2.. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1990, 87, 4751-4755.	3.3	48
171	Molecular approaches to the segmentation of the hindbrain. <i>Trends in Neurosciences</i> , 1990, 13, 335-339.	4.2	122
172	Segmental expression of Hox-2 homeobox-containing genes in the developing mouse hindbrain. <i>Nature</i> , 1989, 341, 405-409.	13.7	565
173	The murine and <i>Drosophila</i> homeobox gene complexes have common features of organization and expression. <i>Cell</i> , 1989, 57, 367-378.	13.5	1,025
174	Isolation and characterization of the 5' flanking region of the mouse C-harvey-ras gene. <i>Molecular Carcinogenesis</i> , 1988, 1, 161-170.	1.3	59
175	Characterization of a murine homeobox gene, Hox-2.6, related to the <i>Drosophila</i> Deformed gene.. <i>Genes and Development</i> , 1988, 2, 1424-1438.	2.7	146
176	Diversity of alpha-fetoprotein gene expression in mice is generated by a combination of separate enhancer elements. <i>Science</i> , 1987, 235, 53-58.	6.0	335
177	Differential expression of alpha-fetoprotein genes on the inactive X chromosome in extraembryonic and somatic tissues of a transgenic mouse line. <i>Nature</i> , 1986, 319, 224-226.	13.7	65
178	Use of a chromosome 21 cloned DNA probe for the analysis of non-disjunction in Down syndrome. <i>Human Genetics</i> , 1984, 66, 54-56.	1.8	64
179	Cloning and characterization of the abundant cytoplasmic 7S RNA from mouse cells. <i>Nucleic Acids Research</i> , 1982, 10, 4259-4277.	6.5	161
180	Construction and characterization of genomic libraries from specific human chromosomes.. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1982, 79, 2971-2975.	3.3	139

#	ARTICLE	IF	CITATIONS
181	Transcription of repeated sequences of the mouse B1 family in friend erythroleukaemic cells. <i>Journal of Molecular Biology</i> , 1982, 160, 163-179.	2.0	17
182	Analysis of the cell-cycle expression of a mouse H4 histone gene by centrifugal elutriation. <i>Biochemical Society Transactions</i> , 1981, 9, 593-594.	1.6	2
183	A computer program for the calculation of sedimentation coefficients and molecular weights of nucleic acids. <i>Analytical Biochemistry</i> , 1981, 115, 97-101.	1.1	10
184	Characterization of the sequence complexity and organization of the <i>Neurospora crassa</i> genome. <i>Biochemistry</i> , 1979, 18, 3705-3713.	1.2	86
185	The origin of the neural crest. <i>Journal of Comparative Neurology</i> , 1942, 76, 191-215.	0.9	33