## Mark Daniel

## List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/1970163/publications.pdf

Version: 2024-02-01

203 papers 6,574 citations

43 h-index 70 g-index

210 all docs

210 docs citations

210 times ranked

7836 citing authors

#	Article	IF	CITATIONS
1	Health inequalities and place: A theoretical conception of neighbourhood. Social Science and Medicine, 2007, 65, 1839-1852.	3.8	311
2	The effect of adherence on the association between depressive symptoms and mortality among HIV-infected individuals first initiating HAART. Aids, 2007, 21, 1175-1183.	2.2	239
3	Testosterone treatment to prevent or revert type 2 diabetes in men enrolled in a lifestyle programme (T4DM): a randomised, double-blind, placebo-controlled, 2-year, phase 3b trial. Lancet Diabetes and Endocrinology,the, 2021, 9, 32-45.	11.4	164
4	Effectiveness of a community-directed â€~healthy lifestyle' program in a remote Australian Aboriginal community. Australian and New Zealand Journal of Public Health, 2000, 24, 136-144.	1.8	163
5	Use of a New Public Bicycle Share Program in Montreal, Canada. American Journal of Preventive Medicine, 2011, 41, 80-83.	3.0	147
6	Using experienced activity spaces to measure foodscape exposure. Health and Place, 2010, 16, 1094-1103.	3.3	146
7	International NGOs and the Role of Network Centrality in Humanitarian Aid Operations: A Case Study of Coordination During the 2000 Mozambique Floods. Disasters, 2003, 27, 305-318.	2.2	137
8	Partnerships and Coalitions for Community-Based Research. Public Health Reports, 2001, 116, 20-31.	2.5	137
9	Food environment, walkability, and public open spaces are associated with incident development of cardio-metabolic risk factors in a biomedical cohort. Health and Place, 2014, 28, 173-176.	3.3	119
10	Framing the biosocial pathways underlying associations between place and cardiometabolic disease. Health and Place, 2008, 14, 117-132.	3.3	114
11	Social capital and core network ties: A validation study of individual-level social capital measures and their association with extra- and intra-neighborhood ties, and self-rated health. Health and Place, 2011, 17, 536-544.	3.3	114
12	Association between Activity Space Exposure to Food Establishments and Individual Risk of Overweight. PLoS ONE, 2012, 7, e41418.	2.5	114
13	Neighbourhood socioeconomic status, maternal education and adverse birth outcomes among mothers living near highways. Journal of Epidemiology and Community Health, 2008, 62, 695-700.	3.7	110
14	Are accessibility and characteristics of public open spaces associated with a better cardiometabolic health?. Landscape and Urban Planning, 2013, 118, 70-78.	7.5	108
15	Not all social capital is good capital. Health and Place, 2009, 15, 1071-1077.	3.3	103
16	Diabetes incidence in an Australian aboriginal population. An 8-year follow-up study. Diabetes Care, 1999, 22, 1993-1998.	8.6	98
17	Effectiveness of community-directed diabetes prevention and control in a rural Aboriginal population in British Columbia, Canada. Social Science and Medicine, 1999, 48, 815-832.	3.8	92
18	Field validation of listings of food stores and commercial physical activity establishments from secondary data International Journal of Behavioral Nutrition and Physical Activity, 2008, 5, 58.	4.6	88

#	Article	IF	CITATIONS
19	Social Inequalities in Food Exposure Around Schools in an Urban Area. American Journal of Preventive Medicine, 2010, 39, 33-40.	3.0	88
20	Community-level income inequality and mortality in Québec, Canada. Public Health, 2009, 123, 438-443.	2.9	83
21	Associations of Supermarket Characteristics with Weight Status and Body Fat: A Multilevel Analysis of Individuals within Supermarkets (RECORD Study). PLoS ONE, 2012, 7, e32908.	2.5	82
22	Associations Between Perceived Proximity to Neighborhood Resources, Disability, and Social Participation Among Community-Dwelling Older Adults: Results From the VoisiNuAge Study. Archives of Physical Medicine and Rehabilitation, 2011, 92, 1979-1986.	0.9	81
23	Cigarette smoking, steroid hormones, and bone mineral density in young women. Calcified Tissue International, 1992, 50, 300-305.	3.1	79
24	Diabetes and impaired glucose tolerance in Aboriginal Australians: prevalence and risk. Diabetes Research and Clinical Practice, 2002, 57, 23-33.	2.8	78
25	Do mother's education and foreign born status interact to influence birth outcomes? Clarifying the epidemiological paradox and the healthy migrant effect. Journal of Epidemiology and Community Health, 2008, 62, 402-409.	3.7	78
26	Association of individual network social capital with abdominal adiposity, overweight and obesity. Journal of Public Health, 2008, 31, 175-183.	1.8	77
27	After Hurricane Floyd Passed. Family and Community Health, 2004, 27, 204-217.	1.1	76
28	Prevalence of psychological distress and mental disorders, and use of mental health services in the epidemiological catchment area of Montreal South-West. BMC Psychiatry, 2012, 12, 183.	2.6	75
29	Impact Evaluation of a Public Bicycle Share Program on Cycling: A Case Example of BIXI in Montreal, Quebec. American Journal of Public Health, 2013, 103, e85-e92.	2.7	74
30	Work Group II: Using Geographic Information Systems for Enhancing Research Relevant to Policy on Diet, Physical Activity, and Weight. American Journal of Preventive Medicine, 2009, 36, S171-S176.	3.0	73
31	Neighborhood Resources and Social Participation Among Older Adults. Journal of Aging and Health, 2013, 25, 296-318.	1.7	70
32	Opiate receptor blockade by naltrexone and mood state after acute physical activity British Journal of Sports Medicine, 1992, 26, 111-115.	6.7	67
33	Factors influencing health care utilisation among Aboriginal cardiac patients in central Australia: a qualitative study. BMC Health Services Research, 2013, 13, 83.	2.2	66
34	Is walkability associated with a lower cardiometabolic risk?. Health and Place, 2013, 21, 163-169.	3.3	66
35	Sustained Drug Use Changes After Hepatitis C Screening and Counseling Among Recently Infected Persons Who Inject Drugs: A Longitudinal Study. Clinical Infectious Diseases, 2014, 58, 755-761.	5.8	65
36	Interactive effects of reward sensitivity and residential fast-food restaurant exposure on fast-food consumption. American Journal of Clinical Nutrition, 2010, 91, 771-776.	4.7	60

#	Article	IF	Citations
37	Trends in Human Immunodeficiency Virus Incidence and Risk Behavior Among Injection Drug Users in Montreal, Canada: A 16-Year Longitudinal Study. American Journal of Epidemiology, 2011, 173, 1049-1058.	3.4	56
38	The joint influence of area income, income inequality, and immigrant density on adverse birth outcomes: a population-based study. BMC Public Health, 2009, 9, 237.	2.9	53
39	A Systematic Review of Community Readiness Tool Applications: Implications for Reporting. International Journal of Environmental Research and Public Health, 2015, 12, 3453-3468.	2.6	51
40	Living in a Well-Serviced Urban Area Is Associated With Maintenance of Frequent Walking Among Seniors in the VoisiNuAge Study. Journals of Gerontology - Series B Psychological Sciences and Social Sciences, 2012, 67B, 76-88.	3.9	50
41	Relative residential property value as a socio-economic status indicator for health research. International Journal of Health Geographics, 2013, 12, 22.	2.5	48
42	Perceived Everyday Racism, Residential Segregation, and HIV Testing Among Patients at a Sexually Transmitted Disease Clinic. American Journal of Public Health, 2009, 99, S137-S143.	2.7	45
43	Neighborhood poverty and self-reported health among low-income, rural women, 50 years and older. Health and Place, 2003, 9, 263-271.	3.3	44
44	Mediation and Modification of the Association Between Hopelessness, Hostility, and Progression of Carotid Atherosclerosis. Journal of Behavioral Medicine, 2005, 28, 53-64.	2.1	43
45	Associations between residential food environment and dietary patterns in urban-dwelling older adults: results from the VoisiNuAge study. Public Health Nutrition, 2012, 15, 2026-2039.	2.2	42
46	Associations Between Children's Diets and Features of Their Residential and School Neighbourhood Food Environments. Canadian Journal of Public Health, 2012, 103, S48-S54.	2.3	42
47	Methods for accounting for neighbourhood self-selection in physical activity and dietary behaviour research: a systematic review. International Journal of Behavioral Nutrition and Physical Activity, 2020, 17, 45.	4.6	42
48	Glycated Hemoglobin as an Indicator of Social Environmental Stress among Indigenous versus Westernized Populations. Preventive Medicine, 1999, 29, 405-413.	3.4	38
49	Cigarette Smoking, Mental Health and Social Support. Canadian Journal of Public Health, 2004, 95, 45-49.	2.3	38
50	Health outcomes of a subsidised fruit and vegetable program for Aboriginal children in northern New South Wales. Medical Journal of Australia, 2013, 199, 46-50.	1.7	37
51	The Association Between Ruralâ€Urban Continuum, Maternal Education and Adverse Birth Outcomes in Québec, Canada. Journal of Rural Health, 2009, 25, 342-351.	2.9	35
52	Sense of Mastery and Metabolic Risk: Moderating Role of the Local Fast-Food Environment. Psychosomatic Medicine, 2010, 72, 324-331.	2.0	35
53	Mental ill-health across the continuum of body mass index. BMC Public Health, 2011, 11, 765.	2.9	35
54	Nutritional impacts of a fruit and vegetable subsidy programme for disadvantaged Australian Aboriginal children. British Journal of Nutrition, 2013, 110, 2309-2317.	2.3	35

#	Article	IF	Citations
55	Demographic and Urban Form Correlates of Healthful and Unhealthful Food Availability in Montréal, Canada. Canadian Journal of Public Health, 2009, 100, 189-193.	2.3	33
56	Environmental Risk Conditions and Pathways to Cardiometabolic Diseases in Indigenous Populations. Annual Review of Public Health, 2011, 32, 327-347.	17.4	33
57	Do Relationships Between Environmental Attributes and Recreational Walking Vary According to Area-Level Socioeconomic Status?. Journal of Urban Health, 2015, 92, 253-264.	3.6	33
58	Screening for diabetes in Indigenous populations using glycated haemoglobin: sensitivity, specificity, post-test likelihood and risk of disease. Diabetic Medicine, 2005, 22, 833-839.	2.3	31
59	Mastery, perceived stress and health-related behaviour in northeast Arnhem Land: a cross-sectional study. International Journal for Equity in Health, 2006, 5, 10.	3.5	30
60	Associations between HIV-related injection behaviour and distance to and patterns of utilisation of syringe-supply programmes. Journal of Epidemiology and Community Health, 2008, 62, 804-810.	3.7	30
61	Aboriginal Health Workers experience multilevel barriers to quitting smoking: a qualitative study. International Journal for Equity in Health, 2012, 11, 27.	3.5	30
62	Differences in associations between active transportation and built environmental exposures when expressed using different components of individual activity spaces. Health and Place, 2015, 33, 195-202.	3.3	30
63	Association between smoking, insulin resistance and beta-cell function in a North-western First Nation. Diabetic Medicine, 2004, 21, 188-193.	2.3	29
64	Associations among Education, Cortisol Rhythm, and BMI in Blueâ€collar Women. Obesity, 2006, 14, 327-335.	3.0	29
65	Association of fast-food restaurant and fruit and vegetable store densities with cardiovascular mortality in a metropolitan population. European Journal of Epidemiology, 2010, 25, 711-719.	5.7	29
66	Local Context Influence, Activity Space, and Foodscape Exposure in Two Canadian Metropolitan Settings: Is Daily Mobility Exposure Associated with Overweight?. Journal of Obesity, 2012, 2012, 1-9.	2.7	28
67	Weighing the contributions of material and social area deprivation to preterm birth. Social Science and Medicine, 2012, 75, 1032-1037.	3.8	28
68	Associations between Resident Perceptions of the Local Residential Environment and Metabolic Syndrome. Journal of Environmental and Public Health, 2012, 2012, 1-11.	0.9	27
69	Examining adherence to activity monitoring devices to improve physical activity in adults with cardiovascular disease: A systematic review. European Journal of Preventive Cardiology, 2019, 26, 382-397.	1.8	27
70	Association between perceived security of the neighbourhood and smallâ€forâ€gestationalâ€age birth. Paediatric and Perinatal Epidemiology, 2008, 22, 467-477.	1.7	26
71	The joint influence of marital status, interpregnancy interval, and neighborhood on small for gestational age birth: a retrospective cohort study. BMC Pregnancy and Childbirth, 2008, 8, 7.	2.4	26
72	Public open spaces and walking for recreation: Moderation by attributes of pedestrian environments. Preventive Medicine, 2014, 62, 25-29.	3.4	26

#	Article	IF	CITATIONS
73	Appraising and Funding Participatory Research in Health Promotion. International Quarterly of Community Health Education, 2006, 26, 171-187.	0.9	25
74	Association between neighbourhood socioeconomic characteristics and high-risk injection behaviour amongst injection drug users living in inner and other city areas in Montréal, Canada. International Journal of Drug Policy, 2010, 21, 49-55.	3.3	25
75	Reliability of an instrument for direct observation of urban neighbourhoods. Landscape and Urban Planning, 2010, 97, 194-201.	7.5	25
76	Illuminating the lifecourse of place in the longitudinal study of neighbourhoods and health. Social Science and Medicine, 2017, 177, 239-247.	3.8	25
77	Testosterone therapy to prevent type 2 diabetes mellitus in atâ€risk men (T4DM): Design and implementation of a doubleâ€blind randomized controlled trial. Diabetes, Obesity and Metabolism, 2019, 21, 772-780.	4.4	25
78	Effects of skin thickness and skinfold compressibility on skinfold thickness measurement. American Journal of Human Biology, 1992, 4, 453-460.	1.6	24
79	Advancing the Population Health Agenda. Canadian Journal of Public Health, 2004, 95, 392-395.	2.3	24
80	Assessing the Impact of the Primary School-based Nutrition Intervention Petits cuistots — parents en réseaux. Canadian Journal of Public Health, 2008, 99, 107-113.	2.3	24
81	Exploring the Intervention— Context Interface. American Journal of Evaluation, 2009, 30, 554-571.	2.1	24
82	The relationship between residential proximity to extremely low frequency power transmission lines and adverse birth outcomes. Journal of Epidemiology and Community Health, 2011, 65, 83-85.	3.7	24
83	Associations between Area-Level Unemployment, Body Mass Index, and Risk Factors for Cardiovascular Disease in an Urban Area. International Journal of Environmental Research and Public Health, 2009, 6, 3082-3096.	2.6	23
84	Validation of continuous clinical indices of cardiometabolic risk in a cohort of Australian adults. BMC Cardiovascular Disorders, 2014, 14, 27.	1.7	23
85	Cadaver-assessed validity of anthropometric indicators of adipose tissue distribution. International Journal of Obesity, 2003, 27, 1052-1058.	3.4	22
86	Residential proximity to urban centres, local-area walkability and change in waist circumference among Australian adults. Preventive Medicine, 2016, 93, 39-45.	3.4	22
87	Lipids and psychosocial status in aboriginal persons with and at risk for Type 2 diabetes: implications for tertiary prevention. Patient Education and Counseling, 2001, 43, 85-95.	2.2	21
88	Aboriginal status is a prognostic factor for mortality among antiretroviral na $\tilde{A}$ -ve HIV-positive individuals first initiating HAART. AIDS Research and Therapy, 2006, 3, 14.	1.7	21
89	Socioeconomic disparities in low birth weight outcomes according to maternal birthplace in Qu $ ilde{A}$ ©bec, Canada. Ethnicity and Health, 2009, 14, 61-74.	2.5	21
90	The adaptive nature of implementation practice: Case study of a school-based nutrition education intervention. Evaluation and Program Planning, 2013, 39, 10-18.	1.6	21

#	Article	IF	Citations
91	Appraising and Funding Participatory Research in Health Promotion. International Quarterly of Community Health Education, 1998, 18, 181-197.	0.9	20
92	CONSTRUCTING A HEALTH AND SOCIAL INDICATOR FRAMEWORK FOR INDIGENOUS COMMUNITY HEALTH RESEARCH. Social Indicators Research, 2007, 82, 93-110.	2.7	20
93	Environments and Cardiometabolic Diseases in Aboriginal Populations. Heart Lung and Circulation, 2010, 19, 306-315.	0.4	20
94	"l know it's bad for me and yet I do it― exploring the factors that perpetuate smoking in Aboriginal Health Workers - a qualitative study. BMC Health Services Research, 2012, 12, 102.	2.2	20
95	Area-level socioeconomic characteristics and incidence of metabolic syndrome: a prospective cohort study. BMC Public Health, 2013, 13, 681.	2.9	20
96	Transit use and walking as potential mediators of the association between accessibility to services and amenities and social participation among urban-dwelling older adults: Insights from the VoisiNuAge study. Journal of Transport and Health, 2015, 2, 35-43.	2.2	20
97	High rates of HIV testing despite low perceived HIV risk among African-American sexually transmitted disease patients. Journal of the National Medical Association, 2006, 98, 841-4.	0.8	20
98	Diabetes and Canada's aboriginal peoples: the need for primary prevention. International Journal of Nursing Studies, 1995, 32, 243-259.	5.6	19
99	Associations among Park Use, Age, Social Participation, and Neighborhood Age Composition in Montreal. Leisure Sciences, 2010, 32, 318-336.	3.1	19
100	The food environment and diet quality of urban-dwelling older women and men: Assessing the moderating role of diet knowledge. Canadian Journal of Public Health, 2016, 107, eS34-eS41.	2.3	19
101	The global effect of extreme weather events on nutrient supply: a superposed epoch analysis. Lancet Planetary Health, The, 2019, 3, e429-e438.	11.4	19
102	Towards a brain-to-society systems model of individual choice. Marketing Letters, 2008, 19, 323-336.	2.9	18
103	Preterm Birth During an Extreme Weather Event in Québec, Canada: A "Natural Experiment― Maternal and Child Health Journal, 2011, 15, 1088-1096.	1.5	18
104	Integrating an ecological approach into an Aboriginal community-based chronic disease prevention program: a longitudinal process evaluation. BMC Public Health, 2011, 11, 299.	2.9	17
105	Short-term injection drug use changes following hepatitis C virus (HCV) assessment and treatment among persons who inject drugs with acute HCV infection. International Journal of Drug Policy, 2017, 47, 239-243.	3.3	17
106	Predictors of Quality of Life in Montreal, Canada: A Longitudinal Study. Community Mental Health Journal, 2019, 55, 189-201.	2.0	17
107	Social Environmental Stress in Indigenous Populations: Potential Biopsychosocial Mechanisms. Annals of the New York Academy of Sciences, 1999, 896, 420-423.	3.8	16
108	Neighborhood Deprivation and Maternal Psychological Distress During Pregnancy: A Multilevel Analysis. Maternal and Child Health Journal, 2015, 19, 1142-1151.	1.5	16

#	Article	IF	Citations
109	Place and Posttraumatic Stress Disorder. Journal of Traumatic Stress, 2016, 29, 293-300.	1.8	15
110	Relative â€~greenness' and not availability of public open space buffers stressful life events and longitudinal trajectories of psychological distress. Health and Place, 2021, 68, 102501.	3.3	15
111	Perceptions of disease severity and barriers to self-care predict glycemic control in Aboriginal persons with type 2 diabetes mellitus. Chronic Diseases in Canada, 2002, 23, 130-8.	0.8	15
112	Life expectancy gap between the Francophone majority and Anglophone minority of a Canadian population. European Journal of Epidemiology, 2012, 27, 27-38.	5.7	14
113	Comparison of Two Indices of Availability of Fruits/Vegetable and Fast Food Outlets. Journal of Urban Health, 2013, 90, 240-245.	3 <b>.</b> 6	14
114	Cohort Profile: The Interdisciplinary Study of Inequalities in Smoking (ISIS). International Journal of Epidemiology, 2017, 46, e4-e4.	1.9	14
115	Does Physical Activity Mediate the Associations Between Local-Area Descriptive Norms, Built Environment Walkability, and Glycosylated Hemoglobin?. International Journal of Environmental Research and Public Health, 2017, 14, 953.	2.6	14
116	Are Perceived and Objective Distances to Fresh Food and Physical Activity Resources Associated with Cardiometabolic Risk?. International Journal of Environmental Research and Public Health, 2018, 15, 224.	2.6	14
117	Sex, age, deprivation and patterns in life expectancy in Quebec, Canada: a population-based study. BMC Public Health, 2010, 10, 161.	2.9	13
118	Availability of body art facilities and body art piercing do not predict hepatitis C acquisition among injection drug users in Montreal, Canada: Results from a cohort study. International Journal of Drug Policy, 2010, 21, 477-484.	3.3	13
119	Rising Disparities in Severe Adverse Birth Outcomes Among Haitians in Québec, Canada, 1981–2006. Journal of Immigrant and Minority Health, 2012, 14, 198-208.	1.6	13
120	Hypertriglyceridemic waist and newly-diagnosed diabetes among remote-dwelling Indigenous Australians. Annals of Human Biology, 2013, 40, 496-504.	1.0	13
121	Associations between area socioeconomic status, individual mental health, physical activity, diet and change in cardiometabolic risk amongst a cohort of Australian adults: A longitudinal path analysis. PLoS ONE, 2020, 15, e0233793.	2.5	13
122	Waist-to-hip ratio and adipose tissue distribution: Contribution of subcutaneous adiposity. American Journal of Human Biology, 2003, 15, 428-432.	1.6	12
123	Sex ratio patterns according to Asian ethnicity in Québec, 1981–2004. European Journal of Epidemiology, 2009, 24, 17-24.	5.7	12
124	Psychological distress mediates the association between daytime sleepiness and consumption of sweetened products: cross-sectional findings in a Catholic Middle-Eastern Canadian community. BMJ Open, 2013, 3, e002298.	1.9	12
125	Identifying multi-level culturally appropriate smoking cessation strategies for Aboriginal health staff: a concept mapping approach. Health Education Research, 2013, 28, 31-45.	1.9	12
126	Geographic Clustering of Cardiometabolic Risk Factors in Metropolitan Centres in France and Australia. International Journal of Environmental Research and Public Health, 2016, 13, 519.	2.6	12

#	Article	IF	CITATIONS
127	Assessing change in perceived community leadership readiness in the Obesity Prevention and Lifestyle program. Health Promotion Journal of Australia, 2016, 27, 208-214.	1.2	12
128	Local descriptive body weight and dietary norms, food availability, and 10-year change in glycosylated haemoglobin in an Australian population-based biomedical cohort. BMC Public Health, 2017, 17, 149.	2.9	12
129	Gender-specific associations between perceived and objective neighbourhood crime and metabolic syndrome. PLoS ONE, 2018, 13, e0201336.	2.5	12
130	Effectiveness of discharge education strategies versus usual care on clinical outcomes in acute coronary syndrome patients: a systematic review. JBI Evidence Synthesis, 2020, 18, 309-331.	1.3	12
131	Rating Health and Social Indicators for Use with Indigenous Communities: A Tool for Balancing Cultural and Scientific Utility. Social Indicators Research, 2009, 94, 241-256.	2.7	11
132	Educational Inequalities in Preterm and Term Small-for-Gestational-Age Birth Over Time. Annals of Epidemiology, 2012, 22, 160-167.	1.9	11
133	Interactions between neighborhood characteristics and individual functional status in relation to disability among Québec urbanites. Disability and Health Journal, 2013, 6, 361-368.	2.8	11
134	The role of living context in prescription opioid injection and the associated risk of hepatitis C infection. Addiction, 2016, 111, 1985-1996.	3.3	11
135	Local descriptive norms for overweight/obesity and physical inactivity, features of the built environment, and 10-year change in glycosylated haemoglobin in an Australian population-based biomedical cohort. Social Science and Medicine, 2016, 166, 233-243.	3.8	11
136	Policy, Research and Residents' Perspectives on Built Environments Implicated in Heart Disease: A Concept Mapping Approach. International Journal of Environmental Research and Public Health, 2017, 14, 170.	2.6	11
137	Associations among socioeconomic status, perceived neighborhood control, perceived individual control, and selfâ€reported health. Journal of Community Psychology, 2010, 38, 729-741.	1.8	10
138	Conceptual and Operational Considerations in Identifying Socioenvironmental Factors Associated with Disability among Community-Dwelling Adults. International Journal of Environmental Research and Public Health, 2015, 12, 3814-3834.	2.6	10
139	Concurrent assessment of urban environment and cardiometabolic risk over 10Âyears in a middleâ€aged populationâ€based cohort. Geographical Research, 2019, 57, 98-110.	1.8	10
140	Contributions of Multiple Built Environment Features to 10-Year Change in Body Mass Index and Waist Circumference in a South Australian Middle-Aged Cohort. International Journal of Environmental Research and Public Health, 2020, 17, 870.	2.6	10
141	Identifying Environmental Determinants Relevant to Health and Wellbeing in Remote Australian Indigenous Communities: A Scoping Review of Grey Literature. International Journal of Environmental Research and Public Health, 2021, 18, 4167.	2.6	10
142	Totaln-3 fatty acid and SFA intakes in relation to insulin resistance in a Canadian First Nation at risk for the development of type 2 diabetes. Public Health Nutrition, 2014, 17, 1337-1341.	2.2	9
143	Assessing community readiness online: a concurrent validation study. BMC Public Health, 2015, 15, 598.	2.9	9
144	Hepatitis C Virus seroconversion among persons who inject drugs in relation to primary care physician visiting: The potential role of primary healthcare in a combined approach to Hepatitis C prevention. International Journal of Drug Policy, 2015, 26, 970-975.	3.3	9

#	Article	IF	CITATIONS
145	La création d'une nouvelle génération d'études épidémiologiques en santé mentale. Sant Quebec, 0, 32, 225-238.	e Mentale	Ąu
146	Contribution of local area deprivation to cultural-linguistic inequalities in foetal growth restriction: Trends over time in a Canadian metropolitan centre. Health and Place, 2013, 22, 38-47.	3.3	8
147	The metabolic syndrome and CVD outcomes for a central Australian cohort. Diabetes Research and Clinical Practice, 2013, 100, e70-e73.	2.8	8
148	Area-Level Socioeconomic Characteristics, Prevalence and Trajectories of Cardiometabolic Risk. International Journal of Environmental Research and Public Health, 2014, 11, 830-848.	2.6	8
149	High folate levels in Aboriginal children after subsidised fruit and vegetables and mandatory folic acid fortification. Australian and New Zealand Journal of Public Health, 2014, 38, 241-246.	1.8	8
150	Stillbirth in an Anglophone minority of Canada. International Journal of Public Health, 2015, 60, 353-362.	2.3	8
151	Finite mixture models in neighbourhoods-to-health research: A systematic review. Health and Place, 2019, 59, 102140.	3.3	8
152	Associations between supermarket availability and body size in Australia: a cross-sectional observational study comparing state and territory capital cities. BMC Public Health, 2021, 21, 407.	2.9	8
153	Residential proximity to gasoline service stations and preterm birth. Environmental Science and Pollution Research, 2013, 20, 7186-7193.	5.3	7
154	Consumption patterns of sweetened food and drink products in a Catholic Middle Eastern Canadian community. Public Health Nutrition, 2014, 17, 471-478.	2.2	7
155	Paradigm Change and Uncertainty About Funding of Public Health Research. Social Work in Public Health, 1998, 10, 39-56.	0.2	6
156	Fasting criteria for screening: test properties and agreement with glucose tolerance. Diabetes Research and Clinical Practice, 2002, 58, 139-148.	2.8	6
157	IS EDUCATIONAL INEQUALITY PROTECTIVE?. American Journal of Public Health, 2007, 97, 8-9.	2.7	6
158	Internal Consistency, Concurrent Validity, and Discriminant Validity of a Measure of Public Support for Policies for Active Living in Transportation (PAL-T) in a Population-based Sample of Adults. Journal of Urban Health, 2012, 89, 258-269.	3.6	6
159	Associations between disability prevalence and local-area characteristics in a general community-living population. Revue D'Epidemiologie Et De Sante Publique, 2013, 61, 463-474.	0.5	6
160	Investigating Individual- and Area-Level Socioeconomic Gradients of Pulse Pressure among Normotensive and Hypertensive Participants. International Journal of Environmental Research and Public Health, 2013, 10, 571-589.	2.6	6
161	Sex-specific correlates of adult physical activity in an Australian rural community. Australian Journal of Rural Health, 2014, 22, 15-22.	1.5	6
162	The Keeping on Track Study: Exploring the Activity Levels and Utilization of Healthcare Services of Acute Coronary Syndrome (ACS) Patients in the First 30-Days after Discharge from Hospital. Medical Sciences (Basel, Switzerland), 2019, 7, 61.	2.9	6

#	Article	IF	CITATIONS
163	Climatic and community sociodemographic factors associated with remote Indigenous Australian smoking rates: an ecological study of health audit data. BMJ Open, 2019, 9, e032173.	1.9	6
164	Built Environments and Cardiometabolic Morbidity and Mortality in Remote Indigenous Communities in the Northern Territory, Australia. International Journal of Environmental Research and Public Health, 2020, 17, 769.	2.6	6
165	Establishing a Demographic, Development and Environmental Geospatial Surveillance Platform in India: Planning and Implementation. JMIR Public Health and Surveillance, 2018, 4, e66.	2.6	6
166	Predictors of Residential Mobility among Older Canadians and Impact on Analyses of Place and Health Relationships. AIMS Public Health, 2015, 2, 115-131.	2.6	6
167	Community-Based Prevention and Chronic Disease Self-Management Programmes. Disease Management and Health Outcomes, 1999, 6, 185-192.	0.4	5
168	Describing the Situational Contexts of Sweetened Product Consumption in a Middle Eastern Canadian Community: Application of a Mixed Method Design. PLoS ONE, 2012, 7, e44738.	2.5	5
169	Characterising the Smoking Status and Quit Smoking Behaviour of Aboriginal Health Workers in South Australia. International Journal of Environmental Research and Public Health, 2013, 10, 7193-7206.	2.6	5
170	A workplace health promotion application of the Precede-Proceed model in a regional and remote mining company in Whyalla, South Australia. International Journal of Workplace Health Management, 2015, 8, 154-174.	1.9	5
171	Clinical outcomes associated with albuminuria in central Australia: a cohort study. BMC Nephrology, 2016, 17, 113.	1.8	5
172	Associations between local descriptive norms for overweight/obesity and insufficient fruit intake, individual-level diet, and 10-year change in body mass index and glycosylated haemoglobin in an Australian cohort. International Journal of Behavioral Nutrition and Physical Activity, 2018, 15, 44.	4.6	5
173	Associations between Community Environmental-Level Factors and Diet Quality in Geographically Isolated Australian Communities. International Journal of Environmental Research and Public Health, 2019, 16, 1943.	2.6	5
174	Are changes in depressive symptoms, general health and residential area socio-economic status associated with trajectories of waist circumference and body mass index?. PLoS ONE, 2020, 15, e0227029.	2.5	5
175	Residential location, commute distance, and body size: Cross-sectional observational study of state and territory capital cities in Australia. Journal of Transport and Health, 2021, 22, 101122.	2.2	5
176	Bone mineral density and adipose tissue distribution in young women: relationship to smoking status. Annals of Human Biology, 1995, 22, 29-42.	1.0	4
177	Gender-Specific Situational Correlates of Syringe Sharing During a Single Injection Episode. AIDS and Behavior, 2011, 15, 75-85.	2.7	4
178	The prevalence and correlates of tobacco use among 7-9th grade students in Bangladesh. Children and Youth Services Review, 2019, 104, 104406.	1.9	4
179	Telephone call reminders did not increase screening uptake more than SMS reminders: a recruitment study within a trial. Journal of Clinical Epidemiology, 2019, 112, 45-52.	5.0	4
180	Correlates of Discordance between Perceived and Objective Distances to Local Fruit and Vegetable Retailers. International Journal of Environmental Research and Public Health, 2019, 16, 1262.	2.6	4

#	Article	IF	CITATIONS
181	Residential area and screening venue location features associated with spatial variation in breast cancer screening invitation response rates: an observational study in Greater Sydney, Australia. BMJ Open, 2021, 11, e043853.	1.9	4
182	Adherence to activity monitoring devices or smartphone applications for improving physical activity in adults with cardiovascular disease: a systematic review protocol. JBI Database of Systematic Reviews and Implementation Reports, 2018, 16, 1634-1642.	1.7	4
183	AIDS and "shared sovereignty―in Tanzania from 1987 to 2000: a case study. Social Science and Medicine, 2005, 60, 1613-1624.	3.8	3
184	Letters to the Editor. Public Health Nutrition, 2009, 12, 1305-1306.	2.2	3
185	Effectiveness of discharge education on outcomes in acute coronary syndrome patients: a systematic review protocol. JBI Database of Systematic Reviews and Implementation Reports, 2018, 16, 817-824.	1.7	3
186	Children and youth perceive smoking messages in an unbranded advertisement from a NIKE marketing campaign: a cluster randomised controlled trial. BMC Pediatrics, 2011, 11, 26.	1.7	2
187	The impacts of withdrawal and replacement of general practitioner services on aeromedical service trends: a 13-year interrupted time-series study in Tennant Creek, Northern Territory. BMC Health Services Research, 2015, 15, 456.	2.2	2
188	Prioritizing Built Environmental Factors to Tackle Chronic and Infectious Diseases in Remote Northern Territory (NT) Communities of Australia: A Concept Mapping Study. International Journal of Environmental Research and Public Health, 2021, 18, 5178.	2.6	2
189	Associations between breast cancer screening participation and residential area sociodemographic features, geographic accessibility, and features of screening venue location in Greater Sydney, Australia. Preventive Medicine, 2021, 153, 106774.	3.4	2
190	Does IQ Vary Systematically with All Measures of Socioeconomic Status in a Cohort of Middle-Aged, and Older, Men?. Sociology Mind, 2012, 02, 394-400.	0.1	2
191	Residential Area Sociodemographic and Breast Cancer Screening Venue Location Built Environmental Features Associated with Women's Use of Closest Venue in Greater Sydney, Australia. International Journal of Environmental Research and Public Health, 2021, 18, 11277.	2.6	2
192	Association of Built Environmental Features with Rates of Infectious Diseases in Remote Indigenous Communities in the Northern Territory, Australia. Healthcare (Switzerland), 2022, 10, 173.	2.0	2
193	The lifecourse of place: Looking past paradigms and metaphors to the just nature of place-health – A rejoinder to Andrews'. Social Science and Medicine, 2017, 175, 215-218.	3.8	1
194	Evaluation of data accuracies within a comprehensive geospatial-health data surveillance platform: SOMAARTH Demographic Development and Environmental Surveillance Site, Palwal, Haryana, India. Global Health, Epidemiology and Genomics, 2018, 3, e19.	0.8	1
195	Mis-placed inference: Circular logic in spatial prediction of obesity. Obesity Research and Clinical Practice, 2018, 12, 403-404.	1.8	1
196	A high-volume, low-cost approach to participant screening and enrolment: Experiences from the T4DM diabetes prevention trial. Clinical Trials, 2019, 16, 589-598.	1.6	1
197	Treatment of tungiasis using a tea tree oil-based gel formulation: protocol for a randomised controlled proof-of-principle trial. BMJ Open, 2021, 11, e047380.	1.9	1
198	7. L'émergence d'inégalités de santé dans les quartiersÂ: un cadre théorique. , 0, , 165-185.		1

#	ARTICLE	IF	CITATIONS
199	Response to the Letter by Kawada et al. regarding the manuscript entitled "The metabolic syndrome and CVD outcomes for a central Australian cohort― Diabetes Research and Clinical Practice, 2013, 102, e22-e23.	2.8	0
200	Unintended Messages in Online Advertising to Youth: Illicit Drug Imagery in a Canadian Sports Marketing Campaign. Journal of Adolescent Health, 2015, 56, 429-432.	2.5	0
201	Non-linear Modelling of Fasting Plasma Glucose Concentration and Peak 2-hour Insulin Response to Glucose Challenge in Australian Aboriginal People. Journal of Diabetes Research & Clinical Metabolism, 2012, 1, 8.	0.2	0
202	Place and health infrastructure in the Gulf Cooperation Council: A systematic scoping review of GIS applications in health. Geospatial Health, 2020, 15, .	0.8	0
203	Estimating children's Active School Travel behaviour using the ROute Observation for Travelling to School (ROOTS) instrument. Journal of Transport and Health, 2021, 23, 101287.	2.2	0