

Roser Cortes

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/197062/publications.pdf>

Version: 2024-02-01

93
papers

7,255
citations

50244

46
h-index

54882

84
g-index

93
all docs

93
docs citations

93
times ranked

4881
citing authors

#	ARTICLE	IF	CITATIONS
1	Visualization of 5-HT Receptors Using Radioligand Binding Autoradiography. <i>Current Protocols in Pharmacology</i> , 2016, 75, 8.3.1-8.3.20.	4.0	1
2	Cartography of 5-HT _{1A} and 5-HT _{2A} Receptor Subtypes in Prefrontal Cortex and Its Projections. <i>ACS Chemical Neuroscience</i> , 2015, 6, 1089-1098.	1.7	33
3	From unilateral to bilateral parkinsonism: Effects of lateralization on dyskinesias and associated molecular mechanisms. <i>Neuropharmacology</i> , 2015, 97, 365-375.	2.0	12
4	Early L-dopa, but not pramipexole, restores basal ganglia activity in partially 6-OHDA-lesioned rats. <i>Neurobiology of Disease</i> , 2014, 64, 36-47.	2.1	10
5	Expression of 5-HT _{2A} receptors in prefrontal cortex pyramidal neurons projecting to nucleus accumbens. Potential relevance for atypical antipsychotic action. <i>Neuropharmacology</i> , 2014, 79, 49-58.	2.0	42
6	Acute 5-HT _{1A} autoreceptor knockdown increases antidepressant responses and serotonin release in stressful conditions. <i>Psychopharmacology</i> , 2013, 225, 61-74.	1.5	64
7	Chronic effects of corticosterone on GIRK1-3 subunits and 5-HT _{1A} receptor expression in rat brain and their reversal by concurrent fluoxetine treatment. <i>European Neuropsychopharmacology</i> , 2013, 23, 229-239.	0.3	11
8	Subthalamic 6-OHDA-induced lesion attenuates levodopa-induced dyskinesias in the rat model of Parkinson's disease. <i>Experimental Neurology</i> , 2013, 250, 304-312.	2.0	8
9	RNAi-mediated serotonin transporter suppression rapidly increases serotonergic neurotransmission and hippocampal neurogenesis. <i>Translational Psychiatry</i> , 2013, 3, e211-e211.	2.4	43
10	Selective siRNA-mediated suppression of 5-HT _{1A} autoreceptors evokes strong anti-depressant-like effects. <i>Molecular Psychiatry</i> , 2012, 17, 612-623.	4.1	111
11	Preclinical and clinical characterization of the selective 5-HT _{1A} receptor antagonist DU125530 for antidepressant treatment. <i>British Journal of Pharmacology</i> , 2012, 167, 1021-1034.	2.7	40
12	New antidepressant strategy based on acute siRNA silencing of 5-HT _{1A} autoreceptors. <i>Molecular Psychiatry</i> , 2012, 17, 567-567.	4.1	11
13	NMDA receptors in frontal cortex and hippocampus of alcohol consumers. <i>Addiction Biology</i> , 2011, 16, 163-165.	1.4	6
14	Lipopolysaccharide administration in vivo induces differential expression of cAMP-specific phosphodiesterase 4B mRNA splice variants in the mouse brain. <i>Journal of Neuroscience Research</i> , 2011, 89, 1761-1772.	1.3	13
15	Simultaneous projections from prefrontal cortex to dopaminergic and serotonergic nuclei. <i>International Journal of Neuropsychopharmacology</i> , 2011, 14, 289-302.	1.0	38
16	Dopamine release induced by atypical antipsychotics in prefrontal cortex requires 5-HT _{1A} receptors but not 5-HT _{2A} receptors. <i>International Journal of Neuropsychopharmacology</i> , 2010, 13, 1299-1314.	1.0	67
17	Distribution of 5-HT Receptors in the Central Nervous System. <i>Handbook of Behavioral Neuroscience</i> , 2010, , 123-138.	0.7	27
18	Pyramidal Neurons in Rat Prefrontal Cortex Projecting to Ventral Tegmental Area and Dorsal Raphe Nucleus Express 5-HT _{2A} Receptors. <i>Cerebral Cortex</i> , 2009, 19, 1678-1686.	1.6	87

#	ARTICLE	IF	CITATIONS
19	Effects of early vs. late initiation of levodopa treatment in hemiparkinsonian rats. <i>European Journal of Neuroscience</i> , 2009, 30, 823-832.	1.2	21
20	Distribution and neurochemical characterization of neurons expressing GIRK channels in the rat brain. <i>Journal of Comparative Neurology</i> , 2008, 510, 581-606.	0.9	66
21	Entacapone potentiates the long-duration response but does not normalize levodopa-induced molecular changes. <i>Neurobiology of Disease</i> , 2008, 32, 340-348.	2.1	10
22	Concomitant short- and long-duration response to levodopa in the 6-OHDA-lesioned rat: a behavioural and molecular study. <i>European Journal of Neuroscience</i> , 2007, 25, 259-269.	1.2	12
23	Reversion of levodopa-induced motor fluctuations by the A2A antagonist CSC is associated with an increase in striatal preprodynorphin mRNA expression in 6-OHDA-lesioned rats. <i>Synapse</i> , 2006, 59, 435-444.	0.6	15
24	Chemical Neuroanatomy of 5-HT Receptor Subtypes in the Mammalian Brain. <i>Receptors</i> , 2006, , 319-364.	0.2	16
25	Serotonin 5-HT ₄ receptors and their mRNAs in rat and guinea pig brain: Distribution and effects of neurotoxic lesions. <i>Journal of Comparative Neurology</i> , 2005, 484, 418-439.	0.9	121
26	Neuroprotection induced by the adenosine A _{2A} antagonist CSC in the 6-OHDA rat model of parkinsonism: effect on the activity of striatal output pathways. <i>Experimental Brain Research</i> , 2005, 165, 362-374.	0.7	25
27	Expression of serotonin 5-HT _{2C} receptors in GABAergic cells of the anterior raphe nuclei. <i>Journal of Chemical Neuroanatomy</i> , 2005, 29, 83-91.	1.0	117
28	The kappa opioid agonist U50,488 potentiates 6-hydroxydopamine-induced neurotoxicity on dopaminergic neurons. <i>Experimental Neurology</i> , 2005, 191, 41-52.	2.0	3
29	An autoradiographic study of the influence of pindolol upon [³⁵ S]GTPγS binding in rat, guinea pig and human brain. <i>International Journal of Neuropsychopharmacology</i> , 2004, 7, 27-34.	1.0	11
30	5-HT _{5B} Receptor mRNA in the raphe nuclei: Coexpression with serotonin transporter. <i>Synapse</i> , 2004, 51, 102-111.	0.6	21
31	GABAB receptor mRNA in the raphe nuclei: co-expression with serotonin transporter and glutamic acid decarboxylase. <i>Journal of Neurochemistry</i> , 2003, 84, 743-752.	2.1	59
32	Alterations on phosphodiesterase type 7 and 8 isozyme mRNA expression in Alzheimer's disease brains examined by in situ hybridization. <i>Experimental Neurology</i> , 2003, 182, 322-334.	2.0	110
33	Some Aspects on the Anatomy and Function of Central Cholecystokinin Systems. <i>Basic and Clinical Pharmacology and Toxicology</i> , 2002, 91, 382-386.	0.0	28
34	Flip and flop splice variants of AMPA receptor subunits in the spinal cord of amyotrophic lateral sclerosis. <i>Synapse</i> , 2002, 45, 245-249.	0.6	29
35	Polyamines in the basal ganglia of human brain. Influence of aging and degenerative movement disorders. <i>Neuroscience Letters</i> , 2001, 304, 107-111.	1.0	57
36	Phosphodiesterase type 4 isozymes expression in human brain examined by in situ hybridization histochemistry and [³ H]rolipram binding autoradiography. <i>Journal of Chemical Neuroanatomy</i> , 2000, 20, 349-374.	1.0	202

#	ARTICLE	IF	CITATIONS
37	Flip and flop variants of AMPA receptor subunits in the human cerebellum: Implication for the selective vulnerability of purkinje cells. , 1999, 31, 163-167.		10
38	Displacement of the binding of 5-HT1A receptor ligands to pre- and postsynaptic receptors by (-)pindolol. A comparative study in rodent, primate and human brain. , 1999, 34, 68-76.		25
39	[3H]CNQX and NMDA-Sensitive [3H]Glutamate Binding Sites and AMPA Receptor Subunit RNA Transcripts in the Striatum of Normal and Weaver Mutant Mice and Effects of Ventral Mesencephalic Grafts. Cell Transplantation, 1999, 8, 11-23.	1.2	7
40	Displacement of the binding of 5-HT1A receptor ligands to pre- and postsynaptic receptors by (-)pindolol. A comparative study in rodent, primate and human brain. Synapse, 1999, 34, 68-76.	0.6	1
41	Basal and stimulated extracellular serotonin concentration in the brain of rats with altered serotonin uptake. , 1998, 28, 313-321.		42
42	Distribution of AMPA receptor subunit mRNAs in the human basal ganglia: an in situ hybridization study. Molecular Brain Research, 1997, 46, 281-289.	2.5	47
43	Distribution of [3H]diadenosine tetraphosphate binding sites in rat brain. Neuroscience, 1997, 77, 247-255.	1.1	23
44	Strategies to Optimize the Antidepressant Action of Selective Serotonin Reuptake Inhibitors. , 1997, , 1-33.		8
45	Differential regional distribution of AMPA receptor subunit messenger RNAs in the human spinal cord as visualized by in situ hybridization. Neuroscience, 1996, 75, 901-915.	1.1	64
46	Localization of 5-HT4 receptor mRNA in rat brain by in situ hybridization histochemistry. Molecular Brain Research, 1996, 43, 356-360.	2.5	111
47	5-HT receptors in mammalian brain: receptor autoradiography and in situ hybridization studies of new ligands and newly identified receptors. The Histochemical Journal, 1996, 28, 747-758.	0.6	127
48	p-Chlorophenylalanine Increases Tryptophan-5-Hydroxylase mRNA Levels in the Rat Dorsal Raphe: A Time Course Study Using In Situ Hybridization. Journal of Neurochemistry, 1993, 60, 761-764.	2.1	26
49	Evidence for upregulation of galanin synthesis in rat glial cells in vivo after colchicine treatment. Neuroscience Letters, 1992, 145, 185-188.	1.0	27
50	Calcitonin Gene-Related Peptide in the Brain, Spinal Cord, and Some Peripheral Systems. Annals of the New York Academy of Sciences, 1992, 657, 119-134.	1.8	113
51	Effect of reserpine and colchicine on neuropeptide mRNA levels in the rat hypothalamic paraventricular nucleus. Molecular Brain Research, 1991, 9, 57-69.	2.5	117
52	Distribution patterns of CCK and CCK mRNA in some neuronal and non-neuronal tissues. Neuropeptides, 1991, 19, 31-43.	0.9	55
53	Regional development of muscarinic cholinergic binding sites in the prenatal rat brain. Neuroscience, 1991, 45, 347-357.	1.1	54
54	Immunohistochemical study of cholecystokinin peptide in rat spinal motoneurons. Synapse, 1991, 9, 103-110.	0.6	15

#	ARTICLE	IF	CITATIONS
55	Peptides and transmitter enzymes in hypothalamic magnocellular neurons after administration of hyperosmotic stimuli: comparison between messenger RNA and peptide/protein levels. <i>Cell and Tissue Research</i> , 1990, 260, 279-297.	1.5	168
56	Differential effects of intracerebroventricular colchicine administration on the expression of mRNAs for neuropeptides and neurotransmitter enzymes, with special emphasis on galanin: An in situ Hybridization Study. <i>Synapse</i> , 1990, 6, 369-391.	0.6	217
57	Effects of central nervous system lesions on the expression of galanin: a comparative in situ hybridization and immunohistochemical study. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1990, 87, 7742-7746.	3.3	76
58	Neuropeptide gene expression in hypothalamic magnocellular neurons of normal and hypophysectomized rats: A combined immunohistochemical and in situ hybridization study. <i>Neuroscience</i> , 1990, 36, 181-199.	1.1	74
59	Dopamine receptors in human brain: Autoradiographic distribution of D2 sites. <i>Neuroscience</i> , 1989, 28, 275-290.	1.1	270
60	Neuropeptide expression in rat dorsal root ganglion cells and spinal cord after peripheral nerve injury with special reference to galanin. <i>Neuroscience</i> , 1989, 33, 587-604.	1.1	449
61	Dopamine receptors in human brain: autoradiographic distribution of D1 and D2 sites in Parkinson syndrome of different etiology. <i>Brain Research</i> , 1989, 483, 30-38.	1.1	107
62	Dopamine receptors in human brain: Autoradiographic distribution of D1 sites. <i>Neuroscience</i> , 1989, 28, 263-273.	1.1	165
63	Dopamine- and cAMP-regulated phosphoprotein (DARPP-32) and dopamine DA1 agonist-sensitive Na ⁺ ,K ⁺ -ATPase in renal tubule cells. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1989, 86, 8068-8072.	3.3	96
64	Decreased densities of dopamine D1 receptors in the putamen and hippocampus in senile dementia of the Alzheimer type. <i>Brain Research</i> , 1988, 475, 164-167.	1.1	41
65	Neurotransmitter receptors in the avian brain. II. Muscarinic cholinergic receptors. <i>Brain Research</i> , 1988, 439, 360-365.	1.1	57
66	Neurotransmitter receptors in the avian brain. III. GABA-benzodiazepine receptors. <i>Brain Research</i> , 1988, 439, 366-371.	1.1	46
67	Differential modification of muscarinic cholinergic receptors in the hippocampus of patients with Alzheimer's disease: an autoradiographic study. <i>Brain Research</i> , 1988, 450, 190-201.	1.1	48
68	Receptors in Human Brain Diseases: A use for Receptor Autoradiography in Neuropathology. <i>Journal of Receptors and Signal Transduction</i> , 1988, 8, 509-520.	1.2	5
69	Autoradiography of antidepressant binding sites in the human brain: localization using [3H]imipramine and [3H]paroxetine. <i>Neuroscience</i> , 1988, 27, 473-496.	1.1	204
70	Benzodiazepine receptor sites in the human brain: Autoradiographic mapping. <i>Neuroscience</i> , 1988, 25, 771-795.	1.1	137
71	Antiserum raised against residues 159-168 of the guanine nucleotide-binding protein Gi3-alpha reacts with ependymal cells and some neurons in the rat brain containing cholecystokinin- or cholecystokinin- and tyrosine 3-hydroxylase-like immunoreactivities. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1988, 85, 9351-9355.	3.3	17
72	β1-adrenoceptors in the mammalian brain: similar pharmacology but different distribution in rodents and primates. <i>Brain Research</i> , 1987, 419, 65-75.	1.1	130

#	ARTICLE	IF	CITATIONS
73	Distinct topographical localisation of two somatostatin receptor subpopulations in the human cortex. <i>Brain Research</i> , 1987, 406, 391-396.	1.1	66
74	Autoradiographic localization of muscarinic cholinergic receptors in visual areas of cat brain: Variations in sensitivity of binding sites to carbachol and pirenzepine. <i>Neuroscience Letters</i> , 1987, 81, 13-18.	1.0	10
75	Quantitative light microscopic autoradiographic localization of cholinergic muscarinic receptors in the human brain: Forebrain. <i>Neuroscience</i> , 1987, 20, 65-107.	1.1	142
76	Receptor Plasticity in the Human Brain: Some Autoradiographic Studies. <i>Journal of Receptors and Signal Transduction</i> , 1987, 7, 581-597.	1.2	29
77	Beta-Adrenergic Binding Sites in Fetal Rat Central Nervous System and Pineal Gland: Their Relation to Other Receptor Sites. <i>Developmental Pharmacology and Therapeutics</i> , 1987, 10, 422-435.	0.2	20
78	Mapping receptors in the human brain. <i>Trends in Neurosciences</i> , 1986, 9, 284-289.	4.2	62
79	Distribution of somatostatin receptors in the human brain: An autoradiographic study. <i>Neuroscience</i> , 1986, 18, 329-346.	1.1	144
80	The distribution of glycine receptors in the human brain. A light microscopic autoradiographic study using [3H]strychnine. <i>Neuroscience</i> , 1986, 17, 11-35.	1.1	128
81	Muscarinic cholinergic receptor subtypes in the rat brain. I. Quantitative autoradiographic studies. <i>Brain Research</i> , 1986, 362, 227-238.	1.1	229
82	Muscarinic cholinergic receptor subtypes in the human brain. II. Quantitative autoradiographic studies. <i>Brain Research</i> , 1986, 362, 239-253.	1.1	197
83	Thyrotropin-Releasing Hormone Receptor Binding Sites: Autoradiographic Distribution in the Rat and Guinea Pig Brain. <i>Journal of Neurochemistry</i> , 1985, 45, 1448-1463.	2.1	45
84	Calcium Entry Blockers: Autoradiographic Mapping of Their Binding Sites in Rat Brain. <i>Progress in Brain Research</i> , 1985, 63, 89-95.	0.9	5
85	Quantitative autoradiographic mapping of serotonin receptors in the rat brain. II. Serotonin-2 receptors. <i>Brain Research</i> , 1985, 346, 231-249.	1.1	855
86	Calcium antagonist binding sites in the rat brain: Quantitative autoradiographic mapping using the 1,4-dihydropyridines [3H]PN 200-110 and [3H]PY 108-068. <i>Journal of Neural Transmission</i> , 1984, 60, 169-197.	1.4	151
87	Quantitative Receptor Autoradiography: Application to the Characterization of Multiple Receptor Subtypes. <i>Journal of Receptors and Signal Transduction</i> , 1984, 4, 645-656.	1.2	8
88	Distribution of α_2 -adrenergic receptors in the human brainstem: An autoradiographic study using [3H]p-aminoclonidine. <i>European Journal of Pharmacology</i> , 1984, 106, 477-488.	1.7	65
89	Quantitative light microscopic autoradiographic localization of cholinergic muscarinic receptors in the human brain: Brainstem. <i>Neuroscience</i> , 1984, 12, 1003-1026.	1.1	123
90	6-Azabicyclo[3.2.1]octane derivatives. <i>Tetrahedron</i> , 1983, 39, 1723-1728.	1.0	6

#	ARTICLE	IF	CITATIONS
91	The effects of lesions in the rat hippocampus suggest the association of calcium channel blocker binding sites with specific neuronal population. <i>Neuroscience Letters</i> , 1983, 42, 249-254.	1.0	82
92	The distribution of serotonin receptors in the human brain: high density of [3H]LSD binding sites in the raphe nuclei of the brainstem. <i>Brain Research</i> , 1983, 274, 150-155.	1.1	44
93	Multiple opiate receptor in human brain: An autoradiographic investigation. <i>Life Sciences</i> , 1983, 33, 231-234.	2.0	118