

Jenni M Ervasti

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1970699/publications.pdf>

Version: 2024-02-01

74
papers

1,167
citations

394421

19
h-index

477307

29
g-index

75
all docs

75
docs citations

75
times ranked

1534
citing authors

#	ARTICLE	IF	CITATIONS
1	Lifestyle factors and risk of sickness absence from work: a multicohort study. <i>Lancet Public Health, The</i> , 2018, 3, e545-e554.	10.0	88
2	Prognostic factors for return to work after depression-related work disability: A systematic review and meta-analysis. <i>Journal of Psychiatric Research</i> , 2017, 95, 28-36.	3.1	68
3	Depression-Related Work Disability: Socioeconomic Inequalities in Onset, Duration and Recurrence. <i>PLoS ONE</i> , 2013, 8, e79855.	2.5	55
4	Fast-food outlets and grocery stores near school and adolescents' eating habits and overweight in Finland. <i>European Journal of Public Health</i> , 2015, 25, 650-655.	0.3	48
5	Occupational class and working beyond the retirement age: a cohort study. <i>Scandinavian Journal of Work, Environment and Health</i> , 2017, 43, 426-435.	3.4	43
6	Evaluation of an organizational stress management program in a municipal public works organization.. <i>Journal of Occupational Health Psychology</i> , 2008, 13, 10-23.	3.3	39
7	Long-term exposure to heavy physical work, disability pension due to musculoskeletal disorders and all-cause mortality: 20-year follow-up introducing Helsinki Health Study job exposure matrix. <i>International Archives of Occupational and Environmental Health</i> , 2019, 92, 337-345.	2.3	36
8	Work Disability Before and After Diabetes Diagnosis: A Nationwide Population-Based Register Study in Sweden. <i>American Journal of Public Health</i> , 2015, 105, e22-e29.	2.7	35
9	School environment as predictor of teacher sick leave: data-linked prospective cohort study. <i>BMC Public Health</i> , 2012, 12, 770.	2.9	32
10	Modifications to residential neighbourhood characteristics and risk of 79 common health conditions: a prospective cohort study. <i>Lancet Public Health, The</i> , 2021, 6, e396-e407.	10.0	32
11	Is temporary employment a risk factor for work disability due to depressive disorders and delayed return to work? The Finnish Public Sector Study. <i>Scandinavian Journal of Work, Environment and Health</i> , 2014, 40, 343-352.	3.4	31
12	Long working hours and change in body weight: analysis of individual-participant data from 19 cohort studies. <i>International Journal of Obesity</i> , 2020, 44, 1368-1375.	3.4	29
13	Return to Work After Depression-Related Absence by Employees With and Without Other Health Conditions. <i>Psychosomatic Medicine</i> , 2015, 77, 126-135.	2.0	28
14	Childhood adversity, adult socioeconomic status and risk of work disability: a prospective cohort study. <i>Occupational and Environmental Medicine</i> , 2017, 74, 659-666.	2.8	27
15	Work-Related Violence, Lifestyle, and Health Among Special Education Teachers Working in Finnish Basic Education. <i>Journal of School Health</i> , 2012, 82, 336-343.	1.6	24
16	Do predictors of return to work and recurrence of work disability due to mental disorders vary by age? A cohort study. <i>Scandinavian Journal of Public Health</i> , 2017, 45, 178-184.	2.3	24
17	The joint contribution of cardiovascular disease and socioeconomic status to disability retirement: A register linkage study. <i>International Journal of Cardiology</i> , 2017, 230, 222-227.	1.7	22
18	THE ROLE OF PSYCHIATRIC, CARDIOMETABOLIC, AND MUSCULOSKELETAL COMORBIDITY IN THE RECURRENCE OF DEPRESSION-RELATED WORK DISABILITY. <i>Depression and Anxiety</i> , 2014, 31, 796-803.	4.1	21

#	ARTICLE	IF	CITATIONS
19	Predictors of Depression and Musculoskeletal Disorder Related Work Disability Among Young, Middle-Aged, and Aging Employees. <i>Journal of Occupational and Environmental Medicine</i> , 2017, 59, 114-119.	1.7	21
20	Trends in Diagnosis-Specific Work Disability Before and After Stroke: A Longitudinal Population-Based Study in Sweden. <i>Journal of the American Heart Association</i> , 2018, 7, .	3.7	21
21	Long working hours and risk of 50 health conditions and mortality outcomes: a multicohort study in four European countries. <i>Lancet Regional Health - Europe</i> , The, 2021, 11, 100212.	5.6	21
22	Health- and work-related predictors of work disability among employees with a cardiometabolic disease – A cohort study. <i>Journal of Psychosomatic Research</i> , 2016, 82, 41-47.	2.6	19
23	Association of changes in work due to COVID-19 pandemic with psychosocial work environment and employee health: a cohort study of 24 299 Finnish public sector employees. <i>Occupational and Environmental Medicine</i> , 2022, 79, 233-241.	2.8	19
24	Students' school satisfaction as predictor of teachers' sickness absence: a prospective cohort study. <i>European Journal of Public Health</i> , 2012, 22, 215-219.	0.3	18
25	Work disability before and after a major cardiovascular event: a ten-year study using nationwide medical and insurance registers. <i>Scientific Reports</i> , 2017, 7, 1142.	3.3	18
26	Sickness absence diagnoses among abstainers, low-risk drinkers and at-risk drinkers: consideration of the U-shaped association between alcohol use and sickness absence in four cohort studies. <i>Addiction</i> , 2018, 113, 1633-1642.	3.3	16
27	Pupils with special educational needs in basic education schools and teachers' sickness absences – a register-linkage study. <i>Scandinavian Journal of Work, Environment and Health</i> , 2012, 38, 209-217.	3.4	16
28	Effect of a leadership intervention on subordinate well-being. <i>Journal of Management Development</i> , 2014, 33, 182-195.	2.1	15
29	Internal consistency and factor structure of Jenkins Sleep Scale: cross-sectional cohort study among 80%000 adults. <i>BMJ Open</i> , 2021, 11, e043276.	1.9	15
30	Sickness absence among Finnish special and general education teachers. <i>Occupational Medicine</i> , 2011, 61, 465-471.	1.4	14
31	Work Disability among Employees with Diabetes: Latent Class Analysis of Risk Factors in Three Prospective Cohort Studies. <i>PLoS ONE</i> , 2015, 10, e0143184.	2.5	14
32	Trends of Diagnosis-Specific Work Disability After Newly Diagnosed Diabetes: A 4-Year Nationwide Prospective Cohort Study. <i>Diabetes Care</i> , 2015, 38, 1883-1890.	8.6	14
33	Clustering of adversity in young adults on disability pension due to mental disorders: a latent class analysis. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2016, 51, 281-287.	3.1	14
34	Permanent work disability before and after ischaemic heart disease or stroke event: a nationwide population-based cohort study in Sweden. <i>BMJ Open</i> , 2017, 7, e017910.	1.9	14
35	Association of pupil vandalism, bullying and truancy with teachers' absence due to illness: A multilevel analysis. <i>Journal of School Psychology</i> , 2012, 50, 347-361.	2.9	13
36	Research strategies for precarious employment. <i>Scandinavian Journal of Work, Environment and Health</i> , 2019, 45, 425-427.	3.4	12

#	ARTICLE	IF	CITATIONS
37	Psychosocial factors associated with work disability in men and women with diabetes: a pooled analysis of three occupational cohort studies. <i>Diabetic Medicine</i> , 2016, 33, 208-217.	2.3	11
38	Social Capital in Schools. , 2013, , 65-85.		10
39	The joint contribution of diabetes and work disability to premature death during working age: a population-based study in Sweden. <i>Scandinavian Journal of Public Health</i> , 2016, 44, 580-586.	2.3	10
40	Comorbidity and work disability among employees with diabetes: Associations with risk factors in a pooled analysis of three cohort studies. <i>Scandinavian Journal of Public Health</i> , 2016, 44, 84-90.	2.3	10
41	Neurodevelopmental disorders among young adults and the risk of sickness absence and disability pension: a nationwide register linkage study. <i>Scandinavian Journal of Work, Environment and Health</i> , 2020, 46, 410-416.	3.4	10
42	Does increasing physical activity reduce the excess risk of work disability among overweight individuals?. <i>Scandinavian Journal of Work, Environment and Health</i> , 2019, 45, 376-385.	3.4	9
43	Socioeconomic gradient in work disability in diabetes: evidence from three occupational cohorts. <i>Journal of Epidemiology and Community Health</i> , 2016, 70, 125-131.	3.7	8
44	Changes in drinking as predictors of changes in sickness absence: a case-crossover study. <i>Journal of Epidemiology and Community Health</i> , 2018, 72, 61-67.	3.7	8
45	The effect of smoking cessation on work disability risk: a longitudinal study analysing observational data as non-randomized nested pseudo-trials. <i>International Journal of Epidemiology</i> , 2019, 48, 415-422.	1.9	8
46	School neighbourhood socio-economic status and teachers' work commitment in Finland: longitudinal survey with register linkage. <i>Teachers and Teaching: Theory and Practice</i> , 2015, 21, 131-149.	1.9	7
47	Sociodemographic Differences Between Alcohol Use and Sickness Absence: Pooled Analysis of Four Cohort Studies. <i>Alcohol and Alcoholism</i> , 2018, 53, 95-103.	1.6	7
48	Patterns of working hour characteristics and risk of sickness absence among shift-working hospital employees: a data-mining cohort study. <i>Scandinavian Journal of Work, Environment and Health</i> , 2021, 47, 395-403.	3.4	7
49	Contribution of comorbid conditions to the association between diabetes and disability pensions: a population-based nationwide cohort study. <i>Scandinavian Journal of Work, Environment and Health</i> , 2016, 42, 209-16.	3.4	7
50	Trends in diagnosis-specific work disability before and after ischaemic heart disease: a nationwide population-based cohort study in Sweden. <i>BMJ Open</i> , 2018, 8, e019749.	1.9	6
51	Psychological distress and sickness absence: Within- versus between-individual analysis. <i>Journal of Affective Disorders</i> , 2020, 264, 333-339.	4.1	6
52	Return to Work Coordinator Model and Work Participation of Employees: A Natural Intervention Study in Finland. <i>Journal of Occupational Rehabilitation</i> , 2021, 31, 831-839.	2.2	6
53	Association of working hour characteristics and on-call work with risk of short sickness absence among hospital physicians: A longitudinal cohort study. <i>Chronobiology International</i> , 2022, 39, 233-240.	2.0	6
54	Shift work, work time control, and informal caregiving as risk factors for sleep disturbances in an ageing municipal workforce. <i>Scandinavian Journal of Work, Environment and Health</i> , 2021, 47, 181-190.	3.4	6

#	ARTICLE	IF	CITATIONS
55	Trajectories of work ability from mid-life to pensionable age and their association with retirement timing. <i>Journal of Epidemiology and Community Health</i> , 2021, 75, 1098-1103.	3.7	5
56	Persistence of sleep difficulties for over 16 years amongst 66,948 working-aged adults. <i>PLoS ONE</i> , 2021, 16, e0259500.	2.5	5
57	Unemployment Trajectories and the Early Risk of Disability Pension among Young People with and without Autism Spectrum Disorder: A Nationwide Study in Sweden. <i>International Journal of Environmental Research and Public Health</i> , 2020, 17, 2486.	2.6	4
58	Trajectories of Worktime Control From Midlife to Retirement and Working Beyond Retirement Age. <i>Work, Aging and Retirement</i> , 2022, 8, 273-281.	2.0	4
59	Working hours, on-call shifts, and risk of occupational injuries among hospital physicians: A case-crossover study. <i>Journal of Occupational Health</i> , 2022, 64, e12322.	2.1	4
60	Association of alcohol use with years lived without major chronic diseases: A multicohort study from the IPD-Work consortium and UK Biobank. <i>Lancet Regional Health - Europe, The</i> , 2022, 19, 100417.	5.6	4
61	Labor Market Participation Before and After Long-Term Part-Time Sickness Absence in Finland. <i>Journal of Occupational and Environmental Medicine</i> , 2020, 62, e142-e148.	1.7	3
62	Alternative duty work as workplace-initiated procedure to reduce sickness absence. <i>BMC Public Health</i> , 2021, 21, 1154.	2.9	3
63	Association of changes in lifestyle with changes in sleep difficulties: an analysis of 38400 participants over a 16-year follow-up. <i>BMJ Open</i> , 2021, 11, e050046.	1.9	3
64	Length of exposure to long working hours and night work and risk of sickness absence: a register-based cohort study. <i>BMC Health Services Research</i> , 2021, 21, 1199.	2.2	3
65	Psychotherapeutic and work-oriented interventions: employment outcomes among young adults with work disability due to a mental disorder. <i>International Journal of Mental Health Systems</i> , 2016, 10, 68.	2.7	2
66	Joint contribution of rotation of the back and repetitive movements to disability pension using job exposure matrix data. <i>European Journal of Public Health</i> , 2019, 29, 1079-1084.	0.3	2
67	Job demands and job control among occupational therapists in public sector in Finland. <i>Scandinavian Journal of Occupational Therapy</i> , 2020, , 1-10.	1.7	1
68	Sleep duration and sleep difficulties as predictors of occupational injuries: a cohort study. <i>Occupational and Environmental Medicine</i> , 2021, , oemed-2021-107516.	2.8	1
69	Intervention targeted at physicians'™ treatment of musculoskeletal disorders and sickness certification: an interrupted time series analysis. <i>BMJ Open</i> , 2021, 11, e047018.	1.9	1
70	Concurrent changes in physical activity and body mass index among 66852 public sector employees over a 16-year follow-up: multitrajectory analysis of a cohort study in Finland. <i>BMJ Open</i> , 2022, 12, e057692.	1.9	1
71	Effectiveness of a workplace intervention to reduce workplace bullying and violence at work: study protocol for a two-wave quasi-experimental intervention study. <i>BMJ Open</i> , 2022, 12, e053664.	1.9	1
72	Clustering of social disadvantage with attention-deficit/hyperactivity disorder in young adults: A register-based study in Sweden. <i>Scandinavian Journal of Psychology</i> , 2022, , .	1.5	1

#	ARTICLE	IF	CITATIONS
73	Labor market outcomes before and after first episode of part-time sickness absence. European Journal of Public Health, 2019, 29, .	0.3	0
74	Diagnosis-Specific Work Disability before and after Lumbar Spine Decompression Surgeryâ€™A Register Study from Sweden. International Journal of Environmental Research and Public Health, 2021, 18, 8937.	2.6	0