

# Dianping Tang

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1976986/publications.pdf>

Version: 2024-02-01

268  
papers

22,697  
citations

6124

83  
h-index

12638

137  
g-index

269  
all docs

269  
docs citations

269  
times ranked

13494  
citing authors

#	ARTICLE	IF	CITATIONS
1	Recent Advances in Photoelectrochemical Sensing: From Engineered Photoactive Materials to Sensing Devices and Detection Modes. <i>Analytical Chemistry</i> , 2020, 92, 363-377.	3.2	614
2	Sandwich-type immunosensors and immunoassays exploiting nanostructure labels: A review. <i>Analytica Chimica Acta</i> , 2013, 758, 1-18.	2.6	409
3	Bioresponsive Release System for Visual Fluorescence Detection of Carcinoembryonic Antigen from Mesoporous Silica Nanocontainers Mediated Optical Color on Quantum Dot-Enzyme-Impregnated Paper. <i>Analytical Chemistry</i> , 2017, 89, 5152-5160.	3.2	405
4	DNA-Based Hybridization Chain Reaction for Amplified Bioelectronic Signal and Ultrasensitive Detection of Proteins. <i>Analytical Chemistry</i> , 2012, 84, 5392-5399.	3.2	381
5	ZIF-8-Assisted NaYF <sub>4</sub> :Yb,Tm@ZnO Converter with Exonuclease III-Powered DNA Walker for Near-Infrared Light Responsive Biosensor. <i>Analytical Chemistry</i> , 2020, 92, 1470-1476.	3.2	376
6	Ultrasensitive Electrochemical Immunosensor for Clinical Immunoassay Using Thionine-Doped Magnetic Gold Nanospheres as Labels and Horseradish Peroxidase as Enhancer. <i>Analytical Chemistry</i> , 2008, 80, 1582-1588.	3.2	366
7	Signal-On Photoelectrochemical Immunoassay for Aflatoxin B <sub>1</sub> Based on Enzymatic Product-Etching MnO <sub>2</sub> Nanosheets for Dissociation of Carbon Dots. <i>Analytical Chemistry</i> , 2017, 89, 5637-5645.	3.2	360
8	Near-Infrared-to-Ultraviolet Light-Mediated Photoelectrochemical Aptasensing Platform for Cancer Biomarker Based on Core-Shell NaYF <sub>4</sub> :Yb,Tm@TiO <sub>2</sub> Upconversion Microrods. <i>Analytical Chemistry</i> , 2018, 90, 1021-1028.	3.2	321
9	Palindromic Molecular Beacon Based Z-Scheme BiOCl-Au-CdS Photoelectrochemical Biodetection. <i>Analytical Chemistry</i> , 2019, 91, 2447-2454.	3.2	318
10	Current Advances in Quantum Dots-Based Photoelectrochemical Immunoassays. <i>Chemistry - an Asian Journal</i> , 2017, 12, 2780-2789.	1.7	301
11	Paper Electrode-Based Flexible Pressure Sensor for Point-of-Care Immunoassay with Digital Multimeter. <i>Analytical Chemistry</i> , 2019, 91, 1222-1226.	3.2	278
12	Exciton-Plasmon Interaction between AuNPs/Graphene Nanohybrids and CdS Quantum Dots/TiO <sub>2</sub> for Photoelectrochemical Aptasensing of Prostate-Specific Antigen. <i>ACS Sensors</i> , 2018, 3, 632-639.	4.0	277
13	Recent advances in photoelectrochemical biosensors for analysis of mycotoxins in food. <i>TrAC - Trends in Analytical Chemistry</i> , 2020, 124, 115814.	5.8	276
14	Platinum Nanozyme-Catalyzed Gas Generation for Pressure-Based Bioassay Using Polyaniline Nanowires-Functionalized Graphene Oxide Framework. <i>Analytical Chemistry</i> , 2018, 90, 12299-12306.	3.2	271
15	Near-Infrared Light-Excited Core-Shell UCNP@Au@CdS Upconversion Nanospheres for Ultrasensitive Photoelectrochemical Enzyme Immunoassay. <i>Analytical Chemistry</i> , 2018, 90, 9568-9575.	3.2	267
16	Metal-Polydopamine Framework: An Innovative Signal-Generation Tag for Colorimetric Immunoassay. <i>Analytical Chemistry</i> , 2018, 90, 11099-11105.	3.2	260
17	CRISPR-Cas12a-driven MXene-PEDOT:PSS piezoresistive wireless biosensor. <i>Nano Energy</i> , 2021, 82, 105711.	8.2	260
18	Double Photosystems-Based Z-Scheme™ Photoelectrochemical Sensing Mode for Ultrasensitive Detection of Disease Biomarker Accompanying Three-Dimensional DNA Walker. <i>Analytical Chemistry</i> , 2018, 90, 7086-7093.	3.2	259

#	ARTICLE	IF	CITATIONS
19	Dual-Channel Photoelectrochemical Ratiometric Aptasensor with up-Converting Nanocrystals Using Spatial-Resolved Technique on Homemade 3D Printed Device. <i>Analytical Chemistry</i> , 2019, 91, 1260-1268.	3.2	250
20	Reduced graphene oxide/BiFeO <sub>3</sub> nanohybrids-based signal-on photoelectrochemical sensing system for prostate-specific antigen detection coupling with magnetic microfluidic device. <i>Biosensors and Bioelectronics</i> , 2018, 101, 146-152.	5.3	246
21	Nanoparticle-Based Sandwich Electrochemical Immunoassay for Carbohydrate Antigen 125 with Signal Enhancement Using Enzyme-Coated Nanometer-Sized Enzyme-Doped Silica Beads. <i>Analytical Chemistry</i> , 2010, 82, 1527-1534.	3.2	245
22	Bio-bar-code-based photoelectrochemical immunoassay for sensitive detection of prostate-specific antigen using rolling circle amplification and enzymatic biocatalytic precipitation. <i>Biosensors and Bioelectronics</i> , 2018, 101, 159-166.	5.3	241
23	Platinum-Decorated Gold Nanoparticles with Dual Functionalities for Ultrasensitive Colorimetric in Vitro Diagnostics. <i>Nano Letters</i> , 2017, 17, 5572-5579.	4.5	235
24	Magneto-Controlled Graphene Immunosensing Platform for Simultaneous Multiplexed Electrochemical Immunoassay Using Distinguishable Signal Tags. <i>Analytical Chemistry</i> , 2011, 83, 5407-5414.	3.2	230
25	Magnetic Core-Shell Fe <sub>3</sub> O <sub>4</sub> @Ag Nanoparticles Coated Carbon Paste Interface for Studies of Carcinoembryonic Antigen in Clinical Immunoassay. <i>Journal of Physical Chemistry B</i> , 2006, 110, 11640-11646.	1.2	223
26	High-Resolution Colorimetric Assay for Rapid Visual Readout of Phosphatase Activity Based on Gold/Silver Core/Shell Nanorod. <i>ACS Applied Materials &amp; Interfaces</i> , 2014, 6, 18243-18250.	4.0	217
27	Self-Powered Temperature Sensor with Seebeck Effect Transduction for Photothermal-Thermoelectric Coupled Immunoassay. <i>Analytical Chemistry</i> , 2020, 92, 2809-2814.	3.2	214
28	CdS:Mn quantum dot-functionalized g-C <sub>3</sub> N <sub>4</sub> nanohybrids as signal-generation tags for photoelectrochemical immunoassay of prostate specific antigen coupling DNAzyme concatamer with enzymatic biocatalytic precipitation. <i>Biosensors and Bioelectronics</i> , 2017, 95, 34-40.	5.3	210
29	Magnetic Bead-Based Reverse Colorimetric Immunoassay Strategy for Sensing Biomolecules. <i>Analytical Chemistry</i> , 2013, 85, 6945-6952.	3.2	209
30	Ti <sub>3</sub> C <sub>2</sub> MXene quantum dot-encapsulated liposomes for photothermal immunoassays using a portable near-infrared imaging camera on a smartphone. <i>Nanoscale</i> , 2019, 11, 15659-15667.	2.8	209
31	Plasmonic Enhancement Coupling with Defect-Engineered TiO <sub>2</sub> : A Mode for Sensitive Photoelectrochemical Biosensing. <i>Analytical Chemistry</i> , 2018, 90, 2425-2429.	3.2	208
32	Plasmonic AuNP/g-C <sub>3</sub> N <sub>4</sub> Nanohybrid-based Photoelectrochemical Sensing Platform for Ultrasensitive Monitoring of Polynucleotide Kinase Activity Accompanying DNAzyme-Catalyzed Precipitation Amplification. <i>ACS Applied Materials &amp; Interfaces</i> , 2015, 7, 8330-8338.	4.0	205
33	Branched Polyethylenimine-Modified Upconversion Nanohybrid-Mediated Photoelectrochemical Immunoassay with Synergistic Effect of Dual-Purpose Copper Ions. <i>Analytical Chemistry</i> , 2019, 91, 4149-4156.	3.2	204
34	In Situ Amplified Electrochemical Immunoassay for Carcinoembryonic Antigen Using Horseradish Peroxidase-Encapsulated Nanogold Hollow Microspheres as Labels. <i>Analytical Chemistry</i> , 2008, 80, 8064-8070.	3.2	202
35	CRISPR-Cas12a-Derived Photoelectrochemical Biosensor for Point-Of-Care Diagnosis of Nucleic Acid. <i>Analytical Chemistry</i> , 2022, 94, 7442-7448.	3.2	196
36	Facile Synthesis of Enhanced Fluorescent Gold-Silver Bimetallic Nanocluster and Its Application for Highly Sensitive Detection of Inorganic Pyrophosphatase Activity. <i>Analytical Chemistry</i> , 2016, 88, 8886-8892.	3.2	190

#	ARTICLE	IF	CITATIONS
37	CoOOH nanosheets-coated g-C <sub>3</sub> N <sub>4</sub> /CuInS <sub>2</sub> nanohybrids for photoelectrochemical biosensor of carcinoembryonic antigen coupling hybridization chain reaction with etching reaction. <i>Sensors and Actuators B: Chemical</i> , 2020, 307, 127631.	4.0	185
38	Wet NH <sub>3</sub> -Triggered NH <sub>2</sub> -MIL-125(Ti) Structural Switch for Visible Fluorescence Immunoassay Impregnated on Paper. <i>Analytical Chemistry</i> , 2018, 90, 14121-14125.	3.2	182
39	Pressure-Based Biosensor Integrated with a Flexible Pressure Sensor and an Electrochromic Device for Visual Detection. <i>Analytical Chemistry</i> , 2021, 93, 2916-2925.	3.2	181
40	Silver Nanolabels-Assisted Ion-Exchange Reaction with CdTe Quantum Dots Mediated Exciton Trapping for Signal-On Photoelectrochemical Immunoassay of Mycotoxins. <i>Analytical Chemistry</i> , 2016, 88, 7858-7866.	3.2	177
41	Liposome-Mediated <i>In Situ</i> Formation of Type-I Heterojunction for Amplified Photoelectrochemical Immunoassay. <i>Analytical Chemistry</i> , 2022, 94, 4859-4865.	3.2	176
42	Dopamine-Loaded Liposomes for in-Situ Amplified Photoelectrochemical Immunoassay of AFB <sub>1</sub> to Enhance Photocurrent of Mn <sup>2+</sup> -Doped Zn <sub>3</sub> (OH) <sub>2</sub> V <sub>2</sub> O <sub>7</sub> Nanobelts. <i>Analytical Chemistry</i> , 2017, 89, 11803-11810.	3.2	169
43	Irregular-shaped platinum nanoparticles as peroxidase mimics for highly efficient colorimetric immunoassay. <i>Analytica Chimica Acta</i> , 2013, 776, 79-86.	2.6	163
44	Enzyme-controlled dissolution of MnO <sub>2</sub> nanoflakes with enzyme cascade amplification for colorimetric immunoassay. <i>Biosensors and Bioelectronics</i> , 2017, 89, 645-651.	5.3	162
45	Versatile Synthesis of Hollow Metal Sulfides via Reverse Cation Exchange Reactions for Photocatalytic CO <sub>2</sub> Reduction. <i>Angewandte Chemie - International Edition</i> , 2021, 60, 25055-25062.	7.2	154
46	Exploiting Photoelectric Activities and Piezoelectric Properties of NaNbO <sub>3</sub> Semiconductors for Point-of-Care Immunoassay. <i>Analytical Chemistry</i> , 2022, 94, 3418-3426.	3.2	151
47	Eggshell membrane-templated synthesis of 3D hierarchical porous Au networks for electrochemical nonenzymatic glucose sensor. <i>Biosensors and Bioelectronics</i> , 2017, 96, 26-32.	5.3	150
48	Carbon Dots/g-C <sub>3</sub> N <sub>4</sub> Nanoheterostructures-Based Signal-Generation Tags for Photoelectrochemical Immunoassay of Cancer Biomarkers Coupling with Copper Nanoclusters. <i>ACS Applied Materials &amp; Interfaces</i> , 2017, 9, 38336-38343.	4.0	144
49	H <sub>2</sub> -Based Electrochemical Biosensor with Pd Nanowires@ZIF-67 Molecular Sieve Bilayered Sensing Interface for Immunoassay. <i>Analytical Chemistry</i> , 2019, 91, 12055-12062.	3.2	140
50	Enzymatic Oxidate-Triggered Self-Illuminated Photoelectrochemical Sensing Platform for Portable Immunoassay Using Digital Multimeter. <i>Analytical Chemistry</i> , 2016, 88, 2958-2966.	3.2	138
51	Magnetic Control of an Electrochemical Microfluidic Device with an Arrayed Immunosensor for Simultaneous Multiple Immunoassays. <i>Clinical Chemistry</i> , 2007, 53, 1323-1329.	1.5	137
52	Enhanced Colorimetric Immunoassay Accompanying with Enzyme Cascade Amplification Strategy for Ultrasensitive Detection of Low-Abundance Protein. <i>Scientific Reports</i> , 2014, 4, 3966.	1.6	137
53	Urchin-like (gold core)@(platinum shell) nanohybrids: A highly efficient peroxidase-mimetic system for in situ amplified colorimetric immunoassay. <i>Biosensors and Bioelectronics</i> , 2015, 70, 194-201.	5.3	133
54	CdTe/CdSe quantum dot-based fluorescent aptasensor with hemin/G-quadruplex DNzyme for sensitive detection of lysozyme using rolling circle amplification and strand hybridization. <i>Biosensors and Bioelectronics</i> , 2017, 87, 18-24.	5.3	133

#	ARTICLE	IF	CITATIONS
55	Low-Cost and Highly Sensitive Immunosensing Platform for Aflatoxins Using One-Step Competitive Displacement Reaction Mode and Portable Glucometer-Based Detection. <i>Analytical Chemistry</i> , 2014, 86, 11451-11458.	3.2	128
56	Tyramine-Based Enzymatic Conjugate Repeats for Ultrasensitive Immunoassay Accompanying Tyramine Signal Amplification with Enzymatic Biocatalytic Precipitation. <i>Analytical Chemistry</i> , 2014, 86, 8352-8358.	3.2	127
57	Nanoparticle-based immunosensors and immunoassays for aflatoxins. <i>Analytica Chimica Acta</i> , 2016, 912, 10-23.	2.6	125
58	Self-Referenced Smartphone Imaging for Visual Screening of H <sub>2</sub> S Using Cu <sub>2</sub> O-Polypyrrole Conductive Aerogel Doped with Graphene Oxide Framework. <i>Analytical Chemistry</i> , 2018, 90, 9691-9694.	3.2	125
59	Platinum Nanozyme-Triggered Pressure-Based Immunoassay Using a Three-Dimensional Polypyrrole Foam-Based Flexible Pressure Sensor. <i>ACS Applied Materials &amp; Interfaces</i> , 2020, 12, 40133-40140.	4.0	123
60	Homogeneous electrochemical detection of ochratoxin A in foodstuff using aptamer-graphene oxide nanosheets and DNase I-based target recycling reaction. <i>Biosensors and Bioelectronics</i> , 2017, 89, 659-665.	5.3	122
61	Cu <sup>2+</sup> -Doped SnO <sub>2</sub> Nanograin/Polypyrrole Nanospheres with Synergic Enhanced Properties for Ultrasensitive Room-Temperature H <sub>2</sub> S Gas Sensing. <i>Analytical Chemistry</i> , 2017, 89, 11135-11142.	3.2	122
62	Photoelectrochemical bioanalysis of antibiotics on rGO-Bi <sub>2</sub> WO <sub>6</sub> -Au based on branched hybridization chain reaction. <i>Biosensors and Bioelectronics</i> , 2019, 133, 100-106.	5.3	121
63	Chemiluminescence-Derived Self-Powered Photoelectrochemical Immunoassay for Detecting a Low-Abundance Disease-Related Protein. <i>Analytical Chemistry</i> , 2021, 93, 13389-13397.	3.2	118
64	Multiplexed electrochemical immunoassay of biomarkers using metal sulfide quantum dot nanolabels and trifunctionalized magnetic beads. <i>Biosensors and Bioelectronics</i> , 2013, 46, 37-43.	5.3	117
65	NaYF <sub>4</sub> :Yb,Er Upconversion Nanotransducer with in Situ Fabrication of Ag <sub>2</sub> S for Near-Infrared Light Responsive Photoelectrochemical Biosensor. <i>Analytical Chemistry</i> , 2018, 90, 12214-12220.	3.2	116
66	Semiautomated Support Photoelectrochemical Immunosensing Platform for Portable and High-Throughput Immunoassay Based on Au Nanocrystal Decorated Specific Crystal Facets BiVO <sub>4</sub> Photoanode. <i>Analytical Chemistry</i> , 2016, 88, 12539-12546.	3.2	107
67	A novel immunosensor based on immobilization of hepatitis B surface antibody on platinum electrode modified colloidal gold and polyvinyl butyral as matrices via electrochemical impedance spectroscopy. <i>Bioelectrochemistry</i> , 2004, 65, 15-22.	2.4	106
68	Single-atom platinum nanocatalyst-improved catalytic efficiency with enzyme-DNA supermolecular architectures. <i>Nano Energy</i> , 2020, 74, 104931.	8.2	103
69	Nanostructure-based photoelectrochemical sensing platforms for biomedical applications. <i>Journal of Materials Chemistry B</i> , 2020, 8, 2541-2561.	2.9	103
70	Label-free hairpin DNA-scaffolded silver nanoclusters for fluorescent detection of Hg <sup>2+</sup> using exonuclease III-assisted target recycling amplification. <i>Biosensors and Bioelectronics</i> , 2016, 79, 411-415.	5.3	102
71	Novel photoelectrochemical immunosensor for disease-related protein assisted by hemin/G-quadruplex-based DNAzyme on gold nanoparticles to enhance cathodic photocurrent on p-CuBi <sub>2</sub> O <sub>4</sub> semiconductor. <i>Biosensors and Bioelectronics</i> , 2017, 96, 317-323.	5.3	101
72	Glucose-loaded liposomes for amplified colorimetric immunoassay of streptomycin based on enzyme-induced iron(II) chelation reaction with phenanthroline. <i>Sensors and Actuators B: Chemical</i> , 2018, 265, 174-181.	4.0	101

#	ARTICLE	IF	CITATIONS
73	Hybridization chain reaction-based colorimetric aptasensor of adenosine 5â€²-triphosphate on unmodified gold nanoparticles and two label-free hairpin probes. <i>Biosensors and Bioelectronics</i> , 2017, 89, 1006-1012.	5.3	100
74	Enzymatic Hydrolysate-Induced Displacement Reaction with Multifunctional Silica Beads Doped with Horseradish Peroxidaseâ€™Thionine Conjugate for Ultrasensitive Electrochemical Immunoassay. <i>Analytical Chemistry</i> , 2015, 87, 8531-8540.	3.2	99
75	Nanoparticle-based immunoassays in the biomedical field. <i>Analyst, The</i> , 2013, 138, 981.	1.7	98
76	Facile Colorimetric Detection of Silver Ions with Picomolar Sensitivity. <i>Analytical Chemistry</i> , 2017, 89, 3622-3629.	3.2	98
77	Ultrasensitive Aptamer-Based Multiplexed Electrochemical Detection by Coupling Distinguishable Signal Tags with Catalytic Recycling of DNase I. <i>Analytical Chemistry</i> , 2011, 83, 7255-7259.	3.2	95
78	Target-Induced Nano-Enzyme Reactor Mediated Hole-Trapping for High-Throughput Immunoassay Based on a Split-Type Photoelectrochemical Detection Strategy. <i>Analytical Chemistry</i> , 2015, 87, 9473-9480.	3.2	93
79	Target-Induced Nanocatalyst Deactivation Facilitated by Core@Shell Nanostructures for Signal-Amplified Headspace-Colorimetric Assay of Dissolved Hydrogen Sulfide. <i>Analytical Chemistry</i> , 2015, 87, 10153-10160.	3.2	93
80	Magnetic Graphene Nanosheet-Based Microfluidic Device for Homogeneous Real-Time Electronic Monitoring of Pyrophosphatase Activity Using Enzymatic Hydrolysate-Induced Release of Copper Ion. <i>Analytical Chemistry</i> , 2016, 88, 1030-1038.	3.2	92
81	Anodicâ€™Stripping Voltammetric Immunoassay for Ultrasensitive Detection of Lowâ€™Abundance Proteins Using Quantum Dot Aggregated Hollow Microspheres. <i>Chemistry - A European Journal</i> , 2013, 19, 2496-2503.	1.7	91
82	Saw-Toothed Microstructure-Based Flexible Pressure Sensor as the Signal Readout for Point-of-Care Immunoassay. <i>ACS Sensors</i> , 2019, 4, 2272-2276.	4.0	91
83	Size-Controlled Engineering Photoelectrochemical Biosensor for Human Papillomavirus-16 Based on CRISPR-Cas12a-Induced Disassembly of Z-Scheme Heterojunctions. <i>ACS Sensors</i> , 2022, 7, 1593-1601.	4.0	91
84	Ultrasensitive Electrochemical Immunoassay of Staphylococcal Enterotoxin B in Food Using Enzyme-Nanosilica-Doped Carbon Nanotubes for Signal Amplification. <i>Journal of Agricultural and Food Chemistry</i> , 2010, 58, 10824-10830.	2.4	88
85	CRISPR/Cas12a-mediated liposome-amplified strategy for the photoelectrochemical detection of nucleic acid. <i>Chemical Communications</i> , 2021, 57, 8977-8980.	2.2	87
86	Palindromic Fragment-Mediated Single-Chain Amplification: An Innovative Mode for Photoelectrochemical Bioassay. <i>Analytical Chemistry</i> , 2019, 91, 7835-7841.	3.2	85
87	Optical transformation of a CdTe quantum dot-based paper sensor for a visual fluorescence immunoassay induced by dissolved silver ions. <i>Journal of Materials Chemistry B</i> , 2017, 5, 826-833.	2.9	84
88	Gold nanoparticles-decorated amine-terminated poly(amidoamine) dendrimer for sensitive electrochemical immunoassay of brevetoxins in food samples. <i>Biosensors and Bioelectronics</i> , 2011, 26, 2090-2096.	5.3	82
89	New amperometric and potentiometric immunosensors based on gold nanoparticles/tris(2,2â€™-bipyridyl)cobalt(III) multilayer films for hepatitis B surface antigen determinations. <i>Biosensors and Bioelectronics</i> , 2005, 21, 539-548.	5.3	79
90	Electrochemical immunosensor for carcinoembryonic antigen based on nanosilver-coated magnetic beads and gold-graphene nanolabels. <i>Talanta</i> , 2012, 91, 95-102.	2.9	79

#	ARTICLE	IF	CITATIONS
91	In Situ Generation of Electron Donor to Assist Signal Amplification on Porphyrin-Sensitized Titanium Dioxide Nanostructures for Ultrasensitive Photoelectrochemical Immunoassay. <i>ACS Applied Materials &amp; Interfaces</i> , 2015, 7, 23812-23818.	4.0	78
92	High-index {hk0} faceted platinum concave nanocubes with enhanced peroxidase-like activity for an ultrasensitive colorimetric immunoassay of the human prostate-specific antigen. <i>Analyst</i> , The, 2017, 142, 911-917.	1.7	78
93	Electrocatalytic N <sub>2</sub> -to-NH <sub>3</sub> conversion using oxygen-doped graphene: experimental and theoretical studies. <i>Chemical Communications</i> , 2019, 55, 7502-7505.	2.2	78
94	Plasmonic enhanced photoelectrochemical aptasensor with D-A F8BT/g-C <sub>3</sub> N <sub>4</sub> heterojunction and AuNPs on a 3D-printed device. <i>Sensors and Actuators B: Chemical</i> , 2020, 310, 127874.	4.0	78
95	Contactless Photoelectrochemical Biosensor Based on the Ultraviolet-Assisted Gas Sensing Interface of Three-Dimensional SnS <sub>2</sub> Nanosheets: From Mechanism Reveal to Practical Application. <i>Analytical Chemistry</i> , 2022, 94, 9487-9495.	3.2	78
96	Ti <sub>3</sub> C <sub>2</sub> MXene nanosheet-based capacitance immunoassay with tyramine-enzyme repeats to detect prostate-specific antigen on interdigitated micro-comb electrode. <i>Electrochimica Acta</i> , 2019, 319, 375-381.	2.6	77
97	In situ synthesis of fluorescent polydopamine nanoparticles coupled with enzyme-controlled dissolution of MnO <sub>2</sub> nanoflakes for a sensitive immunoassay of cancer biomarkers. <i>Journal of Materials Chemistry B</i> , 2017, 5, 8506-8513.	2.9	75
98	Liposome-amplified photoelectrochemical immunoassay for highly sensitive monitoring of disease biomarkers based on a split-type strategy. <i>Biosensors and Bioelectronics</i> , 2018, 99, 230-236.	5.3	75
99	Non-enzymatic electrochemical immunoassay using noble metal nanoparticles: a review. <i>Mikrochimica Acta</i> , 2015, 182, 2077-2089.	2.5	74
100	A perovskite La <sub>2</sub> Ti <sub>2</sub> O <sub>7</sub> nanosheet as an efficient electrocatalyst for artificial N <sub>2</sub> fixation to NH <sub>3</sub> in acidic media. <i>Chemical Communications</i> , 2019, 55, 6401-6404.	2.2	74
101	Reduced graphene oxide-functionalized FeOOH for signal-on photoelectrochemical sensing of prostate-specific antigen with bioresponsive controlled release system. <i>Biosensors and Bioelectronics</i> , 2017, 98, 15-21.	5.3	73
102	Target-Induced Displacement Reaction Accompanying Cargo Release from Magnetic Mesoporous Silica Nanocontainers for Fluorescence Immunoassay. <i>Analytical Chemistry</i> , 2013, 85, 10589-10596.	3.2	72
103	Terbium ion-coordinated carbon dots for fluorescent aptasensing of adenosine 5'-triphosphate with unmodified gold nanoparticles. <i>Biosensors and Bioelectronics</i> , 2016, 86, 978-984.	5.3	72
104	Photoelectrochemical bioanalysis of microRNA on yolk-in-shell Au@CdS based on the catalytic hairpin assembly-mediated CRISPR-Cas12a system. <i>Chemical Communications</i> , 2022, 58, 7562-7565.	2.2	71
105	Hemin/G-quadruplex-based DNAzyme concatamers for in situ amplified impedimetric sensing of copper(II) ion coupling with DNAzyme-catalyzed precipitation strategy. <i>Biosensors and Bioelectronics</i> , 2015, 74, 1-7.	5.3	69
106	Novel Electrochemical Immunoassay for Quantitative Monitoring of Biotxin Using Target-Responsive Cargo Release from Mesoporous Silica Nanocontainers. <i>Analytical Chemistry</i> , 2013, 85, 9245-9252.	3.2	68
107	Highly sensitive electrochemical sensing platform for lead ion based on synergetic catalysis of DNAzyme and Au-Pd porous bimetallic nanostructures. <i>Biosensors and Bioelectronics</i> , 2016, 78, 236-243.	5.3	68
108	DNAzyme-functionalized gold-palladium hybrid nanostructures for triple signal amplification of impedimetric immunosensor. <i>Biosensors and Bioelectronics</i> , 2014, 54, 365-371.	5.3	67

#	ARTICLE	IF	CITATIONS
109	Bioresponsive controlled release from mesoporous silica nanocontainers with glucometer readout. <i>Chemical Communications</i> , 2014, 50, 1441-1443.	2.2	66
110	Ultrasensitive and label-free electrochemical aptasensor of kanamycin coupling with hybridization chain reaction and strand-displacement amplification. <i>Analytica Chimica Acta</i> , 2018, 1038, 21-28.	2.6	66
111	Fenton reaction-based colorimetric immunoassay for sensitive detection of brevetoxin B. <i>Biosensors and Bioelectronics</i> , 2016, 80, 249-256.	5.3	64
112	Ligand-functionalized core/shell Ag@Au nanoparticles label-free amperometric immun-biosensor. <i>Biotechnology and Bioengineering</i> , 2006, 94, 996-1004.	1.7	62
113	Plasmonic resonance enhanced photoelectrochemical aptasensors based on g-C <sub>3</sub> N <sub>4</sub> /Bi <sub>2</sub> MoO <sub>6</sub> . <i>Chemical Communications</i> , 2018, 54, 7199-7202.	2.2	62
114	Novel 3D Printed Device for Dual-Signaling Ratiometric Photoelectrochemical Readout of Biomarker Using λ-Exonuclease-Assisted Recycling Amplification. <i>Analytical Chemistry</i> , 2019, 91, 10049-10055.	3.2	62
115	All-solid-state metal-mediated Z-scheme photoelectrochemical immunoassay with enhanced photoexcited charge-separation for monitoring of prostate-specific antigen. <i>Biosensors and Bioelectronics</i> , 2019, 134, 1-7.	5.3	62
116	Dual-readout aptasensing of antibiotic residues based on gold nanocluster-functionalized MnO <sub>2</sub> nanosheets with target-induced etching reaction. <i>Journal of Materials Chemistry B</i> , 2018, 6, 8071-8077.	2.9	61
117	Liposome-Embedded Cu <sub>2</sub> Ag <sub>3</sub> S Nanoparticle-Mediated Photothermal Immunoassay for Daily Monitoring of cTnI Protein Using a Portable Thermal Imager. <i>Analytical Chemistry</i> , 2022, 94, 7408-7416.	3.2	61
118	Photoelectrochemical biosensing of disease marker on p-type Cu-doped Zn <sub>0.3</sub> Cd <sub>0.7</sub> S based on RCA and exonuclease III amplification. <i>Biosensors and Bioelectronics</i> , 2018, 117, 590-596.	5.3	60
119	CRISPR/Cas12a-based photoelectrochemical sensing of microRNA on reduced graphene oxide-anchored Bi <sub>2</sub> WO <sub>6</sub> coupling with catalytic hairpin assembly. <i>Sensors and Actuators B: Chemical</i> , 2022, 369, 132307.	4.0	60
120	Nanoparticle-based pseudo hapten for target-responsive cargo release from a magnetic mesoporous silica nanocontainer. <i>Chemical Communications</i> , 2014, 50, 6256.	2.2	59
121	Amperometric aptasensor for saxitoxin using a gold electrode modified with carbon nanotubes on a self-assembled monolayer, and methylene blue as an electrochemical indicator probe. <i>Mikrochimica Acta</i> , 2016, 183, 1971-1980.	2.5	59
122	Invertase-labeling gold-dendrimer for in situ amplified detection mercury(II) with glucometer readout and thymine-Hg <sup>2+</sup> thymine coordination chemistry. <i>Biosensors and Bioelectronics</i> , 2016, 77, 681-686.	5.3	59
123	Non-enzymatic sensing of hydrogen peroxide using a glassy carbon electrode modified with a nanocomposite made from carbon nanotubes and molybdenum disulfide. <i>Mikrochimica Acta</i> , 2015, 182, 1803-1809.	2.5	58
124	Redox and catalysis all-in-one™ infinite coordination polymer for electrochemical immunosensor of tumor markers. <i>Biosensors and Bioelectronics</i> , 2015, 64, 6-12.	5.3	58
125	Ultrasensitive fluorometric biosensor based on Ti <sub>3</sub> C <sub>2</sub> MXenes with Hg <sup>2+</sup> -triggered exonuclease III-assisted recycling amplification. <i>Analyst</i> , 2021, 146, 2664-2669.	1.7	55
126	Simultaneous determination of five-type hepatitis virus antigens in 5min using an integrated automatic electrochemical immunosensor array. <i>Biosensors and Bioelectronics</i> , 2010, 25, 1658-1662.	5.3	54



#	ARTICLE	IF	CITATIONS
127	Displacement-type Quartz Crystal Microbalance Immunosensing Platform for Ultrasensitive Monitoring of Small Molecular Toxins. <i>Analytical Chemistry</i> , 2013, 85, 6958-6966.	3.2	54
128	Graphene and Nanogold-Functionalized Immunosensing Interface with Enhanced Sensitivity for One-Step Electrochemical Immunoassay of Alpha-Fetoprotein in Human Serum. <i>Electroanalysis</i> , 2010, 22, 2720-2728.	1.5	53
129	Sensitive electrochemical immunoassay of carcinoembryonic antigen with signal dual-amplification using glucose oxidase and an artificial catalase. <i>Analytica Chimica Acta</i> , 2011, 697, 16-22.	2.6	53
130	HCR-stimulated formation of DNAzyme concatamers on gold nanoparticle for ultrasensitive impedimetric immunoassay. <i>Biosensors and Bioelectronics</i> , 2015, 68, 487-493.	5.3	53
131	A three-dimensional DNA walker amplified FRET sensor for detection of telomerase activity based on the MnO <sub>2</sub> -nanosheet-upconversion nanoparticle sensing platform. <i>Chemical Communications</i> , 2019, 55, 9857-9860.	2.2	53
132	Electrochemical detection of hepatitis B surface antigen using colloidal gold nanoparticles modified by a sol-gel network interface. <i>Clinical Biochemistry</i> , 2006, 39, 309-314.	0.8	52
133	A New Electrochemical Biosensor for Determination of Hydrogen Peroxide in Food Based on Well-Dispersive Gold Nanoparticles on Graphene Oxide. <i>Electroanalysis</i> , 2011, 23, 1821-1829.	1.5	52
134	Simple and sensitive detection of aflatoxin B1 within five minute using a non-conventional competitive immunosensing mode. <i>Biosensors and Bioelectronics</i> , 2015, 74, 680-686.	5.3	52
135	Cobalt-Porphyrin-Platinum-Functionalized Reduced Graphene Oxide Hybrid Nanostructures: A Novel Peroxidase Mimetic System For Improved Electrochemical Immunoassay. <i>Scientific Reports</i> , 2015, 5, 15113.	1.6	51
136	Liposome-coated mesoporous silica nanoparticles loaded with L-cysteine for photoelectrochemical immunoassay of aflatoxin B1. <i>Mikrochimica Acta</i> , 2018, 185, 311.	2.5	51
137	One-step electrochemical immunosensing for simultaneous detection of two biomarkers using thionine and ferrocene as distinguishable signal tags. <i>Mikrochimica Acta</i> , 2012, 178, 357-365.	2.5	50
138	Biotin-avidin-conjugated metal sulfide nanoclusters for simultaneous electrochemical immunoassay of tetracycline and chloramphenicol. <i>Mikrochimica Acta</i> , 2014, 181, 257-262.	2.5	50
139	A new enzyme immunoassay for alpha-fetoprotein in a separate setup coupling an aluminium/Prussian blue-based self-powered electrochromic display with a digital multimeter readout. <i>Analyst, The</i> , 2018, 143, 2992-2996.	1.7	50
140	Polyion oligonucleotide-decorated gold nanoparticles with tunable surface charge density for amplified signal output of potentiometric immunosensor. <i>Analytica Chimica Acta</i> , 2017, 964, 67-73.	2.6	49
141	Carbon dots prepared from Litchi chinensis and modified with manganese dioxide nanosheets for use in a competitive fluorometric immunoassay for aflatoxin B1. <i>Mikrochimica Acta</i> , 2018, 185, 476.	2.5	49
142	Photoelectrochemical immunoassay of aflatoxin B <sub>1</sub> in foodstuff based on amorphous TiO <sub>2</sub> and CsPbBr <sub>3</sub> perovskite nanocrystals. <i>Analyst, The</i> , 2019, 144, 4880-4886.	1.7	49
143	Recent advances in DNA walker machines and their applications coupled with signal amplification strategies: A critical review. <i>Analytica Chimica Acta</i> , 2021, 1171, 338523.	2.6	49
144	Molecular Imprint for Electrochemical Detection of Streptomycin Residues Using Enzyme Signal Amplification. <i>Electroanalysis</i> , 2013, 25, 531-537.	1.5	48

#	ARTICLE	IF	CITATIONS
145	Layer-by-layer multienzyme assembly for highly sensitive electrochemical immunoassay based on tyramine signal amplification strategy. <i>Biosensors and Bioelectronics</i> , 2014, 54, 323-328.	5.3	48
146	Photoelectrochemical sensing of hydrogen peroxide at zero working potential using a fluorine-doped tin oxide electrode modified with BiVO <sub>4</sub> microrods. <i>Mikrochimica Acta</i> , 2017, 184, 799-806.	2.5	48
147	Low-cost and highly efficient DNA biosensor for heavy metal ion using specific DNAzyme-modified microplate and portable glucometer-based detection mode. <i>Biosensors and Bioelectronics</i> , 2015, 68, 232-238.	5.3	47
148	Etching reaction-based photoelectrochemical immunoassay of aflatoxin B1 in foodstuff using cobalt oxyhydroxide nanosheets-coating cadmium sulfide nanoparticles as the signal tags. <i>Analytica Chimica Acta</i> , 2019, 1052, 49-56.	2.6	47
149	Actuating photoelectrochemical sensing sensitivity coupling core-core-shell Fe <sub>3</sub> O <sub>4</sub> @C@TiO <sub>2</sub> with molecularly imprinted polypyrrole. <i>Talanta</i> , 2020, 219, 121341.	2.9	47
150	Horseradish peroxidase-encapsulated DNA nanoflowers: An innovative signal-generation tag for colorimetric biosensor. <i>Talanta</i> , 2021, 221, 121600.	2.9	47
151	Biometric-based tactile chemomechanical transduction: An adaptable strategy for portable bioassay. <i>Nano Energy</i> , 2020, 71, 104580.	8.2	45
152	Magnetic bead-based photoelectrochemical immunoassay for sensitive detection of carcinoembryonic antigen using hollow cadmium sulfide. <i>Talanta</i> , 2020, 219, 121215.	2.9	44
153	Morphology-Invariant Metallic Nanoparticles with Tunable Plasmonic Properties. <i>ACS Nano</i> , 2021, 15, 2428-2438.	7.3	44
154	Nickel-functionalized reduced graphene oxide with polyaniline for non-enzymatic glucose sensing. <i>Mikrochimica Acta</i> , 2015, 182, 625-631.	2.5	43
155	Novel glucometer-based immunosensing strategy suitable for complex systems with signal amplification using surfactant-responsive cargo release from glucose-encapsulated liposome nanocarriers. <i>Biosensors and Bioelectronics</i> , 2016, 79, 508-514.	5.3	43
156	Biochemical and immunochemical characterization of the antigen-antibody reaction on a non-toxic biomimetic interface immobilized red blood cells of crucian carp and gold nanoparticles. <i>Biosensors and Bioelectronics</i> , 2007, 22, 1116-1120.	5.3	42
157	An enzyme-free quartz crystal microbalance biosensor for sensitive glucose detection in biological fluids based on glucose/dextran displacement approach. <i>Analytica Chimica Acta</i> , 2011, 686, 144-149.	2.6	42
158	Amplified impedimetric immunosensor based on instant catalyst for sensitive determination of ochratoxin A. <i>Biosensors and Bioelectronics</i> , 2016, 86, 386-392.	5.3	42
159	Carbon nanospheres-promoted electrochemical immunoassay coupled with hollow platinum nanolabels for sensitivity enhancement. <i>Biosensors and Bioelectronics</i> , 2012, 35, 394-400.	5.3	40
160	Full-spectrum responsive photoelectrochemical immunoassay based on $\text{In}_2\text{S}_3$ @carbon dot nanoflowers. <i>Electrochimica Acta</i> , 2020, 332, 135473.	2.6	40
161	Bioinspired Self-Powered Piezoresistive Sensors for Simultaneous Monitoring of Human Health and Outdoor UV Light Intensity. <i>ACS Applied Materials &amp; Interfaces</i> , 2022, 14, 5101-5111.	4.0	40
162	Direct Electrochemical Immunoassay Based on Immobilization of Protein-Magnetic Nanoparticle Composites on to Magnetic Electrode Surfaces by Sterically Enhanced Magnetic Field Force. <i>Biotechnology Letters</i> , 2006, 28, 559-565.	1.1	39

#	ARTICLE	IF	CITATIONS
163	Two-dimensional MoS <sub>2</sub> as a nano-binder for ssDNA: Ultrasensitive aptamer based amperometric detection of Ochratoxin A. <i>Mikrochimica Acta</i> , 2018, 185, 162.	2.5	39
164	Enzyme-encapsulated DNA Hydrogel for Highly Efficient Electrochemical Sensing Glucose. <i>ChemElectroChem</i> , 2020, 7, 1537-1541.	1.7	39
165	Novel potentiometric immunosensor for determination of diphtheria antigen based on compound nanoparticles and bilayer two-dimensional sol-gel as matrices. <i>Analytical and Bioanalytical Chemistry</i> , 2005, 381, 674-680.	1.9	38
166	Mesoporous carbon-enriched palladium nanostructures with redox activity for enzyme-free electrochemical immunoassay of brevetoxin A. <i>Analytica Chimica Acta</i> , 2015, 887, 67-74.	2.6	38
167	Bismuth ferrite-based photoactive materials for the photoelectrochemical detection of disease biomarkers coupled with multifunctional mesoporous silica nanoparticles. <i>Journal of Materials Chemistry B</i> , 2017, 5, 9600-9607.	2.9	38
168	Electron-Transfer Mediator Microbiosensor Fabrication Based on Immobilizing HRP-Labeled Au Colloids on Gold Electrode Surface by 11-Mercaptoundecanoic Acid Monolayer. <i>Electroanalysis</i> , 2006, 18, 259-266.	1.5	37
169	Potentiometric competitive immunoassay for determination of aflatoxin B1 in food by using antibody-labeled gold nanoparticles. <i>Mikrochimica Acta</i> , 2016, 183, 2815-2822.	2.5	37
170	Persistent luminescence nanorods-based autofluorescence-free biosensor for prostate-specific antigen detection. <i>Talanta</i> , 2021, 233, 122563.	2.9	37
171	Pressure-Based Bioassay Perceived by a Flexible Pressure Sensor with Synergistic Enhancement of the Photothermal Effect. <i>ACS Applied Bio Materials</i> , 2020, 3, 9156-9163.	2.3	37
172	Amplified electrochemical sensing of lead ion based on DNA-mediated self-assembly-catalyzed polymerization. <i>Biosensors and Bioelectronics</i> , 2015, 69, 230-234.	5.3	35
173	Thionine/nanogold multilayer film for electrochemical immunoassay of alpha-fetoprotein in human serum using biofunctional double-codified gold nanoparticles. <i>Analytical Methods</i> , 2010, 2, 1702.	1.3	34
174	Target-induced formation of gold amalgamation on DNA-based sensing platform for electrochemical monitoring of mercury ion coupling with cycling signal amplification strategy. <i>Analytica Chimica Acta</i> , 2014, 810, 10-16.	2.6	34
175	Gold nanocatalyst-based immunosensing strategy accompanying catalytic reduction of 4-nitrophenol for sensitive monitoring of chloramphenicol residue. <i>Analytica Chimica Acta</i> , 2014, 830, 42-48.	2.6	34
176	Novel quartz crystal microbalance immunodetection of aflatoxin B1 coupling cargo-encapsulated liposome with indicator-triggered displacement assay. <i>Analytica Chimica Acta</i> , 2018, 1031, 161-168.	2.6	34
177	Pressure-Based Immunoassays with Versatile Electronic Sensors for Carcinoembryonic Antigen Detection. <i>ACS Applied Materials &amp; Interfaces</i> , 2021, 13, 46440-46450.	4.0	34
178	Sensitive detection of hydrogen peroxide in foodstuff using an organic-inorganic hybrid multilayer-functionalized graphene biosensing platform. <i>Mikrochimica Acta</i> , 2011, 174, 137-144.	2.5	33
179	Enzyme-free amperometric glucose sensor using a glassy carbon electrode modified with poly(vinyl) Tj ETQq1 1 0.784314 rgBT /Overl <i>Mikrochimica Acta</i> , 2017, 184, 807-814.	2.5	33
180	A conventional chemical reaction for use in an unconventional assay: A colorimetric immunoassay for aflatoxin B1 by using enzyme-responsive just-in-time generation of a MnO <sub>2</sub> based nanocatalyst. <i>Mikrochimica Acta</i> , 2018, 185, 92.	2.5	32

#	ARTICLE	IF	CITATIONS
181	Target-regulated proximity hybridization with three-way DNA junction for in situ enhanced electronic detection of marine biotoxin based on isothermal cycling signal amplification strategy. <i>Biosensors and Bioelectronics</i> , 2015, 69, 241-248.	5.3	31
182	In situ formation of (0 0 1)TiO <sub>2</sub> /Ti <sub>3</sub> C <sub>2</sub> heterojunctions for enhanced photoelectrochemical detection of dopamine. <i>Electrochemistry Communications</i> , 2021, 125, 106987.	2.3	31
183	Hierarchical dendritic gold microstructure-based aptasensor for ultrasensitive electrochemical detection of thrombin using functionalized mesoporous silica nanospheres as signal tags. <i>Analytica Chimica Acta</i> , 2012, 720, 1-8.	2.6	30
184	In situ amplified electrochemical aptasensing for sensitive detection of adenosine triphosphate by coupling target-induced hybridization chain reaction with the assembly of silver nanotags. <i>Talanta</i> , 2016, 146, 23-28.	2.9	29
185	A new visual immunoassay for prostate-specific antigen using near-infrared excited Cu <sub>x</sub> S nanocrystals and imaging on a smartphone. <i>Analyst, The</i> , 2019, 144, 3716-3720.	1.7	29
186	Metal-ion-induced DNAzyme on magnetic beads for detection of lead(II) by using rolling circle amplification, glucose oxidase, and readout of pH changes. <i>Mikrochimica Acta</i> , 2019, 186, 318.	2.5	29
187	A Graphene Platform for Sensitive Electrochemical Immunoassay of Carcinoembryonic Antigen Based on Gold Nanoflower Biolabels. <i>Electroanalysis</i> , 2011, 23, 832-841.	1.5	28
188	Biocatalysis-mediated MOF-to-prussian blue transformation enabling sensitive detection of NSCLC-associated miRNAs with dual-readout signals. <i>Biosensors and Bioelectronics</i> , 2022, 206, 114139.	5.3	28
189	Target-induced photocurrent-polarity-switching photoelectrochemical aptasensor with gold nanoparticle-ZnIn <sub>2</sub> S <sub>4</sub> nanohybrids for the quantification of 8-hydroxy-2'-deoxyguanosine. <i>Sensors and Actuators B: Chemical</i> , 2022, 368, 132141.	4.0	28
190	Integrated Photothermal-Pyroelectric Biosensor for Rapid and Point-of-Care Diagnosis of Acute Myocardial Infarction: A Convergence of Theoretical Research and Commercialization. <i>Small</i> , 2022, 18, .	5.2	28
191	Metal sulfide quantum dots-aggregated PAMAM dendrimer for cadmium ion-selective electrode-based immunoassay of alpha-fetoprotein. <i>Science China Chemistry</i> , 2018, 61, 750-756.	4.2	27
192	Graded oxygen-doped CdS electrode for portable photoelectrochemical immunoassay of alpha-fetoprotein coupling with a digital multimeter readout. <i>Sensors and Actuators B: Chemical</i> , 2021, 343, 130136.	4.0	27
193	Hollow nanogold microsphere-signalized lateral flow immunodipstick for the sensitive determination of the neurotoxin brevetoxin B. <i>Mikrochimica Acta</i> , 2014, 181, 1447-1454.	2.5	26
194	In-situ amplified voltammetric immunoassay for ochratoxin A by coupling a platinum nanocatalyst based enhancement to a redox cycling process promoted by an enzyme mimic. <i>Mikrochimica Acta</i> , 2017, 184, 2445-2453.	2.5	26
195	Rolling circle amplification promoted magneto-controlled photoelectrochemical biosensor for organophosphorus pesticides based on dissolution of core-shell MnO <sub>2</sub> nanoflower@CdS mediated by butyrylcholinesterase. <i>Mikrochimica Acta</i> , 2020, 187, 450.	2.5	26
196	Double ion-exchange reaction-based photoelectrochemical immunoassay for sensitive detection of prostate-specific antigen. <i>Analytica Chimica Acta</i> , 2021, 1149, 338215.	2.6	26
197	Signal-on photoelectrochemical immunoassay mediated by the etching reaction of oxygen/phosphorus co-doped g-C <sub>3</sub> N <sub>4</sub> /AgBr/MnO <sub>2</sub> nanohybrids. <i>Analytica Chimica Acta</i> , 2021, 1171, 338680.	2.6	26
198	Quartz crystal microbalance immunoassay for carcinoma antigen 125 based on gold nanowire-functionalized biomimetic interface. <i>Analyst, The</i> , 2008, 133, 933.	1.7	25

#	ARTICLE	IF	CITATIONS
199	Electrochemical detection of hepatitis C virus with signal amplification using BamHI endonuclease and horseradish peroxidase-encapsulated nanogold hollow spheres. <i>Chemical Communications</i> , 2011, 47, 9477.	2.2	25
200	Novel Colorimetric Immunoassay for Ultrasensitive Monitoring of Brevetoxin B Based on Enzyme-Controlled Chemical Conversion of Sulfite to Sulfate. <i>Journal of Agricultural and Food Chemistry</i> , 2015, 63, 1982-1989.	2.4	25
201	A non-enzyme cascade amplification strategy for colorimetric assay of disease biomarkers. <i>Chemical Communications</i> , 2017, 53, 9055-9058.	2.2	25
202	A chemiresistive thin-film translating biological recognition into electrical signals: an innovative signaling mode for contactless biosensing. <i>Chemical Communications</i> , 2019, 55, 3262-3265.	2.2	25
203	Graphene-coated copper-doped ZnO quantum dots for sensitive photoelectrochemical bioanalysis of thrombin triggered by DNA nanoflowers. <i>Journal of Materials Chemistry B</i> , 2021, 9, 6818-6824.	2.9	25
204	Novel photoluminescence enzyme immunoassay based on supramolecular host-guest recognition using L-arginine/6-aza-2-thiothymine-stabilized gold nanocluster. <i>Biosensors and Bioelectronics</i> , 2018, 109, 70-74.	5.3	24
205	A surface plasmon resonance enhanced photoelectrochemical immunoassay based on perovskite metal oxide@gold nanoparticle heterostructures. <i>Analyst</i> , The, 2019, 144, 5717-5723.	1.7	24
206	Distance-dependent visual fluorescence immunoassay on CdTe quantum dot-impregnated paper through silver ion-exchange reaction. <i>Mikrochimica Acta</i> , 2020, 187, 563.	2.5	24
207	Biocatalysis-induced formation of BiOBr/Bi <sub>2</sub> S <sub>3</sub> semiconductor heterostructures: A highly efficient strategy for establishing sensitive photoelectrochemical sensing system for organophosphorus pesticide detection. <i>Sensors and Actuators B: Chemical</i> , 2021, 331, 129451.	4.0	24
208	Au Nanoparticle-Decorated ZnO Microflower-Based Immunoassay for Photoelectrochemical Detection of Human Prostate-Specific Antigen. <i>ACS Applied Nano Materials</i> , 2021, 4, 10943-10951.	2.4	24
209	One-step electrochemical immunoassay of biomarker based on nanogold-functionalized graphene sensing platform. <i>Analytical Methods</i> , 2011, 3, 1615.	1.3	23
210	Graphene oxide-gated mesoporous silica nanocontainers using aptamers for arsenite detection with glucometer readout. <i>Journal of Materials Chemistry B</i> , 2018, 6, 6585-6591.	2.9	23
211	Digital multimeter-based point-of-care immunoassay of prostate-specific antigen coupling with a flexible photosensitive pressure sensor. <i>Sensors and Actuators B: Chemical</i> , 2021, 343, 130121.	4.0	23
212	DNA-based electrochemical determination of mercury(II) by exploiting the catalytic formation of gold amalgam and of silver nanoparticles. <i>Mikrochimica Acta</i> , 2016, 183, 1805-1812.	2.5	22
213	Competitive photometric and visual ELISA for aflatoxin B1 based on the inhibition of the oxidation of ABTS. <i>Mikrochimica Acta</i> , 2017, 184, 2387-2394.	2.5	22
214	A polypyrrole-polydimethylsiloxane sponge-based compressible capacitance sensor with molecular recognition for point-of-care immunoassay. <i>Analyst</i> , The, 2020, 145, 7186-7190.	1.7	22
215	Ultrasensitive split-type electrochemical sensing platform for sensitive determination of organophosphorus pesticides based on MnO <sub>2</sub> nanoflower-electron mediator as a signal transduction system. <i>Analytical and Bioanalytical Chemistry</i> , 2020, 412, 6939-6945.	1.9	22
216	Direct and Rapid Detection of Diphtherotoxin via Potentiometric Immunosensor Based on Nanoparticles Mixture and Polyvinyl Butyral as Matrixes. <i>Electroanalysis</i> , 2005, 17, 2208-2216.	1.5	20

#	ARTICLE	IF	CITATIONS
217	<i>In situ</i> amplified QCM immunoassay for carcinoembryonic antigen with colorectal cancer using horseradish peroxidase nanospheres and enzymatic biocatalytic precipitation. <i>Analyst</i> , The, 2020, 145, 6111-6118.	1.7	20
218	An ultrasensitive homogeneous electrochemical biosensor based on CRISPR-Cas12a. <i>Analytical Methods</i> , 2021, 13, 3227-3232.	1.3	20
219	NiCoBP-doped carbon nanotube hybrid: A novel oxidase mimetic system for highly efficient electrochemical immunoassay. <i>Analytica Chimica Acta</i> , 2014, 851, 49-56.	2.6	19
220	2D metal chalcogenides with surfaces fully covered with an organic promoter for high-performance biomimetic catalysis. <i>Chemical Communications</i> , 2019, 55, 10444-10447.	2.2	19
221	Ultrasensitive photoelectrochemical immunoassay for prostate-specific antigen based on silver nanoparticle-triggered ion-exchange reaction with ZnO/CdS nanorods. <i>Analyst</i> , The, 2021, 146, 4487-4494.	1.7	19
222	Isothermal cycling and cascade signal amplification strategy for ultrasensitive colorimetric detection of nucleic acids. <i>Mikrochimica Acta</i> , 2015, 182, 449-454.	2.5	18
223	Enhanced sensitivity of quartz crystal microbalance immunosensor via back-conjugation of biofunctionalized magnetic beads with an external magnetic field. <i>Biochemical Engineering Journal</i> , 2016, 114, 276-282.	1.8	18
224	<i>In situ</i> amplified photothermal immunoassay for neuron-specific enolase with enhanced sensitivity using Prussian blue nanoparticle-loaded liposomes. <i>Analyst</i> , The, 2020, 145, 4164-4172.	1.7	18
225	Target-induced biomolecular release for sensitive aptamer-based electrochemical detection of small molecules from magnetic graphene. <i>RSC Advances</i> , 2011, 1, 40.	1.7	17
226	Potentiometric Immunosensor Based on Immobilization of Hepatitis B Surface Antibody on Platinum Electrode Modified Silver Colloids and Polyvinyl Butyral as Matrixes. <i>Electroanalysis</i> , 2005, 17, 155-161.	1.5	16
227	Dual-Amplification of Antigen-Antibody Interactions via Backfilling Gold Nanoparticles on (3-Mercaptopropyl) Trimethoxysilane Sol-Gel Functionalized Interface. <i>Electroanalysis</i> , 2007, 19, 479-486.	1.5	16
228	Simultaneous Electrochemical Multiplexed Immunoassay of Biomarkers Based on Multifunctionalized Graphene Nanotags. <i>ChemElectroChem</i> , 2014, 1, 441-447.	1.7	16
229	Nonenzymatic sensing of hydrogen peroxide using a glassy carbon electrode modified with graphene oxide, a polyamidoamine dendrimer, and with polyaniline deposited by the Fenton reaction. <i>Mikrochimica Acta</i> , 2018, 185, 569.	2.5	16
230	Ambient electrochemical $N_2$ reduction to $NH_3$ under alkaline conditions enabled by a layered $K_2Ti_4O_9$ nanobelts. <i>Chemical Communications</i> , 2019, 55, 7546-7549.	2.2	16
231	Cadmium ion-doped magnetic poly(styrene-acrylic acid) nanospheres for sensitive electrochemical immunoassay. <i>Biosensors and Bioelectronics</i> , 2012, 35, 461-465.	5.3	15
232	Glucometer-based quantitative determination of Hg(II) using gold particle encapsulated invertase and strong thymine-Hg(II)-thymine interaction for signal amplification. <i>Mikrochimica Acta</i> , 2015, 182, 1153-1159.	2.5	15
233	Homogeneous electrochemical immunoassay of aflatoxin B1 in foodstuff using proximity-hybridization-induced omega-like DNA junctions and exonuclease III-triggered isothermal cycling signal amplification. <i>Analytical and Bioanalytical Chemistry</i> , 2016, 408, 8593-8601.	1.9	15
234	Ferroelectric perovskite-enhanced photoelectrochemical immunoassay with the photoexcited charge-transfer of a built-in electric field. <i>Journal of Materials Chemistry C</i> , 2021, 9, 14351-14358.	2.7	15

#	ARTICLE	IF	CITATIONS
235	Selective determination of 2,4,6-trinitrophenol by using a novel carbon nanoparticles as a fluorescent probe in real sample. <i>Analytical and Bioanalytical Chemistry</i> , 2020, 412, 3083-3090.	1.9	14
236	A 3D printing-based portable photoelectrochemical sensing device using a digital multimeter. <i>Analyst, The</i> , 2019, 144, 5389-5393.	1.7	13
237	Thionine-doped nanometer-sized silica conjugated with phenylboronic acid: An innovative recognition/signal element for voltammetric aptasensing of colorectal cancer-related carcinoembryonic antigen. <i>Analytica Chimica Acta</i> , 2020, 1136, 91-98.	2.6	13
238	Magneto-controlled bioelectronics for the antigen-antibody interaction based on magnetic-core/gold-shell nanoparticles functionalized biomimetic interface. <i>Bioprocess and Biosystems Engineering</i> , 2008, 31, 55-61.	1.7	12
239	Digital multimeter-based immunosensing strategy for sensitive monitoring of biomarker by coupling an external capacitor with an enzymatic catalysis. <i>Biosensors and Bioelectronics</i> , 2014, 55, 255-258.	5.3	12
240	Bioresponsive controlled glucose release from TiO <sub>2</sub> nanotube arrays: a simple and portable biosensing system for cocaine with a glucometer readout. <i>Journal of Materials Chemistry B</i> , 2017, 5, 5573-5579.	2.9	12
241	Novel potentiometry immunoassay with amplified sensitivity for diphtheria antigen based on Nafion, colloidal Ag and polyvinyl butyral as matrixes. <i>Journal of Proteomics</i> , 2004, 61, 299-311.	2.4	11
242	Highly sensitive electrochemical immunoassay for human IgG using double-encoded magnetic redox-active nanoparticles. <i>Mikrochimica Acta</i> , 2010, 171, 457-464.	2.5	11
243	Hairpin DNA-Dependent Click Conjugation of Oligonucleotides for Electrochemical Monitoring of Copper(II). <i>Electroanalysis</i> , 2015, 27, 2513-2517.	1.5	11
244	Glucometer-based signal readout for a portable low-cost electrochemical immunoassay using branched platinum nanowires. <i>Analytical Methods</i> , 2016, 8, 4069-4074.	1.3	11
245	Ultrasensitive zero-background photoelectrochemical biosensor for analysis of organophosphorus pesticide based on in situ formation of DNA-templated Ag <sub>2</sub> S photoactive materials. <i>Analytical and Bioanalytical Chemistry</i> , 2021, 413, 6279-6288.	1.9	11
246	Molecularly Imprinted Polymer Functionalized Bi <sub>2</sub> S <sub>3</sub> /Ti <sub>3</sub> C <sub>2</sub> TX MXene Nanocomposites for Photoelectrochemical/Electrochemical Dual-Mode Sensing of Chlorogenic Acid. <i>Chemosensors</i> , 2022, 10, 252.	1.8	10
247	An Amperometric Biosensor for Glucose Based on Self-Assembling Nanoparticles and Electrosynthesis of Poly- $\epsilon$ -Diaminobenzene on the Prussian Blue-Modified Gold Electrode. <i>Analytical Letters</i> , 2005, 38, 1085-1097.	1.0	9
248	Prussian blue-doped nanogold microspheres for enzyme-free electrocatalytic immunoassay of p53 protein. <i>Mikrochimica Acta</i> , 2014, 181, 581-588.	2.5	9
249	Multiplexed electrochemical immunoassay for two immunoglobulin proteins based on Cd and Cu nanocrystals. <i>Analyst, The</i> , 2017, 142, 4794-4800.	1.7	9
250	Highly sensitive fluorescent probe for selective detection of hypochlorite ions using nitrogen-fluorine co-doped carbon nanodots. <i>Spectrochimica Acta - Part A: Molecular and Biomolecular Spectroscopy</i> , 2021, 250, 119231.	2.0	9
251	Biofunctional nanogold microsphere doped with Prussian blue nanoparticles for sensitive electrochemical immunoassay of cancer marker. <i>Analytical Methods</i> , 2014, 6, 3442-3448.	1.3	8
252	Click-Conjugation of Nanogold-Functionalized PAMAM Dendrimer: Toward a Novel Electrochemical Detection Platform. <i>Electroanalysis</i> , 2015, 27, 2280-2285.	1.5	8

#	ARTICLE	IF	CITATIONS
253	A novel colorimetric immunoassay based on enzyme-regulated instant generation of Turnbull's blue for the sensitive determination of ochratoxin A. <i>Analyst, The</i> , 2020, 145, 2420-2424.	1.7	8
254	Antibody- $\alpha$ -D-Glucosylase Cross-Linkage Nanoparticles: A New Signal Tag for Point-of-Care Immunoassay of Alpha-fetoprotein for Hepatocellular Carcinoma with Personal Glucometer. <i>Electroanalysis</i> , 2022, 34, 246-251.	1.5	8
255	Facile and feasible conductometric immunoanalytical assay for alpha-fetoprotein using platinum-functionalized graphitic carbon nitride nanosheets. <i>Analytical Methods</i> , 2018, 10, 4886-4893.	1.3	7
256	Dopamine-loaded Liposomes-amplified Electrochemical Immunoassay Based on MXene ( $\text{Ti}_3\text{C}_2$ )@AuNPs. <i>Electroanalysis</i> , 2022, 34, 1329-1337.	1.5	7
257	Highly Thiocyanate-Selective PVC Membrane Electrode Based on Lipophilic Ferrocene Derivative. <i>Electroanalysis</i> , 2005, 17, 1865-1869.	1.5	6
258	A portable thermal detection method based on the target responsive hydrogel mediated self-heating of a warming pad. <i>Chemical Communications</i> , 2021, 57, 9862-9865.	2.2	6
259	Versatile Synthesis of Hollow Metal Sulfides via Cation Exchange Reactions for Photocatalytic CO <sub>2</sub> Reduction. <i>Angewandte Chemie</i> , 2021, 133, 25259.	1.6	6
260	Ratiometric fluorescence enzyme-linked immunosorbent assay based on carbon dots@SiO <sub>2</sub> @CdTe quantum dots with dual functionalities for alpha-fetoprotein. <i>Analyst, The</i> , 2022, 147, 2851-2858.	1.7	5
261	Highly sensitive potentiometric immunosensor for hepatitis B surface antigen diagnosis. <i>Science in China Series B: Chemistry</i> , 2005, 48, 49-57.	0.8	4
262	Electrochemical Immunosensing Strategies Based on Immobilization of Anti-IgC on Mixed Self-Assembly Monolayers Carrying Surface Amide or Carboxyl Groups. <i>Analytical Letters</i> , 2006, 39, 1809-1821.	1.0	4
263	Proximity Ligation Assay-induced Structure-switching Hairpin DNA toward Development of Electrochemical Immunosensor. <i>Electroanalysis</i> , 2016, 28, 1777-1782.	1.5	3
264	A novel colorimetric immunoassay for sensitive monitoring of ochratoxin A based on an enzyme-controlled citrate-iron( $\text{Fe}^{3+}$ ) chelating system. <i>New Journal of Chemistry</i> , 2021, 45, 11977-11982.	1.4	3
265	One-step Electronic Monitoring of Tetracycline Residue within 5 min Based on the Competitive Displacement Reaction between the Antigen and Pseudo Hapten for the Target Antibody. <i>Chemistry Letters</i> , 2015, 44, 539-541.	0.7	2
266	New Insights on Potentiometric Immunosensor at Carbon Fiber Microelectrode for Alpha-fetoprotein in Hepatocellular Carcinoma. <i>Electroanalysis</i> , 2022, 34, 976-980.	1.5	2
267	Biomimetic -mineralized multifunctional nanoflowers for anodic-stripping voltammetric immunoassay of rehabilitation-related proteins. <i>Analyst, The</i> , 2021, 147, 80-86.	1.7	2
268	4-Nitrophenol-Loaded Magnetic Mesoporous Silica Hybrid Materials for Spectrometric Aptasensing of Carcinoembryonic Antigen. <i>Micromachines</i> , 2021, 12, 1138.	1.4	1