

# Aristidis Moustakas

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1979256/publications.pdf>

Version: 2024-02-01

120  
papers

14,886  
citations

34105

52  
h-index

19190

118  
g-index

121  
all docs

121  
docs citations

121  
times ranked

19699  
citing authors

| #  | ARTICLE  | IF  | CITATIONS |
|----|--|-----|-----------|
| 1  | The protein kinase LKB1 promotes self-renewal and blocks invasiveness in glioblastoma. <i>Journal of Cellular Physiology</i> , 2022, 237, 743-762.                             | 4.1 | 8         |
| 2  | Dual inhibition of TGF- $\beta$ 2 and PD-L1: a novel approach to cancer treatment. <i>Molecular Oncology</i> , 2022, 16, 2117-2134.  | 4.6 | 53        |
| 3  | TGF- $\beta$ 2 selects for pro-stemness over pro-invasive phenotypes during cancer cell epithelial-mesenchymal transition. <i>Molecular Oncology</i> , 2022, 16, 2330-2354.    | 4.6 | 5         |
| 4  | Extracellular Vesicles and Transforming Growth Factor $\beta$ 2 Signaling in Cancer. <i>Frontiers in Cell and Developmental Biology</i> , 2022, 10, 849938.                    | 3.7 | 14        |
| 5  | The noncoding MIR100HG RNA enhances the autocrine function of transforming growth factor $\beta$ 2 signaling. <i>Oncogene</i> , 2021, 40, 3748-3765.                           | 5.9 | 18        |
| 6  | NUAK1 and NUAK2 Fine-Tune TGF- $\beta$ 2 Signaling. <i>Cancers</i> , 2021, 13, 3377.   | 3.7 | 9         |
| 7  | Glucose and Amino Acid Metabolic Dependencies Linked to Stemness and Metastasis in Different Aggressive Cancer Types. <i>Frontiers in Pharmacology</i> , 2021, 12, 723798.     | 3.5 | 13        |
| 8  | BMP2-induction of FN14 promotes protumorigenic signaling in gynecologic cancer cells. <i>Cellular Signalling</i> , 2021, 87, 110146.   | 3.6 | 11        |
| 9  | The polarity protein Par3 coordinates positively self-renewal and negatively invasiveness in glioblastoma. <i>Cell Death and Disease</i> , 2021, 12, 932.                      | 6.3 | 5         |
| 10 | Endothelial-Tumor Cell Interaction in Brain and CNS Malignancies. <i>International Journal of Molecular Sciences</i> , 2020, 21, 7371.   | 4.1 | 19        |
| 11 | BMP signaling is a therapeutic target in ovarian cancer. <i>Cell Death Discovery</i> , 2020, 6, 139.   | 4.7 | 22        |
| 12 | TGF- $\beta$ 2 Signaling. <i>Biomolecules</i> , 2020, 10, 487.   | 4.0 | 347       |
| 13 | Serglycin activates pro-tumorigenic signaling and controls glioblastoma cell stemness, differentiation and invasive potential. <i>Matrix Biology Plus</i> , 2020, 6-7, 100033. | 3.5 | 10        |
| 14 | TGF- $\beta$ 2 and EGF signaling orchestrates the AP-1- and p63 transcriptional regulation of breast cancer invasiveness. <i>Oncogene</i> , 2020, 39, 4436-4449.               | 5.9 | 52        |
| 15 | Long non-coding RNAs and TGF- $\beta$ 2 signaling in cancer. <i>Cancer Science</i> , 2020, 111, 2672-2681.   | 3.9 | 38        |
| 16 | The TGFB2-AS1 lncRNA Regulates TGF- $\beta$ 2 Signaling by Modulating Corepressor Activity. <i>Cell Reports</i> , 2019, 28, 3182-3198.e11.                                     | 6.4 | 26        |
| 17 | LXR $\pm$ limits TGF- $\beta$ 2-dependent hepatocellular carcinoma associated fibroblast differentiation. <i>Oncogenesis</i> , 2019, 8, 36.                                    | 4.9 | 33        |
| 18 | TANK-binding kinase 1 is a mediator of platelet-induced EMT in mammary carcinoma cells. <i>FASEB Journal</i> , 2019, 33, 7822-7832.  | 0.5 | 23        |

| #  | ARTICLE   | IF   | CITATIONS |
|----|---|------|-----------|
| 19 | JNK-Dependent cJun Phosphorylation Mitigates TGF $\beta$ <sup>2</sup> - and EGF-Induced Pre-Malignant Breast Cancer Cell Invasion by Suppressing AP-1-Mediated Transcriptional Responses. <i>Cells</i> , 2019, 8, 1481. | 4.1  | 11        |
| 20 | Has2 natural antisense RNA and Hmga2 promote Has2 expression during TGF $\beta$ <sup>2</sup> -induced EMT in breast cancer. <i>Matrix Biology</i> , 2019, 80, 29-45.  | 3.6  | 43        |
| 21 | Upregulated BMP-Smad signaling activity in the glucuronyl C5-epimerase knock out MEF cells. <i>Cellular Signalling</i> , 2019, 54, 122-129.   | 3.6  | 5         |
| 22 | Transforming growth factor $\beta$ <sup>2</sup> (TGF $\beta$ <sup>2</sup> ) induces NIAK kinase expression to fine-tune its signaling output. <i>Journal of Biological Chemistry</i> , 2019, 294, 4119-4136.            | 3.4  | 20        |
| 23 | Snail mediates crosstalk between TGF $\beta$ <sup>2</sup> and LXR $\beta$ in hepatocellular carcinoma. <i>Cell Death and Differentiation</i> , 2018, 25, 885-903.   | 11.2 | 34        |
| 24 | Systemic and specific effects of antihypertensive and lipid-lowering medication on plasma protein biomarkers for cardiovascular diseases. <i>Scientific Reports</i> , 2018, 8, 5531.                                    | 3.3  | 29        |
| 25 | Snail regulates BMP and TGF $\beta$ <sup>2</sup> pathways to control the differentiation status of glioma-initiating cells. <i>Oncogene</i> , 2018, 37, 2515-2531.  | 5.9  | 46        |
| 26 | TGF- $\beta$ <sup>2</sup> Family Signaling in Epithelial Differentiation and Epithelial $\rightarrow$ Mesenchymal Transition. <i>Cold Spring Harbor Perspectives in Biology</i> , 2018, 10, a022194.                    | 5.5  | 90        |
| 27 | TGF- $\beta$ <sup>2</sup> Family Signaling in Ductal Differentiation and Branching Morphogenesis. <i>Cold Spring Harbor Perspectives in Biology</i> , 2018, 10, a031997.  | 5.5  | 21        |
| 28 | Epithelial-Mesenchymal Transition and Metastasis under the Control of Transforming Growth Factor $\beta$ <sup>2</sup> . <i>International Journal of Molecular Sciences</i> , 2018, 19, 3672.                            | 4.1  | 117       |
| 29 | Genome-wide binding of transcription factor ZEB1 in triple $\rightarrow$ negative breast cancer cells. <i>Journal of Cellular Physiology</i> , 2018, 233, 7113-7127.  | 4.1  | 32        |
| 30 | Serglycin promotes breast cancer cell aggressiveness: Induction of epithelial to mesenchymal transition, proteolytic activity and IL-8 signaling. <i>Matrix Biology</i> , 2018, 74, 35-51.                              | 3.6  | 53        |
| 31 | TGF- $\beta$ <sup>2</sup> and the Tissue Microenvironment: Relevance in Fibrosis and Cancer. <i>International Journal of Molecular Sciences</i> , 2018, 19, 1294.   | 4.1  | 231       |
| 32 | Genomewide binding of transcription factor Snail1 in triple $\rightarrow$ negative breast cancer cells. <i>Molecular Oncology</i> , 2018, 12, 1153-1174.  | 4.6  | 22        |
| 33 | The protein kinase SIK downregulates the polarity protein Par3. <i>Oncotarget</i> , 2018, 9, 5716-5735.   | 1.8  | 11        |
| 34 | Somatic Ephrin Receptor Mutations Are Associated with Metastasis in Primary Colorectal Cancer. <i>Cancer Research</i> , 2017, 77, 1730-1740.  | 0.9  | 29        |
| 35 | Epithelial $\rightarrow$ mesenchymal transition in cancer. <i>Molecular Oncology</i> , 2017, 11, 715-717.   | 4.6  | 47        |
| 36 | Mechanistic Insights into Autoinhibition of the Oncogenic Chromatin Remodeler ALC1. <i>Molecular Cell</i> , 2017, 68, 847-859.e7.   | 9.7  | 53        |

| #  | ARTICLE   | IF   | CITATIONS |
|----|---|------|-----------|
| 37 | Mechanisms of TGF $\beta$ <sup>2</sup> -Induced Epithelial $\rightarrow$ Mesenchymal Transition. <i>Journal of Clinical Medicine</i> , 2016, 5, 63.   | 2.4  | 194       |
| 38 | Commercially Available Preparations of Recombinant Wnt3a Contain Non $\rightarrow$ Wnt Related Activities Which May Activate TGF $\beta$ <sup>2</sup> Signaling. <i>Journal of Cellular Biochemistry</i> , 2016, 117, 938-945.  | 2.6  | 8         |
| 39 | Chemical regulators of epithelial plasticity reveal a nuclear receptor pathway controlling myofibroblast differentiation. <i>Scientific Reports</i> , 2016, 6, 29868.   | 3.3  | 9         |
| 40 | In vitro and ex vivo vanadium antitumor activity in (TGF $\beta$ <sup>2</sup> )-induced EMT. Synergistic activity with carboplatin and correlation with tumor metastasis in cancer patients. <i>International Journal of Biochemistry and Cell Biology</i> , 2016, 74, 121-134. | 2.8  | 33        |
| 41 | Mechanisms of action of bone morphogenetic proteins in cancer. <i>Cytokine and Growth Factor Reviews</i> , 2016, 27, 81-92.   | 7.2  | 78        |
| 42 | Single Chain Antibodies as Tools to Study transforming growth factor- $\beta$ <sup>2</sup> -Regulated SMAD Proteins in Proximity Ligation-Based Pharmacological Screens. <i>Molecular and Cellular Proteomics</i> , 2016, 15, 1848-1856.  | 3.8  | 10        |
| 43 | Regulation of Bone Morphogenetic Protein Signaling by ADP-ribosylation. <i>Journal of Biological Chemistry</i> , 2016, 291, 12706-12723.  | 3.4  | 6         |
| 44 | Signaling Receptors for TGF $\beta$ <sup>2</sup> Family Members. <i>Cold Spring Harbor Perspectives in Biology</i> , 2016, 8, a022053.  | 5.5  | 480       |
| 45 | Transforming growth factor $\beta$ <sup>2</sup> as regulator of cancer stemness and metastasis. <i>British Journal of Cancer</i> , 2016, 115, 761-769.  | 6.4  | 189       |
| 46 | Ras and TGF $\beta$ <sup>2</sup> signaling enhance cancer progression by promoting the $\beta$ <sup>2</sup> Np63 transcriptional program. <i>Science Signaling</i> , 2016, 9, ra84.   | 3.6  | 33        |
| 47 | The rationale for targeting $\beta$ <sup>2</sup> in chronic liver diseases. <i>European Journal of Clinical Investigation</i> , 2016, 46, 349-361.  | 3.4  | 60        |
| 48 | Analysis of Epithelial $\rightarrow$ Mesenchymal Transition Induced by Transforming Growth Factor $\beta$ <sup>2</sup> . <i>Methods in Molecular Biology</i> , 2016, 1344, 147-181.   | 0.9  | 23        |
| 49 | The protein kinase LKB1 negatively regulates bone morphogenetic protein receptor signaling. <i>Oncotarget</i> , 2016, 7, 1120-1143.   | 1.8  | 17        |
| 50 | Estrogen receptor alpha mediates epithelial to mesenchymal transition, expression of specific matrix effectors and functional properties of breast cancer cells. <i>Matrix Biology</i> , 2015, 43, 42-60.   | 3.6  | 140       |
| 51 | The mitotic checkpoint protein kinase BUB1 is an engine in the TGF $\beta$ <sup>2</sup> signaling apparatus. <i>Science Signaling</i> , 2015, 8, fs1.   | 3.6  | 8         |
| 52 | Reprogramming during epithelial to mesenchymal transition under the control of TGF $\beta$ <sup>2</sup> . <i>Cell Adhesion and Migration</i> , 2015, 9, 233-246.  | 2.7  | 82        |
| 53 | MEG3 long noncoding RNA regulates the TGF $\beta$ <sup>2</sup> pathway genes through formation of RNA $\rightarrow$ DNA triplex structures. <i>Nature Communications</i> , 2015, 6, 7743.   | 12.8 | 534       |
| 54 | The high mobility group A2 protein epigenetically silences the Cdh1 gene during epithelial-to-mesenchymal transition. <i>Nucleic Acids Research</i> , 2015, 43, 162-178.  | 14.5 | 69        |

| #  | ARTICLE  | IF   | CITATIONS |
|----|--|------|-----------|
| 55 | Transforming growth factor $\beta^2$ and bone morphogenetic protein actions in brain tumors. FEBS Letters, 2015, 589, 1588-1597.   | 2.8  | 32        |
| 56 | Tamoxifen Inhibits TGF $\beta^2$ -Mediated Activation of Myofibroblasts by Blocking Non-Smad Signaling Through ERK1/2. Journal of Cellular Physiology, 2015, 230, 3084-3092.   | 4.1  | 69        |
| 57 | Fine-Tuning of Smad Protein Function by Poly(ADP-Ribose) Polymerases and Poly(ADP-Ribose) Glycohydrolase during Transforming Growth Factor $\beta^2$ Signaling. PLoS ONE, 2014, 9, e103651.  | 2.5  | 19        |
| 58 | Invasive cells follow Snail's slow and persistent pace. Cell Cycle, 2014, 13, 2320-2321.   | 2.6  | 3         |
| 59 | Nucleosome regulatory dynamics in response to TGF $\beta$ . Nucleic Acids Research, 2014, 42, 6921-6934.   | 14.5 | 6         |
| 60 | TGF $\beta^2$ and matrix-regulated epithelial to mesenchymal transition. Biochimica Et Biophysica Acta - General Subjects, 2014, 1840, 2621-2634.  | 2.4  | 116       |
| 61 | Coordination of TGF- $\beta^2$ Signaling by Ubiquitylation. Molecular Cell, 2013, 51, 555-556.   | 9.7  | 11        |
| 62 | p53 regulates epithelial-mesenchymal transition induced by transforming growth factor $\beta^2$ . Journal of Cellular Physiology, 2013, 228, 801-813.  | 4.1  | 37        |
| 63 | Regulation of Transcription Factor Twist Expression by the DNA Architectural Protein High Mobility Group A2 during Epithelial-to-Mesenchymal Transition. Journal of Biological Chemistry, 2012, 287, 7134-7145.  | 3.4  | 94        |
| 64 | Transcriptional Induction of Salt-inducible Kinase 1 by Transforming Growth Factor $\beta^2$ Leads to Negative Regulation of Type I Receptor Signaling in Cooperation with the Smurf2 Ubiquitin Ligase. Journal of Biological Chemistry, 2012, 287, 12867-12878. | 3.4  | 27        |
| 65 | Context-dependent Action of Transforming Growth Factor $\beta^2$ Family Members on Normal and Cancer Stem Cells. Current Pharmaceutical Design, 2012, 18, 4072-4086.   | 1.9  | 22        |
| 66 | Induction of epithelial-mesenchymal transition by transforming growth factor $\beta^2$ . Seminars in Cancer Biology, 2012, 22, 446-454.  | 9.6  | 123       |
| 67 | Regulation of EMT by TGF $\beta^2$ in cancer. FEBS Letters, 2012, 586, 1959-1970.  | 2.8  | 435       |
| 68 | Role of Smads in TGF $\beta^2$ signaling. Cell and Tissue Research, 2012, 347, 21-36.  | 2.9  | 291       |
| 69 | Role of TGF- $\beta^2$ signaling in EMT, cancer progression and metastasis. Drug Discovery Today: Disease Models, 2011, 8, 121-126.  | 1.2  | 3         |
| 70 | Regulation of Myosin Light Chain Function by BMP Signaling Controls Actin Cytoskeleton Remodeling. Cellular Physiology and Biochemistry, 2011, 28, 1031-1044.  | 1.6  | 37        |
| 71 | The Notch and TGF- $\beta^2$ Signaling Pathways Contribute to the Aggressiveness of Clear Cell Renal Cell Carcinoma. PLoS ONE, 2011, 6, e23057.  | 2.5  | 56        |
| 72 | Negative Regulation of TGF $\beta^2$ Signaling by the Kinase LKB1 and the Scaffolding Protein LIP1. Journal of Biological Chemistry, 2011, 286, 341-353.   | 3.4  | 50        |

| #  | ARTICLE   | IF   | CITATIONS |
|----|---|------|-----------|
| 73 | TGF $\beta$ 2 Activates Mitogen- and Stress-activated Protein Kinase-1 (MSK1) to Attenuate Cell Death*. Journal of Biological Chemistry, 2011, 286, 5003-5011.  | 3.4  | 26        |
| 74 | TGF $\beta$ 2-induced Early Activation of the Small GTPase RhoA is Smad2/3-independent and Involves Src and the Guanine Nucleotide Exchange Factor Vav2. Cellular Physiology and Biochemistry, 2011, 28, 229-238.   | 1.6  | 20        |
| 75 | Transforming Growth Factor $\beta$ 2 Promotes Complexes between Smad Proteins and the CCCTC-binding Factor on the H19 Imprinting Control Region Chromatin. Journal of Biological Chemistry, 2010, 285, 19727-19737. | 3.4  | 30        |
| 76 | Integrins open the way to epithelial-mesenchymal transitions. Cell Cycle, 2010, 9, 1678-1683.   | 2.6  | 1         |
| 77 | PARP-1 Attenuates Smad-Mediated Transcription. Molecular Cell, 2010, 40, 521-532.   | 9.7  | 119       |
| 78 | Emergence, development and diversification of the TGF $\beta$ 2 signalling pathway within the animal kingdom. BMC Evolutionary Biology, 2009, 9, 28.  | 3.2  | 137       |
| 79 | Mechanism of TGF $\beta$ 2 signaling to growth arrest, apoptosis, and epithelial $\rightarrow$ mesenchymal transition. Current Opinion in Cell Biology, 2009, 21, 166-176.  | 5.4  | 587       |
| 80 | Regulating the stability of TGF $\beta$ 2 receptors and Smads. Cell Research, 2009, 19, 21-35.  | 12.0 | 170       |
| 81 | A SNAIL1 $\rightarrow$ SMAD3/4 transcriptional repressor complex promotes TGF $\beta$ 2 mediated epithelial $\rightarrow$ mesenchymal transition. Nature Cell Biology, 2009, 11, 943-950.                           | 10.3 | 585       |
| 82 | Control of transforming growth factor $\beta$ 2 signal transduction by small GTPases. FEBS Journal, 2009, 276, 2947-2965.   | 4.7  | 88        |
| 83 | Epithelial $\rightarrow$ Mesenchymal Transition as a Mechanism of Metastasis. , 2009, , 65-92.  |      | 0         |
| 84 | The regulation of TGF $\beta$ 2 signal transduction. Development (Cambridge), 2009, 136, 3699-3714.   | 2.5  | 716       |
| 85 | Dynamic control of TGF $\beta$ 2 signaling and its links to the cytoskeleton. FEBS Letters, 2008, 582, 2051-2065.   | 2.8  | 92        |
| 86 | TGF $\beta$ 2 Targets PAX3 to Control Melanocyte Differentiation. Developmental Cell, 2008, 15, 797-799.  | 7.0  | 21        |
| 87 | TGF $\beta$ 2 induces SIK to negatively regulate type I receptor kinase signaling. Journal of Cell Biology, 2008, 182, 655-662.   | 5.2  | 69        |
| 88 | HMGA2 and Smads Co-regulate SNAIL1 Expression during Induction of Epithelial-to-Mesenchymal Transition. Journal of Biological Chemistry, 2008, 283, 33437-33446.  | 3.4  | 310       |
| 89 | Cancer-Associated Fibroblasts and the Role of TGF $\beta$ 2. , 2008, , 417-441.   |      | 0         |
| 90 | Notch signaling is necessary for epithelial growth arrest by TGF $\beta$ 2. Journal of Cell Biology, 2007, 176, 695-707.  | 5.2  | 126       |

| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 91  | Functional role of Meox2 during the epithelial cytostatic response to TGF- $\beta$ <sup>2</sup> . <i>Molecular Oncology</i> , 2007, 1, 55-71.  | 4.6 | 35        |
| 92  | Signaling networks guiding epithelial $\rightarrow$ mesenchymal transitions during embryogenesis and cancer progression. <i>Cancer Science</i> , 2007, 98, 1512-1520.  | 3.9 | 722       |
| 93  | Actions of TGF- $\beta$ <sup>2</sup> as tumor suppressor and pro-metastatic factor in human cancer. <i>Biochimica Et Biophysica Acta: Reviews on Cancer</i> , 2007, 1775, 21-62.   | 7.4 | 350       |
| 94  | A New Twist in Smad Signaling. <i>Developmental Cell</i> , 2006, 10, 685-686.  | 7.0 | 17        |
| 95  | The Mechanism of Nuclear Export of Smad3 Involves Exportin 4 and Ran. <i>Molecular and Cellular Biology</i> , 2006, 26, 1318-1332.   | 2.3 | 78        |
| 96  | Transforming growth factor- $\beta$ <sup>2</sup> employs HMGA2 to elicit epithelial $\rightarrow$ mesenchymal transition. <i>Journal of Cell Biology</i> , 2006, 174, 175-183.   | 5.2 | 457       |
| 97  | Smad pathway $\rightarrow$ specific transcriptional regulation of the cell cycle inhibitor p21 <sup>WAF1/Cip1</sup> . <i>Journal of Cellular Physiology</i> , 2005, 204, 260-272.  | 4.1 | 102       |
| 98  | BMP Signaling in Osteogenesis, Bone Remodeling and Repair. <i>European Journal of Trauma and Emergency Surgery</i> , 2005, 31, 464-479.  | 0.3 | 16        |
| 99  | LIM-kinase 2 and Cofilin Phosphorylation Mediate Actin Cytoskeleton Reorganization Induced by Transforming Growth Factor- $\beta$ <sup>2</sup> . <i>Journal of Biological Chemistry</i> , 2005, 280, 11448-11457.                  | 3.4 | 162       |
| 100 | Non-Smad TGF- $\beta$ <sup>2</sup> signals. <i>Journal of Cell Science</i> , 2005, 118, 3573-3584.   | 2.0 | 976       |
| 101 | TGF- $\beta$ <sup>2</sup> and the Smad Signaling Pathway Support Transcriptomic Reprogramming during Epithelial-Mesenchymal Cell Transition. <i>Molecular Biology of the Cell</i> , 2005, 16, 1987-2002.                           | 2.1 | 530       |
| 102 | Hyaluronan Fragments Induce Endothelial Cell Differentiation in a CD44- and CXCL1/GRO1-dependent Manner. <i>Journal of Biological Chemistry</i> , 2005, 280, 24195-24204.  | 3.4 | 118       |
| 103 | Degradation of the Tumor Suppressor Smad4 by WW and HECT Domain Ubiquitin Ligases. <i>Journal of Biological Chemistry</i> , 2005, 280, 22115-22123.  | 3.4 | 171       |
| 104 | Receptor Serine/Threonine Kinases. , 2005, , 1603-1608.  |     | 1         |
| 105 | Id2 and Id3 Define the Potency of Cell Proliferation and Differentiation Responses to Transforming Growth Factor $\beta$ <sup>2</sup> and Bone Morphogenetic Protein. <i>Molecular and Cellular Biology</i> , 2004, 24, 4241-4254. | 2.3 | 318       |
| 106 | Cloning of a novel signaling molecule, AMSH-2, that potentiates transforming growth factor beta signaling. <i>BMC Cell Biology</i> , 2004, 5, 2.   | 3.0 | 37        |
| 107 | The nuts and bolts of IRF structure. <i>Nature Structural and Molecular Biology</i> , 2003, 10, 874-876.   | 8.2 | 8         |
| 108 | Nuclear Factor YY1 Inhibits Transforming Growth Factor $\beta$ <sup>2</sup> - and Bone Morphogenetic Protein-Induced Cell Differentiation. <i>Molecular and Cellular Biology</i> , 2003, 23, 4494-4510.                            | 2.3 | 153       |

| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 109 | Mechanism of a Transcriptional Cross Talk between Transforming Growth Factor- $\beta$ -regulated Smad3 and Smad4 Proteins and Orphan Nuclear Receptor Hepatocyte Nuclear Factor-4. <i>Molecular Biology of the Cell</i> , 2003, 14, 1279-1294. | 2.1 | 49        |
| 110 | Differential Ubiquitination Defines the Functional Status of the Tumor Suppressor Smad4. <i>Journal of Biological Chemistry</i> , 2003, 278, 33571-33582.  | 3.4 | 91        |
| 111 | Functions of Transforming Growth Factor- $\beta$ Family Type I Receptors and Smad Proteins in the Hypertrophic Maturation and Osteoblastic Differentiation of Chondrocytes. <i>Journal of Biological Chemistry</i> , 2002, 277, 33545-33558.   | 3.4 | 116       |
| 112 | From mono- to oligo-Smads: The heart of the matter in TGF-beta signal transduction. <i>Genes and Development</i> , 2002, 16, 1867-1871.  | 5.9 | 73        |
| 113 | TGF- $\beta$ signaling from a three-dimensional perspective: insight into selection of partners. <i>Trends in Cell Biology</i> , 2002, 12, 304-307.  | 7.9 | 36        |
| 114 | Mechanisms of TGF- $\beta$ signaling in regulation of cell growth and differentiation. <i>Immunology Letters</i> , 2002, 82, 85-91.  | 2.5 | 473       |
| 115 | Transforming Growth Factor- $\beta$ Induces Nuclear Import of Smad3 in an Importin- $\beta$ 1 and Ran-dependent Manner. <i>Molecular Biology of the Cell</i> , 2001, 12, 1079-1091.  | 2.1 | 163       |
| 116 | Smad regulation in TGF- $\beta$ signal transduction. <i>Journal of Cell Science</i> , 2001, 114, 4359-4369.  | 2.0 | 802       |
| 117 | Functional consequences of tumorigenic missense mutations in the amino-terminal domain of Smad4. <i>Oncogene</i> , 2000, 19, 4396-4404.  | 5.9 | 86        |
| 118 | Role of Smad Proteins and Transcription Factor Sp1 in p21Waf1/Cip1 Regulation by Transforming Growth Factor- $\beta$ . <i>Journal of Biological Chemistry</i> , 2000, 275, 29244-29256.  | 3.4 | 347       |
| 119 | c-Jun Transactivates the Promoter of the Human p21 Gene by Acting as a Superactivator of the Ubiquitous Transcription Factor Sp1. <i>Journal of Biological Chemistry</i> , 1999, 274, 29572-29581.   | 3.4 | 179       |
| 120 | The Soluble Exoplasmic Domain of the Type II Transforming Growth Factor (TGF)- $\beta$ Receptor. <i>Journal of Biological Chemistry</i> , 1995, 270, 2747-2754.  | 3.4 | 108       |