

# Stephen C Jameson

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1982013/publications.pdf>

Version: 2024-02-01

177  
papers

25,790  
citations

10070

75  
h-index

7627

156  
g-index

200  
all docs

200  
docs citations

200  
times ranked

23936  
citing authors

#	ARTICLE	IF	CITATIONS
1	T cell receptor antagonist peptides induce positive selection. <i>Cell</i> , 1994, 76, 17-27.	13.5	2,538
2	Interleukin-7 mediates the homeostasis of naïve and memory CD8 T cells in vivo. <i>Nature Immunology</i> , 2000, 1, 426-432.	7.0	1,443
3	POSITIVE AND NEGATIVE SELECTION OF T CELLS. <i>Annual Review of Immunology</i> , 2003, 21, 139-176.	9.5	1,321
4	Naive CD4+ T Cell Frequency Varies for Different Epitopes and Predicts Repertoire Diversity and Response Magnitude. <i>Immunity</i> , 2007, 27, 203-213.	6.6	857
5	Normalizing the environment recapitulates adult human immune traits in laboratory mice. <i>Nature</i> , 2016, 532, 512-516.	13.7	848
6	Transcriptional downregulation of S1pr1 is required for the establishment of resident memory CD8+ T cells. <i>Nature Immunology</i> , 2013, 14, 1285-1293.	7.0	621
7	Selective development of CD4+ T cells in transgenic mice expressing a class II MHC-restricted antigen receptor. <i>Nature</i> , 1989, 341, 746-749.	13.7	609
8	T-cell-receptor affinity and thymocyte positive selection. <i>Nature</i> , 1996, 381, 616-620.	13.7	584
9	Positive Selection of Thymocytes. <i>Annual Review of Immunology</i> , 1995, 13, 93-126.	9.5	557
10	Central tolerance: learning self-control in the thymus. <i>Nature Reviews Immunology</i> , 2005, 5, 772-782.	10.6	549
11	Maintaining the norm: T-cell homeostasis. <i>Nature Reviews Immunology</i> , 2002, 2, 547-556.	10.6	546
12	Steady-state production of IL-4 modulates immunity in mouse strains and is determined by lineage diversity of iNKT cells. <i>Nature Immunology</i> , 2013, 14, 1146-1154.	7.0	510
13	Kruppel-like factor 2 regulates thymocyte and T-cell migration. <i>Nature</i> , 2006, 442, 299-302.	13.7	489
14	Understanding Subset Diversity in T Cell Memory. <i>Immunity</i> , 2018, 48, 214-226.	6.6	389
15	Diversity in T Cell Memory: An Embarrassment of Riches. <i>Immunity</i> , 2009, 31, 859-871.	6.6	344
16	Naive T cell homeostasis: from awareness of space to a sense of place. <i>Nature Reviews Immunology</i> , 2009, 9, 823-832.	10.6	332
17	Homeostatic expansion and phenotypic conversion of naive T cells in response to self peptide/MHC ligands. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1999, 96, 13306-13311.	3.3	316
18	The antigen-specific CD8+ T cell repertoire in unimmunized mice includes memory phenotype cells bearing markers of homeostatic expansion. <i>Journal of Experimental Medicine</i> , 2009, 206, 435-448.	4.2	312

#	ARTICLE	IF	CITATIONS
19	Ham-2 corrects the class I antigen-processing defect in RMA-S cells. <i>Nature</i> , 1992, 355, 647-649.	13.7	297
20	Selection of Self-Reactive T Cells in the Thymus. <i>Annual Review of Immunology</i> , 2012, 30, 95-114.	9.5	290
21	T cell receptor antagonists and partial agonists. <i>Immunity</i> , 1995, 2, 1-11.	6.6	289
22	Clone-specific T cell receptor antagonists of major histocompatibility complex class I-restricted cytotoxic T cells.. <i>Journal of Experimental Medicine</i> , 1993, 177, 1541-1550.	4.2	276
23	Sweet 'n' sour: the impact of differential glycosylation on T cell responses. <i>Nature Immunology</i> , 2002, 3, 903-910.	7.0	250
24	Tissue-Specific Distribution of iNKT Cells Impacts Their Cytokine Response. <i>Immunity</i> , 2015, 43, 566-578.	6.6	244
25	Critical Role for Cd8 in T Cell Receptor Binding and Activation by Peptide/Major Histocompatibility Complex Multimers. <i>Journal of Experimental Medicine</i> , 2000, 191, 335-346.	4.2	237
26	The self-obsession of T cells: how TCR signaling thresholds affect fate 'decisions' and effector function. <i>Nature Immunology</i> , 2014, 15, 815-823.	7.0	230
27	T cells expressing the transcription factor PLZF regulate the development of memory-like CD8+ T cells. <i>Nature Immunology</i> , 2010, 11, 709-716.	7.0	225
28	Effector-like CD8+ T Cells in the Memory Population Mediate Potent Protective Immunity. <i>Immunity</i> , 2013, 38, 1250-1260.	6.6	220
29	The Impact of Duration versus Extent of TCR Occupancy on T Cell Activation. <i>Immunity</i> , 2001, 15, 59-70.	6.6	218
30	Qualitative and Quantitative Differences in T Cell Receptor Binding of Agonist and Antagonist Ligands. <i>Immunity</i> , 1999, 10, 227-237.	6.6	216
31	In Vivo Survival and Homeostatic Proliferation of Natural Killer Cells. <i>Journal of Experimental Medicine</i> , 2003, 197, 967-976.	4.2	212
32	Specificity and flexibility in thymic selection. <i>Nature</i> , 1994, 369, 750-752.	13.7	211
33	The purinergic receptor P2RX7 directs metabolic fitness of long-lived memory CD8+ T cells. <i>Nature</i> , 2018, 559, 264-268.	13.7	209
34	Of Mice, Dirty Mice, and Men: Using Mice To Understand Human Immunology. <i>Journal of Immunology</i> , 2017, 199, 383-388.	0.4	197
35	Preselection Thymocytes Are More Sensitive to T Cell Receptor Stimulation Than Mature T Cells. <i>Journal of Experimental Medicine</i> , 1998, 188, 1867-1874.	4.2	196
36	The generation of protective memory-like CD8+ T cells during homeostatic proliferation requires CD4+ T cells. <i>Nature Immunology</i> , 2006, 7, 475-481.	7.0	193

#	ARTICLE	IF	CITATIONS
37	Sequential Infection with Common Pathogens Promotes Human-like Immune Gene Expression and Altered Vaccine Response. <i>Cell Host and Microbe</i> , 2016, 19, 713-719.	5.1	189
38	Distinct Effects of STAT5 Activation on CD4+ and CD8+ T Cell Homeostasis: Development of CD4+CD25+ Regulatory T Cells versus CD8+ Memory T Cells. <i>Journal of Immunology</i> , 2003, 171, 5853-5864.	0.4	186
39	Programming for CD8 T Cell Memory Development Requires IL-12 or Type I IFN. <i>Journal of Immunology</i> , 2009, 182, 2786-2794.	0.4	185
40	Senolytics reduce coronavirus-related mortality in old mice. <i>Science</i> , 2021, 373, .	6.0	184
41	KLF2 Transcription-Factor Deficiency in T Cells Results in Unrestrained Cytokine Production and Upregulation of Bystander Chemokine Receptors. <i>Immunity</i> , 2009, 31, 122-130.	6.6	183
42	Cutting Edge: Transpresentation of IL-15 by Bone Marrow-Derived Cells Necessitates Expression of IL-15 and IL-15R $\alpha$ by the Same Cells. <i>Journal of Immunology</i> , 2004, 173, 6537-6541.	0.4	178
43	Different T Cell Receptor Signals Determine CD8 <sup>+</sup> Memory Versus Effector Development. <i>Science</i> , 2009, 323, 502-505.	6.0	174
44	Identification of a Naturally Occurring Ligand for Thymic Positive Selection. <i>Immunity</i> , 1997, 6, 389-399.	6.6	171
45	The TCR's sensitivity to self peptide-MHC dictates the ability of naive CD8+ T cells to respond to foreign antigens. <i>Nature Immunology</i> , 2015, 16, 107-117.	7.0	168
46	CD8 Binding to MHC Class I Molecules Is Influenced by T Cell Maturation and Glycosylation. <i>Immunity</i> , 2001, 15, 1051-1061.	6.6	166
47	Strong agonist ligands for the T cell receptor do not mediate positive selection of functional CD8+ T cells. <i>Immunity</i> , 1995, 3, 79-86.	6.6	160
48	VISTA is a checkpoint regulator for naive T cell quiescence and peripheral tolerance. <i>Science</i> , 2020, 367, .	6.0	156
49	The timing of TCR $\alpha$ expression critically influences T cell development and selection. <i>Journal of Experimental Medicine</i> , 2005, 202, 111-121.	4.2	155
50	Late stages of T cell maturation in the thymus involve NF- $\kappa$ B and tonic type I interferon signaling. <i>Nature Immunology</i> , 2016, 17, 565-573.	7.0	150
51	The Transcription Factor KLF2 Restrains CD4 + T Follicular Helper Cell Differentiation. <i>Immunity</i> , 2015, 42, 252-264.	6.6	149
52	Murine thymic selection quantified using a unique method to capture deleted T cells. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2013, 110, 4679-4684.	3.3	148
53	T-cell selection. <i>Current Opinion in Immunology</i> , 1998, 10, 214-219.	2.4	141
54	Multiple Choices. <i>Journal of Experimental Medicine</i> , 2002, 195, F49-F52.	4.2	138

#	ARTICLE	IF	CITATIONS
55	Virtual memory CD8 T cells display unique functional properties. Proceedings of the National Academy of Sciences of the United States of America, 2013, 110, 13498-13503.	3.3	137
56	Cutting Edge: In Situ Tetramer Staining of Antigen-Specific T Cells in Tissues. Journal of Immunology, 2000, 165, 613-617.	0.4	133
57	Dissection of major histocompatibility complex (MHC) and T cell receptor contact residues in a Kb-restricted ovalbumin peptide and an assessment of the predictive power of MHC-binding motifs. European Journal of Immunology, 1992, 22, 2663-2667.	1.6	131
58	Derivation and Maintenance of Virtual Memory CD8 T Cells. Journal of Immunology, 2012, 188, 2516-2523.	0.4	128
59	T Cell Memory: Understanding COVID-19. Immunity, 2021, 54, 14-18.	6.6	127
60	Alternative memory in the CD8 T cell lineage. Trends in Immunology, 2011, 32, 50-56.	2.9	122
61	Peptide-induced conformational changes in class I heavy chains alter major histocompatibility complex recognition.. Journal of Experimental Medicine, 1992, 176, 1757-1761.	4.2	121
62	Detuning CD8 T cells: down-regulation of CD8 expression, tetramer binding, and response during CTL activation. Journal of Experimental Medicine, 2007, 204, 2667-2677.	4.2	119
63	The Functional Requirement for CD69 in Establishment of Resident Memory CD8+ T Cells Varies with Tissue Location. Journal of Immunology, 2019, 203, 946-955.	0.4	118
64	Homeostatic Expansion Occurs Independently of Costimulatory Signals. Journal of Immunology, 2001, 167, 5664-5668.	0.4	114
65	Lineage-Specific Effector Signatures of Invariant NKT Cells Are Shared amongst $\gamma\delta$ T, Innate Lymphoid, and Th Cells. Journal of Immunology, 2016, 197, 1460-1470.	0.4	114
66	Hemodynamic Forces Sculpt Developing Heart Valves through a KLF2-WNT9B Paracrine Signaling Axis. Developmental Cell, 2017, 43, 274-289.e5.	3.1	114
67	T cell homeostasis: Keeping useful T cells alive and live T cells useful. Seminars in Immunology, 2005, 17, 231-237.	2.7	111
68	Competition for self ligands restrains homeostatic proliferation of naive CD4 T cells. Proceedings of the National Academy of Sciences of the United States of America, 2003, 100, 1185-1190.	3.3	109
69	Langerin Expressing Cells Promote Skin Immune Responses under Defined Conditions. Journal of Immunology, 2008, 180, 4722-4727.	0.4	106
70	IL-12 Enhances CD8 T Cell Homeostatic Expansion. Journal of Immunology, 2001, 166, 5515-5521.	0.4	104
71	Innate Memory T cells. Advances in Immunology, 2015, 126, 173-213.	1.1	99
72	Kruppel-like factor 2 (KLF2) regulates B-cell reactivity, subset differentiation, and trafficking molecule expression. Proceedings of the National Academy of Sciences of the United States of America, 2011, 108, 716-721.	3.3	94

#	ARTICLE	IF	CITATIONS
73	CD8 <sup>hi</sup> intraepithelial lymphocytes arise from two main thymic precursors. <i>Nature Immunology</i> , 2017, 18, 771-779.	7.0	93
74	ZipSeq: barcoding for real-time mapping of single cell transcriptomes. <i>Nature Methods</i> , 2020, 17, 833-843.	9.0	91
75	Rare, Structurally Homologous Self-Peptides Promote Thymocyte Positive Selection. <i>Immunity</i> , 2002, 17, 131-142.	6.6	90
76	The Fourth Way? Harnessing Aggressive Tendencies in the Thymus. <i>Journal of Immunology</i> , 2004, 173, 6515-6520.	0.4	83
77	Preexisting High Frequencies of Memory CD8+ T Cells Favor Rapid Memory Differentiation and Preservation of Proliferative Potential upon Boosting. <i>Immunity</i> , 2013, 39, 171-183.	6.6	81
78	Thymoproteasome subunit- $\beta$ 5T generates peptide-MHC complexes specialized for positive selection. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2013, 110, 6979-6984.	3.3	80
79	Utility of membrane preconcentration-capillary electrophoresis-mass spectrometry in overcoming limited sample loading for analysis of biologically derived drug metabolites, peptides, and proteins. <i>Journal of the American Society for Mass Spectrometry</i> , 1997, 8, 15-24.	1.2	78
80	IL-15 Regulates Both Quantitative and Qualitative Features of the Memory CD8 T Cell Pool. <i>Journal of Immunology</i> , 2010, 184, 35-44.	0.4	76
81	Microbial Exposure Enhances Immunity to Pathogens Recognized by TLR2 but Increases Susceptibility to Cytokine Storm through TLR4 Sensitization. <i>Cell Reports</i> , 2019, 28, 1729-1743.e5.	2.9	74
82	Selecting the T cell receptor repertoire. <i>Science</i> , 1994, 264, 796-797.	6.0	72
83	Self-class I MHC molecules support survival of naive CD8 T cells, but depress their functional sensitivity through regulation of CD8 expression levels. <i>Journal of Experimental Medicine</i> , 2009, 206, 2253-2269.	4.2	72
84	Sensing of ATP via the Purinergic Receptor P2RX7 Promotes CD8+ Trm Cell Generation by Enhancing Their Sensitivity to the Cytokine TGF- $\beta$ 2. <i>Immunity</i> , 2020, 53, 158-171.e6.	6.6	66
85	Kruppel-like factor 2 protects against ischemic stroke by regulating endothelial blood brain barrier function. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2013, 304, H796-H805.	1.5	65
86	Selective Regulation of CD8 Effector T Cell Migration by the p110 $\beta$ Isoform of Phosphatidylinositol 3-Kinase. <i>Journal of Immunology</i> , 2008, 180, 2081-2088.	0.4	64
87	Interleukin-15 Complex Treatment Protects Mice from Cerebral Malaria by Inducing Interleukin-10-Producing Natural Killer Cells. <i>Immunity</i> , 2018, 48, 760-772.e4.	6.6	62
88	CD8 T cell quiescence revisited. <i>Trends in Immunology</i> , 2012, 33, 224-230.	2.9	61
89	New Insights into the Immune System Using Dirty Mice. <i>Journal of Immunology</i> , 2020, 205, 3-11.	0.4	59
90	IL-15 Is Required for Sustained Lymphopenia-Driven Proliferation and Accumulation of CD8 T Cells. <i>Journal of Immunology</i> , 2007, 179, 120-125.	0.4	58

#	ARTICLE	IF	CITATIONS
91	TCR affinity for thymoproteasome-dependent positively selecting peptides conditions antigen responsiveness in CD8+ T cells. <i>Nature Immunology</i> , 2015, 16, 1069-1076.	7.0	57
92	Sphingosine 1-phosphate receptor 5 (S1PR5) regulates the peripheral retention of tissue-resident lymphocytes. <i>Journal of Experimental Medicine</i> , 2022, 219, .	4.2	56
93	A Role for CD28 in Lymphopenia-Induced Proliferation of CD4 T Cells. <i>Journal of Immunology</i> , 2004, 173, 3909-3915.	0.4	55
94	Rapid loading of large sample volumes, analyte cleanup, and modified moving boundary transient isotachopheresis conditions for membrane preconcentration-capillary electrophoresis in small diameter capillaries. <i>Electrophoresis</i> , 1996, 17, 1801-1807.	1.3	54
95	KrÄppel-like Factors in Lymphocyte Biology. <i>Journal of Immunology</i> , 2012, 188, 521-526.	0.4	54
96	The ligand for positive selection of T lymphocytes in the thymus. <i>Current Opinion in Immunology</i> , 1994, 6, 273-278.	2.4	53
97	Role of 2c T Cell Receptor Residues in the Binding of SelfâAnd AlloâMajor Histocompatibility Complexes. <i>Journal of Experimental Medicine</i> , 2000, 191, 1355-1364.	4.2	52
98	A Spontaneous CD8 T Cell-Dependent Autoimmune Disease to an Antigen Expressed Under the Human Keratin 14 Promoter. <i>Journal of Immunology</i> , 2002, 169, 2141-2147.	0.4	52
99	Thymocyte Sensitivity and Supramolecular Activation Cluster Formation Are Developmentally Regulated: A Partial Role for Sialylation. <i>Journal of Immunology</i> , 2003, 171, 4512-4520.	0.4	52
100	IL-4 sensitivity shapes the peripheral CD8+ T cell pool and response to infection. <i>Journal of Experimental Medicine</i> , 2016, 213, 1319-1329.	4.2	51
101	KrÄppel-Like Factor 2 Regulates Trafficking and Homeostasis of Î³Î T Cells. <i>Journal of Immunology</i> , 2010, 184, 6060-6066.	0.4	50
102	Danger-associated extracellular ATP counters MDSC therapeutic efficacy in acute GVHD. <i>Blood</i> , 2019, 134, 1670-1682.	0.6	49
103	Kruppel-Like Factor 2 Is Required for Trafficking but Not Quiescence in Postactivated T Cells. <i>Journal of Immunology</i> , 2011, 186, 775-783.	0.4	47
104	ARTC2.2/P2RX7 Signaling during Cell Isolation Distorts Function and Quantification of Tissue-Resident CD8+ T Cell and Invariant NKT Subsets. <i>Journal of Immunology</i> , 2019, 202, 2153-2163.	0.4	47
105	Cloning and expression of class I major histocompatibility complex genes of the rat.. <i>Journal of Experimental Medicine</i> , 1992, 175, 1749-1757.	4.2	45
106	Strategy for isolating and sequencing biologically derived MHC class I peptides. <i>Journal of Chromatography A</i> , 1996, 744, 273-278.	1.8	45
107	Loss of CD8 and TCR binding to Class I MHC ligands following T cell activation. <i>International Immunology</i> , 2005, 17, 1607-1617.	1.8	41
108	A Chronic Need for IL-21. <i>Science</i> , 2009, 324, 1525-1526.	6.0	41

#	ARTICLE	IF	CITATIONS
109	Epidermal Langerhans Cells Are Not Required for UV-Induced Immunosuppression. <i>Journal of Immunology</i> , 2009, 183, 5548-5553.	0.4	40
110	Positive selection optimizes the number and function of MHCII-restricted CD4 <sup>+</sup> T cell clones in the naive polyclonal repertoire. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2009, 106, 11241-11245.	3.3	39
111	Enhanced sensitivity for sequence determination of major histocompatibility complex class I peptides by membrane preconcentration - capillary electrophoresis -microspray - tandem mass spectrometry. <i>Electrophoresis</i> , 1998, 19, 2207-2212.	1.3	38
112	Engagement of the costimulatory molecule ICOS in tissues promotes establishment of CD8 <sup>+</sup> tissue-resident memory T cells. <i>Immunity</i> , 2022, 55, 98-114.e5.	6.6	38
113	Variable binding affinities of listeriolysin O peptides for the H-2Kd class I molecule. <i>European Journal of Immunology</i> , 1993, 23, 2005-2010.	1.6	36
114	Cutting Edge: LFA-1 Integrin-Dependent T Cell Adhesion Is Regulated by Both Ag Specificity and Sensitivity. <i>Journal of Immunology</i> , 2004, 173, 2222-2226.	0.4	35
115	Homeostatic expansion versus antigen-driven proliferation: common ends by different means?. <i>Microbes and Infection</i> , 2002, 4, 531-537.	1.0	34
116	The nature of the lymphopenic environment dictates protective function of homeostatic-memory CD8 <sup>+</sup> T cells. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2008, 105, 18484-18489.	3.3	34
117	CD4 <sup>+</sup> CD25 <sup>+</sup> Foxp3 <sup>+</sup> Regulatory T Cells Optimize Diversity of the Conventional T Cell Repertoire during Reconstitution from Lymphopenia. <i>Journal of Immunology</i> , 2010, 184, 4749-4760.	0.4	34
118	A Low Affinity TCR Ligand Restores Positive Selection of CD8 <sup>+</sup> T Cells In Vivo. <i>Journal of Immunology</i> , 2001, 166, 6602-6607.	0.4	33
119	Characteristics of NK Cell Migration Early after Vaccinia Infection. <i>Journal of Immunology</i> , 2005, 175, 2152-2157.	0.4	32
120	IL-2 Complex Treatment Can Protect Naive Mice from Bacterial and Viral Infection. <i>Journal of Immunology</i> , 2010, 185, 6584-6590.	0.4	31
121	Cholera toxin activates nonconventional adjuvant pathways that induce protective CD8 T-cell responses after epicutaneous vaccination. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2012, 109, 2072-2077.	3.3	31
122	Profound alteration in an alpha beta T-cell antigen receptor repertoire due to polymorphism in the first complementarity-determining region of the beta chain.. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1991, 88, 10267-10271.	3.3	29
123	A thymic epithelial cell line induces both positive and negative selection in the thymus. <i>International Immunology</i> , 1994, 6, 239-246.	1.8	28
124	NK Cell IL-10 Production Requires IL-15 and IL-10 Driven STAT3 Activation. <i>Frontiers in Immunology</i> , 2019, 10, 2087.	2.2	28
125	T cell receptor (TCR) recognition of MHC class I variants: intermolecular second-site reversion provides evidence for peptide/MHC conformational variation.. <i>Journal of Experimental Medicine</i> , 1996, 184, 253-258.	4.2	27
126	Myeloid cells activate iNKT cells to produce IL-4 in the thymic medulla. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2019, 116, 22262-22268.	3.3	27

#	ARTICLE	IF	CITATIONS
127	Embracing microbial exposure in mouse research. <i>Journal of Leukocyte Biology</i> , 2018, 105, 73-79.	1.5	27
128	CD8+ T Cell Differentiation: Choosing a Path through T-bet. <i>Immunity</i> , 2007, 27, 180-182.	6.6	24
129	TGF- $\beta$ 2 Sensitivity Restrains CD8+ T Cell Homeostatic Proliferation by Enforcing Sensitivity to IL-7 and IL-15. <i>PLoS ONE</i> , 2012, 7, e42268.	1.1	24
130	Receptor Sensitivity: When T cells Lose Their Sense of Self. <i>Current Biology</i> , 2003, 13, R239-R241.	1.8	21
131	Cutting Edge: The Signals for the Generation of T Cell Memory Are Qualitatively Different Depending on TCR Ligand Strength. <i>Journal of Immunology</i> , 2013, 191, 5797-5801.	0.4	21
132	Differential role for IL-7 in inducing lung Kruppel-like factor (Kruppel-like factor 2) expression by naive versus activated T cells. <i>International Immunology</i> , 2003, 15, 1341-1348.	1.8	20
133	The CD8 T cell response to vaccinia virus exhibits site-dependent heterogeneity of functional responses. <i>International Immunology</i> , 2007, 19, 733-743.	1.8	20
134	Postselection Thymocyte Maturation and Emigration Are Independent of IL-7 and ERK5. <i>Journal of Immunology</i> , 2011, 186, 1343-1347.	0.4	19
135	Self-Specific CD8+ T Cells Maintain a Semi-Naive State Following Lymphopenia-Induced Proliferation. <i>Journal of Immunology</i> , 2010, 184, 5604-5611.	0.4	18
136	Self-Regulation of Memory CD8 T Cell Metabolism through Extracellular ATP Signaling. <i>Immunometabolism</i> , 2019, 1, .	0.7	18
137	The Sialyltransferase ST3Gal-I Is Not Required for Regulation of CD8-Class I MHC Binding during T Cell Development. <i>Journal of Immunology</i> , 2006, 176, 7421-7430.	0.4	17
138	Location of the epitope for an anti-CD8 $\beta$ antibody 53.6.7 which enhances CD8 $\beta$ -MHC class I interaction indicates antibody stabilization of a higher affinity CD8 conformation. <i>Immunology Letters</i> , 2004, 93, 123-130.	1.1	15
139	Characterizing the Impact of CD8 Antibodies on Class I MHC Multimer Binding. <i>Journal of Immunology</i> , 2005, 174, 3986-3991.	0.4	15
140	What Is the Predictive Value of Animal Models for Vaccine Efficacy in Humans?. <i>Cold Spring Harbor Perspectives in Biology</i> , 2018, 10, a029132.	2.3	15
141	CD8 T cell memory: it takes all kinds. <i>Frontiers in Immunology</i> , 2012, 3, 353.	2.2	13
142	Is a Human CD8 T-Cell Vaccine Possible, and if So, What Would It Take?. <i>Cold Spring Harbor Perspectives in Biology</i> , 2018, 10, a028910.	2.3	13
143	Positive Selection Is Limited by Available Peptide-Dependent MHC Conformations. <i>Journal of Immunology</i> , 2000, 164, 3519-3526.	0.4	12
144	Cutting Edge: Kr $\beta$ ppel-like Factor 2 Is Required for Phenotypic Maintenance but Not Development of B1 B Cells. <i>Journal of Immunology</i> , 2012, 189, 3293-3297.	0.4	12

#	ARTICLE	IF	CITATIONS
145	P2RX7 Enhances Tumor Control by CD8+ T Cells in Adoptive Cell Therapy. <i>Cancer Immunology Research</i> , 2022, 10, 871-884.	1.6	12
146	A Divalent Major Histocompatibility Complex/IgG1 Fusion Protein Induces Antigen-Specific T Cell Activation <i>in Vitro</i> and <i>in Vivo</i> . <i>Cellular Immunology</i> , 1999, 192, 54-62.	1.4	11
147	Classical MHC expression by DP thymocytes impairs the selection of non-classical MHC restricted innate-like T cells. <i>Nature Communications</i> , 2021, 12, 2308.	5.8	11
148	Environmental conservation: bystander CD4 T cells keep CD8 memories fresh. <i>Nature Immunology</i> , 2004, 5, 873-874.	7.0	10
149	Keeping STATs on Memory CD8+ T Cells. <i>Immunity</i> , 2011, 35, 663-665.	6.6	10
150	The Extracellular ATP Receptor P2RX7 Imprints a Promemory Transcriptional Signature in Effector CD8+ T Cells. <i>Journal of Immunology</i> , 2022, 208, 1686-1699.	0.4	10
151	CD8+ T cell self-tolerance permits responsiveness but limits tissue damage. <i>ELife</i> , 2021, 10, .	2.8	9
152	T cell receptor antagonism <i>in vivo</i> , at last. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1998, 95, 14001-14002.	3.3	8
153	Fox factors fight over T cell quiescence. <i>Nature Immunology</i> , 2011, 12, 522-524.	7.0	8
154	The virtuous self-tolerance of virtual memory T cells. <i>EMBO Journal</i> , 2018, 37, .	3.5	8
155	The Naming of Memory T-Cell Subsets. <i>Cold Spring Harbor Perspectives in Biology</i> , 2021, 13, a037788.	2.3	8
156	Spontaneous partial loss of the OT-I transgene. <i>Nature Immunology</i> , 2016, 17, 471-471.	7.0	7
157	The relationship between CD4+ follicular helper T cells and CD8+ resident memory T cells: sisters or distant cousins?. <i>International Immunology</i> , 2020, 32, 583-587.	1.8	7
158	T-cell migration: Kruppel T cells move again. <i>Immunology and Cell Biology</i> , 2008, 86, 297-298.	1.0	6
159	Antigen-Specific Culture of Memory-like CD8 T Cells for Adoptive Immunotherapy. <i>Cancer Immunology Research</i> , 2014, 2, 839-845.	1.6	6
160	Effective effector generation of CD8+ T cells and NK cells: A need for T-bet and ZEB-too. <i>Journal of Experimental Medicine</i> , 2015, 212, 1990-1990.	4.2	6
161	Parabiosis in Mice to Study Tissue Residency of Immune Cells. <i>Current Protocols</i> , 2022, 2, .	1.3	5
162	Chromosome 14 in B10.A(18R) mice is recombinant and includes Tcra-V a alleles. <i>Immunogenetics</i> , 1992, 35, 190-198.	1.2	4

#	ARTICLE	IF	CITATIONS
163	Not all naïve CD8 T cells are created equal. <i>Immunology and Cell Biology</i> , 2011, 89, 576-577.	1.0	3
164	An Uncommon Tail about the Common $\beta$ -Chain. <i>Immunity</i> , 2014, 40, 859-860.	6.6	3
165	$\beta$ Thymocyte Maturation and Emigration in Adult Mice. <i>Journal of Immunology</i> , 2022, 208, 2131-2140.	0.4	3
166	T cells climb on board Blimp-1. <i>Trends in Immunology</i> , 2006, 27, 349-351.	2.9	2
167	Retrieving short-term memories of flu. <i>Science Immunology</i> , 2017, 2, .	5.6	1
168	Inflating the role of stromal cells in CD8+ T cell memory. <i>Nature Immunology</i> , 2021, 22, 942-944.	7.0	1
169	Coaching CD8+ T cells for tumor immunotherapy—the pantothenate way. <i>Cell Metabolism</i> , 2021, 33, 2305-2306.	7.2	1
170	Remembering to Be Tolerant. <i>Science</i> , 2012, 335, 667-668.	6.0	0
171	T Cell Memory: without Prompting. <i>Journal of Immunology</i> , 2013, 190, 4443-4444.	0.4	0
172	Correction: Derivation and Maintenance of Virtual Memory CD8 T Cells. <i>Journal of Immunology</i> , 2014, 193, 2609-2609.	0.4	0
173	Regulation of KLF2 in the Thymus. <i>FASEB Journal</i> , 2008, 22, 346-346.	0.2	0
174	Roles of Krüppel-like Factors in Lymphocytes. , 2009, , 95-106.		0
175	Options for TCR Interactions: TCR Agonists, Antagonists and Partial Agonists. , 1996, , 181-190.		0
176	Abstract A173: The extracellular ATP receptor P2RX7 is required for CD8+ T-cells to maintain and respond to chronic virus and melanoma tumors. , 2019, , .		0
177	500€...P2RX7 agonist treatment boosts the ability of IL-12-activated CD8+ T cells to infiltrate and control murine melanoma. , 2020, , .		0