

Toshiro Fujita

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1984244/publications.pdf>

Version: 2024-02-01

193
papers

12,998
citations

30070

54
h-index

24982

109
g-index

198
all docs

198
docs citations

198
times ranked

12890
citing authors

#	ARTICLE	IF	CITATIONS
1	The Mineralocorticoid Receptor in Salt-Sensitive Hypertension and Renal Injury. <i>Journal of the American Society of Nephrology: JASN</i> , 2021, 32, 279-289.	6.1	21
2	Kidney and epigenetic mechanisms of salt-sensitive hypertension. <i>Nature Reviews Nephrology</i> , 2021, 17, 350-363.	9.6	38
3	Role of Rho in Salt-Sensitive Hypertension. <i>International Journal of Molecular Sciences</i> , 2021, 22, 2958.	4.1	11
4	Activation of Rac1-Mineralocorticoid Receptor Pathway Contributes to Renal Injury in Salt-Loaded <i>db/db</i> Mice. <i>Hypertension</i> , 2021, 78, 82-93.	2.7	24
5	Low-dose L-NAME induces salt sensitivity associated with sustained increased blood volume and sodium-chloride cotransporter activity in rodents. <i>Kidney International</i> , 2020, 98, 1242-1252.	5.2	10
6	Methylation pattern of urinary DNA as a marker of kidney function decline in diabetes. <i>BMJ Open Diabetes Research and Care</i> , 2020, 8, e001501.	2.8	13
7	Two Mineralocorticoid Receptor-Mediated Mechanisms of Pendrin Activation in Distal Nephrons. <i>Journal of the American Society of Nephrology: JASN</i> , 2020, 31, 748-764.	6.1	21
8	PGI2 Analog Attenuates Salt-Induced Renal Injury through the Inhibition of Inflammation and Rac1-MR Activation. <i>International Journal of Molecular Sciences</i> , 2020, 21, 4433.	4.1	7
9	Salt causes aging-associated hypertension via vascular Wnt5a under Klotho deficiency. <i>Journal of Clinical Investigation</i> , 2020, 130, 4152-4166.	8.2	24
10	Prenatal Programmed Adult-onset Salt Sensitive Hypertension. <i>The Journal of the Japanese Society of Internal Medicine</i> , 2020, 109, 2191-2198.	0.0	0
11	Mineralocorticoid receptor blockade suppresses dietary salt-induced ACEI/ARB-resistant albuminuria in non-diabetic hypertension: a sub-analysis of evaluate study. <i>Hypertension Research</i> , 2019, 42, 514-521.	2.7	22
12	Evaluation of the pathophysiological mechanisms of salt-sensitive hypertension. <i>Hypertension Research</i> , 2019, 42, 1848-1857.	2.7	30
13	Inhibition of Sodium Glucose Cotransporter 2 Attenuates the Dysregulation of Kelch-Like 3 and NaCl Cotransporter in Obese Diabetic Mice. <i>Journal of the American Society of Nephrology: JASN</i> , 2019, 30, 782-794.	6.1	24
14	Electrolyte transport in the renal collecting duct and its regulation by the renin-angiotensin-aldosterone system. <i>Clinical Science</i> , 2019, 133, 75-82.	4.3	11
15	Stromal interaction molecule 1 modulates blood pressure via NO production in vascular endothelial cells. <i>Hypertension Research</i> , 2018, 41, 506-514.	2.7	12
16	Aldosterone Is Essential for Angiotensin II-Induced Upregulation of Pendrin. <i>Journal of the American Society of Nephrology: JASN</i> , 2018, 29, 57-68.	6.1	26
17	Renin Angiotensin Aldosterone System Blockers. , 2018, , 230-241.		1
18	ULK1 Phosphorylates and Regulates Mineralocorticoid Receptor. <i>Cell Reports</i> , 2018, 24, 569-576.	6.4	26

#	ARTICLE	IF	CITATIONS
19	Aberrant DNA methylation of hypothalamic angiotensin receptor in prenatal programmed hypertension. <i>JCI Insight</i> , 2018, 3, .	5.0	27
20	Renal Dysfunction Induced by Kidney-Specific Gene Deletion of <i>Hsd11b2</i> as a Primary Cause of Salt-Dependent Hypertension. <i>Hypertension</i> , 2017, 70, 111-118.	2.7	25
21	Hypokalemia and Pendrin Induction by Aldosterone. <i>Hypertension</i> , 2017, 69, 855-862.	2.7	45
22	Potassium depletion stimulates Na-Cl cotransporter via phosphorylation and inactivation of the ubiquitin ligase Kelch-like 3. <i>Biochemical and Biophysical Research Communications</i> , 2016, 480, 745-751.	2.1	43
23	Effect of mineralocorticoid receptor antagonists on proteinuria and progression of chronic kidney disease: a systematic review and meta-analysis. <i>BMC Nephrology</i> , 2016, 17, 127.	1.8	134
24	Lactoferrin Suppresses Neutrophil Extracellular Traps Release in Inflammation. <i>EBioMedicine</i> , 2016, 10, 204-215.	6.1	131
25	The Role of CNS in the Effects of Salt on Blood Pressure. <i>Current Hypertension Reports</i> , 2016, 18, 10.	3.5	9
26	The Role of Aldosterone in Obesity-Related Hypertension. <i>American Journal of Hypertension</i> , 2016, 29, 415-423.	2.0	117
27	Rac1-Mediated Activation of Mineralocorticoid Receptor in Pressure Overload-Induced Cardiac Injury. <i>Hypertension</i> , 2016, 67, 99-106.	2.7	54
28	Diabetes Induces Aberrant DNA Methylation in the Proximal Tubules of the Kidney. <i>Journal of the American Society of Nephrology: JASN</i> , 2015, 26, 2388-2397.	6.1	96
29	Activation of Mineralocorticoid Receptor in Salt-Sensitive Hypertension. <i>Current Hypertension Reports</i> , 2015, 17, 552.	3.5	9
30	High-salt in addition to high-fat diet may enhance inflammation and fibrosis in liver steatosis induced by oxidative stress and dyslipidemia in mice. <i>Lipids in Health and Disease</i> , 2015, 14, 6.	3.0	38
31	Renal mechanisms of salt-sensitive hypertension: contribution of two steroid receptor-associated pathways. <i>American Journal of Physiology - Renal Physiology</i> , 2015, 308, F377-F387.	2.7	33
32	Anti-albuminuric effect of the aldosterone blocker eplerenone in non-diabetic hypertensive patients with albuminuria: a double-blind, randomised, placebo-controlled trial. <i>Lancet Diabetes and Endocrinology</i> , 2014, 2, 944-953.	11.4	93
33	Local Mineralocorticoid Receptor Activation and the Role of Rac1 in Obesity-Related Diabetic Kidney Disease. <i>Nephron Experimental Nephrology</i> , 2014, 126, 16-24.	2.2	36
34	Renin inhibition ameliorates renal damage through prominent suppression of both angiotensin I and II in human renin angiotensinogen transgenic mice with high salt loading. <i>Clinical and Experimental Nephrology</i> , 2014, 18, 593-599.	1.6	4
35	Fibroblast growth factor 23 accelerates phosphate-induced vascular calcification in the absence of Klotho deficiency. <i>Kidney International</i> , 2014, 85, 1103-1111.	5.2	158
36	Meeting highlights from the 2013 European Society of Cardiology Heart Failure Association Winter Meeting on Translational Heart Failure Research. <i>European Journal of Heart Failure</i> , 2014, 16, 6-14.	7.1	1

#	ARTICLE	IF	CITATIONS
37	Genome-wide analysis of murine renal distal convoluted tubular cells for the target genes of mineralocorticoid receptor. <i>Biochemical and Biophysical Research Communications</i> , 2014, 445, 132-137.	2.1	33
38	Mechanism of Salt-Sensitive Hypertension: Focus on Adrenal and Sympathetic Nervous Systems. <i>Journal of the American Society of Nephrology: JASN</i> , 2014, 25, 1148-1155.	6.1	103
39	Immunomodulation with eicosapentaenoic acid supports the treatment of autoimmune small-vessel vasculitis. <i>Scientific Reports</i> , 2014, 4, 6406.	3.3	14
40	Role of Rac1â€“mineralocorticoid-receptor signalling in renal and cardiac disease. <i>Nature Reviews Nephrology</i> , 2013, 9, 86-98.	9.6	102
41	The Role of CNS in Salt-sensitive Hypertension. <i>Current Hypertension Reports</i> , 2013, 15, 390-394.	3.5	21
42	Oxidative stress augments pulmonary hypertension in chronically hypoxic mice overexpressing the oxidized LDL receptor. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2013, 305, H155-H162.	3.2	28
43	The Role of Adrenomedullin in the Renal NADPH Oxidase and (Pro)renin in Diabetic Mice. <i>Journal of Diabetes Research</i> , 2013, 2013, 1-8.	2.3	7
44	Aberrant Rac1â€“mineralocorticoid receptor pathways in saltâ€“sensitive hypertension. <i>Clinical and Experimental Pharmacology and Physiology</i> , 2013, 40, 929-936.	1.9	18
45	Adrenomedullin Haploinsufficiency Predisposes to Secondary Lymphedema. <i>Journal of Investigative Dermatology</i> , 2013, 133, 1768-1776.	0.7	20
46	Angiotensin II- and Salt-Induced Kidney Injury through Rac1-Mediated Mineralocorticoid Receptor Activation. <i>Journal of the American Society of Nephrology: JASN</i> , 2012, 23, 997-1007.	6.1	92
47	Oxidative Stress Causes Mineralocorticoid Receptor Activation in Rat Cardiomyocytes. <i>Hypertension</i> , 2012, 59, 500-506.	2.7	82
48	Sympathoexcitation by Brain Oxidative Stress Mediates Arterial Pressure Elevation in Salt-Induced Chronic Kidney Disease. <i>Hypertension</i> , 2012, 59, 105-112.	2.7	38
49	Reply to: Does a Î²2-adrenergic receptorâ€“WNK4â€“Na-Cl co-transporter signal cascade exist in the in vivo kidney?. <i>Nature Medicine</i> , 2012, 18, 1325-1327.	30.7	2
50	Peritoneal Morphology after Long-Term Peritoneal Dialysis with Biocompatible Fluid: Recent Clinical Practice in Japan. <i>Peritoneal Dialysis International</i> , 2012, 32, 159-167.	2.3	47
51	Mineralocorticoid receptorâ€“Rac1 activation and oxidative stress play major roles in salt-induced hypertension and kidney injury in prepubertal rats. <i>Journal of Hypertension</i> , 2012, 30, 1977-1985.	0.5	33
52	The Kidney and Hypertension: Pathogenesis of Salt-Sensitive Hypertension. <i>Current Hypertension Reports</i> , 2012, 14, 468-472.	3.5	10
53	Pathophysiology of salt sensitivity hypertension. <i>Annals of Medicine</i> , 2012, 44, S119-S126.	3.8	44
54	Function of adrenomedullin in inflammatory response of liver against <sc>LPS</sc>-induced endotoxemia. <i>Apmis</i> , 2012, 120, 706-711.	2.0	9

#	ARTICLE	IF	CITATIONS
55	Mineralocorticoid receptors in the pathophysiology of chronic kidney diseases and the metabolic syndrome. <i>Molecular and Cellular Endocrinology</i> , 2012, 350, 273-280.	3.2	35
56	Role of renal proximal tubule transport in thiazolidinedione-induced volume expansion. <i>World Journal of Nephrology</i> , 2012, 1, 146.	2.0	12
57	Epigenetic modulation of the renal β -adrenergic-WNK4 pathway in salt-sensitive hypertension. <i>Nature Medicine</i> , 2011, 17, 573-580.	30.7	223
58	Thiazolidinediones Enhance Sodium-Coupled Bicarbonate Absorption from Renal Proximal Tubules via PPAR γ -Dependent Nongenomic Signaling. <i>Cell Metabolism</i> , 2011, 13, 550-561.	16.2	54
59	Endocrinological Aspects of Proteinuria and Podocytopathy in Diabetes: Role of the Aldosterone/Mineralocorticoid Receptor System. <i>Current Diabetes Reviews</i> , 2011, 7, 8-16.	1.3	8
60	Common variation in GPC5 is associated with acquired nephrotic syndrome. <i>Nature Genetics</i> , 2011, 43, 459-463.	21.4	82
61	Renal preservation effect of ubiquinol, the reduced form of coenzyme Q10. <i>Clinical and Experimental Nephrology</i> , 2011, 15, 30-33.	1.6	33
62	New short interfering RNA-based therapies for glomerulonephritis. <i>Nature Reviews Nephrology</i> , 2011, 7, 407-415.	9.6	9
63	Mineralocorticoid receptor activation: a major contributor to salt-induced renal injury and hypertension in young rats. <i>American Journal of Physiology - Renal Physiology</i> , 2011, 300, F1402-F1409.	2.7	33
64	Rac1 GTPase in rodent kidneys is essential for salt-sensitive hypertension via a mineralocorticoid receptor-dependent pathway. <i>Journal of Clinical Investigation</i> , 2011, 121, 3233-3243.	8.2	192
65	Scleroderma renal crisis with pericardial effusion. <i>Nihon Toseki Igakkai Zasshi</i> , 2011, 44, 455-461.	0.1	0
66	Protective Effect of Dietary Potassium against Cardiovascular Damage in Salt-Sensitive Hypertension: Possible Role of its Antioxidant Action. <i>Current Vascular Pharmacology</i> , 2010, 8, 59-63.	1.7	43
67	Identification of KCNJ15 as a Susceptibility Gene in Asian Patients with Type 2 Diabetes Mellitus. <i>American Journal of Human Genetics</i> , 2010, 86, 54-64.	6.2	52
68	Mineralocorticoid Receptors, Salt-Sensitive Hypertension, and Metabolic Syndrome. <i>Hypertension</i> , 2010, 55, 813-818.	2.7	111
69	siRNA-Based Therapy Ameliorates Glomerulonephritis. <i>Journal of the American Society of Nephrology: JASN</i> , 2010, 21, 622-633.	6.1	84
70	Rationale and design of the Eplerenone combination Versus conventional Agents to Lower blood pressure on Urinary Antialbuminuric Treatment Effect (EVALUATE) trial: a double-blinded randomized placebo-controlled trial to evaluate the antialbuminuric effects of an aldosterone blocker in hypertensive patients with albuminuria. <i>Hypertension Research</i> , 2010, 33, 616-621.	2.7	25
71	Mineralocorticoid receptor activation contributes to salt-induced hypertension and renal injury in prepubertal Dahl salt-sensitive rats. <i>Nephrology Dialysis Transplantation</i> , 2010, 25, 2879-2889.	0.7	23
72	Mineralocorticoid receptor activation in obesity hypertension. <i>Hypertension Research</i> , 2009, 32, 649-657.	2.7	44

#	ARTICLE	IF	CITATIONS
73	Sympathoexcitation by Oxidative Stress in the Brain Mediates Arterial Pressure Elevation in Obesity-Induced Hypertension. <i>Circulation</i> , 2009, 119, 978-986.	1.6	121
74	Metabolic syndrome and oxidative stress. <i>Free Radical Biology and Medicine</i> , 2009, 47, 213-218.	2.9	135
75	Protein Kinase A-Dependent Suppression of Reactive Oxygen Species in Transient Focal Ischemia in Adrenomedullin-Deficient Mice. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 2009, 29, 1769-1779.	4.3	25
76	Effect of High Fat Loading in Dahl Salt-Sensitive Rats. <i>Clinical and Experimental Hypertension</i> , 2009, 31, 451-461.	1.3	37
77	Aldosterone in salt-sensitive hypertension and metabolic syndrome. <i>Journal of Molecular Medicine</i> , 2008, 86, 729-734.	3.9	70
78	Aldosterone and CKD in metabolic syndrome. <i>Current Hypertension Reports</i> , 2008, 10, 421-423.	3.5	8
79	Aldosterone and glomerular podocyte injury. <i>Clinical and Experimental Nephrology</i> , 2008, 12, 233-242.	1.6	70
80	Modification of mineralocorticoid receptor function by Rac1 GTPase: implication in proteinuric kidney disease. <i>Nature Medicine</i> , 2008, 14, 1370-1376.	30.7	382
81	Podocyte Injury Induced by Albumin Overload in vivo and in vitro: Involvement of TGF-Beta and p38 MAPK. <i>Nephron Experimental Nephrology</i> , 2008, 108, e57-e68.	2.2	60
82	Protective Effect of Dietary Potassium Against Vascular Injury in Salt-Sensitive Hypertension. <i>Hypertension</i> , 2008, 51, 225-231.	2.7	85
83	Genome Study of Kidney Disease in the Age of Post Genome-Sequencing. <i>Endocrine, Metabolic and Immune Disorders - Drug Targets</i> , 2008, 8, 173-183.	1.2	7
84	Roles of ERK and cPLA2 in the Angiotensin II-Mediated Biphasic Regulation of Na ⁺ -HCO ₃ ⁻ Transport. <i>Journal of the American Society of Nephrology: JASN</i> , 2008, 19, 252-259.	6.1	46
85	Epigenetic Regulation of BMP7 in the Regenerative Response to Ischemia. <i>Journal of the American Society of Nephrology: JASN</i> , 2008, 19, 1311-1320.	6.1	86
86	Salt Excess Causes Left Ventricular Diastolic Dysfunction in Rats With Metabolic Disorder. <i>Hypertension</i> , 2008, 52, 287-294.	2.7	68
87	The metabolic syndrome in Japan. <i>Nature Clinical Practice Cardiovascular Medicine</i> , 2008, 5, S15-S18.	3.3	28
88	Activation of the Renin-Angiotensin System and Chronic Hypoxia of the Kidney. <i>Hypertension Research</i> , 2008, 31, 175-184.	2.7	82
89	2160-2165.	0.0	0
90	Paradoxical mineralocorticoid receptor activation and left ventricular diastolic dysfunction under high oxidative stress conditions. <i>Journal of Hypertension</i> , 2008, 26, 1453-1462.	0.5	42

#	ARTICLE	IF	CITATIONS
91	A new dawn in cardio and vascular protection v. cardiovascular high-risk patients: treat to protect. <i>Medscape Journal of Medicine</i> , 2008, 10 Suppl, S1.	0.6	0
92	Sympathoexcitation by Oxidative Stress in the Brain Mediates Arterial Pressure Elevation in Salt-Sensitive Hypertension. <i>Hypertension</i> , 2007, 50, 360-367.	2.7	120
93	Salt-Induced Nephropathy in Obese Spontaneously Hypertensive Rats Via Paradoxical Activation of the Mineralocorticoid Receptor. <i>Hypertension</i> , 2007, 50, 877-883.	2.7	151
94	Adrenomedullin inhibits angiotensin II-induced oxidative stress via Csk-mediated inhibition of Src activity. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2007, 292, H1714-H1721.	3.2	25
95	Insulin resistance and salt-sensitive hypertension in metabolic syndrome. <i>Nephrology Dialysis Transplantation</i> , 2007, 22, 3102-3107.	0.7	50
96	Adrenomedullin protects against oxidative stress-induced podocyte injury as an endogenous antioxidant. <i>Nephrology Dialysis Transplantation</i> , 2007, 23, 510-517.	0.7	23
97	Double-Edged Action of SOD Mimetic in Diabetic Nephropathy. <i>Journal of Cardiovascular Pharmacology</i> , 2007, 49, 13-19.	1.9	35
98	Podocyte as the Target for Aldosterone. <i>Hypertension</i> , 2007, 49, 355-364.	2.7	323
99	Pathogenesis and prognosis of thrombotic microangiopathy. <i>Clinical and Experimental Nephrology</i> , 2007, 11, 107-114.	1.6	19
100	Persistent high level of fibroblast growth factor 23 as a cause of post-renal transplant hypophosphatemia. <i>Clinical and Experimental Nephrology</i> , 2007, 11, 255-257.	1.6	13
101	Enhanced Aldosterone Signaling in the Early Nephropathy of Rats with Metabolic Syndrome. <i>Journal of the American Society of Nephrology: JASN</i> , 2006, 17, 3438-3446.	6.1	236
102	EndothelinB Receptor Blocker Inhibits High Glucose-Induced Synthesis of Fibronectin in Human Peritoneal Mesothelial Cells. <i>Peritoneal Dialysis International</i> , 2006, 26, 393-401.	2.3	4
103	Klotho converts canonical FGF receptor into a specific receptor for FGF23. <i>Nature</i> , 2006, 444, 770-774.	27.8	1,625
104	Role of macula densa neuronal nitric oxide synthase in renal diseases. <i>Medical Molecular Morphology</i> , 2006, 39, 2-7.	1.0	26
105	The Renin System, Salt-Sensitivity and Metabolic Syndrome. <i>JRAAS - Journal of the Renin-Angiotensin-Aldosterone System</i> , 2006, 7, 181-183.	1.7	12
106	Fluvastatin Ameliorates Podocyte Injury in Proteinuric Rats via Modulation of Excessive Rho Signaling. <i>Journal of the American Society of Nephrology: JASN</i> , 2006, 17, 754-764.	6.1	108
107	Podocyte Injury Underlies the Glomerulopathy of Dahl Salt-Hypertensive Rats and Is Reversed by Aldosterone Blocker. <i>Hypertension</i> , 2006, 47, 1084-1093.	2.7	231
108	Adrenomedullin and its Related Peptide. <i>Endocrine Journal</i> , 2005, 52, 1-10.	1.6	19

#	ARTICLE	IF	CITATIONS
109	Renoprotective Effect of Pravastatin in Salt-Loaded Dahl Salt-Sensitive Rats. <i>Hypertension Research</i> , 2005, 28, 1009-1015.	2.7	23
110	Effects of NADPH oxidase inhibitor in diabetic nephropathy. <i>Kidney International</i> , 2005, 67, 1890-1898.	5.2	266
111	Pleiotropic Effect of Adrenomedullin: Lessons from Pure Adrenomedullin Knockout Mouse. , 2005, , 175-185.		0
112	Sympatho-Inhibitory Action of Endogenous Adrenomedullin Through Inhibition of Oxidative Stress in the Brain. <i>Hypertension</i> , 2005, 45, 1165-1172.	2.7	42
113	Roles of Insulin Receptor Substrates in Insulin-Induced Stimulation of Renal Proximal Bicarbonate Absorption. <i>Journal of the American Society of Nephrology: JASN</i> , 2005, 16, 2288-2295.	6.1	59
114	Expression and regulation of adrenomedullin in renal glomerular podocytes. <i>Biochemical and Biophysical Research Communications</i> , 2005, 330, 178-185.	2.1	24
115	Salt, Blood Pressure, and Kidney. , 2004, 143, 16-31.		0
116	Angiotensin II-Induced Insulin Resistance Is Enhanced in Adrenomedullin-Deficient Mice. <i>Endocrinology</i> , 2004, 145, 3647-3651.	2.8	31
117	Endogenous Adrenomedullin Protects Against Vascular Response to Injury in Mice. <i>Circulation</i> , 2004, 109, 1147-1153.	1.6	87
118	Adrenomedullin Can Protect Against Pulmonary Vascular Remodeling Induced by Hypoxia. <i>Circulation</i> , 2004, 109, 2246-2251.	1.6	88
119	Adrenomedullin in vascular diseases. <i>Current Hypertension Reports</i> , 2004, 6, 55-59.	3.5	10
120	Potassium depletion inhibits translation of extracellular-superoxide dismutase in vascular smooth muscle cells. <i>American Journal of Hypertension</i> , 2004, 17, S97.	2.0	0
121	Lessons from the adrenomedullin knockout mouse. <i>Regulatory Peptides</i> , 2003, 112, 185-188.	1.9	17
122	Deficiency of Adrenomedullin Induces Insulin Resistance by Increasing Oxidative Stress. <i>Hypertension</i> , 2003, 41, 1080-1085.	2.7	97
123	Biphasic Regulation of Renal Proximal Bicarbonate Absorption by Luminal AT1A Receptor. <i>Journal of the American Society of Nephrology: JASN</i> , 2003, 14, 1116-1122.	6.1	42
124	Adrenomedullin Overexpression to Inhibit Cuff-Induced Arterial Intimal Formation. <i>Hypertension</i> , 2003, 41, 302-307.	2.7	24
125	Organ-Protective Effects of Adrenomedullin. <i>Hypertension Research</i> , 2003, 26, S109-S112.	2.7	29
126	Adrenomedullin, an Endogenous Peptide, Counteracts Cardiovascular Damage. <i>Circulation</i> , 2002, 105, 106-111.	1.6	224

#	ARTICLE	IF	CITATIONS
127	High-Salt Diet Enhances Insulin Signaling and Induces Insulin Resistance in Dahl Salt-Sensitive Rats. <i>Hypertension</i> , 2002, 40, 83-89.	2.7	147
128	The protective effects of taurine against renal damage by salt loading in Dahl salt-sensitive rats. <i>Journal of Hypertension</i> , 2002, 20, 2269-2274.	0.5	22
129	Olmesartan: a new A II antagonist in cardiovascular risk prevention. <i>Journal of Human Hypertension</i> , 2002, 16, S1-S1.	2.2	0
130	Regional Hemodynamic Effects of Adrenomedullin in Wistar Rats: A Comparison with Calcitonin Gene-Related Peptide.. <i>Hypertension Research</i> , 2002, 25, 441-446.	2.7	15
131	Oxidative stress and nitric oxide synthase in rat diabetic nephropathy: Effects of ACEI and ARB. <i>Kidney International</i> , 2002, 61, 186-194.	5.2	340
132	Depressive Mood Accompanies Hypercholesterolemia in Young Japanese Adults.. <i>International Heart Journal</i> , 2001, 42, 739-748.	0.6	18
133	A numerical model of acid-base transport in rat distal tubule. <i>American Journal of Physiology - Renal Physiology</i> , 2001, 281, F222-F243.	2.7	17
134	Hypoxic induction of adrenomedullin in cultured human umbilical vein endothelial cells. <i>Journal of Hypertension</i> , 2001, 19, 603-608.	0.5	38
135	Renin-Angiotensin System and Hypertension.. <i>Internal Medicine</i> , 2001, 40, 156-158.	0.7	6
136	Reduced albumin reabsorption in the proximal tubule of early-stage diabetic rats. <i>Histochemistry and Cell Biology</i> , 2001, 116, 269-276.	1.7	132
137	Focal Adhesion Kinase Activity Is Required for Bone Morphogenetic Protein- α 1 Signaling and Osteoblastic Differentiation in Murine MC3T3-E1 Cells. <i>Journal of Bone and Mineral Research</i> , 2001, 16, 1772-1779.	2.8	98
138	Estrogenic impurities in labware. <i>Nature Biotechnology</i> , 2001, 19, 812-812.	17.5	24
139	Protective Role of Nitric Oxide in a Model of Thrombotic Microangiopathy in Rats. <i>Journal of the American Society of Nephrology: JASN</i> , 2001, 12, 2088-2097.	6.1	44
140	Malignant Insulinoma which Expressed a Unique Creatine Kinase Isoenzym. Clinical Value of Arterial Embolization as a Palliative Therapy.. <i>Internal Medicine</i> , 2000, 39, 474-477.	0.7	1
141	Synergistic activation of NF- κ B and inducible isoform of nitric oxide synthase induction by interferon- γ and tumor necrosis factor- γ in INS-1 cells. <i>Journal of Cellular Physiology</i> , 2000, 184, 46-57.	4.1	57
142	Intracellular pH regulatory mechanism in a human renal proximal cell line (HKC-8): evidence for Na ⁺ /H ⁺ exchanger, Cl ⁻ /HCO ₃ ⁻ exchanger and Na ⁺ -HCO ₃ ⁻ cotransporter. <i>Pflügers Archiv European Journal of Physiology</i> , 2000, 440, 713-720.	2.8	18
143	Skeletal muscle apoptosis after burns is associated with activation of proapoptotic signals. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , 2000, 279, E1114-E1121.	3.5	83
144	Adrenomedullin Amidation Enzyme Activities in Hypertensive Patients.. <i>Hypertension Research</i> , 2000, 23, 167-171.	2.7	17

#	ARTICLE	IF	CITATIONS
145	Expression of LOX-1, an Oxidized Low-Density Lipoprotein Receptor, in Experimental Hypertensive Glomerulosclerosis. <i>Journal of the American Society of Nephrology: JASN</i> , 2000, 11, 1826-1836.	6.1	72
146	A kinetic model of the thiazide-sensitive Na-Cl cotransporter. <i>American Journal of Physiology - Renal Physiology</i> , 1999, 276, F952-F959.	2.7	14
147	A numerical model of the renal distal tubule. <i>American Journal of Physiology - Renal Physiology</i> , 1999, 276, F931-F951.	2.7	23
148	Inhibition of Stimulated Amylase Secretion by Adrenomedullin in Rat Pancreatic Acini. <i>Endocrinology</i> , 1999, 140, 865-870.	2.8	31
149	Stimulation of Osteoclast Formation by 1,25-Dihydroxyvitamin D Requires Its Binding to Vitamin D Receptor (VDR) in Osteoblastic Cells: Studies Using VDR Knockout Mice. <i>Endocrinology</i> , 1999, 140, 1005-1008.	2.8	164
150	Proadrenomedullin N-Terminal 20 Peptide Hyperpolarizes the Membrane by Activating an Inwardly Rectifying K ⁺ Current in Differentiated PC12 Cells. <i>Circulation Research</i> , 1999, 84, 445-450.	4.5	6
151	An adult patient with severe hypercalcaemia and hypocalciuria due to a novel homozygous inactivating mutation of calcium-sensing receptor. <i>Clinical Endocrinology</i> , 1999, 50, 537-543.	2.4	59
152	Effect of aging on salt sensitivity of blood pressure in patients with essential hypertension. <i>Clinical and Experimental Nephrology</i> , 1999, 3, 18-22.	1.6	3
153	Expression of transfected human Na ⁺ /H ⁺ exchanger (NHE-1) in the basolateral membrane of opossum kidney cells. , 1999, 178, 44-50.		1
154	PPAR β Mediates High-Fat Diet-Induced Adipocyte Hypertrophy and Insulin Resistance. <i>Molecular Cell</i> , 1999, 4, 597-609.	9.7	1,281
155	Extracellular Matrix-Associated Bone Morphogenetic Proteins Are Essential for Differentiation of Murine Osteoblastic Cells <i>in Vitro</i> . <i>Endocrinology</i> , 1999, 140, 2125-2133.	2.8	138
156	Short-Term Treatment with Troglitazone Decreases Bone Turnover in Patients with Type 2 Diabetes Mellitus. <i>Endocrine Journal</i> , 1999, 46, 795-801.	1.6	54
157	Stimulation of Osteoclast Formation by 1,25-Dihydroxyvitamin D Requires Its Binding to Vitamin D Receptor (VDR) in Osteoblastic Cells: Studies Using VDR Knockout Mice. <i>Endocrinology</i> , 1999, 140, 1005-1008.	2.8	41
158	Inhibition of Stimulated Amylase Secretion by Adrenomedullin in Rat Pancreatic Acini. <i>Endocrinology</i> , 1999, 140, 865-870.	2.8	9
159	Extracellular Matrix-Associated Bone Morphogenetic Proteins Are Essential for Differentiation of Murine Osteoblastic Cells <i>in Vitro</i> . <i>Endocrinology</i> , 1999, 140, 2125-2133.	2.8	48
160	Opening remarks. <i>The Journal of Japan Atherosclerosis Society</i> , 1999, 26, 197-197.	0.0	0
161	Role of Interleukin-6 in Uncoupling of Bone <i>In Vivo</i> in a Human Squamous Carcinoma Coproducing Parathyroid Hormone-Related Peptide and Interleukin-6. <i>Journal of Bone and Mineral Research</i> , 1998, 13, 664-672.	2.8	37
162	Reduced Expression of Interleukin-11 in Bone Marrow Stromal Cells of Senescence-Accelerated Mice (SAMP6): Relationship to Osteopenia with Enhanced Adipogenesis. <i>Journal of Bone and Mineral Research</i> , 1998, 13, 1370-1377.	2.8	76

#	ARTICLE	IF	CITATIONS
163	Effect of Combination Treatment with a Vitamin D Analog (OCT) and a Bisphosphonate (AHPBP) in a Nude Mouse Model of Cancer-Associated Hypercalcemia. <i>Journal of Bone and Mineral Research</i> , 1998, 13, 1378-1383.	2.8	16
164	Assessment of a New Triple Agent Regimen for the Eradication of <i>Helicobacter pylori</i> and the Nature of <i>H. pylori</i> Resistance to This Therapy in Japan. <i>Helicobacter</i> , 1998, 3, 59-63.	3.5	24
165	Cyclin D1 Overexpression Detected by a Simple Competitive Reverse Transcription-polymerase Chain Reaction Assay for Lymphoid Malignancies. <i>Japanese Journal of Cancer Research</i> , 1998, 89, 159-166.	1.7	16
166	GH Signalling in Pancreatic β -Cells. <i>Endocrine Journal</i> , 1998, 45, S33-S40.	1.6	23
167	Unique repetitive sequence and unexpected regulation of expression of rat endothelial receptor for oxidized low-density lipoprotein (LOX-1). <i>Biochemical Journal</i> , 1998, 330, 1417-1422.	3.7	51
168	Growth Hormone-Induced Tyrosine Phosphorylation of EGF Receptor as an Essential Element Leading to MAP Kinase Activation and Gene Expression. <i>Endocrine Journal</i> , 1998, 45, S27-S31.	1.6	54
169	Oxidative Stress Increases Adrenomedullin mRNA Levels in Cultured Rat Vascular Smooth Muscle Cells. <i>Hypertension Research</i> , 1998, 21, 187-191.	2.7	53
170	Gi3 Mediates Somatostatin-Induced Activation of an Inwardly Rectifying K ⁺ Current in Human Growth Hormone-Secreting Adenoma Cells*. <i>Endocrinology</i> , 1997, 138, 2405-2409.	2.8	29
171	Regulation of K ⁺ Channels by Cell Contact in a Cloned Folliculo-Stellate Cell (TtT/GF). <i>Endocrinology</i> , 1997, 138, 4346-4350.	2.8	9
172	Role of Collagen in Retinoic Acid-induced Differentiation and Down-regulation of TGF- β 1 Receptors in Rat Preosteoblastic RCT-1 Cells. <i>Endocrine Journal</i> , 1997, 44, 375-381.	1.6	4
173	Hemodynamic and Endocrine Responsiveness to Mental Arithmetic Task and Mirror Drawing Test in Patients With Essential Hypertension. <i>American Journal of Hypertension</i> , 1997, 10, 243-249.	2.0	22
174	Potential CRE suppression by familial Alzheimer's mutants of APP independent of adenylyl cyclase regulation. <i>FEBS Letters</i> , 1997, 412, 97-101.	2.8	10
175	Proadrenomedullin N-terminal 20 peptide (PAMP) inhibits proliferation of human neuroblastoma TCW cells. <i>FEBS Letters</i> , 1997, 413, 462-466.	2.8	24
176	Tyrosine phosphorylation of the EGF receptor by the kinase Jak2 is induced by growth hormone. <i>Nature</i> , 1997, 390, 91-96.	27.8	268
177	Na ⁺ /H ⁺ exchanger (NHE) in the basolateral membrane is encoded by NHE-1 mRNA in LLC-PK1 clone 4 cells. <i>Journal of Cellular Biochemistry</i> , 1997, 171, 318-324.		3
178	Differential Central Modulation of the Baroreflex by Salt Loading in Normotensive and Spontaneously Hypertensive Rats. <i>Hypertension</i> , 1997, 29, 808-814.	2.7	39
179	A Newly Identified Peptide, Proadrenomedullin N-Terminal 20 Peptide, Induces Hypotensive Action via Pertussis Toxin-Sensitive Mechanisms. <i>Hypertension</i> , 1997, 30, 1009-1014.	2.7	21
180	Regulation of K ⁺ Channels by Cell Contact in a Cloned Folliculo-Stellate Cell (TtT/GF). <i>Endocrinology</i> , 1997, 138, 4346-4350.	2.8	3

#	ARTICLE	IF	CITATIONS
181	Gi3 Mediates Somatostatin-Induced Activation of an Inwardly Rectifying K ⁺ Current in Human Growth Hormone-Secreting Adenoma Cells. <i>Endocrinology</i> , 1997, 138, 2405-2409.	2.8	9
182	Inhibitory Effects of Insulin on Intracellular Calcium and Aggregatory Response of Platelets Are Impaired in Hypertensive Subjects with Insulin Resistance.. <i>Hypertension Research</i> , 1997, 20, 225-231.	2.7	11
183	Effects of inhibin on activin A-Induced glucose metabolism in rat hepatocytes. <i>Endocrine</i> , 1996, 5, 41-46.	2.2	5
184	Activation of Cl ⁻ channels by extracellular Ca ²⁺ in freshly isolated rabbit osteoclasts. <i>Journal of Cellular Physiology</i> , 1996, 169, 217-225.	4.1	15
185	Hypotensive Effect of a Newly Identified Peptide, Proadrenomedullin N -Terminal 20 Peptide. <i>Hypertension</i> , 1996, 28, 325-329.	2.7	40
186	Local Renin-Angiotensin System in Sympathetic Overactivity of Spontaneously Hypertensive Rats.. <i>Hypertension Research</i> , 1996, 19, 171-177.	2.7	9
187	Risk Factors of Atherosclerosis. <i>The Journal of Japan Atherosclerosis Society</i> , 1996, 23, 423-427.	0.0	0
188	Proadrenomedullin NH(2)-terminal 20 peptide, a new product of the adrenomedullin gene, inhibits norepinephrine overflow from nerve endings.. <i>Journal of Clinical Investigation</i> , 1995, 96, 1672-1676.	8.2	113
189	Effect of a Calcium Antagonist on Renal Hemodynamics in Salt-loaded Spontaneously Hypertensive Rats.. <i>International Heart Journal</i> , 1995, 36, 797-805.	0.6	2
190	Effect of Salt-loading and Calcium Channel Blocker on Renal Hemodynamics. <i>International Heart Journal</i> , 1994, 35, 512-512.	0.6	0
191	A case of malignant hypertension and scleroderma after cosmetic surgery.. <i>Japanese Journal of Medicine</i> , 1991, 30, 97-100.	0.1	15
192	Phasic plasma atrial natriuretic polypeptide changes in DOCA-salt hypertensive rats.. <i>International Heart Journal</i> , 1990, 31, 703-711.	0.6	2
193	Factors influencing blood pressure in salt-sensitive patients with hypertension. <i>American Journal of Medicine</i> , 1980, 69, 334-344.	1.5	393