

ArÃ¡nzazu SÃ¡nchez

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1986131/publications.pdf>

Version: 2024-02-01

56
papers

3,657
citations

172457

29
h-index

168389

53
g-index

57
all docs

57
docs citations

57
times ranked

5142
citing authors

#	ARTICLE	IF	CITATIONS
1	Hepatocyte growth factor/ <i>c-met</i> signaling pathway is required for efficient liver regeneration and repair. Proceedings of the National Academy of Sciences of the United States of America, 2004, 101, 4477-4482.	7.1	679
2	<i>TGF-β2</i> signalling and liver disease. FEBS Journal, 2016, 283, 2219-2232.	4.7	457
3	Reactive oxygen species (ROS) mediates the mitochondrial-dependent apoptosis induced by transforming growth factor β in fetal hepatocytes. FASEB Journal, 2001, 15, 741-751.	0.5	288
4	Apoptosis Induced by Transforming Growth Factor- β 2 in Fetal Hepatocyte Primary Cultures. Journal of Biological Chemistry, 1996, 271, 7416-7422.	3.4	248
5	Involvement of EGF receptor and c-Src in the survival signals induced by TGF- β 21 in hepatocytes. Oncogene, 2005, 24, 4580-4587.	5.9	135
6	BMP-9 interferes with liver regeneration and promotes liver fibrosis. Gut, 2017, 66, 939-954.	12.1	107
7	Cycloheximide prevents apoptosis, reactive oxygen species production, and glutathione depletion induced by transforming growth factor β in fetal rat hepatocytes in primary culture. Hepatology, 1997, 26, 935-943.	7.3	100
8	Activation of NADPH oxidase by transforming growth factor- β 2 in hepatocytes mediates up-regulation of epidermal growth factor receptor ligands through a nuclear factor- κ B-dependent mechanism. Biochemical Journal, 2007, 405, 251-259.	3.7	97
9	The NADPH oxidase NOX4 inhibits hepatocyte proliferation and liver cancer progression. Free Radical Biology and Medicine, 2014, 69, 338-347.	2.9	78
10	Epidermal Growth Factor Impairs the Cytochrome C/Caspase-3 Apoptotic Pathway Induced by Transforming Growth Factor β 2 in Rat Fetal Hepatocytes Via a Phosphoinositide 3-Kinase-Dependent Pathway. Hepatology, 2000, 32, 528-535.	7.3	76
11	Epidermal growth factor, but not hepatocyte growth factor, suppresses the apoptosis induced by transforming growth factor-beta in fetal hepatocytes in primary culture. FEBS Letters, 1996, 384, 14-18.	2.8	68
12	Reconstitution of liver mass via cellular hypertrophy in the rat. Hepatology, 2001, 33, 339-345.	7.3	67
13	BMP9 Is a Proliferative and Survival Factor for Human Hepatocellular Carcinoma Cells. PLoS ONE, 2013, 8, e69535.	2.5	67
14	Autocrine production of TGF- β 2 confers resistance to apoptosis after an epithelial-mesenchymal transition process in hepatocytes: Role of EGF receptor ligands. Experimental Cell Research, 2006, 312, 2860-2871.	2.6	65
15	Transforming growth factor β modulates growth and differentiation of fetal hepatocytes in primary culture. Journal of Cellular Physiology, 1995, 165, 398-405.	4.1	62
16	Transforming growth factor-beta activates both pro-apoptotic and survival signals in fetal rat hepatocytes. Experimental Cell Research, 2004, 292, 209-218.	2.6	61
17	The rationale for targeting <i>TGF-β2</i> in chronic liver diseases. European Journal of Clinical Investigation, 2016, 46, 349-361.	3.4	60
18	E2F1 blocks and c-Myc accelerates hepatic ploidy in transgenic mouse models. Biochemical and Biophysical Research Communications, 2003, 302, 114-120.	2.1	53

#	ARTICLE	IF	CITATIONS
19	Fibronectin regulates morphology, cell organization and gene expression of rat fetal hepatocytes in primary culture. <i>Journal of Hepatology</i> , 2000, 32, 242-250.	3.7	52
20	BMP Signalling at the Crossroad of Liver Fibrosis and Regeneration. <i>International Journal of Molecular Sciences</i> , 2018, 19, 39.	4.1	48
21	Dissecting the role of epidermal growth factor receptor catalytic activity during liver regeneration and hepatocarcinogenesis. <i>Hepatology</i> , 2016, 63, 604-619.	7.3	47
22	Glucagon Regulation of Oxidative Phosphorylation Requires an Increase in Matrix Adenine Nucleotide Content through Ca ²⁺ Activation of the Mitochondrial ATP-Mg/Pi Carrier SCaMC-3. <i>Journal of Biological Chemistry</i> , 2013, 288, 7791-7802.	3.4	46
23	Effects of growth and differentiation factors on the epithelial-mesenchymal transition in cultured neonatal rat hepatocytes. <i>Journal of Hepatology</i> , 1999, 31, 895-904.	3.7	45
24	p21 promotes sustained liver regeneration and hepatocarcinogenesis in chronic cholestatic liver injury. <i>Gut</i> , 2014, 63, 1501-1512.	12.1	45
25	Apoptotic Response to TGF- β ; in Fetal Hepatocytes Depends upon Their State of Differentiation. <i>Experimental Cell Research</i> , 1999, 252, 281-291.	2.6	44
26	Activation of NF- κ B and STAT3 in rat oval cells during 2-acetylaminofluorene/partial hepatectomy-induced liver regeneration. <i>Hepatology</i> , 2004, 39, 376-385.	7.3	44
27	Growth factor- and cytokine-driven pathways governing liver stemness and differentiation. <i>World Journal of Gastroenterology</i> , 2010, 16, 5148.	3.3	37
28	HGF/c-Met signaling promotes liver progenitor cell migration and invasion by an epithelial \rightarrow mesenchymal transition-independent, phosphatidylinositol-3 kinase-dependent pathway in an in vitro model. <i>Biochimica Et Biophysica Acta - Molecular Cell Research</i> , 2015, 1853, 2453-2463.	4.1	36
29	STAT-3 activity in chemically-induced hepatocellular carcinoma. <i>European Journal of Cancer</i> , 2003, 39, 2093-2098.	2.8	34
30	Deletion of the Met Tyrosine Kinase in Liver Progenitor Oval Cells Increases Sensitivity to Apoptosis in Vitro. <i>American Journal of Pathology</i> , 2008, 172, 1238-1247.	3.8	30
31	Clathrin switches transforming growth factor- β role to pro-tumorigenic in liver cancer. <i>Journal of Hepatology</i> , 2020, 72, 125-134.	3.7	30
32	Met signaling in cardiomyocytes is required for normal cardiac function in adult mice. <i>Biochimica Et Biophysica Acta - Molecular Basis of Disease</i> , 2013, 1832, 2204-2215.	3.8	29
33	Tetrahydroisoquinoline-Derived Urea and 2,5-Diketopiperazine Derivatives as Selective Antagonists of the Transient Receptor Potential Melastatin 8 (TRPM8) Channel Receptor and Antiprostata Cancer Agents. <i>Journal of Medicinal Chemistry</i> , 2016, 59, 5661-5683.	6.4	29
34	Hepatocyte Growth Factor Up-Regulates MET Expression in Rat Fetal Hepatocytes in Primary Culture. <i>Biochemical and Biophysical Research Communications</i> , 1994, 204, 1364-1370.	2.1	28
35	Mouse Hepatic Oval Cells Require Met-Dependent PI3K to Impair TGF- β -Induced Oxidative Stress and Apoptosis. <i>PLoS ONE</i> , 2013, 8, e53108.	2.5	26
36	Bone morphogenetic protein 9 as a key regulator of liver progenitor cells in DDC-induced cholestatic liver injury. <i>Liver International</i> , 2018, 38, 1664-1675.	3.9	26

#	ARTICLE	IF	CITATIONS
37	Transforming Growth Factor- β (TGF- β) and EGF Promote Cord-like Structures That Indicate Terminal Differentiation of Fetal Hepatocytes in Primary Culture. <i>Experimental Cell Research</i> , 1998, 242, 27-37.	2.6	22
38	BMP9-Induced Survival Effect in Liver Tumor Cells Requires p38MAPK Activation. <i>International Journal of Molecular Sciences</i> , 2015, 16, 20431-20448.	4.1	22
39	Dual role of protein tyrosine phosphatase 1B in the progression and reversion of non-alcoholic steatohepatitis. <i>Molecular Metabolism</i> , 2018, 7, 132-146.	6.5	22
40	Isolation and characterization of a putative liver progenitor population after treatment of fetal rat hepatocytes with TGF- β . <i>Journal of Cellular Physiology</i> , 2008, 215, 846-855.	4.1	21
41	In vitro differentiation of rat liver derived stem cells results in sensitization to TNF- α -mediated apoptosis. <i>Hepatology</i> , 2004, 40, 590-599.	7.3	20
42	c-Met Signaling Is Essential for Mouse Adult Liver Progenitor Cells Expansion After Transforming Growth Factor- β -Induced Epithelial-Mesenchymal Transition and Regulates Cell Phenotypic Switch. <i>Stem Cells</i> , 2019, 37, 1108-1118.	3.2	19
43	BMPS and Liver: More Questions than Answers. <i>Current Pharmaceutical Design</i> , 2012, 18, 4114-4125.	1.9	17
44	EGFR is dispensable for c-Met-mediated proliferation and survival activities in mouse adult liver oval cells. <i>Cellular Signalling</i> , 2012, 24, 505-513.	3.6	15
45	Phorbol esters down-regulate alpha-fetoprotein gene expression without affecting growth in fetal hepatocytes in primary culture. <i>Biochimica Et Biophysica Acta - Molecular Cell Research</i> , 1998, 1402, 151-164.	4.1	10
46	A Signaling Crosstalk between BMP9 and HGF/c-Met Regulates Mouse Adult Liver Progenitor Cell Survival. <i>Cells</i> , 2020, 9, 752.	4.1	10
47	Genetically modified animal models recapitulating molecular events altered in human hepatocarcinogenesis. <i>Clinical and Translational Oncology</i> , 2009, 11, 208-214.	2.4	7
48	Oncological transformation in vitro of hepatic progenitor cell lines isolated from adult mice. <i>Scientific Reports</i> , 2022, 12, 3149.	3.3	7
49	C3G Is Upregulated in Hepatocarcinoma, Contributing to Tumor Growth and Progression and to HGF/MET Pathway Activation. <i>Cancers</i> , 2020, 12, 2282.	3.7	6
50	Polr1/4 Deficiency Increases Resistance to Oxidative Damage and Delays Liver Aging. <i>PLoS ONE</i> , 2014, 9, e93074.	2.5	6
51	Case Report: An EGFR-Targeted 4-1BB-agonistic Trimerbody Does Not Induce Hepatotoxicity in Transgenic Mice With Liver Expression of Human EGFR. <i>Frontiers in Immunology</i> , 2020, 11, 614363.	4.8	5
52	Editorial Special Issue TGF-Beta/BMP Signaling Pathway. <i>Cells</i> , 2020, 9, 2363.	4.1	2
53	BMP9 Promotes an Epithelial Phenotype and a Hepatocyte-like Gene Expression Profile in Adult Hepatic Progenitor Cells. <i>Cells</i> , 2022, 11, 365.	4.1	2
54	Expression of hepatocellular carcinoma-related genes is increased from the early stages of non-alcoholic fatty liver disease. <i>Surgery for Obesity and Related Diseases</i> , 2016, 12, S205.	1.2	0

#	ARTICLE	IF	CITATIONS
55	Inhibition of protein phosphatase 1b protects against lipotoxicity in liver progenitor oval cells. Journal of Hepatology, 2020, 73, S90.	3.7	0
56	Relevance of epidermal growth factor receptor kinase activity in a model of cholestatic liver injury. Journal of Hepatology, 2020, 73, S202.	3.7	0