
Andrea Galli

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/199071/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	The Myofibroblast. American Journal of Pathology, 2007, 170, 1807-1816.	3.8	1,782
2	Antidiabetic thiazolidinediones inhibit collagen synthesis and hepatic stellate cell activation in vivo and in vitro. Gastroenterology, 2002, 122, 1924-1940.	1.3	407
3	Pathogenesis of alcoholic liver disease: Role of oxidative metabolism. World Journal of Gastroenterology, 2014, 20, 17756-17772.	3.3	372
4	Effects of the Olive-Derived Polyphenol Oleuropein on Human Health. International Journal of Molecular Sciences, 2014, 15, 18508-18524.	4.1	223
5	Oxidative stress stimulates proliferation and invasiveness of hepatic stellate cells via a MMP2-mediated mechanism. Hepatology, 2005, 41, 1074-1084.	7.3	210
6	The Transcriptional and DNA Binding Activity of Peroxisome Proliferator-activated Receptor $\hat{l}\pm$ Is Inhibited by Ethanol Metabolism. Journal of Biological Chemistry, 2001, 276, 68-75.	3.4	202
7	Peroxisome proliferator-activated receptor ? transcriptional regulation is involved in platelet-derived growth factor-induced proliferation of human hepatic stellate cells. Hepatology, 2000, 31, 101-108.	7.3	194
8	PPAR and Oxidative Stress: Con() Catenating NRF2 and FOXO. PPAR Research, 2012, 2012, 1-15.	2.4	189
9	Molecular mechanism of hepatitis B virus-induced hepatocarcinogenesis. World Journal of Gastroenterology, 2014, 20, 11630.	3.3	158
10	Chemotherapy for hepatocellular carcinoma: The present and the future. World Journal of Hepatology, 2017, 9, 907.	2.0	142
11	Alcohol induced hepatic fibrosis: Role of acetaldehyde. Molecular Aspects of Medicine, 2008, 29, 17-21.	6.4	130
12	Molecular mechanisms of alcoholic fatty liver: role of peroxisome proliferator-activated receptor alpha. Alcohol, 2004, 34, 35-38.	1.7	129
13	Collagen type I synthesized by pancreatic periacinar stellate cells (PSC) co-localizes with lipid peroxidation-derived aldehydes in chronic alcoholic pancreatitis. Journal of Pathology, 2000, 192, 81-89.	4.5	123
14	Italian consensus guidelines for the diagnostic work-up and follow-up of cystic pancreatic neoplasms. Digestive and Liver Disease, 2014, 46, 479-493.	0.9	108
15	The role of hepatic peroxisome proliferator-activated receptors (PPARs) in health and disease. Liver International, 2000, 20, 191-199.	3.9	100
16	A New Mechanism Involving ERK Contributes to Rosiglitazone Inhibition of Tumor Necrosis Factor-α and Interferon-γ Inflammatory Effects in Human Endothelial Cells. Arteriosclerosis, Thrombosis, and Vascular Biology, 2008, 28, 718-724.	2.4	71
17	Peroxisome proliferator activated receptors at the crossroad of obesity, diabetes, and pancreatic cancer. World Journal of Gastroenterology, 2016, 22, 2441.	3.3	71
18	Nonalcoholic steatohepatitis as a novel player in metabolic syndrome-induced erectile dysfunction: An experimental study in the rabbit. Molecular and Cellular Endocrinology, 2014, 384, 143-154.	3.2	70

#	Article	IF	CITATIONS
19	Thiazolidinediones Inhibit Growth and Invasiveness of the Human Adrenocortical Cancer Cell Line H295R. Journal of Clinical Endocrinology and Metabolism, 2005, 90, 1332-1339.	3.6	68
20	PPARs and Mitochondrial Metabolism: From NAFLD to HCC. PPAR Research, 2016, 2016, 1-18.	2.4	64
21	High-level expression of rat class I alcohol dehydrogenase is sufficient for ethanol-induced fat accumulation in transduced hela cells. Hepatology, 1999, 29, 1164-1170.	7.3	63
22	Environmental Pollution: A Tangible Risk for NAFLD Pathogenesis. International Journal of Molecular Sciences, 2013, 14, 22052-22066.	4.1	63
23	Identification of a Posttranslational Mechanism for the Regulation of hERG1 K ⁺ Channel Expression and hERG1 Current Density in Tumor Cells. Molecular and Cellular Biology, 2008, 28, 5043-5060.	2.3	54
24	Thiazolidinediones inhibit hepatocarcinogenesis in hepatitis B virus-transgenic mice by peroxisome proliferator-activated receptor Î ³ -independent regulation of nucleophosmin. Hepatology, 2010, 52, 493-505.	7.3	49
25	Rosiglitazone Inhibits Adrenocortical Cancer Cell Proliferation by Interfering with the IGF-IR Intracellular Signaling. PPAR Research, 2008, 2008, 1-11.	2.4	47
26	INT-767 prevents NASH and promotes visceral fat brown adipogenesis and mitochondrial function. Journal of Endocrinology, 2018, 238, 107-127.	2.6	47
27	Myristoylated Alanine-Rich protein Kinase C Substrate (MARCKS) expression modulates the metastatic phenotype in human and murine colon carcinoma in vitro and in vivo. Cancer Letters, 2013, 333, 244-252.	7.2	46
28	Oxidative Stress in the Healthy and Wounded Hepatocyte: A Cellular Organelles Perspective. Oxidative Medicine and Cellular Longevity, 2016, 2016, 1-15.	4.0	45
29	The potential of antidiabetic thiazolidinediones for anticancer therapy. Expert Opinion on Investigational Drugs, 2006, 15, 1039-1049.	4.1	42
30	Acetaldehyde Inhibits PPARÎ ³ via H2O2-Mediated c-Abl Activation in Human Hepatic Stellate Cells. Gastroenterology, 2006, 131, 1235-1252.	1.3	40
31	COUP-TFII in Health and Disease. Cells, 2020, 9, 101.	4.1	40
32	CHK2 overexpression and mislocalisation within mitotic structures enhances chromosomal instability and hepatocellular carcinoma progression. Gut, 2018, 67, 348-361.	12.1	37
33	Biomarkers of Inflammation in Inflammatory Bowel Disease: How Long before Abandoning Single-Marker Approaches?. Digestive Diseases, 2021, 39, 190-203.	1.9	37
34	Oleuropein Induces AMPK-Dependent Autophagy in NAFLD Mice, Regardless of the Gender. International Journal of Molecular Sciences, 2018, 19, 3948.	4.1	36
35	Effects of oxygen and glucose deprivation on synaptic transmission in rat dentate gyrus: Role of A2A adenosine receptors. Neuropharmacology, 2013, 67, 511-520.	4.1	35
36	Peroxisome Proliferator-Activated Receptor and Retinoic X Receptor in Alcoholic Liver Disease. PPAR Research, 2009, 2009, 1-11.	2.4	32

#	Article	IF	CITATIONS
37	Nuclear receptors and pathogenesis of pancreatic cancer. World Journal of Gastroenterology, 2014, 20, 12062.	3.3	31
38	COUPâ€TFII in pancreatic adenocarcinoma: Clinical implication for patient survival and tumor progression. International Journal of Cancer, 2014, 134, 1648-1658.	5.1	31
39	High-Level Expression of RXRα and the Presence of Endogenous Ligands Contribute to Expression of a Peroxisome Proliferator-Activated Receptor-Responsive Gene in Hepatoma Cells. Archives of Biochemistry and Biophysics, 1998, 354, 288-294.	3.0	28
40	Peroxisome-proliferator-activated receptor gamma (PPARγ) is required for modulating endothelial inflammatory response through a nongenomic mechanism. European Journal of Cell Biology, 2010, 89, 645-653.	3.6	28
41	2D-DICE proteomic analysis identifies new potential therapeutic targets for adrenocortical carcinoma. Oncotarget, 2015, 6, 5695-5706.	1.8	28
42	Molecular mechanisms underlying the pro-inflammatory synergistic effect of tumor necrosis factor α and interferon γ in human microvascular endothelium. European Journal of Cell Biology, 2009, 88, 731-742.	3.6	26
43	Mito-Nuclear Communication in Hepatocellular Carcinoma Metabolic Rewiring. Cells, 2019, 8, 417.	4.1	26
44	Hyperhomocysteinemia and hypercoagulability in primary biliary cirrhosis. World Journal of Gastroenterology, 2006, 12, 1607.	3.3	26
45	Totally Laparoscopic Versus Open Gastrectomy for Gastric Cancer: A Matched Cohort Study. Journal of Laparoendoscopic and Advanced Surgical Techniques - Part A, 2013, 23, 117-122.	1.0	25
46	P2 receptor antagonists prevent synaptic failure and extracellular signalâ€regulated kinase1/2 activation induced by oxygen and glucose deprivation in rat CA1 hippocampus <i>in vitro</i> . European Journal of Neuroscience, 2011, 33, 2203-2215.	2.6	24
47	8-Oxo-7,8-dihydro-2′-deoxyguanosine and other lesions along the coding strand of the exon 5 of the tumour suppressor gene P53 in a breast cancer case-control study. DNA Research, 2016, 23, 395-402.	3.4	24
48	Tadalafil reduces visceral adipose tissue accumulation by promoting preadipocytes differentiation towards a metabolically healthy phenotype: Studies in rabbits. Molecular and Cellular Endocrinology, 2016, 424, 50-70.	3.2	22
49	Soluble CD163 and mannose receptor as markers of liver disease severity and prognosis in patients with primary biliary cholangitis. Liver International, 2020, 40, 1408-1414.	3.9	22
50	The Role of Diet and Lifestyle in Early-Onset Colorectal Cancer: A Systematic Review. Cancers, 2021, 13, 5933.	3.7	22
51	Antidiabetic thiazolidinediones induce ductal differentiation but not apoptosis in pancreatic cancer cells. World Journal of Gastroenterology, 2005, 11, 1122.	3.3	21
52	MARCKS actin-binding capacity mediates actin filament assembly during mitosis in human hepatic stellate cells. American Journal of Physiology - Cell Physiology, 2012, 303, C357-C367.	4.6	20
53	The orphan nuclear receptor COUP-TFII coordinates hypoxia-independent proangiogenic responses in hepatic stellate cells. Journal of Hepatology, 2017, 66, 754-764.	3.7	19
54	Ethanol-induced alterations of matrix network in the duodenal mucosa of chronic alcohol abusers. Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin, 1999, 434, 127.	2.8	17

#	Article	IF	CITATIONS
55	The Selective Antagonism of P2X7 and P2Y1 Receptors Prevents Synaptic Failure and Affects Cell Proliferation Induced by Oxygen and Glucose Deprivation in Rat Dentate Gyrus. PLoS ONE, 2014, 9, e115273.	2.5	17
56	Use of Cultured Cells in Assessing Ethanol Toxicity and Ethanol-Related Metabolism. Alcoholism: Clinical and Experimental Research, 2001, 25, 87S-93S.	2.4	15
57	Fatigue in primary biliary cirrhosis: a possible role of comorbidities. European Journal of Gastroenterology and Hepatology, 2008, 20, 122-126.	1.6	15
58	DNA Damage Response Protein CHK2 Regulates Metabolism in Liver Cancer. Cancer Research, 2021, 81, 2861-2873.	0.9	15
59	ldentification of a Retinoid Receptor Response Element in the Human Aldehyde Dehydrogenase-2 Promoter. Alcoholism: Clinical and Experimental Research, 2003, 27, 1860-1866.	2.4	14
60	Peroxisome proliferator-activated receptor- $\hat{1}^3$ agonist pioglitazone reduces the development of necrotizing enterocolitis in a neonatal preterm rat model. Pediatric Research, 2017, 81, 364-368.	2.3	13
61	Longâ€ŧerm efficacy and safety of vedolizumab in patients with inflammatory bowel diseases: A realâ€ŀife experience from a tertiary referral center. Journal of Digestive Diseases, 2019, 20, 235-242.	1.5	12
62	Acycloguanosyl 5′-thymidyltriphosphate, a Thymidine Analogue Prodrug Activated by Telomerase, Reduces Pancreatic Tumor Growth in Mice. Gastroenterology, 2011, 140, 709-720.e9.	1.3	10
63	Telomerase activated thymidine analogue pro-drug is a new molecule targeting hepatocellular carcinoma. Journal of Hepatology, 2014, 61, 1064-1072.	3.7	10
64	<p>Resection of NAFLD-Associated HCC: Patient Selection and Reported Outcomes</p> . Journal of Hepatocellular Carcinoma, 2020, Volume 7, 107-116.	3.7	10
65	Gastric and duodenal polyps in familial adenomatous polyposis patients: Conventional endoscopy <i>vs</i> virtual chromoendoscopy (fujinon intelligent color enhancement) in dysplasia evaluation. World Journal of Clinical Oncology, 2017, 8, 168.	2.3	9
66	Non-small-bowel lesions identification by capsule endoscopy: A single centre retrospective study. Clinics and Research in Hepatology and Gastroenterology, 2021, 45, 101409.	1.5	8
67	Therapeutic usability of two different fiducial gold markers for robotic stereotactic radiosurgery of liver malignancies: A pilot study. World Journal of Hepatology, 2016, 8, 731.	2.0	8
68	Small bowel lymphangioma: A rare case of intestinal bleeding. Digestive and Liver Disease, 2015, 47, 815.	0.9	7
69	Intrahepatic cholestasis of pregnancy – Time to redefine the reference range of total serum bile acids: A crossâ€sectional study. BJOG: an International Journal of Obstetrics and Gynaecology, 2022, 129, 1887-1896.	2.3	7
70	Mesalamine-induced pleuritis in a patient with ulcerative colitis. Inflammatory Bowel Diseases, 2009, 15, 158-159.	1.9	6
71	Use of Cultured Cells in Assessing Ethanol Toxicity and Ethanol-Related Metabolism. Alcoholism: Clinical and Experimental Research, 2001, 25, 87S-93S.	2.4	6
72	Telomerase reactivation is associated with hepatobiliary and pancreatic cancers. Hepatobiliary and Pancreatic Diseases International, 2020, 19, 420-428.	1.3	5

#	Article	IF	CITATIONS
73	Infectious risk of vedolizumab compared with other biological agents in the treatment of inflammatory bowel disease. European Journal of Gastroenterology and Hepatology, 2021, 33, e574-e579.	1.6	4
74	Epidemiological, demographic and clinical data on chronic viral hepatitis C in Tuscany. Current Medical Research and Opinion, 2019, 35, 661-666.	1.9	3
75	MiRNA-Based Therapies for the Treatment of Inflammatory Bowel Disease: What Are We Still Missing?. Inflammatory Bowel Diseases, 0, , .	1.9	3
76	Gut-liver The role of serotonin and its pathways in hepatic fibrogenesis. , 2021, , 129-155.		2
77	Hepatocellular carcinoma cells that develop resistance to the telomerase-activated prodrug ACV-TP-T may undergo spontaneous apoptosis. Medical Hypotheses, 2015, 85, 383.	1.5	1
78	Genomic analysis of pancreatic cancer: a glimmer of hope for the therapy?. Translational Cancer Research, 2016, 5, S187-S191.	1.0	0
79	Isoforms of the orphan nuclear receptor COUP†TFII differentially modulate pancreatic cancer progression. International Journal of Oncology, 2022, 60, .	3.3	0