

Andrea Galli

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/199071/publications.pdf>

Version: 2024-02-01

79
papers

6,166
citations

126907

33
h-index

74163

75
g-index

79
all docs

79
docs citations

79
times ranked

10079
citing authors

#	ARTICLE	IF	CITATIONS
1	Isoforms of the orphan nuclear receptor COUP-TFII differentially modulate pancreatic cancer progression. <i>International Journal of Oncology</i> , 2022, 60, .	3.3	0
2	Intrahepatic cholestasis of pregnancy – Time to redefine the reference range of total serum bile acids: A cross-sectional study. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2022, 129, 1887-1896.	2.3	7
3	Non-small-bowel lesions identification by capsule endoscopy: A single centre retrospective study. <i>Clinics and Research in Hepatology and Gastroenterology</i> , 2021, 45, 101409.	1.5	8
4	Biomarkers of Inflammation in Inflammatory Bowel Disease: How Long before Abandoning Single-Marker Approaches?. <i>Digestive Diseases</i> , 2021, 39, 190-203.	1.9	37
5	Gut-liver The role of serotonin and its pathways in hepatic fibrogenesis. , 2021, , 129-155.		2
6	DNA Damage Response Protein CHK2 Regulates Metabolism in Liver Cancer. <i>Cancer Research</i> , 2021, 81, 2861-2873.	0.9	15
7	Infectious risk of vedolizumab compared with other biological agents in the treatment of inflammatory bowel disease. <i>European Journal of Gastroenterology and Hepatology</i> , 2021, 33, e574-e579.	1.6	4
8	The Role of Diet and Lifestyle in Early-Onset Colorectal Cancer: A Systematic Review. <i>Cancers</i> , 2021, 13, 5933.	3.7	22
9	COUP-TFII in Health and Disease. <i>Cells</i> , 2020, 9, 101.	4.1	40
10	<p>Resection of NAFLD-Associated HCC: Patient Selection and Reported Outcomes</p>. <i>Journal of Hepatocellular Carcinoma</i> , 2020, Volume 7, 107-116.	3.7	10
11	Telomerase reactivation is associated with hepatobiliary and pancreatic cancers. <i>Hepatobiliary and Pancreatic Diseases International</i> , 2020, 19, 420-428.	1.3	5
12	Soluble CD163 and mannose receptor as markers of liver disease severity and prognosis in patients with primary biliary cholangitis. <i>Liver International</i> , 2020, 40, 1408-1414.	3.9	22
13	Epidemiological, demographic and clinical data on chronic viral hepatitis C in Tuscany. <i>Current Medical Research and Opinion</i> , 2019, 35, 661-666.	1.9	3
14	Mito-Nuclear Communication in Hepatocellular Carcinoma Metabolic Rewiring. <i>Cells</i> , 2019, 8, 417.	4.1	26
15	Long-term efficacy and safety of vedolizumab in patients with inflammatory bowel diseases: A real-life experience from a tertiary referral center. <i>Journal of Digestive Diseases</i> , 2019, 20, 235-242.	1.5	12
16	CHK2 overexpression and mislocalisation within mitotic structures enhances chromosomal instability and hepatocellular carcinoma progression. <i>Gut</i> , 2018, 67, 348-361.	12.1	37
17	Oleuropein Induces AMPK-Dependent Autophagy in NAFLD Mice, Regardless of the Gender. <i>International Journal of Molecular Sciences</i> , 2018, 19, 3948.	4.1	36
18	INT-767 prevents NASH and promotes visceral fat brown adipogenesis and mitochondrial function. <i>Journal of Endocrinology</i> , 2018, 238, 107-127.	2.6	47

#	ARTICLE	IF	CITATIONS
19	Peroxisome proliferator-activated receptor- α agonist pioglitazone reduces the development of necrotizing enterocolitis in a neonatal preterm rat model. <i>Pediatric Research</i> , 2017, 81, 364-368.	2.3	13
20	The orphan nuclear receptor COUP-TFII coordinates hypoxia-independent proangiogenic responses in hepatic stellate cells. <i>Journal of Hepatology</i> , 2017, 66, 754-764.	3.7	19
21	Chemotherapy for hepatocellular carcinoma: The present and the future. <i>World Journal of Hepatology</i> , 2017, 9, 907.	2.0	142
22	Gastric and duodenal polyps in familial adenomatous polyposis patients: Conventional endoscopy vs virtual chromoendoscopy (fujinon intelligent color enhancement) in dysplasia evaluation. <i>World Journal of Clinical Oncology</i> , 2017, 8, 168.	2.3	9
23	Peroxisome proliferator activated receptors at the crossroad of obesity, diabetes, and pancreatic cancer. <i>World Journal of Gastroenterology</i> , 2016, 22, 2441.	3.3	71
24	Oxidative Stress in the Healthy and Wounded Hepatocyte: A Cellular Organelles Perspective. <i>Oxidative Medicine and Cellular Longevity</i> , 2016, 2016, 1-15.	4.0	45
25	PPARs and Mitochondrial Metabolism: From NAFLD to HCC. <i>PPAR Research</i> , 2016, 2016, 1-18.	2.4	64
26	8-Oxo-7,8-dihydro-2'-deoxyguanosine and other lesions along the coding strand of the exon 5 of the tumour suppressor gene P53 in a breast cancer case-control study. <i>DNA Research</i> , 2016, 23, 395-402.	3.4	24
27	Tadalafil reduces visceral adipose tissue accumulation by promoting preadipocytes differentiation towards a metabolically healthy phenotype: Studies in rabbits. <i>Molecular and Cellular Endocrinology</i> , 2016, 424, 50-70.	3.2	22
28	Therapeutic usability of two different fiducial gold markers for robotic stereotactic radiosurgery of liver malignancies: A pilot study. <i>World Journal of Hepatology</i> , 2016, 8, 731.	2.0	8
29	Genomic analysis of pancreatic cancer: a glimmer of hope for the therapy?. <i>Translational Cancer Research</i> , 2016, 5, S187-S191.	1.0	0
30	Hepatocellular carcinoma cells that develop resistance to the telomerase-activated prodrug ACV-TP-T may undergo spontaneous apoptosis. <i>Medical Hypotheses</i> , 2015, 85, 383.	1.5	1
31	Small bowel lymphangioma: A rare case of intestinal bleeding. <i>Digestive and Liver Disease</i> , 2015, 47, 815.	0.9	7
32	2D-DIGE proteomic analysis identifies new potential therapeutic targets for adrenocortical carcinoma. <i>Oncotarget</i> , 2015, 6, 5695-5706.	1.8	28
33	The Selective Antagonism of P2X7 and P2Y1 Receptors Prevents Synaptic Failure and Affects Cell Proliferation Induced by Oxygen and Glucose Deprivation in Rat Dentate Gyrus. <i>PLoS ONE</i> , 2014, 9, e115273.	2.5	17
34	Pathogenesis of alcoholic liver disease: Role of oxidative metabolism. <i>World Journal of Gastroenterology</i> , 2014, 20, 17756-17772.	3.3	372
35	Molecular mechanism of hepatitis B virus-induced hepatocarcinogenesis. <i>World Journal of Gastroenterology</i> , 2014, 20, 11630.	3.3	158
36	Nuclear receptors and pathogenesis of pancreatic cancer. <i>World Journal of Gastroenterology</i> , 2014, 20, 12062.	3.3	31

#	ARTICLE	IF	CITATIONS
37	Effects of the Olive-Derived Polyphenol Oleuropein on Human Health. <i>International Journal of Molecular Sciences</i> , 2014, 15, 18508-18524.	4.1	223
38	COUPâ€¢FII in pancreatic adenocarcinoma: Clinical implication for patient survival and tumor progression. <i>International Journal of Cancer</i> , 2014, 134, 1648-1658.	5.1	31
39	Italian consensus guidelines for the diagnostic work-up and follow-up of cystic pancreatic neoplasms. <i>Digestive and Liver Disease</i> , 2014, 46, 479-493.	0.9	108
40	Nonalcoholic steatohepatitis as a novel player in metabolic syndrome-induced erectile dysfunction: An experimental study in the rabbit. <i>Molecular and Cellular Endocrinology</i> , 2014, 384, 143-154.	3.2	70
41	Telomerase activated thymidine analogue pro-drug is a new molecule targeting hepatocellular carcinoma. <i>Journal of Hepatology</i> , 2014, 61, 1064-1072.	3.7	10
42	Effects of oxygen and glucose deprivation on synaptic transmission in rat dentate gyrus: Role of A2A adenosine receptors. <i>Neuropharmacology</i> , 2013, 67, 511-520.	4.1	35
43	Totally Laparoscopic Versus Open Gastrectomy for Gastric Cancer: A Matched Cohort Study. <i>Journal of Laparoendoscopic and Advanced Surgical Techniques - Part A</i> , 2013, 23, 117-122.	1.0	25
44	Myristoylated Alanine-Rich protein Kinase C Substrate (MARCKS) expression modulates the metastatic phenotype in human and murine colon carcinoma in vitro and in vivo. <i>Cancer Letters</i> , 2013, 333, 244-252.	7.2	46
45	Environmental Pollution: A Tangible Risk for NAFLD Pathogenesis. <i>International Journal of Molecular Sciences</i> , 2013, 14, 22052-22066.	4.1	63
46	PPAR and Oxidative Stress: Con() Catenating NRF2 and FOXO. <i>PPAR Research</i> , 2012, 2012, 1-15.	2.4	189
47	MARCKS actin-binding capacity mediates actin filament assembly during mitosis in human hepatic stellate cells. <i>American Journal of Physiology - Cell Physiology</i> , 2012, 303, C357-C367.	4.6	20
48	Acycloguanosyl 5â€¢-thymidyltriphosphate, a Thymidine Analogue Prodrug Activated by Telomerase, Reduces Pancreatic Tumor Growth in Mice. <i>Gastroenterology</i> , 2011, 140, 709-720.e9.	1.3	10
49	P2 receptor antagonists prevent synaptic failure and extracellular signalâ€¢regulated kinase1/2 activation induced by oxygen and glucose deprivation in rat CA1 hippocampus <i>in vitro</i>. <i>European Journal of Neuroscience</i> , 2011, 33, 2203-2215.	2.6	24
50	Peroxisome-proliferator-activated receptor gamma (PPARÎ³) is required for modulating endothelial inflammatory response through a nongenomic mechanism. <i>European Journal of Cell Biology</i> , 2010, 89, 645-653.	3.6	28
51	Thiazolidinediones inhibit hepatocarcinogenesis in hepatitis B virus-transgenic mice by peroxisome proliferator-activated receptor Î³-independent regulation of nucleophosmin. <i>Hepatology</i> , 2010, 52, 493-505.	7.3	49
52	Peroxisome Proliferator-Activated Receptor and Retinoic X Receptor in Alcoholic Liver Disease. <i>PPAR Research</i> , 2009, 2009, 1-11.	2.4	32
53	Molecular mechanisms underlying the pro-inflammatory synergistic effect of tumor necrosis factor Î± and interferon Î³ in human microvascular endothelium. <i>European Journal of Cell Biology</i> , 2009, 88, 731-742.	3.6	26
54	Mesalamine-induced pleuritis in a patient with ulcerative colitis. <i>Inflammatory Bowel Diseases</i> , 2009, 15, 158-159.	1.9	6

#	ARTICLE	IF	CITATIONS
55	Alcohol induced hepatic fibrosis: Role of acetaldehyde. <i>Molecular Aspects of Medicine</i> , 2008, 29, 17-21.	6.4	130
56	Identification of a Posttranslational Mechanism for the Regulation of hERG1 K ⁺ Channel Expression and hERG1 Current Density in Tumor Cells. <i>Molecular and Cellular Biology</i> , 2008, 28, 5043-5060.	2.3	54
57	A New Mechanism Involving ERK Contributes to Rosiglitazone Inhibition of Tumor Necrosis Factor- α and Interferon- γ Inflammatory Effects in Human Endothelial Cells. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2008, 28, 718-724.	2.4	71
58	Fatigue in primary biliary cirrhosis: a possible role of comorbidities. <i>European Journal of Gastroenterology and Hepatology</i> , 2008, 20, 122-126.	1.6	15
59	Rosiglitazone Inhibits Adrenocortical Cancer Cell Proliferation by Interfering with the IGF-IR Intracellular Signaling. <i>PPAR Research</i> , 2008, 2008, 1-11.	2.4	47
60	The Myofibroblast. <i>American Journal of Pathology</i> , 2007, 170, 1807-1816.	3.8	1,782
61	Acetaldehyde Inhibits PPAR γ via H ₂ O ₂ -Mediated c-Abl Activation in Human Hepatic Stellate Cells. <i>Gastroenterology</i> , 2006, 131, 1235-1252.	1.3	40
62	The potential of antidiabetic thiazolidinediones for anticancer therapy. <i>Expert Opinion on Investigational Drugs</i> , 2006, 15, 1039-1049.	4.1	42
63	Hyperhomocysteinemia and hypercoagulability in primary biliary cirrhosis. <i>World Journal of Gastroenterology</i> , 2006, 12, 1607.	3.3	26
64	Oxidative stress stimulates proliferation and invasiveness of hepatic stellate cells via a MMP2-mediated mechanism. <i>Hepatology</i> , 2005, 41, 1074-1084.	7.3	210
65	Thiazolidinediones Inhibit Growth and Invasiveness of the Human Adrenocortical Cancer Cell Line H295R. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2005, 90, 1332-1339.	3.6	68
66	Antidiabetic thiazolidinediones induce ductal differentiation but not apoptosis in pancreatic cancer cells. <i>World Journal of Gastroenterology</i> , 2005, 11, 1122.	3.3	21
67	Molecular mechanisms of alcoholic fatty liver: role of peroxisome proliferator-activated receptor alpha. <i>Alcohol</i> , 2004, 34, 35-38.	1.7	129
68	Identification of a Retinoid Receptor Response Element in the Human Aldehyde Dehydrogenase-2 Promoter. <i>Alcoholism: Clinical and Experimental Research</i> , 2003, 27, 1860-1866.	2.4	14
69	Antidiabetic thiazolidinediones inhibit collagen synthesis and hepatic stellate cell activation in vivo and in vitro. <i>Gastroenterology</i> , 2002, 122, 1924-1940.	1.3	407
70	Use of Cultured Cells in Assessing Ethanol Toxicity and Ethanol-Related Metabolism. <i>Alcoholism: Clinical and Experimental Research</i> , 2001, 25, 875-935.	2.4	15
71	The Transcriptional and DNA Binding Activity of Peroxisome Proliferator-activated Receptor α Is Inhibited by Ethanol Metabolism. <i>Journal of Biological Chemistry</i> , 2001, 276, 68-75.	3.4	202
72	Use of Cultured Cells in Assessing Ethanol Toxicity and Ethanol-Related Metabolism. <i>Alcoholism: Clinical and Experimental Research</i> , 2001, 25, 875-935.	2.4	6

#	ARTICLE	IF	CITATIONS
73	Collagen type I synthesized by pancreatic periacinar stellate cells (PSC) co-localizes with lipid peroxidation-derived aldehydes in chronic alcoholic pancreatitis. <i>Journal of Pathology</i> , 2000, 192, 81-89.	4.5	123
74	Peroxisome proliferator-activated receptor γ transcriptional regulation is involved in platelet-derived growth factor-induced proliferation of human hepatic stellate cells. <i>Hepatology</i> , 2000, 31, 101-108.	7.3	194
75	The role of hepatic peroxisome proliferator-activated receptors (PPARs) in health and disease. <i>Liver International</i> , 2000, 20, 191-199.	3.9	100
76	Ethanol-induced alterations of matrix network in the duodenal mucosa of chronic alcohol abusers. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , 1999, 434, 127.	2.8	17
77	High-level expression of rat class I alcohol dehydrogenase is sufficient for ethanol-induced fat accumulation in transduced hela cells. <i>Hepatology</i> , 1999, 29, 1164-1170.	7.3	63
78	High-Level Expression of RXR α and the Presence of Endogenous Ligands Contribute to Expression of a Peroxisome Proliferator-Activated Receptor-Responsive Gene in Hepatoma Cells. <i>Archives of Biochemistry and Biophysics</i> , 1998, 354, 288-294.	3.0	28
79	MiRNA-Based Therapies for the Treatment of Inflammatory Bowel Disease: What Are We Still Missing?. <i>Inflammatory Bowel Diseases</i> , 0, , .	1.9	3