

Paulo R Guimarães Jr

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1993872/publications.pdf>

Version: 2024-02-01

144
papers

11,124
citations

36203

51
h-index

33814

99
g-index

154
all docs

154
docs citations

154
times ranked

9652
citing authors

#	ARTICLE	IF	CITATIONS
1	Trophic rewilding benefits a tropical community through direct and indirect network effects. <i>Ecography</i> , 2022, 2022, .	2.1	8
2	The individual-based network structure of palm seed dispersers is explained by a rainforest gradient. <i>Oikos</i> , 2022, 2022, .	1.2	5
3	Organisms as complex structures wrapped in a complex web of life. <i>American Naturalist</i> , 2022, 199, 804-807.	1.0	0
4	Ehrlich and Raven escape and radiate coevolution hypothesis at different levels of organization: Past and future perspectives. <i>Evolution; International Journal of Organic Evolution</i> , 2022, 76, 1108-1123.	1.1	4
5	Using motifs in ecological networks to identify the role of plants in crop margins for multiple agriculture functions. <i>Agriculture, Ecosystems and Environment</i> , 2022, 331, 107912.	2.5	2
6	Network science: Applications for sustainable agroecosystems and food security. <i>Perspectives in Ecology and Conservation</i> , 2022, 20, 79-90.	1.0	7
7	Frugivore Population Biomass, but Not Density, Affect Seed Dispersal Interactions in a Hyper-Diverse Frugivory Network. <i>Frontiers in Ecology and Evolution</i> , 2022, 10, .	1.1	0
8	Habitat generalist species constrain the diversity of mimicry rings in heterogeneous habitats. <i>Scientific Reports</i> , 2021, 11, 5072.	1.6	10
9	Network analyses reveal the role of large snakes in connecting feeding guilds in a species-rich Amazonian snake community. <i>Ecology and Evolution</i> , 2021, 11, 6558-6568.	0.8	4
10	Macroevolutionary stability predicts interaction patterns of species in seed dispersal networks. <i>Science</i> , 2021, 372, 733-737.	6.0	18
11	In remembrance of Victor Rico Gray (1951–2021): An astonishing tropical ecologist. <i>Biotropica</i> , 2021, 53, 1238-1243.	0.8	0
12	Resource partitioning between fisheries and endangered sharks in a tropical marine food web. <i>ICES Journal of Marine Science</i> , 2021, 78, 2518-2527.	1.2	2
13	Temporal organization among pollination systems in a tropical seasonal forest. <i>Die Naturwissenschaften</i> , 2021, 108, 34.	0.6	4
14	Identifying plant mixes for multiple ecosystem service provision in agricultural systems using ecological networks. <i>Journal of Applied Ecology</i> , 2021, 58, 2770-2782.	1.9	22
15	Annual precipitation predicts the phylogenetic signal in bat–fruit interaction networks across the Neotropics. <i>Biology Letters</i> , 2021, 17, 20210478.	1.0	10
16	Coevolution by different functional mechanisms modulates the structure and dynamics of antagonistic and mutualistic networks. <i>Oikos</i> , 2020, 129, 224-237.	1.2	26
17	Diverse interactions and ecosystem engineering can stabilize community assembly. <i>Nature Communications</i> , 2020, 11, 3307.	5.8	21
18	Before, during and after megafaunal extinctions: Human impact on Pleistocene-Holocene trophic networks in South Patagonia. <i>Quaternary Science Reviews</i> , 2020, 250, 106696.	1.4	12

#	ARTICLE	IF	CITATIONS
19	The Structure of Ecological Networks Across Levels of Organization. <i>Annual Review of Ecology, Evolution, and Systematics</i> , 2020, 51, 433-460.	3.8	128
20	Genetic correlations and ecological networks shape coevolving mutualisms. <i>Ecology Letters</i> , 2020, 23, 1789-1799.	3.0	13
21	Coevolutionary patterns caused by prey selection. <i>Journal of Theoretical Biology</i> , 2020, 501, 110327.	0.8	3
22	Associated evolution of fruit size, fruit colour and spines in Neotropical palms. <i>Journal of Evolutionary Biology</i> , 2020, 33, 858-868.	0.8	21
23	The indirect paths to cascading effects of extinctions in mutualistic networks. <i>Ecology</i> , 2020, 101, e03080.	1.5	37
24	Analysing ecological networks of species interactions. <i>Biological Reviews</i> , 2019, 94, 16-36.	4.7	347
25	Low-load pathogen spillover predicts shifts in skin microbiome and survival of a terrestrial-breeding amphibian. <i>Proceedings of the Royal Society B: Biological Sciences</i> , 2019, 286, 20191114.	1.2	29
26	Predicting the non-linear collapse of plant-herbivore networks due to habitat loss. <i>Ecography</i> , 2019, 42, 1765-1776.	2.1	22
27	Interaction strength promotes robustness against cascading effects in mutualistic networks. <i>Scientific Reports</i> , 2019, 9, 676.	1.6	20
28	Coevolution Creates Complex Mosaics across Large Landscapes. <i>American Naturalist</i> , 2019, 194, 217-229.	1.0	21
29	A Network Perspective for Community Assembly. <i>Frontiers in Ecology and Evolution</i> , 2019, 7, .	1.1	59
30	Extreme diversification of floral volatiles within and among species of <i>Lithophragma</i> (Saxifragaceae). <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2019, 116, 4406-4415.	3.3	56
31	Loss of Generalist Plant Species and Functional Diversity Decreases the Robustness of a Seed Dispersal Network. <i>Environmental Conservation</i> , 2019, 46, 52-58.	0.7	18
32	Does the sociality of pollinators shape the organisation of pollination networks?. <i>Oikos</i> , 2019, 128, 741-752.	1.2	12
33	Integrating Computational Methods to Investigate the Macroecology of Microbiomes. <i>Frontiers in Genetics</i> , 2019, 10, 1344.	1.1	7
34	Revealing biases in the sampling of ecological interaction networks. <i>PeerJ</i> , 2019, 7, e7566.	0.9	15
35	Does biological intimacy shape ecological network structure? A test using a brood pollination mutualism on continental and oceanic islands. <i>Journal of Animal Ecology</i> , 2018, 87, 1160-1171.	1.3	20
36	Local extinctions of obligate frugivores and patch size reduction disrupt the structure of seed dispersal networks. <i>Ecography</i> , 2018, 41, 1899-1909.	2.1	33

#	ARTICLE	IF	CITATIONS
37	Seedâ€dispersal interactions in fragmented landscapes â€ a metanetwork approach. <i>Ecology Letters</i> , 2018, 21, 484-493.	3.0	115
38	Eco-evolutionary feedbacks promote fluctuating selection and long-term stability of antagonistic networks. <i>Proceedings of the Royal Society B: Biological Sciences</i> , 2018, 285, 20172596.	1.2	19
39	Pleistocene megafaunal extinctions and the functional loss of longâ€distance seedâ€dispersal services. <i>Ecography</i> , 2018, 41, 153-163.	2.1	118
40	Ecological and evolutionary legacy of megafauna extinctions. <i>Biological Reviews</i> , 2018, 93, 845-862.	4.7	183
41	Species traits and abundance influence the organization of lianaâ€tree antagonistic interaction. <i>Austral Ecology</i> , 2018, 43, 236-241.	0.7	6
42	The geographic mosaic of coevolution in mutualistic networks. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2018, 115, 12017-12022.	3.3	50
43	Unifying host-associated diversification processes using butterflyâ€plant networks. <i>Nature Communications</i> , 2018, 9, 5155.	5.8	35
44	Interaction paths promote module integration and network-level robustness of spliceosome to cascading effects. <i>Scientific Reports</i> , 2018, 8, 17441.	1.6	6
45	Adaptive Networks for Restoration Ecology. <i>Trends in Ecology and Evolution</i> , 2018, 33, 664-675.	4.2	67
46	Species-rich networks and eco-evolutionary synthesis at the metacommunity level. <i>Nature Ecology and Evolution</i> , 2017, 1, 24.	3.4	95
47	Untangling the Tangled Bank: A Novel Method for Partitioning the Effects of Phylogenies and Traits on Ecological Networks. <i>Evolutionary Biology</i> , 2017, 44, 312-324.	0.5	24
48	The friendship paradox in species-rich ecological networks: Implications for conservation and monitoring. <i>Biological Conservation</i> , 2017, 209, 245-252.	1.9	13
49	A multinomial network method for the analysis of mate choice and assortative mating in spatially structured populations. <i>Methods in Ecology and Evolution</i> , 2017, 8, 1321-1331.	2.2	9
50	Species traits and interaction rules shape a speciesâ€rich seedâ€dispersal interaction network. <i>Ecology and Evolution</i> , 2017, 7, 4496-4506.	0.8	28
51	Network Structure and Selection Asymmetry Drive Coevolution in Species-Rich Antagonistic Interactions. <i>American Naturalist</i> , 2017, 190, 99-115.	1.0	42
52	Indirect effects drive coevolution in mutualistic networks. <i>Nature</i> , 2017, 550, 511-514.	13.7	215
53	Nestedness across biological scales. <i>PLoS ONE</i> , 2017, 12, e0171691.	1.1	44
54	Small Marine Protected Areas in Fiji Provide Refuge for Reef Fish Assemblages, Feeding Groups, and Corals. <i>PLoS ONE</i> , 2017, 12, e0170638.	1.1	53

#	ARTICLE	IF	CITATIONS
55	Ecological networks: assembly and consequences. <i>Oikos</i> , 2016, 125, 443-445.	1.2	5
56	Network analyses support the role of prey preferences in shaping resource use patterns within five animal populations. <i>Oikos</i> , 2016, 125, 492-501.	1.2	16
57	Omnivory in birds is a macroevolutionary sink. <i>Nature Communications</i> , 2016, 7, 11250.	5.8	95
58	Unravelling Darwin's entangled bank: architecture and robustness of mutualistic networks with multiple interaction types. <i>Proceedings of the Royal Society B: Biological Sciences</i> , 2016, 283, 20161564.	1.2	54
59	Nested species-rich networks of scavenging vertebrates support high levels of interspecific competition. <i>Ecology</i> , 2016, 97, 95-105.	1.5	54
60	The network organization of protein interactions in the spliceosome is reproduced by the simple rules of food-web models. <i>Scientific Reports</i> , 2015, 5, 14865.	1.6	8
61	The Robustness of Plant-Pollinator Assemblages: Linking Plant Interaction Patterns and Sensitivity to Pollinator Loss. <i>PLoS ONE</i> , 2015, 10, e0117243.	1.1	34
62	Native and Non-Native Supergeneralist Bee Species Have Different Effects on Plant-Bee Networks. <i>PLoS ONE</i> , 2015, 10, e0137198.	1.1	76
63	Persistence of Plants and Pollinators in the Face of Habitat Loss. <i>Advances in Ecological Research</i> , 2015, 53, 201-257.	1.4	17
64	Reply to Evans and Bar-Oz et al.: Recovering ecological pattern and process in Ancient Egypt. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2015, 112, E240-E240.	3.3	0
65	Below-ground plant-fungus network topology is not congruent with above-ground plant-animal network topology. <i>Science Advances</i> , 2015, 1, e1500291.	4.7	74
66	Pleistocene megafaunal interaction networks became more vulnerable after human arrival. <i>Proceedings of the Royal Society B: Biological Sciences</i> , 2015, 282, 20151367.	1.2	40
67	Macroecological trends in nestedness and modularity of seed-dispersal networks: human impact matters. <i>Global Ecology and Biogeography</i> , 2015, 24, 293-303.	2.7	92
68	A sexual network approach to sperm competition in a species with alternative mating tactics. <i>Behavioral Ecology</i> , 2015, 26, 121-129.	1.0	25
69	The structure of ant-plant ecological networks: Is abundance enough?. <i>Ecology</i> , 2014, 95, 475-485.	1.5	68
70	MODULAR: software for the autonomous computation of modularity in large network sets. <i>Ecography</i> , 2014, 37, 221-224.	2.1	138
71	Synchronisation and stability in river metapopulation networks. <i>Ecology Letters</i> , 2014, 17, 273-283.	3.0	62
72	Reconstructing past ecological networks: the reconfiguration of seed-dispersal interactions after megafaunal extinction. <i>Oecologia</i> , 2014, 175, 1247-1256.	0.9	69

#	ARTICLE	IF	CITATIONS
73	Assembly of complex plant-fungus networks. <i>Nature Communications</i> , 2014, 5, 5273.	5.8	160
74	Collapse of an ecological network in Ancient Egypt. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2014, 111, 14472-14477.	3.3	81
75	Frugivores at higher risk of extinction are the key elements of a mutualistic network. <i>Ecology</i> , 2014, 95, 3440-3447.	1.5	88
76	Conflicting Selection in the Course of Adaptive Diversification: The Interplay between Mutualism and Intraspecific Competition. <i>American Naturalist</i> , 2014, 183, 363-375.	1.0	26
77	The Spatial Structure of Antagonistic Species Affects Coevolution in Predictable Ways. <i>American Naturalist</i> , 2013, 182, 578-591.	1.0	38
78	The impact of climate change on the structure of Pleistocene food webs across the mammoth steppe. <i>Proceedings of the Royal Society B: Biological Sciences</i> , 2013, 280, 20130239.	1.2	43
79	Impacts of enemy-mediated effects and the additivity of interactions in an insect trophic system. <i>Population Ecology</i> , 2013, 55, 11-26.	0.7	3
80	Interaction intimacy organizes networks of antagonistic interactions in different ways. <i>Journal of the Royal Society Interface</i> , 2013, 10, 20120649.	1.5	66
81	The dimensionality of ecological networks. <i>Ecology Letters</i> , 2013, 16, 577-583.	3.0	246
82	Large vertebrates as the missing components of seed-dispersal networks. <i>Biological Conservation</i> , 2013, 163, 42-48.	1.9	97
83	Spatial structure of ant-plant mutualistic networks. <i>Oikos</i> , 2013, 122, 1643-1648.	1.2	126
84	Functional Extinction of Birds Drives Rapid Evolutionary Changes in Seed Size. <i>Science</i> , 2013, 340, 1086-1090.	6.0	560
85	Long-term temporal variation in the organization of an ant-plant network. <i>Annals of Botany</i> , 2013, 111, 1285-1293.	1.4	52
86	Diversification through multitrait evolution in a coevolving interaction. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2013, 110, 11487-11492.	3.3	60
87	Individual variation in resource use by opossums leading to nested fruit consumption. <i>Oikos</i> , 2013, 122, 1085-1093.	1.2	40
88	Fundamentos para o conteúdo e a implementação da pós-graduação em Ecologia. <i>Revista Brasileira De Pós-Graduação</i> , 2013, 10, .	0.0	0
89	Cleaning associations between birds and herbivorous mammals in Brazil: Structure and complexity. <i>Auk</i> , 2012, 129, 36-43.	0.7	22
90	Probabilistic patterns of interaction: the effects of link-strength variability on food web structure. <i>Journal of the Royal Society Interface</i> , 2012, 9, 3219-3228.	1.5	14

#	ARTICLE	IF	CITATIONS
91	Biodiversity, Species Interactions and Ecological Networks in a Fragmented World. <i>Advances in Ecological Research</i> , 2012, 46, 89-210.	1.4	284
92	Disentangling social networks from spatiotemporal dynamics: the temporal structure of a dolphin society. <i>Animal Behaviour</i> , 2012, 84, 641-651.	0.8	82
93	Abiotic factors shape temporal variation in the structure of an ant-plant network. <i>Arthropod-Plant Interactions</i> , 2012, 6, 289-295.	0.5	69
94	Mistletoes Play Different Roles in a Modular Host-Parasite Network. <i>Biotropica</i> , 2012, 44, 171-178.	0.8	21
95	Changes in intrapopulation resource use patterns of an endangered raptor in response to a disease-mediated crash in prey abundance. <i>Journal of Animal Ecology</i> , 2012, 81, 1154-1160.	1.3	13
96	Structure and mechanism of diet specialisation: testing models of individual variation in resource use with sea otters. <i>Ecology Letters</i> , 2012, 15, 475-483.	3.0	146
97	The Missing Part of Seed Dispersal Networks: Structure and Robustness of Bat-Fruit Interactions. <i>PLoS ONE</i> , 2011, 6, e17395.	1.1	116
98	Do Food Web Models Reproduce the Structure of Mutualistic Networks?. <i>PLoS ONE</i> , 2011, 6, e27280.	1.1	27
99	Merging Resource Availability with Isotope Mixing Models: The Role of Neutral Interaction Assumptions. <i>PLoS ONE</i> , 2011, 6, e22015.	1.1	26
100	Analysis of a hyper-diverse seed dispersal network: modularity and underlying mechanisms. <i>Ecology Letters</i> , 2011, 14, 773-781.	3.0	243
101	Evolution and coevolution in mutualistic networks. <i>Ecology Letters</i> , 2011, 14, 877-885.	3.0	256
102	The ecological and evolutionary implications of merging different types of networks. <i>Ecology Letters</i> , 2011, 14, 1170-1181.	3.0	332
103	The nested assembly of individual-resource networks. <i>Journal of Animal Ecology</i> , 2011, 80, 896-903.	1.3	80
104	The modularity of seed dispersal: differences in structure and robustness between bat and bird-fruit networks. <i>Oecologia</i> , 2011, 167, 131-40.	0.9	111
105	The role of predator overlap in the robustness and extinction of a four species predator-prey network. <i>Physica A: Statistical Mechanics and Its Applications</i> , 2010, 389, 4725-4733.	1.2	3
106	Nested diets: a novel pattern of individual-level resource use. <i>Oikos</i> , 2010, 119, 81-88.	1.2	87
107	What makes a species central in a cleaning mutualism network?. <i>Oikos</i> , 2010, 119, 1319-1325.	1.2	70
108	Cheaters in mutualism networks. <i>Biology Letters</i> , 2010, 6, 494-497.	1.0	75

#	ARTICLE	IF	CITATIONS
109	Changes of a mutualistic network over time: reanalysis over a 10-year period. <i>Ecology</i> , 2010, 91, 793-801.	1.5	99
110	Hyper abundant mesopredators and bird extinction in an Atlantic forest island. <i>Zoologia</i> , 2009, 26, 288-298.	0.5	26
111	Seed dispersal and predation in the endemic Atlantic rainforest palm <i>Astrocaryum aculeatissimum</i> across a gradient of seed disperser abundance. <i>Ecological Research</i> , 2009, 24, 1187-1195.	0.7	48
112	Searching for Modular Structure in Complex Phenotypes: Inferences from Network Theory. <i>Evolutionary Biology</i> , 2009, 36, 416.	0.5	13
113	A neutral-niche theory of nestedness in mutualistic networks. <i>Oikos</i> , 2008, 117, 1609-1618.	1.2	176
114	A consistent metric for nestedness analysis in ecological systems: reconciling concept and measurement. <i>Oikos</i> , 2008, 117, 1227-1239.	1.2	1,261
115	Spatial mating networks in insect-pollinated plants. <i>Ecology Letters</i> , 2008, 11, 490-498.	3.0	65
116	NETWORK ANALYSIS REVEALS CONTRASTING EFFECTS OF INTRASPECIFIC COMPETITION ON INDIVIDUAL VS. POPULATION DIETS. <i>Ecology</i> , 2008, 89, 1981-1993.	1.5	205
117	Factors affecting seed predation of <i>Eriotheca gracilipes</i> (Bombacaceae) by parakeets in a cerrado fragment. <i>Acta Oecologica</i> , 2008, 33, 240-245.	0.5	20
118	Seed Dispersal Anachronisms: Rethinking the Fruits Extinct Megafauna Ate. <i>PLoS ONE</i> , 2008, 3, e1745.	1.1	292
119	A neutral-niche theory of nestedness in mutualistic networks. <i>Oikos</i> , 2008, , .	1.2	1
120	Seed predation and fruit damage of <i>Solanum lycocarpum</i> (Solanaceae) by rodents in the cerrado of central Brazil. <i>Acta Oecologica</i> , 2007, 31, 8-12.	0.5	11
121	Interaction Intimacy Affects Structure and Coevolutionary Dynamics in Mutualistic Networks. <i>Current Biology</i> , 2007, 17, 1797-1803.	1.8	188
122	Vulnerability of a killer whale social network to disease outbreaks. <i>Physical Review E</i> , 2007, 76, 042901.	0.8	40
123	The nested structure of marine cleaning symbiosis: is it like flowers and bees?. <i>Biology Letters</i> , 2007, 3, 51-54.	1.0	92
124	Investigating small fish schools: Selection of school-formation models by means of general linear models and numerical simulations. <i>Journal of Theoretical Biology</i> , 2007, 245, 784-789.	0.8	3
125	Non-random coextinctions in phylogenetically structured mutualistic networks. <i>Nature</i> , 2007, 448, 925-928.	13.7	470
126	On nestedness analyses: rethinking matrix temperature and anti-nestedness. <i>Oikos</i> , 2007, 116, 716-722.	1.2	115

#	ARTICLE	IF	CITATIONS
127	Build-up mechanisms determining the topology of mutualistic networks. <i>Journal of Theoretical Biology</i> , 2007, 249, 181-189.	0.8	37
128	On nestedness analyses: rethinking matrix temperature and anti-nestedness. <i>Oikos</i> , 2007, 116, 716-722.	1.2	4
129	Predicting invasive potential of smooth crotalaria (<i>Crotalaria pallida</i>) in Brazilian national parks based on African records. <i>Weed Science</i> , 2006, 54, 458-463.	0.8	14
130	Seed survival and dispersal of an endemic Atlantic forest palm: the combined effects of defaunation and forest fragmentation. <i>Botanical Journal of the Linnean Society</i> , 2006, 151, 141-149.	0.8	213
131	The goatfish <i>Pseudupeneus maculatus</i> and its follower fishes at an oceanic island in the tropical west Atlantic. <i>Journal of Fish Biology</i> , 2006, 69, 883-891.	0.7	29
132	Testing the quick meal hypothesis: The effect of pulp on hoarding and seed predation of <i>Hymenaea courbaril</i> by red-rumped agoutis (<i>Dasyprocta leporina</i>). <i>Austral Ecology</i> , 2006, 31, 95-98.	0.7	7
133	Extrafloral nectaries as a deterrent mechanism against seed predators in the chemically protected weed <i>Crotalaria pallida</i> (Leguminosae). <i>Austral Ecology</i> , 2006, 31, 776-782.	0.7	32
134	Why do larvae of <i>Utetheisa ornatrix</i> penetrate and feed in pods of <i>Crotalaria</i> species? Larval performance vs. chemical and physical constraints. <i>Entomologia Experimentalis Et Applicata</i> , 2006, 121, 23-29.	0.7	35
135	Improving the analyses of nestedness for large sets of matrices. <i>Environmental Modelling and Software</i> , 2006, 21, 1512-1513.	1.9	387
136	Asymmetries in specialization in ant-plant mutualistic networks. <i>Proceedings of the Royal Society B: Biological Sciences</i> , 2006, 273, 2041-2047.	1.2	191
137	Random initial condition in small Barabasi-Albert networks and deviations from the scale-free behavior. <i>Physical Review E</i> , 2005, 71, 037101.	0.8	25
138	Cache pilferage in red-rumped agoutis (<i>Dasyprocta leporina</i>) (Rodentia). <i>Mammalia</i> , 2005, 69, .	0.3	8
139	Size-based fruit selection of <i>Calophyllum brasiliense</i> (Clusiaceae) by bats of the genus <i>Artibeus</i> (Phyllostomidae) in a Restinga area, southeastern Brazil. <i>Acta Chiropterologica</i> , 2005, 7, 179-182.	0.2	25
140	Fleshy pulp enhances the location of <i>Syagrus romanzoffiana</i> (Arecaceae) fruits by seed-dispersing rodents in an Atlantic forest in south-eastern Brazil. <i>Journal of Tropical Ecology</i> , 2005, 21, 109-112.	0.5	23
141	Seed removal by ants from faeces produced by different vertebrate species. <i>Ecoscience</i> , 2005, 12, 136-140.	0.6	17
142	Quinolizidine alkaloids in <i>Ormosia arborea</i> seeds inhibit predation but not hoarding by agoutis (<i>Dasyprocta leporina</i>). <i>Journal of Chemical Ecology</i> , 2003, 29, 1065-1072.	0.9	34
143	Seed cleaning of <i>Cupania vernalis</i> (Sapindaceae) by ants: edge effect in a highland forest in south-east Brazil. <i>Journal of Tropical Ecology</i> , 2002, 18, 303-307.	0.5	27
144	Parrot populations and habitat use in and around two lowland Atlantic forest reserves, Brazil. <i>Biological Conservation</i> , 2000, 96, 209-217.	1.9	32