## Hugo Cerda

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/1994281/publications.pdf Version: 2024-02-01



HUCO CERDA

#	Article	IF	CITATIONS
1	Human-jaguar conflicts and the relative importance of retaliatory killing and hunting for jaguar (Panthera onca) populations in Venezuela. Biological Conservation, 2017, 209, 524-532.	4.1	36
2	Predicting carnivore distribution and extirpation rate based on human impacts and productivity factors; assessment of the state of jaguar (Panthera onca) in Venezuela. Biological Conservation, 2017, 206, 132-142.	4.1	21
3	Predatory behavior and kill rate of a female jaguar (Panthera onca) on cattle. Mammalia, 2014, 78, .	0.7	6
4	Diamondback moth resistance to Bacillus thuringiensis transgenic canola: evaluation of refugia size with non-recessive resistant insects. Journal of Applied Entomology, 2006, 130, 421-425.	1.8	8
5	Genetic Engineering withBacillus thuringiensisand Conventional Approaches for Insect Resistance in Crops. Critical Reviews in Plant Sciences, 2004, 23, 317-323.	5.7	9
6	Modeling the spatial and temporal location of refugia to manage resistance in Bt transgenic crops. Agriculture, Ecosystems and Environment, 2004, 102, 163-174.	5.3	49
7	Laboratory culture conditions affect stability of resistance to Bacillus thuringiensis Cry1Ac in Plutella xylostella (Lep., Plutellidae). Journal of Applied Entomology, 2003, 127, 142-145.	1.8	12
8	Could Bt transgenic crops have nutritionally favourable effects on resistant insects?. Ecology Letters, 2003, 6, 167-169.	6.4	30
9	Nutrient content of earthworms consumed by Ye'Kuana Amerindians of the Alto Orinoco of Venezuela. Proceedings of the Royal Society B: Biological Sciences, 2003, 270, 249-257.	2.6	51
10	Nutritional Evaluation of Terrestrial Invertebrates as Traditional Food in Amazonia1. Biotropica, 2002, 34, 273.	1.6	5
11	Could resistance to transgenic plants produce a new species of insect pest?. Agriculture, Ecosystems and Environment, 2002, 91, 1-3.	5.3	7
12	Nutritional Evaluation of Terrestrial Invertebrates as Traditional Food in Amazonia1. Biotropica, 2002, 34, 273-280.	1.6	20
13	Palm worm: ( <i>Rhynchophorus palmarum</i> ) traditional food in Amazonas, Venezuela—nutritional composition, small scale production and tourist palatability. Ecology of Food and Nutrition, 2001, 40, 13-32.	1.6	57
14	The importance of leaf- and litter-feeding invertebrates as sources of animal protein for the Amazonian Amerindians. Proceedings of the Royal Society B: Biological Sciences, 2000, 267, 2247-2252.	2.6	36
15	Olfactory Attraction of the Sugar Cane Weevil (Coleoptera: Curculionidae) to Host Plant Odors, and Its Aggregation Pheromone. Florida Entomologist, 1999, 82, 103.	0.5	14
16	Secretory mechanisms for the male produced aggregation pheromone of the palm weevil Rhynchophorus palmarum L. (Coleoptera: Curculionidae). Journal of Insect Physiology, 1996, 42, 1113-1119.	2.0	23
17	Chemical ecology of the palm weevilRhynchophorus palmarum (L.) (Coleoptera: Curculionidae): Attraction to host plants and to a male-produced aggregation pheromone. Journal of Chemical Ecology, 1993, 19, 1703-1720.	1.8	101
18	Hydroxamic acid glucosides in honeydew of aphids feeding on wheat. Journal of Chemical Ecology, 1992, 18, 841-846.	1.8	32

#	Article	IF	CITATIONS
19	On the Distribution and the Cactiphilic Niche of Drosophila martensis in Venezuela. Biotropica, 1984, 16, 120.	1.6	1