
List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/1997990/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Use of proton pump inhibitors and risk of osteoporosis-related fractures. Cmaj, 2008, 179, 319-326.	2.0	352
2	Mortality rates after incident non-traumatic fractures in older men and women. Osteoporosis International, 2011, 22, 2439-2448.	3.1	178
3	Validity of a Prescription Claims Database to Estimate Medication Adherence in Older Persons. Medical Care, 2006, 44, 471-477.	2.4	160
4	Osteoporosis-related fracture case definitions for population-based administrative data. BMC Public Health, 2012, 12, 301.	2.9	155
5	Stereotyping as a barrier to collaboration: Does interprofessional education make a difference?. Nurse Education Today, 2011, 31, 208-213.	3.3	153
6	Establishing a Regional Bone Density Program. Journal of Clinical Densitometry, 2003, 6, 275-282.	1.2	148
7	Fracture Risk From Psychotropic Medications. Journal of Clinical Psychopharmacology, 2008, 28, 384-391.	1.4	145
8	A population-based analysis of the post-fracture care gap 1996–2008: the situation is not improving. Osteoporosis International, 2012, 23, 1623-1629.	3.1	118
9	The Relative Efficacies of Gastroprotective Strategies in Chronic Users of Nonsteroidal Anti-inflammatory Drugs. Gastroenterology, 2008, 134, 937-944.e1.	1.3	109
10	Effectiveness of internet-based interventions for children, youth, and young adults with anxiety and/or depression: a systematic review and meta-analysis. BMC Health Services Research, 2014, 14, 313.	2.2	108
11	Does The Use of 5-Aminosalicylates in Inflammatory Bowel Disease Prevent The Development of Colorectal Cancer?. American Journal of Gastroenterology, 2003, 98, 2784-2788.	0.4	102
12	Biphasic fracture risk in diabetes: A population-based study. Bone, 2007, 40, 1595-1601.	2.9	101
13	Selective Serotonin Reuptake Inhibitors Are Associated With a Modest Increase in the Risk of Upper Gastrointestinal Bleeding. American Journal of Gastroenterology, 2009, 104, 1475-1482.	0.4	99
14	Association of Antiepileptic Drugs With Nontraumatic Fractures. Archives of Neurology, 2011, 68, 107-12.	4.5	97
15	Protocol for the PREHAB studyPre-operative Rehabilitation for reduction of Hospitalization After coronary Bypass and valvular surgery: a randomised controlled trial. BMJ Open, 2015, 5, e007250.	1.9	87
16	The Prevalence of and the Clinical and Demographic Characteristics Associated With High-Intensity Proton Pump Inhibitor Use. American Journal of Gastroenterology, 2007, 102, 942-950.	0.4	78
17	Canadian Aboriginal Women Have a Higher Prevalence of Vitamin D Deficiency than Non-Aboriginal Women Despite Similar Dietary Vitamin D Intakes. Journal of Nutrition, 2007, 137, 461-465.	2.9	71
18	Demographic Risk Factors for Fracture in First Nations People. Canadian Journal of Public Health, 2005, 96, S45-S50.	2.3	66

#	Article	IF	CITATIONS
19	Using multiple data features improved the validity of osteoporosis case ascertainment from administrative databases. Journal of Clinical Epidemiology, 2008, 61, 1250-1260.	5.0	66
20	Tamoxifen Use and Osteoporotic Fracture Risk: A Population-Based Analysis. Journal of Clinical Oncology, 2008, 26, 5227-5232.	1.6	65
21	The Population's Use of Pharmaceuticals. Medical Care, 1999, 37, JS42-JS59.	2.4	63
22	The association between corticosteroid use and development of fractures among IBD patients in a population-based database. American Journal of Gastroenterology, 2003, 98, 1797-1801.	0.4	60
23	Secular decreases in fracture rates 1986–2006 for Manitoba, Canada: a population-based analysis. Osteoporosis International, 2011, 22, 2137-2143.	3.1	59
24	Institutionalization following incident non-traumatic fractures in community-dwelling men and women. Osteoporosis International, 2012, 23, 2381-2386.	3.1	56
25	Population-Based Trends in Osteoporosis Management after New Initiations of Long-Term Systemic Glucocorticoids (1998–2008). Journal of Clinical Endocrinology and Metabolism, 2012, 97, 1236-1242.	3.6	51
26	Patient characteristics associated with longer emergency department stay: a rapid review. Emergency Medicine Journal, 2016, 33, 194-199.	1.0	49
27	Fracture risk among First Nations people: a retrospective matched cohort study. Cmaj, 2004, 171, 869-873.	2.0	48
28	An examination of the effect of cytochrome P450 drug interactions of hydroxymethylglutaryl-coenzyme a reductase inhibitors on health care utilization: A Canadian population-based study. Clinical Therapeutics, 2002, 24, 2126-2136.	2.5	45
29	Prognostic value of automated quantification of 99mTc-sestamibi myocardial perfusion imaging. Journal of Nuclear Medicine, 2005, 46, 204-11.	5.0	45
30	Estimating the excess costs for patients with incident fractures, prevalent fractures, and nonfracture osteoporosis. Osteoporosis International, 2013, 24, 581-593.	3.1	44
31	Use of pharmaceuticals by inflammatory bowel disease patients: a population-based study. American Journal of Gastroenterology, 2001, 96, 3348-3355.	0.4	37
32	Direct costs of fractures in Canada and trends 1996–2006: A population-based cost-of-illness analysis. Journal of Bone and Mineral Research, 2011, 26, 2419-2429.	2.8	35
33	Contribution of clinical risk factors to bone density-based absolute fracture risk assessment in postmenopausal women. Osteoporosis International, 2003, 14, 334-338.	3.1	34
34	The Use of the World Health Organisation Anatomical Therapeutic Chemical/Defined Daily Dose Methodology in Canada. Drug Information Journal, 2004, 38, 15-27.	0.5	34
35	Postfracture care for older women: gaps between optimal care and actual care. Canadian Family Physician, 2008, 54, 1270-6.	0.4	33
36	Prognostic Value of Lung Sestamibi Uptake in Myocardial Perfusion Imaging of Patients With Known or Suspected Coronary Artery Disease. Journal of the American College of Cardiology, 2005, 45, 1676-1682.	2.8	32

COLLEEN J METGE

#	Article	IF	CITATIONS
37	Direct healthcare costs for 5 years post-fracture in Canada. Osteoporosis International, 2013, 24, 1697-1705.	3.1	32
38	The interaction of ethnicity and chronic disease as risk factors for osteoporotic fractures: a comparison in Canadian Aboriginals and non-Aboriginals. Osteoporosis International, 2006, 17, 1358-1368.	3.1	27
39	Bone mineral density and risk of postmenopausal breast cancer. Breast Cancer Research and Treatment, 2011, 126, 679-686.	2.5	27
40	Temporal Trends in Obesity, Osteoporosis Treatment, Bone Mineral Density, and Fracture Rates: A Population-Based Historical Cohort Study. Journal of Bone and Mineral Research, 2014, 29, 952-959.	2.8	25
41	The Disconnect Between Better Quality of Glucocorticoid-induced Osteoporosis Preventive Care and Better Outcomes: A Population-based Cohort Study. Journal of Rheumatology, 2013, 40, 1736-1741.	2.0	24
42	Antibiotic Use in a Canadian Province, 1995–1998. Annals of Pharmacotherapy, 2000, 34, 459-464.	1.9	23
43	Bone Mineral Density Testing in Healthy Postmenopausal Women. Journal of Clinical Densitometry, 2002, 5, 117-131.	1.2	23
44	The contributions of First Nations ethnicity, income, and delays in surgery on mortality post-fracture: a population-based analysis. Osteoporosis International, 2013, 24, 1247-1256.	3.1	22
45	Bone density and bone area in Canadian Aboriginal women: the First Nations Bone Health Study. Osteoporosis International, 2006, 17, 1755-1762.	3.1	21
46	Clinical risk factors for fracture in postmenopausal Canadian women: A population-based prevalence study. Bone, 2007, 40, 991-996.	2.9	20
47	The Acceptability of E-mental Health Services for Children, Adolescents, and Young Adults: A Systematic Search and Review. Canadian Journal of Community Mental Health, 2015, 34, 1-21.	0.4	19
48	The post-fracture care gap among Canadian First Nations peoples: a retrospective cohort study. Osteoporosis International, 2012, 23, 929-936.	3.1	15
49	Adverse Events in Elderly Users of Antipsychotic Pharmacotherapy in the Province of Manitoba. Journal of Clinical Psychopharmacology, 2013, 33, 24-30.	1.4	15
50	Prescribing of psychotropic medications to the elderly population of a Canadian province: a retrospective study using administrative databases. PeerJ, 2013, 1, e168.	2.0	14
51	Management Competencies for Canadian Health Executives: Views from the Field. Healthcare Management Forum, 2004, 17, 15-20.	1.4	13
52	Impact of a regional acute care surgery model on patient access and outcomes. Canadian Journal of Surgery, 2013, 56, 318-324.	1.2	13
53	Comparison of anti-infective drug use in elderly persons in Manitoba, Nova Scotia, and Saskatchewan, Canada: Relationship to drug insurance reimbursement policies. American Journal of Geriatric Pharmacotherapy, 2004, 2, 24-35.	3.0	12
54	Measurement equivalence of osteoporosis-specific and general quality-of-life instruments in Aboriginal and non-Aboriginal women. Quality of Life Research, 2009, 18, 619-627.	3.1	12

#	Article	IF	CITATIONS
55	What Comes After Producing the Evidence? The Importance of External Validity to Translating Science to Practice. Clinical Therapeutics, 2011, 33, 578-580.	2.5	12
56	Pharmaceutical Use among Older Adults: Using Administrative Data to Examine Medication-Related Issues. Canadian Journal on Aging, 2005, 24, 81-95.	1.1	11
57	Connecting drug safety and effectiveness research to public values. Clinical Therapeutics, 2009, 31, 1066-1068.	2.5	11
58	Primary care reform in Manitoba, Canada, 2011–15: Balancing accountability and acceptability. Health Policy, 2019, 123, 532-537.	3.0	11
59	Movement Disorders in Elderly Users of Risperidone and First Generation Antipsychotic Agents: A Canadian Population-Based Study. PLoS ONE, 2013, 8, e64217.	2.5	10
60	Every team needs a coach: Training for interprofessional clinical placements. Journal of Interprofessional Care, 2016, 30, 559-566.	1.7	10
61	Differences in Pre-licensure Interprofessional Learning: Classroom Versus Practice Settings. Journal of Research in Interprofessional Practice and Education, 2011, 2, .	0.5	9
62	Pushing for partnership: physician engagement and resistance in primary care renewal. Journal of Health Organization and Management, 2019, 33, 126-140.	1.3	9
63	Regional consolidation of orthopedic surgery: impacts on hip fracture surgery access and outcomes. Canadian Journal of Surgery, 2017, 60, 349-354.	1.2	7
64	Automated quantification of 99mTc sestamibi myocardial perfusion compared with visual analysis. Nuclear Medicine Communications, 2004, 25, 833-838.	1.1	6
65	Prognostic utility of sestamibi lung uptake does not require adjustment for stress-related variables: A retrospective cohort study. BMC Nuclear Medicine, 2006, 6, 2.	1.4	6
66	Development and validation of a predictive model for all-cause hospital readmissions in Winnipeg, Canada. Journal of Health Services Research and Policy, 2015, 20, 83-91.	1.7	6
67	Comparing Resource Utilization and Gastrointestinal Outcomes in Patients Treated with Either Standard-Dose or High-Dose Proton Pump Inhibitors: A Matched Cohort Study. Digestive Diseases and Sciences, 2008, 53, 1519-1526.	2.3	5
68	Does a pay-for-performance program for primary care physicians alleviate health inequity in childhood vaccination rates?. International Journal for Equity in Health, 2015, 14, 114.	3.5	5
69	Inter- and Intrarater Reliability of Retrospective Drug Utilization Reviewers. Journal of the American Pharmacists Association, 1999, 39, 45-49.	0.5	4
70	Encouraging physician appropriate prescribing of non-steroidal anti-inflammatory therapies: protocol of a randomized controlled trial [ISRCTN43532635]. BMC Health Services Research, 2004, 4, 21.	2.2	4
71	Predictors of receipt of a fluoroquinolone versus trimethoprim-sulfamethoxazole for treatment of acute pyelonephritis in women in Manitoba, Canada. Pharmacoepidemiology and Drug Safety, 2004, 13, 863-870.	1.9	4
72	Potential impact of oral contraceptive choice on myocardial infarction mortality and deep vein thrombosis. Journal of Family Planning and Reproductive Health Care, 2005, 31, 37-39.	0.8	4

#	Article	IF	CITATIONS
73	Transforming from "Counters―to "Carers― Canadian Pharmacists Journal, 2006, 139, 30-32.	0.8	4
74	Geographical variation analysis of all-cause hospital readmission cases in Winnipeg, Canada. BMC Health Services Research, 2015, 15, 129.	2.2	4
75	Teen clinics: missing the mark? Comparing pregnancy and sexually transmitted infections rates among enrolled and non-enrolled adolescents. International Journal for Equity in Health, 2016, 15, 95.	3.5	4
76	Understanding the Particularities of an Unconditional Prenatal Cash Benefit for Low-Income Women: A Case Study Approach. Inquiry (United States), 2019, 56, 004695801987096.	0.9	4
77	Patient-centered services: What could we be doing right?. Clinical Therapeutics, 2010, 32, 962-964.	2.5	3
78	Realist analysis of streaming interventions in emergency departments. BMJ Leader, 2021, 5, 167-173.	1.5	3
79	Quality and Methodological Challenges in Internet-Based Mental Health Trials. Telemedicine Journal and E-Health, 2014, 20, 744-747.	2.8	2
80	Compétences de gestion et les dirigeants en santé au Canada: <i>un aperçu des opinions sur le terrain</i> . Healthcare Management Forum, 2004, 17, 40-45.	1.4	1
81	Use of Proton Pump Inhibitors and Risk of Osteoporosis-Related Fractures. Obstetrical and Gynecological Survey, 2008, 63, 777-778.	0.4	1
82	Determining Consumer Willingness to Pay, Risk Behavior and Preferences. Pharmaceutical Development and Regulation, 2003, 1, 205-213.	0.1	0
83	Showing the way: Enhance the value of research findings. Research in Social and Administrative Pharmacy, 2012, 8, 357-359.	3.0	Ο
84	Despite Interventions, Emergency Flow Stagnates in Urban Western Canada. Healthcare Policy, 2021, 16, 70-83.	0.6	0
85	Seeking the Balance between Harm and Benefit: The Role of Pharmacosurveillance in Choosing the Drugs We Should Take. Healthcare Policy, 2011, 6, 100-3.	0.6	Ο
86	Primary care renewal strategies in Manitoba: Family physicians' perceptions. Canadian Family Physician, 2019, 65, e397-e404.	0.4	0
87	Manitoba 2020: How centralizing the healthcare supply chain helped with pandemic management. Healthcare Management Forum, 2022, , 084047042110570.	1.4	0