

Marcin W Wolter

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2004649/publications.pdf>

Version: 2024-02-01

652
papers

37,727
citations

3531
90
h-index

6996
154
g-index

678
all docs

678
docs citations

678
times ranked

11692
citing authors

| # | ARTICLE | | IF | CITATIONS |
|----|---|-----|----|-----------|
| 1 | Performance of the ATLAS Level-1 topological trigger in RunA2. European Physical Journal C, 2022, 82, 1. | 3.9 | 6 | |
| 2 | Measurement of the c-jet mistagging efficiency in $\text{tar}\{t\}$ events using pp collision data at $\sqrt{s} = 13 \text{ TeV}$ collected with the ATLAS detector. European Physical Journal C, 2022, 82, . | 3.9 | 14 | |
| 3 | Search for exotic decays of the Higgs boson into $b\bar{b}$ and missing transverse momentum in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2022, 2022, 1. | 4.7 | 2 | |
| 4 | Observation of electroweak production of two jets in association with an isolated photon and missing transverse momentum, and search for a Higgs boson decaying into invisible particles at 13 TeV with the ATLAS detector. European Physical Journal C, 2022, 82, 1. | 3.9 | 8 | |
| 5 | Search for Higgs bosons decaying into new spin-0 or spin-1 particles in four-lepton final states with the ATLAS detector with 139 fb^{-1} of pp collision data at $\sqrt{s} = 13 \text{ TeV}$. Journal of High Energy Physics, 2022, 2022, 1. | 4.7 | 10 | |
| 6 | AtFast3: The Next Generation of Fast Simulation in ATLAS. Computing and Software for Big Science, 2022, 6, 1. | 2.9 | 23 | |
| 7 | Measurement of the energy response of the ATLAS calorimeter to charged pions from W^{\pm} events in RunA2 data. European Physical Journal C, 2022, 82, 1. | 3.9 | 4 | |
| 8 | The ATLAS inner detector trigger performance in pp collisions at 13 TeV during LHC Run 2. European Physical Journal C, 2022, 82, 1. | 3.9 | 5 | |
| 9 | Search for flavour-changing neutral-current interactions of a top quark and a gluon in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2022, 82, . | 3.9 | 7 | |
| 10 | Measurement of the energy asymmetry in $t\bar{t}$ production at 13 TeV with the ATLAS experiment and interpretation in the SMEFT framework. European Physical Journal C, 2022, 82, . | 3.9 | 2 | |
| 11 | Determination of the parton distribution functions of the proton using diverse ATLAS data from pp collisions at $\sqrt{s} = 7, 8$ and 13 TeV . European Physical Journal C, 2022, 82, 1. | 3.9 | 12 | |
| 12 | Quality assessment of compressed and resized medical images based on pattern recognition using a convolutional neural network. Communications in Nonlinear Science and Numerical Simulation, 2021, 95, 105582. | 3.3 | 14 | |
| 13 | Measurement of hadronic event shapes in high-pT multijet final states at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1. | 4.7 | 4 | |
| 14 | Search for squarks and gluinos in final states with jets and missing transverse momentum using 139 fb^{-1} of pp collision data with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1. | 4.7 | 37 | |
| 15 | Differential cross-section measurements for the electroweak production of dijets in association with a Z boson in proton-proton collisions at ATLAS. European Physical Journal C, 2021, 81, 1. | 3.9 | 12 | |
| 16 | Measurements of WH and ZH production in the $H \rightarrow b\bar{b}$ decay channel in pp collisions at 13 TeV with the ATLAS detector. European Physical Journal C, 2021, 81, 1. | 3.9 | 38 | |
| 17 | Search for dark matter in association with an energetic photon in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1. | 4.7 | 18 | |
| 18 | Search for type-III seesaw heavy leptons in dilepton final states in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2021, 81, 1. | 3.9 | 17 | |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 19 | Measurement of light-by-light scattering and search for axion-like particles with 2.2 nb^{-1} of Pb+Pb data with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2021, 2021, 1. | 4.7 | 19 |
| 20 | Search for Higgs boson production in association with a high-energy photon via vector-boson fusion with decay into bottom quark pairs at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2021, 2021, 1. | 4.7 | 6 |
| 21 | Search for new phenomena with top quark pairs in final states with one lepton, jets, and missing transverse momentum in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2021, 2021, 1. | 4.7 | 14 |
| 22 | Search for new phenomena in events with two opposite-charge leptons, jets and missing transverse momentum in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2021, 2021, 1. | 4.7 | 22 |
| 23 | Search for pair production of scalar leptoquarks decaying into first- or second-generation leptons and top quarks in proton+proton collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. <i>European Physical Journal C</i> , 2021, 81, 1. | 3.9 | 18 |
| 24 | Optimisation of large-radius jet reconstruction for the ATLAS detector in 13 TeV proton+proton collisions. <i>European Physical Journal C</i> , 2021, 81, 1. | 3.9 | 15 |
| 25 | Search for heavy resonances decaying into a pair of Z bosons in the $e^+e^-e^+e^-$ and $e^+e^-u\bar{u}$ final states using 139 fb^{-1} of proton+proton collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. <i>European Physical Journal C</i> , 2021, 81, 1. | 3.9 | 40 |
| 26 | Search for new phenomena in final states with b-jets and missing transverse momentum in $\sqrt{s} = 13 \text{ TeV}$ pp collisions with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2021, 2021, 1. | 4.7 | 18 |
| 27 | Search for a heavy Higgs boson decaying into a Z boson and another heavy Higgs boson in the e^+e^-bb and e^+e^-WW final states in pp collisions at $\sqrt{s}=13 \text{ TeV}$ with the ATLAS detector. <i>European Physical Journal C</i> , 2021, 81, 1. | 3.9 | 26 |
| 28 | Search for doubly and singly charged Higgs bosons decaying into vector bosons in multi-lepton final states with the ATLAS detector using proton-proton collisions at $\sqrt{s} = 13 \text{ TeV}$. <i>Journal of High Energy Physics</i> , 2021, 2021, 1. | 4.7 | 23 |
| 29 | Measurements of $W+W^\pm \rightarrow 1 \text{ jet}$ production cross-sections in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2021, 2021, 1. | 4.7 | 8 |
| 30 | Search for charged Higgs bosons decaying into a top quark and a bottom quark at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2021, 2021, 1. | 4.7 | 46 |
| 31 | Measurements of Higgs bosons decaying to bottom quarks from vector boson fusion production with the ATLAS experiment at $\sqrt{s}=13 \text{ TeV}$. <i>European Physical Journal C</i> , 2021, 81, 1. | 3.9 | 14 |
| 32 | Search for pair production of third-generation scalar leptoquarks decaying into a top quark and a \tilde{l}_ν -lepton in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2021, 2021, 1. | 4.7 | 27 |
| 33 | Search for supersymmetry in events with four or more charged leptons in 139 fb^{-1} of $\sqrt{s} = 13 \text{ TeV}$ pp collisions with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2021, 2021, 1. | 4.7 | 12 |
| 34 | Determination of the parton distribution functions of the proton from ATLAS measurements of differential W^\pm and Z boson production in association with jets. <i>Journal of High Energy Physics</i> , 2021, 2021, 1. | 4.7 | 10 |
| 35 | Measurements of differential cross-sections in four-lepton events in 13 TeV proton-proton collisions with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2021, 2021, 1. | 4.7 | 8 |
| 36 | A search for the decays of stopped long-lived particles at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2021, 2021, 1. | 4.7 | 5 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 37 | Muon reconstruction and identification efficiency in ATLAS using the full Run 2 pp collision data set at $\sqrt{s} = 13\text{ TeV}$. European Physical Journal C, 2021, 81, 1. | 3.9 | 82 |
| 38 | Search for squarks and gluinos in final states with one isolated lepton, jets, and missing transverse momentum at $\sqrt{s} = 13\text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2021, 81, 1. | 3.9 | 13 |
| 39 | Measurement of single top-quark production in association with a W boson in the single-lepton channel at $\sqrt{s} = 8\text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2021, 81, 1. | 3.9 | 3 |
| 40 | Jet energy scale and resolution measured in proton-proton collisions at $\sqrt{s} = 13\text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2021, 81, 1. | 3.9 | 64 |
| 41 | Measurements of the inclusive and differential production cross sections of a top-quark-antiquark pair in association with a Z boson at $\sqrt{s} = 13\text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2021, 81, 1. | 3.9 | 12 |
| 42 | Search for dark matter produced in association with a single top quark in proton-proton collisions with the ATLAS detector. European Physical Journal C, 2021, 81, 1. | 3.9 | 9 |
| 43 | Search for phenomena beyond the Standard Model in events with large b-jet multiplicity using the ATLAS detector at the LHC. European Physical Journal C, 2021, 81, 1. | 3.9 | 5 |
| 44 | Search for dark matter in events with missing transverse momentum and a Higgs boson decaying into two photons in pp collisions at $\sqrt{s} = 13\text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1. | 4.7 | 12 |
| 45 | Search for R-parity-violating supersymmetry in a final state containing leptons and many jets with the ATLAS experiment using $\sqrt{s} = 13\text{ TeV}$ proton-proton collision data. European Physical Journal C, 2021, 81, 1. | 3.9 | 7 |
| 46 | Measurement of the t-antitau production cross section in pp collisions at $\sqrt{s} = 13\text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1. | 4.7 | 10 |
| 47 | Search for dark matter produced in association with a Standard Model Higgs boson decaying into b-quarks using the full Run 2 dataset from the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1. | 4.7 | 10 |
| 48 | Measurement of the production cross section of pairs of isolated photons in pp collisions at 13 TeV with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1. | 4.7 | 4 |
| 49 | Search for exotic decays of the Higgs boson into long-lived particles in pp collisions at $\sqrt{s} = 13\text{ TeV}$ using displaced vertices in the ATLAS inner detector. Journal of High Energy Physics, 2021, 2021, 1. | 4.7 | 4 |
| 50 | Search for chargino-neutralino pair production in final states with three leptons and missing transverse momentum in $\sqrt{s} = 13\text{ TeV}$ pp collisions with the ATLAS detector. European Physical Journal C, 2021, 81, 1. | 3.9 | 28 |
| 51 | Configuration and performance of the ATLAS b-jet triggers in Run 2. European Physical Journal C, 2021, 81, 1. | 3.9 | 7 |
| 52 | Measurement of b-quark fragmentation properties in jets using the decay $B \rightarrow J/\psi K$ in pp collisions at $\sqrt{s} = 13\text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1. | 4.7 | 3 |
| 53 | Search for new non-resonant phenomena in high-mass dilepton final states with the ATLAS detector. Journal of High Energy Physics, 2020, 2020, 1. | 4.7 | 24 |
| 54 | Measurements of the Higgs boson inclusive and differential fiducial cross sections in the 4-ell decay channel at $\sqrt{s} = 13\text{ TeV}$. European Physical Journal C, 2020, 80, 1. | 3.9 | 32 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 55 | Search for direct production of electroweakinos in final states with one lepton, missing transverse momentum and a Higgs boson decaying into two b-jets in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2020, 80, 1. | 3.9 | 34 |
| 56 | Measurements of top-quark pair spin correlations in the $t\bar{t}$ channel at $\sqrt{s} = 13 \text{ TeV}$ using pp collisions in the ATLAS detector. European Physical Journal C, 2020, 80, 1. | 3.9 | 22 |
| 57 | Higgs boson production cross-section measurements and their EFT interpretation in the 4ℓ decay channel at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2020, 80, 1. | 3.9 | 41 |
| 58 | Search for pairs of scalar leptoquarks decaying into quarks and electrons or muons in $\sqrt{s} = 13 \text{ TeV}$ pp collisions with the ATLAS detector. Journal of High Energy Physics, 2020, 2020, 1. | 4.7 | 36 |
| 59 | Search for $t\bar{t}$ resonances in fully hadronic final states in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2020, 2020, 1. | 4.7 | 14 |
| 60 | Reconstruction and identification of boosted di- τ systems in a search for Higgs boson pairs using 13 TeV proton-proton collision data in ATLAS. Journal of High Energy Physics, 2020, 2020, 1. | 4.7 | 8 |
| 61 | Search for top squarks in events with a Higgs or Z boson using 139 fb^{-1} of pp collision data at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2020, 80, 1. | 3.9 | 4 |
| 62 | Evidence for $t\bar{t}t\bar{t}$ production in the multilepton final state in proton-proton collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2020, 80, 1. | 3.9 | 30 |
| 63 | Search for heavy diboson resonances in semileptonic final states in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2020, 80, 1. | 3.9 | 29 |
| 64 | Search for a scalar partner of the top quark in the all-hadronic $t\bar{t}\chi_1^0$ plus missing transverse momentum final state at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2020, 80, 1. | 3.9 | 36 |
| 65 | Alignment of the ATLAS Inner Detector in Run 2. European Physical Journal C, 2020, 80, 1. | 3.9 | 12 |
| 66 | Determination of jet calibration and energy resolution in proton-proton collisions at $\sqrt{s} = 8 \text{ TeV}$ using the ATLAS detector. European Physical Journal C, 2020, 80, 1. | 3.9 | 15 |
| 67 | Search for Higgs boson pair production in the $WW^{(*)}WW^{(*)}$ decay channel using ATLAS data recorded at $\sqrt{s} = 13 \text{ TeV}$. Journal of High Energy Physics, 2019, 2019, 1. | 4.7 | 21 |
| 68 | Search for large missing transverse momentum in association with one top-quark in proton-proton collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2019, 2019, 1. | 4.7 | 8 |
| 69 | Measurement of WZ production cross sections and gauge boson polarisation in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2019, 79, 1. | 3.9 | 41 |
| 70 | Search for single production of vector-like quarks decaying into Wb in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2019, 2019, 1. | 4.7 | 27 |
| 71 | Measurements of W and Z boson production in pp collisions at $\sqrt{s} = 5.02 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2019, 79, 1. | 3.9 | 17 |
| 72 | Performance of top-quark and \varvec{W} -boson tagging with ATLAS in Run 2 of the LHC. European Physical Journal C, 2019, 79, 1. | 3.9 | 42 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 73 | Search for doubly charged scalar bosons decaying into same-sign W boson pairs with the ATLAS detector. European Physical Journal C, 2019, 79, 58. | 3.9 | 61 |
| 74 | Search for heavy Majorana or Dirac neutrinos and right-handed W gauge bosons in final states with two charged leptons and two jets at $\sqrt{s} = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2019, 2019, 1. | 4.7 | 39 |
| 75 | In situ calibration of large-radius jet energy and mass in 13TeV proton-proton collisions with the ATLAS detector. European Physical Journal C, 2019, 79, 1. | 3.9 | 28 |
| 76 | Measurement of the photon identification efficiencies with the ATLAS detector using LHC Run 2 data collected in 2015 and 2016. European Physical Journal C, 2019, 79, 1. | 3.9 | 46 |
| 77 | Measurement of the top quark mass in the $t\bar{t}$ final state. European Physical Journal C, 2019, 79, 1. | 3.9 | 47 |
| 78 | Search for pair production of Higgs bosons in the $b\bar{b}$ final state using proton-proton collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2019, 2019, 1. | 4.7 | 55 |
| 79 | A strategy for a general search for new phenomena using data-derived signal regions and its application within the ATLAS experiment. European Physical Journal C, 2019, 79, 1. | 3.9 | 25 |
| 80 | Track Finding with Deep Neural Networks. Computer Science, 2019, 20, . | 0.6 | 2 |
| 81 | Search for additional heavy neutral Higgs and gauge bosons in the ditau final state produced in 36fb^{-1} of pp collisions at $s = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1. | 4.7 | 116 |
| 82 | Measurement of the cross-section for producing a W boson in association with a single top quark in pp collisions at $s = 13$ TeV with ATLAS. Journal of High Energy Physics, 2018, 2018, 1. | 4.7 | 17 |
| 83 | Measurement of the W-boson mass in pp collisions at $\sqrt{s} = 7$ TeV with the ATLAS detector. European Physical Journal C, 2018, 78, 110. | 3.9 | 218 |
| 84 | Search for new phenomena in high-mass final states with a photon and a jet from pp collisions at $\sqrt{s} = 7$ TeV. European Physical Journal C, 2018, 78, 102. | 3.9 | 13 |
| 85 | Search for the direct production of charginos and neutralinos in final states with tau leptons in $\sqrt{s} = 13$ TeV pp collisions with the ATLAS detector. European Physical Journal C, 2018, 78, 154. | 3.9 | 52 |
| 86 | Measurement of longitudinal flow decorrelations in Pb+Pb collisions at $\sqrt{s_{\text{NN}}} = 2.76$ and 5.0. European Physical Journal C, 2018, 78, 142. | 3.9 | 59 |
| 87 | Measurement of quarkonium production in proton-proton collisions at $\sqrt{s} = 5.02$ TeV with the ATLAS detector. European Physical Journal C, 2018, 78, 171. | 3.9 | 75 |
| 88 | Measurement of differential cross-sections of a single top quark produced in association with a W boson at $\sqrt{s} = 13$ TeV with ATLAS. European Physical Journal C, 2018, 78, 186. | 3.9 | 20 |
| 89 | Search for heavy ZZ resonances in the $Z\ell^+\ell^-\ell^+\ell^-$ final states using proton-proton collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. European Physical Journal C, 2018, 78, 293. | 3.9 | 101 |
| 90 | A search for pair-produced resonances in four-jet final states at $\sqrt{s} = 13$ TeV with the ATLAS detector. European Physical Journal C, 2018, 78, 250. | 3.9 | 66 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 91 | Search for heavy resonances decaying into a W or Z boson and a Higgs boson in final states with leptons and b-jets in 36 fb^{-1} of $\sqrt{s} = 13 \text{ TeV}$ pp collisions with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2018, 2018, 1. | 4.7 | 40 |
| 92 | Search for heavy resonances decaying into WW in the $e\mu\mu\mu e\bar{\nu}\bar{\nu}$ final state in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. <i>European Physical Journal C</i> , 2018, 78, 24. | 3.9 | 108 |
| 93 | Direct top-quark decay width measurement in the $t\bar{t}$ lepton+jets channel at $\sqrt{s} = 8 \text{ TeV}$ with the ATLAS experiment. <i>European Physical Journal C</i> , 2018, 78, 129. | 3.9 | 17 |
| 94 | Search for WW/WZ resonance production in $t\bar{t}q\bar{q}$ final states in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2018, 2018, 1. | 4.7 | 31 |
| 95 | Measurement of the Higgs boson coupling properties in the $H \rightarrow ZZ \rightarrow 4\ell$ decay channel at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2018, 2018, 1. | 4.7 | 46 |
| 96 | Search for the Higgs boson produced in association with a vector boson and decaying into two spin-zero particles in the $H \rightarrow a\bar{a} \rightarrow 4b$ channel in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2018, 2018, 1. | 4.7 | 28 |
| 97 | Measurement of the $Z\gamma$ production cross section in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector and limits on anomalous triple gauge-boson couplings. <i>Journal of High Energy Physics</i> , 2018, 2018, 1. | 4.7 | 10 |
| 98 | Prompt and non-prompt J/ψ elliptic flow in Pb+Pb collisions at $\sqrt{s_{\text{NN}}} = 5.02 \text{ TeV}$ with the ATLAS detector. <i>European Physical Journal C</i> , 2018, 78, 784. | 3.9 | 19 |
| 99 | Search for Higgs boson pair production in the $\gamma\gamma WW \rightarrow l^+l^-l^+l^-$ channel using pp collision data recorded at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. <i>European Physical Journal C</i> , 2018, 78, 1007. | 3.9 | 53 |
| 100 | Measurement of colour flow using jet-pull observables in $t\bar{t}$ events with the ATLAS experiment at $\sqrt{s} = 13 \text{ TeV}$. <i>European Physical Journal C</i> , 2018, 78, 847. | 3.9 | 16 |
| 101 | Angular analysis of $B_0 \rightarrow K^+ \pi^- \eta'$ decays in pp collisions at $\sqrt{s} = 8 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2018, 2018, 1. | 4.7 | 76 |
| 102 | Search for a new heavy gauge-boson resonance decaying into a lepton and missing transverse momentum in 36 fb^{-1} of pp collisions at. <i>European Physical Journal C</i> , 2018, 78, 401. | 3.9 | 50 |
| 103 | Search for dark matter in events with a hadronically decaying vector boson and missing transverse momentum in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2018, 2018, 1. | 4.7 | 29 |
| 104 | Measurements of differential cross sections of top quark pair production in association with jets in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ using the ATLAS detector. <i>Journal of High Energy Physics</i> , 2018, 2018, 1. | 4.7 | 9 |
| 105 | Search for Higgs boson pair production in the $\gamma\gamma \gamma\gamma$ final state with 13 TeV pp collision data collected by the ATLAS experiment. <i>Journal of High Energy Physics</i> , 2018, 2018, 1. | 4.7 | 38 |
| 106 | Search for new phenomena in events with same-charge leptons and b-jets in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2018, 2018, 1. | 4.7 | 30 |
| 107 | Measurement of the azimuthal anisotropy of charged particles produced in $\sqrt{s_{\text{NN}}} = 5.02 \text{ TeV}$ Pb+Pb collisions with the ATLAS detector. <i>European Physical Journal C</i> , 2018, 78, 997. | 3.9 | 51 |
| 108 | Performance of missing transverse momentum reconstruction with the ATLAS detector using proton-proton collisions at $\sqrt{s} = 13 \text{ TeV}$. <i>European Physical Journal C</i> , 2018, 78, 903. | 3.9 | 181 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 109 | Search for electroweak production of supersymmetric particles in final states with two or three leptons at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2018, 78, 995. | 3.9 | 125 |
| 110 | Search for charged Higgs bosons decaying into top and bottom quarks at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1. | 4.7 | 56 |
| 111 | Operation and performance of the ATLAS Tile Calorimeter in Run1. European Physical Journal C, 2018, 78, 987. | 3.9 | 25 |
| 112 | Search for supersymmetry in final states with missing transverse momentum and multiple b-jets in proton-proton collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1. | 4.7 | 37 |
| 113 | Search for pair production of heavy vector-like quarks decaying into high-pT W bosons and top quarks in the lepton-plus-jets final state in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1. | 4.7 | 22 |
| 114 | Search for top-squark pair production in final states with one lepton, jets, and missing transverse momentum using 36 fb^{-1} of $\sqrt{s} = 13 \text{ TeV}$ pp collision data with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1. | 4.7 | 48 |
| 115 | Search for long-lived charginos based on a disappearing-track signature in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1. | 4.7 | 67 |
| 116 | Search for supersymmetry in final states with charm jets and missing transverse momentum in 13 TeV pp collisions with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1. | 4.7 | 15 |
| 117 | Search for charged Higgs bosons decaying via $H^\pm \rightarrow l^\pm \bar{l}^\mp$, in the $l^\pm + \text{jets}$ and $l^\pm + \text{lepton}$ final states with 36 fb^{-1} of pp collision data recorded at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS experiment. Journal of High Energy Physics, 2018, 2018, 1. | 4.7 | 59 |
| 118 | Prompt and non-prompt J/ψ and $\psi(2S)$ suppression at high transverse momentum in 5.02 TeV Pb+Pb collisions with the ATLAS experiment. European Physical Journal C, 2018, 78, 762. | 3.9 | 61 |
| 119 | Search for Higgs boson decays to beyond-the-Standard-Model light bosons in four-lepton events with the ATLAS detector at $\sqrt{s} = 13 \text{ TeV}$. Journal of High Energy Physics, 2018, 2018, 1. | 4.7 | 31 |
| 120 | Search for exclusive Higgs and Z boson decays to l^+l^- and $\tau^+\tau^-$ with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1. | 4.7 | 16 |
| 121 | Measurements of b-jet tagging efficiency with the ATLAS detector using $t\bar{t}$ events at $\sqrt{s} = 13 \text{ TeV}$. Journal of High Energy Physics, 2018, 2018, 1. | 4.7 | 40 |
| 122 | Search for flavour-changing neutral current top-quark decays $t \rightarrow qZ$ in proton-proton collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1. | 4.7 | 17 |
| 123 | Measurement of the inclusive and fiducial $t\bar{t}$ production cross-sections in the. European Physical Journal C, 2018, 78, 487. | 3.9 | 10 |
| 124 | Search for heavy particles decaying into top-quark pairs using lepton-plus-jets events in proton-proton collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2018, 78, 565. | 3.9 | 79 |
| 125 | Search for new phenomena using the invariant mass distribution of same-flavour opposite-sign dilepton pairs in events with missing transverse momentum in $\sqrt{s} = 13 \text{ TeV}$ pp collisions with the ATLAS detector. European Physical Journal C, 2018, 78, 625. | 3.9 | 27 |
| 126 | Search for dark matter and other new phenomena in events with an energetic jet and large missing transverse momentum using the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1. | 4.7 | 136 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 127 | Measurement of inclusive jet and dijet cross-sections in proton-proton collisions at $\sqrt{s}=13$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2018, 2018, 1. | 4.7 | 17 |
| 128 | Search for dark matter produced in association with bottom or top quarks in $\sqrt{s}=13$ TeV pp collisions with the ATLAS detector. <i>European Physical Journal C</i> , 2018, 78, 18. | 3.9 | 60 |
| 129 | Search for doubly charged Higgs boson production in multi-lepton final states with the ATLAS detector using proton-proton collisions at $\sqrt{s}=13$ TeV. <i>European Physical Journal C</i> , 2018, 78, 199. | 3.9 | 132 |
| 130 | Measurement of Z/γ polarisation in $Z \rightarrow l^+l^-$. <i>European Physical Journal C</i> , 2018, 78, 163. | 3.9 | 7 |
| 131 | Searches for heavy ZZ and ZW resonances in the $q\bar{q}$ and $t\bar{t}q\bar{q}$ final states in pp collisions at $\sqrt{s}=13$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2018, 2018, 1. | 4.7 | 29 |
| 132 | Search for pair production of up-type vector-like quarks and for four-top-quark events in final states with multiple b-jets with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2018, 2018, 1. | 4.7 | 33 |
| 133 | Measurement of differential cross sections and W/W^\star cross-section ratios for W boson production in association with jets at $\sqrt{s}=8$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2018, 2018, 1. | 4.7 | 16 |
| 134 | Search for heavy resonances decaying into a W or Z boson and a Higgs boson in final states with leptons and b-jets in 36 fb^{-1} of $\sqrt{s}=13$ TeV pp collisions with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2018, 2018, 1. | 1 | |
| 135 | Measurement of the W-boson mass in pp collisions at $(\sqrt{s}=7, \text{ TeV})$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2018, 2018, 1. | 1 | |
| 136 | Search for doubly charged Higgs boson production in multi-lepton final states with the ATLAS detector using proton-proton collisions at $(\sqrt{s}=13, \text{ TeV})$. <i>Journal of High Energy Physics</i> , 2018, 2018, 1. | 1 | |
| 137 | Measurement of the $t\bar{t}Z$ and $t\bar{t}W$ production cross sections in multilepton final states using 3.2 fb^{-1} of $\sqrt{s}=13$ TeV pp collisions with the ATLAS detector. <i>European Physical Journal C</i> , 2017, 77, 40. | 3.9 | 41 |
| 138 | A measurement of the calorimeter response to single hadrons and determination of the jet energy scale uncertainty using LHC Run-1 pp-collision data with the ATLAS detector. <i>European Physical Journal C</i> , 2017, 77, 26. | 3.9 | 29 |
| 139 | Measurement of the inclusive cross-sections of single top-quark and top-antiquark t-channel production in pp collisions at $s = 13$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2017, 2017, 1. | 4.7 | 29 |
| 140 | Measurement of jet activity produced in top-quark events with an electron, a muon and two b-tagged jets in the final state in pp collisions at $\sqrt{s}=13$ TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2017, 77, 220. | 3.9 | 11 |
| 141 | Measurement of the W boson polarisation in $t\bar{t}Z$ events from pp collisions at $\sqrt{s}=8$ TeV in the lepton+jets channel with ATLAS. <i>European Physical Journal C</i> , 2017, 77, 264. | 3.9 | 37 |
| 142 | Electron efficiency measurements with the ATLAS detector using 2012 LHC proton-proton collision data. <i>European Physical Journal C</i> , 2017, 77, 195. | 3.9 | 87 |
| 143 | Measurements of top-quark pair differential cross-sections in the $e\mu$ channel in pp collisions at $\sqrt{s}=13$ TeV using the ATLAS detector. <i>European Physical Journal C</i> , 2017, 77, 292. | 3.9 | 27 |
| 144 | Performance of algorithms that reconstruct missing transverse momentum in $\sqrt{s}=8$ TeV proton-proton collisions in the ATLAS detector. <i>European Physical Journal C</i> , 2017, 77, 241. | 3.9 | 61 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 145 | Measurement of the prompt J/ψ pair production cross-section in pp collisions at $\sqrt{s} = 8 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2017, 77, 76. | 3.9 | 81 |
| 146 | Search for triboson $W^{\pm}W^{\pm}W^{\pm}$ production in pp collisions at $\sqrt{s}=8 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2017, 77, 141. | 3.9 | 25 |
| 147 | Topological cell clustering in the ATLAS calorimeters and its performance in LHC Run 1. European Physical Journal C, 2017, 77, 490. | 3.9 | 325 |
| 148 | Fiducial, total and differential cross-section measurements of t-channel single top-quark production in pp collisions at 8 TeV using data collected by the ATLAS detector. European Physical Journal C, 2017, 77, 531. | 3.9 | 56 |
| 149 | Measurements of electroweak W_{jj} production and constraints on anomalous gauge couplings with the ATLAS detector. European Physical Journal C, 2017, 77, 474. | 3.9 | 26 |
| 150 | Jet reconstruction and performance using particle flow with the ATLAS Detector. European Physical Journal C, 2017, 77, 466. | 3.9 | 145 |
| 151 | Measurement of multi-particle azimuthal correlations in pp, p+Pb and low-multiplicity Pb+Pb collisions with the ATLAS detector. European Physical Journal C, 2017, 77, 428. | 3.9 | 86 |
| 152 | Measurement of inclusive and differential cross sections in the $H \rightarrow ZZ^* \rightarrow 4\ell$ decay channel in pp collisions at $s = 13 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1. | 4.7 | 31 |
| 153 | Measurement of lepton differential distributions and the top quark mass in $t\bar{t}$. European Physical Journal C, 2017, 77, 804. | 3.9 | 28 |
| 154 | Measurement of the γ production cross section in proton-proton collisions at $\sqrt{s}=8 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1. | 4.7 | 9 |
| 155 | Measurements of charge and CP asymmetries in b-hadron decays using top-quark events collected by the ATLAS detector in pp collisions at $s = 8 \text{ TeV}$. Journal of High Energy Physics, 2017, 2017, 1. | 4.7 | 9 |
| 156 | Performance of the ATLAS track reconstruction algorithms in dense environments in LHC Run 2. European Physical Journal C, 2017, 77, 673. | 3.9 | 75 |
| 157 | Search for new phenomena in events containing a same-flavour opposite-sign dilepton pair, jets, and large missing transverse momentum in $\sqrt{s}=13 \text{ TeV}$ p p collisions with the ATLAS detector. European Physical Journal C, 2017, 77, 144. | 3.9 | 12 |
| 158 | Measurement of the $Z Z$ production cross section in proton-proton collisions at $s = 8 \text{ TeV}$ using the $Z Z \rightarrow 4\ell$, $Z Z \rightarrow 2\ell 2\nu$ and $Z Z \rightarrow 2\ell 2\nu$ decay channels with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1. | 4.7 | 10 |
| 159 | Probing the $W tb$ vertex structure in t-channel single-top-quark production and decay in pp collisions at $s = 8 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1. | 4.7 | 17 |
| 160 | Measurements of $\chi(2S)$ and $X(3872) \rightarrow J/\psi + \chi$ production in pp collisions at $s = 8 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1. | 4.7 | 33 |
| 161 | Measurements of top-quark pair to Z-boson cross-section ratios at $s = 13 \text{ TeV}$, 8, 7 TeV with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1. | 4.7 | 13 |
| 162 | Search for lepton-flavour-violating decays of the Higgs and Z bosons with the ATLAS detector. European Physical Journal C, 2017, 77, 70. | 3.9 | 79 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 163 | Performance of the ATLAS trigger system in 2015. European Physical Journal C, 2017, 77, 317. | 3.9 | 489 |
| 164 | Reconstruction of primary vertices at the ATLAS experiment in Run 1 protonâ€“proton collisions at the LHC. European Physical Journal C, 2017, 77, 332. | 3.9 | 71 |
| 165 | Measurements of the production cross section of a Z boson in association with jets in pp collisions at $\sqrt{s} = 13$ TeV. European Physical Journal C, 2017, 77, 361. | 3.9 | 47 |
| 166 | Precision measurement and interpretation of inclusive $W^+ + W^-$. European Physical Journal C, 2017, 77, 367. | 3.9 | 145 |
| 167 | Measurement of jet fragmentation in Pb+Pb and pp collisions at $\sqrt{s_{\text{NN}}} = 2.76$ TeV. European Physical Journal C, 2017, 77, 379. | 3.9 | 51 |
| 168 | Search for dark matter at $\sqrt{s}=13$ TeV in final states containing an energetic photon and large missing transverse momentum with the ATLAS detector. European Physical Journal C, 2017, 77, 393. | 3.9 | 80 |
| 169 | Measurement of charged-particle distributions sensitive to the underlying event in $s = 13$ TeV proton-proton collisions with the ATLAS detector at the LHC. Journal of High Energy Physics, 2017, 2017, 1. | 4.7 | 14 |
| 170 | Search for direct top squark pair production in final states with two leptons in $\sqrt{s} = 13$ TeV pp collisions with the ATLAS detector. European Physical Journal C, 2017, 77, 898. | 3.9 | 50 |
| 171 | Search for direct top squark pair production in events with a Higgs or Z boson, and missing transverse momentum in $s = 13$ TeV pp collisions with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1. | 4.7 | 8 |
| 172 | Measurement of detector-corrected observables sensitive to the anomalous production of events with jets and large missing transverse momentum in $\sqrt{s} = 13$ TeV pp collisions at $\sqrt{s} = 13$ TeV using the ATLAS detector. European Physical Journal C, 2017, 77, 765. | 3.9 | 19 |
| 173 | Measurement of b-hadron pair production with the ATLAS detector in proton-proton collisions at $\sqrt{s} = 8$ TeV. Journal of High Energy Physics, 2017, 2017, 1. | 4.7 | 8 |
| 174 | Search for supersymmetry in events with b-tagged jets and missing transverse momentum in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1. | 4.7 | 17 |
| 175 | Measurement of the inclusive jet cross-sections in proton-proton collisions at $s = 8$ TeV with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1. | 4.7 | 23 |
| 176 | Search for pair production of vector-like top quarks in events with one lepton, jets, and missing transverse momentum in $s = 13$ TeV pp collisions with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1. | 4.7 | 38 |
| 177 | Identification and rejection of pile-up jets at high pseudorapidity with the ATLAS detector. European Physical Journal C, 2017, 77, 580. | 3.9 | 35 |
| 178 | Measurement of $WW/WZ \rightarrow ell u q q' \rightarrow WW/WZ \rightarrow l^{\pm} l^{\mp} q q \rightarrow$ production with the hadronically decaying boson reconstructed as one or two jets in pp collisions at $\sqrt{s} = 8$ TeV with ATLAS, and constraints on anomalous gauge couplings. European Physical Journal C, 2017, 77, 563. | 3.9 | 28 |
| 179 | Search for new phenomena in a lepton plus high jet multiplicity final state with the ATLAS experiment using $s = 13$ TeV pp collision data. Journal of High Energy Physics, 2017, 2017, 1. | 4.7 | 12 |
| 180 | Searches for the $Z \rightarrow ll$ decay mode of the Higgs boson and for new high-mass resonances in pp collisions at $s = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1. | 4.7 | 30 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 181 | Studies of $Z\hat{t}^3$ production in association with a high-mass dijet system in pp collisions at $s = 8 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2017, 2017, 1. | 4.7 | 14 |
| 182 | Measurements of top-quark pair differential cross-sections in the lepton+jets channel in pp collisions at $s = 13 \text{ TeV}$ using the ATLAS detector. <i>Journal of High Energy Physics</i> , 2017, 2017, 1. | 4.7 | 16 |
| 183 | Search for top quark decays $t \rightarrow qH$, with $H \rightarrow \bar{t}\hat{t}^3$, in $s = 13 \text{ TeV}$ pp collisions using the ATLAS detector. <i>Journal of High Energy Physics</i> , 2017, 2017, 1. | 4.7 | 18 |
| 184 | Study of $WW\gamma$ and $WZ\gamma$ in $WW\hat{t}^3$ and $WZ\hat{t}^3$. <i>European Physical Journal C</i> , 2017, 77, 646. | 3.9 | 30 |
| 185 | Measurements of top quark spin observables in $t\bar{t} \rightarrow t\bar{t}^3$ events using dilepton final states in $s = 8 \text{ TeV}$ pp collisions with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2017, 2017, 1. | 4.7 | 20 |
| 186 | Search for new phenomena with large jet multiplicities and missing transverse momentum using large-radius jets and flavour-tagging at ATLAS in 13 TeV pp collisions. <i>Journal of High Energy Physics</i> , 2017, 2017, 1. | 4.7 | 11 |
| 187 | Top-quark mass measurement in the all-hadronic $t\bar{t} \rightarrow t\bar{t}^3$ decay channel at $s = 8 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2017, 2017, 1. | 4.7 | 16 |
| 188 | Measurement of the Drell-Yan triple-differential cross section in pp collisions at $s = 8 \text{ TeV}$. <i>Journal of High Energy Physics</i> , 2017, 2017, 1. | 4.7 | 28 |
| 189 | Search for a scalar partner of the top quark in the jets plus missing transverse momentum final state at $s = 13 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2017, 2017, 1. | 4.7 | 45 |
| 190 | Search for supersymmetry in final states with two same-sign or three leptons and jets using 36 fb^{-1} of $s = 13 \text{ TeV}$ pp collision data with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2017, 2017, 1. | 4.7 | 31 |
| 191 | Search for pair production of heavy vector-like quarks decaying to high-p T W bosons and b quarks in the lepton-plus-jets final state in pp collisions at $s = 13 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2017, 2017, 1. | 4.7 | 36 |
| 192 | Measurement of the k_t splitting scales in $Z \rightarrow ee$ events in pp collisions at $s = 8 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2017, 2017, 1. | 4.7 | 3 |
| 193 | Analysis of the Wtb vertex from the measurement of triple-differential angular decay rates of single top quarks produced in the t -channel at $s = 8 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2017, 2017, 1. | 4.7 | 8 |
| 194 | Evidence for the $H \rightarrow b\bar{b} \rightarrow b\bar{b}^3$ decay with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2017, 2017, 1. | 4.7 | 64 |
| 195 | Search for new high-mass phenomena in the dilepton final state using 36 fb^{-1} of proton-proton collision data at $s = 13 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2017, 2017, 1. | 4.7 | 168 |
| 196 | Determination of the strong coupling constant α_s from transverse energy correlations in multijet events at $s = 8 \text{ TeV}$. <i>European Physical Journal C</i> , 2017, 77, 872. | 3.9 | 32 |
| 197 | Study of hard double-parton scattering in four-jet events in pp collisions at $s = 7 \text{ TeV}$ with the ATLAS experiment. <i>Journal of High Energy Physics</i> , 2016, 2016, 1. | 4.7 | 30 |
| 198 | Search for the Standard Model Higgs boson produced by vector-boson fusion and decaying to bottom quarks in $s = 8 \text{ TeV}$ pp collisions with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2016, 2016, 1. | 4.7 | 10 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 199 | Measurement of event-shape observables in $Z \rightarrow ell^+ ell^-$ events in pp collisions at $\sqrt{s} = 7 \text{ TeV}$ with the ATLAS detector at the LHC. European Physical Journal C, 2016, 76, 375. | 3.9 | 15 |
| 200 | Charged-particle distributions in pp interactions at $\sqrt{s} = 8 \text{ TeV}$ measured with the ATLAS detector. European Physical Journal C, 2016, 76, 403. | 3.9 | 30 |
| 201 | Charged-particle distributions at low transverse momentum in $\sqrt{s} = 13 \text{ TeV}$ pp interactions measured with the ATLAS detector at the LHC. European Physical Journal C, 2016, 76, 502. | 3.9 | 61 |
| 202 | Search for bottom squark pair production in proton-proton collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2016, 76, 547. | 3.9 | 37 |
| 203 | Search for minimal supersymmetric standard model Higgs Bosons H_A and for a Z' boson in the $t\bar{t}$, $b\bar{b}$ final state produced in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2016, 76, 585. | 3.9 | 51 |
| 204 | Measurement of the photon identification efficiencies with the ATLAS detector using LHC Run-1 data. European Physical Journal C, 2016, 76, 666. | 3.9 | 73 |
| 205 | Measurement of the $b\bar{b}$ dijet cross section in pp collisions at $\sqrt{s} = 7 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2016, 76, 670. | 3.9 | 12 |
| 206 | The performance of the jet trigger for the ATLAS detector during 2011 data taking. European Physical Journal C, 2016, 76, 526. | 3.9 | 21 |
| 207 | Search for new phenomena in different-flavour high-mass dilepton final states in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2016, 76, 541. | 3.9 | 23 |
| 208 | Search for the Higgs boson produced in association with a W boson and decaying to four b-quarks via two spin-zero particles in pp collisions at 13 TeV with the ATLAS detector. European Physical Journal C, 2016, 76, 605. | 3.9 | 24 |
| 209 | Muon reconstruction performance of the ATLAS detector in proton-proton collision data at $\sqrt{s} = 13 \text{ TeV}$. European Physical Journal C, 2016, 76, 292. | 3.9 | 453 |
| 210 | Test of CP invariance in vector-boson fusion production of the Higgs boson using the Optimal Observable method in the ditau decay channel with the ATLAS detector. European Physical Journal C, 2016, 76, 658. | 3.9 | 48 |
| 211 | Search for gluinos in events with an isolated lepton, jets and missing transverse momentum at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2016, 76, 565. | 3.9 | 31 |
| 212 | Measurement of the inclusive isolated prompt photon cross section in pp collisions at $\sqrt{s} = 8 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1. | 4.7 | 44 |
| 213 | Search for a high-mass Higgs boson decaying to a W boson pair in pp collisions at $\sqrt{s} = 8 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1. | 4.7 | 71 |
| 214 | Search for flavour-changing neutral current top-quark decays to $q\bar{Z}$ in $p\bar{p}$ collision data collected with the ATLAS detector at $\sqrt{s} = 8 \text{ TeV}$. European Physical Journal C, 2016, 76, 12. | 3.9 | 39 |
| 215 | Measurement of the charge asymmetry in top-quark pair production in the lepton-plus-jets final state in pp collision data at $\sqrt{s} = 8 \text{ TeV}$. European Physical Journal C, 2016, 76, 87. | 3.9 | 39 |
| 216 | Search for direct top squark pair production in final states with two tau leptons in pp collisions at $\sqrt{s} = 8 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2016, 76, 81. | 3.9 | 10 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 217 | Search for charged Higgs bosons in the $H \rightarrow tb$ decay channel in pp collisions at $s = 8 \text{ TeV}$ using the ATLAS detector. <i>Journal of High Energy Physics</i> , 2016, 2016, 1. | 4.7 | 43 |
| 218 | Study of the rare decays of $B^0 \rightarrow B^- \pi^+$ and $B^0 \rightarrow B^- \eta$ into muon pairs from data collected during the LHC Run 1 with the ATLAS detector. <i>European Physical Journal C</i> , 2016, 76, 513. | 3.9 | 46 |
| 219 | Search for supersymmetry in a final state containing two photons and missing transverse momentum in $\varvec{s} \sqrt{s} = 13 \text{ TeV}$. <i>European Physical Journal C</i> , 2016, 76, 517. | 3.9 | 24 |
| 220 | Search for resonances in diphoton events at $s = 13 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2016, 2016, 1. | 4.7 | 70 |
| 221 | Search for single production of vector-like quarks decaying into Wb in pp collisions at $\sqrt{s} = 8 \text{ TeV}$ with the ATLAS detector. <i>European Physical Journal C</i> , 2016, 76, 442. | 3.9 | 43 |
| 222 | Measurement of the relative width difference of the $B^0 \rightarrow B^- \pi^+ \eta$ system with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2016, 2016, 1. | 4.7 | 8 |
| 223 | Reconstruction of hadronic decay products of tau leptons with the ATLAS experiment. <i>European Physical Journal C</i> , 2016, 76, 295. | 3.9 | 50 |
| 224 | Performance of pile-up mitigation techniques for jets in pp collisions at $\sqrt{s} = 8 \text{ TeV}$. <i>European Physical Journal C</i> , 2016, 76, 581. | 3.9 | 298 |
| 225 | Measurement of the charged-particle multiplicity inside jets from $\sqrt{s} = 8 \text{ TeV}$ pp collisions with the ATLAS detector. <i>European Physical Journal C</i> , 2016, 76, 322. | 3.9 | 51 |
| 226 | Measurement of jet activity in top quark events using the $e^{\pm} e^{\mp}$ final state with two b-tagged jets in pp collisions at $s = 8 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2016, 2016, 1. | 4.7 | 4 |
| 227 | Measurement of the transverse momentum and ϕ distributions of Drell-Yan lepton pairs in proton-proton collisions at $\sqrt{s} = 8 \text{ TeV}$ with the ATLAS detector. <i>European Physical Journal C</i> , 2016, 76, 291. | 3.9 | 154 |
| 228 | Measurement of fiducial differential cross sections of gluon-fusion production of Higgs bosons decaying to $WW \rightarrow e^{\pm} e^{\mp} \nu \bar{\nu}$ with the ATLAS detector at $s = 8 \text{ TeV}$. <i>Journal of High Energy Physics</i> , 2016, 2016, 1. | 4.7 | 15 |
| 229 | Search for new phenomena in events with a photon and missing transverse momentum in pp collisions at $s = 13 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2016, 2016, 1. | 4.7 | 20 |
| 230 | A search for top squarks with R-parity-violating decays to all-hadronic final states with the ATLAS detector in $s = 8 \text{ TeV}$ proton-proton collisions. <i>Journal of High Energy Physics</i> , 2016, 2016, 1. | 4.7 | 14 |
| 231 | Identification of high transverse momentum top quarks in pp collisions at $s = 8 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2016, 2016, 1. | 4.7 | 17 |
| 232 | A search for an excited muon decaying to a muon and two jets in pp collisions at $\sqrt{s} = 8 \text{ TeV}$ with the ATLAS detector. <i>New Journal of Physics</i> , 2016, 18, 073021. | 2.9 | 2 |
| 233 | Beam-induced and cosmic-ray backgrounds observed in the ATLAS detector during the LHC 2012 proton-proton running period. <i>Journal of Instrumentation</i> , 2016, 11, P05013-P05013. | 1.2 | 11 |
| 234 | Measurements of top-quark pair differential cross-sections in the lepton+jets channel in pp collisions at $\sqrt{s} = 8 \text{ TeV}$ using the ATLAS detector. <i>European Physical Journal C</i> , 2016, 76, 538. | 3.9 | 115 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 235 | Measurement of the differential cross-sections of prompt and non-prompt production of J/ψ and $\psi(2S)$ in pp collisions at $\sqrt{s} = 7$ and 8TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2016, 76, 283. | 3.9 | 63 |
| 236 | Luminosity determination in pp collisions at $\sqrt{s} = 8\text{TeV}$ using the ATLAS detector at the LHC. <i>European Physical Journal C</i> , 2016, 76, 653. | 3.9 | 279 |
| 237 | Search for squarks and gluinos in events with hadronically decaying tau leptons, jets and missing transverse momentum in proton-proton collisions at $\sqrt{s}=13\text{TeV}$ recorded with the ATLAS detector. <i>European Physical Journal C</i> , 2016, 76, 683. | 3.9 | 11 |
| 238 | Addendum to "Measurement of the $t\bar{t}$ production cross-section using $e\gamma$ events with b-tagged jets in pp collisions at $\sqrt{s} = 7$ and 8TeV with the ATLAS detector". <i>European Physical Journal C</i> , 2016, 76, 1. | 3.9 | 19 |
| 239 | Measurement of the angular coefficients in Z-boson events using electron and muon pairs from data taken at $s = 8\text{TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2016, 2016, 1. | 4.7 | 33 |
| 240 | Searches for heavy diboson resonances in pp collisions at $s = 13\text{TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2016, 2016, 1. | 4.7 | 25 |
| 241 | Dark matter interpretations of ATLAS searches for the electroweak production of supersymmetric particles in $s = 8\text{TeV}$ proton-proton collisions. <i>Journal of High Energy Physics</i> , 2016, 2016, 1. | 4.7 | 16 |
| 242 | Search for the Standard Model Higgs boson decaying into $b\bar{b}$ produced in association with top quarks decaying hadronically in pp collisions at $s = 8\text{TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2016, 2016, 1. | 4.7 | 21 |
| 243 | Measurement of the CP-violating phase δ_s and the $B_s^0 \rightarrow J/\psi$ decay width difference with $B_s^0 \rightarrow J/\psi$ decays in ATLAS. <i>Journal of High Energy Physics</i> , 2016, 2016, 1. | 4.7 | 13 |
| 244 | Search for squarks and gluinos in final states with jets and missing transverse momentum at $\sqrt{s}=13\text{TeV}$ with the ATLAS detector. <i>European Physical Journal C</i> , 2016, 76, 392. | 3.9 | 73 |
| 245 | Measurement of the double-differential high-mass Drell-Yan cross section in pp collisions at $s = 8\text{TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2016, 2016, 1. | 4.7 | 38 |
| 246 | A search for prompt lepton-jets in pp collisions at $s = 8\text{TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2016, 2016, 1. | 4.7 | 31 |
| 247 | Search for new phenomena with photon+jet events in proton-proton collisions at $s = 13\text{TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2016, 2016, 1. | 4.7 | 13 |
| 248 | Measurement of the centrality dependence of the charged-particle pseudorapidity distribution in proton-lead collisions at $\sqrt{s_{NN}} = 5.02\text{TeV}$ with the ATLAS detector. <i>European Physical Journal C</i> , 2016, 76, 199. | 3.9 | 60 |
| 249 | Measurement of the production cross-section of a single top quark in association with a W boson at 8TeV with the ATLAS experiment. <i>Journal of High Energy Physics</i> , 2016, 2016, 1. | 4.7 | 14 |
| 250 | Search for the production of single vector-like and excited quarks in the Wt final state in pp collisions at $s = 8\text{TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2016, 2016, 1. | 4.7 | 19 |
| 251 | Search for strong gravity in multijet final states produced in pp collisions at $s = 13\text{TeV}$ using the ATLAS detector at the LHC. <i>Journal of High Energy Physics</i> , 2016, 2016, 1. | 4.7 | 15 |
| 252 | Identification of boosted, hadronically decaying W bosons and comparisons with ATLAS data taken at $\sqrt{s} = 8\text{TeV}$. <i>European Physical Journal C</i> , 2016, 76, 154. | 3.9 | 62 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 253 | Search for new phenomena in events with at least three photons collected in pp collisions at $\sqrt{s} = 8 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2016, 76, 210. | 3.9 | 95 |
| 254 | Probing lepton flavour violation via neutrinoless $\varvec{\mu} \rightarrow e + \nu + \bar{\nu}$ decays with the ATLAS detector. European Physical Journal C, 2016, 76, 232. | 3.9 | 19 |
| 255 | A new method to distinguish hadronically decaying boosted Z bosons from W bosons using the ATLAS detector. European Physical Journal C, 2016, 76, 238. | 3.9 | 9 |
| 256 | Search for supersymmetry at $\sqrt{s}=13 \text{ TeV}$ in final states with jets and two same-sign leptons or three leptons with the ATLAS detector. European Physical Journal C, 2016, 76, 259. | 3.9 | 72 |
| 257 | Search for invisible decays of a Higgs boson using vector-boson fusion in pp collisions at $\sqrt{s}=8 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1. | 4.7 | 49 |
| 258 | Search for anomalous couplings in the W tb vertex from the measurement of double differential angular decay rates of single top quarks produced in the t-channel with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1-46. | 4.7 | 13 |
| 259 | Searches for scalar leptoquarks in pp collisions at $\sqrt{s}=8 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2016, 76, 5. | 3.9 | 109 |
| 260 | Measurements of the Higgs boson production and decay rates and coupling strengths using pp collision data at $\sqrt{s}=7 \text{ TeV}$ and 8 TeV in the ATLAS experiment. European Physical Journal C, 2016, 76, 6. | 3.9 | 274 |
| 261 | Measurements of fiducial cross-sections for $t\bar{t}$ production with one or two additional b-jets in pp collisions at $\sqrt{s}=8 \text{ TeV}$ using the ATLAS detector. European Physical Journal C, 2016, 76, 11. | 3.9 | 54 |
| 262 | Study of the $B_c \rightarrow J/\psi D_s^+ \bar{D}_s^-$ and $B_c \rightarrow J/\psi D_s^0 \bar{D}_s^0$ decays with the ATLAS detector. European Physical Journal C, 2016, 76, 4. | 3.9 | 40 |
| 263 | Search for an additional, heavy Higgs boson in the $H \rightarrow ZZ \rightarrow H \rightarrow l^+l^-Z Z$ decay channel at $\sqrt{s}=8 \text{ TeV}$ in pp collision data with the ATLAS detector. European Physical Journal C, 2016, 76, 45. | 3.9 | 197 |
| 264 | Search for single top-quark production via flavour-changing neutral currents at 8 TeV with the ATLAS detector. European Physical Journal C, 2016, 76, 55. | 3.9 | 43 |
| 265 | Measurement of the charge asymmetry in top-quark pair production in the lepton-plus-jets final state in pp collision data at $(\sqrt{s}=8, \text{TeV})$ with the ATLAS detector. , 2016, 76, 1. | 1 | |
| 266 | Search for low-scale gravity signatures in multi-jet final states with the ATLAS detector at $\sqrt{s}=8 \text{ TeV}$. Journal of High Energy Physics, 2015, 2015, 1. | 4.7 | 4 |
| 267 | A search for high-mass resonances decaying to l^+, l^-, τ^\pm in pp collisions at $\sqrt{s}=8 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1. | 4.7 | 23 |
| 268 | Summary of the ATLAS experiment's sensitivity to supersymmetry after LHC Run 1 interpreted in the phenomenological MSSM. Journal of High Energy Physics, 2015, 2015, 1. | 4.7 | 55 |
| 269 | Search for lepton-flavour-violating $H \rightarrow l^+l^-l^+l^-$ decays of the Higgs boson with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1. | 4.7 | 52 |
| 270 | Measurement of four-jet differential cross sections in $s=8 \text{ TeV}$ proton-proton collisions using the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1-76. | 4.7 | 11 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 271 | A search for $t\bar{t} \rightarrow t\bar{t}$ resonances using lepton-plus-jets events in proton-proton collisions at $s = 8$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2015, 2015, 1. | 4.7 | 66 |
| 272 | Measurement of the forward-backward asymmetry of electron and muon pair-production in pp collisions at $s = 7$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2015, 2015, 1. | 4.7 | 28 |
| 273 | Measurement of charged-particle spectra in Pb+Pb collisions at $s_{NN} = 2.76$ TeV with the ATLAS detector at the LHC. <i>Journal of High Energy Physics</i> , 2015, 2015, 1. | 4.7 | 67 |
| 274 | Analysis of events with b-jets and a pair of leptons of the same charge in pp collisions at $s = 8$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2015, 2015, 1. | 4.7 | 33 |
| 275 | Constraints on new phenomena via Higgs boson couplings and invisible decays with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2015, 2015, 1. | 4.7 | 108 |
| 276 | Search for high-mass diboson resonances with boson-tagged jets in proton-proton collisions at $s = 8$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2015, 2015, 1-39. | 4.7 | 78 |
| 277 | Differential top-antitop cross-section measurements as a function of observables constructed from final-state particles using pp collisions at $s = 7$ TeV in the ATLAS detector. <i>Journal of High Energy Physics</i> , 2015, 2015, 1. | 4.7 | 40 |
| 278 | Search for heavy Majorana neutrinos with the ATLAS detector in pp collisions at $s = 8$ TeV. <i>Journal of High Energy Physics</i> , 2015, 2015, 1. | 4.7 | 84 |
| 279 | Search for production of vector-like quark pairs and of four top quarks in the lepton-plus-jets final state in pp collisions at $s = 8$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2015, 2015, 1. | 4.7 | 71 |
| 280 | Search for new phenomena in events with three or more charged leptons in pp collisions at $s = 8$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2015, 2015, 1. | 4.7 | 20 |
| 281 | Summary of the searches for squarks and gluinos using $s = 8$ TeV pp collisions with the ATLAS experiment at the LHC. <i>Journal of High Energy Physics</i> , 2015, 2015, 1. | 4.7 | 60 |
| 282 | Determination of the top-quark pole mass using $t\bar{t} \rightarrow t\bar{t} + 1\text{-jet}$ events collected with the ATLAS experiment in 7 TeV pp collisions. <i>Journal of High Energy Physics</i> , 2015, 2015, 1. | 4.7 | 25 |
| 283 | Measurement of the $t\bar{t} \rightarrow t\bar{t} + W$ and $t\bar{t} \rightarrow t\bar{t} + Z$ production cross sections in pp collisions at $s = 8$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2015, 2015, 1. | 4.7 | 22 |
| 284 | Search for flavour-changing neutral current top quark decays $t \rightarrow b\bar{q}$ in pp collisions at $s = 8$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2015, 2015, 1-65. | 4.7 | 19 |
| 285 | Search for heavy lepton resonances decaying to a Z boson and a lepton in pp collisions at $s = 8$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2015, 2015, 1. | 4.7 | 36 |
| 286 | Search for squarks and gluinos in events with isolated leptons, jets and missing transverse momentum at $s = 8$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2015, 2015, 1. | 4.7 | 42 |
| 287 | Evidence for the Higgs-boson Yukawa coupling to tau leptons with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2015, 2015, 1. | 4.7 | 116 |
| 288 | Measurement of the charge asymmetry in dileptonic decays of top quark pairs in pp collisions at $s = 7$ TeV using the ATLAS detector. <i>Journal of High Energy Physics</i> , 2015, 2015, 1. | 4.7 | 17 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 289 | Search for W' decays $t\bar{b} \rightarrow q\bar{q}$ in pp collisions at $\sqrt{s} = 8 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2015, 75, 165. | 3.9 | 35 |
| 290 | Measurement of the top-quark mass in the fully hadronic decay channel from ATLAS data at $\sqrt{s} = 7 \text{ TeV}$. European Physical Journal C, 2015, 75, 158. | 3.9 | 17 |
| 291 | Search for direct pair production of a chargino and a neutralino decaying to the 125 GeV Higgs boson in $\sqrt{s} = 8 \text{ TeV}$ pp collisions with the ATLAS detector. European Physical Journal C, 2015, 75, 208. | 3.9 | 67 |
| 292 | Machine learning: how to get more out of HEP data and the Higgs Boson Machine Learning Challenge. Proceedings of SPIE, 2015, , . | 0.8 | 0 |
| 293 | Study of $(W/Z)H$ production and Higgs boson couplings using $H \rightarrow WW$ decays with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1. | 4.7 | 22 |
| 294 | Search for metastable heavy charged particles with large ionisation energy loss in pp collisions at $\sqrt{s} = 8 \text{ TeV}$ using the ATLAS experiment. European Physical Journal C, 2015, 75, 407. | 3.9 | 27 |
| 295 | Measurement of the production and lepton charge asymmetry of WW bosons in $Pb+Pb$ collisions at $\sqrt{s_{NN}} = 2.76 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2015, 75, 23. | 3.9 | 41 |
| 296 | Jet energy measurement and its systematic uncertainty in proton-proton collisions at $\sqrt{s} = 7 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2015, 75, 17. | 3.9 | 268 |
| 297 | Search for invisible particles produced in association with single-top-quarks in proton-proton collisions at $\sqrt{s} = 8 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2015, 75, 79. | 3.9 | 30 |
| 298 | Search for resonant diboson production in the $t\bar{t} \rightarrow q\bar{q} \ell\ell$ final state in pp collisions at $\sqrt{s} = 8 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2015, 75, 69. | 3.9 | 74 |
| 299 | Measurements of the WW production cross sections in association with jets with the ATLAS detector. European Physical Journal C, 2015, 75, 82. | 3.9 | 92 |
| 300 | Search for dark matter in events with heavy quarks and missing transverse momentum in pp collisions with the ATLAS detector. European Physical Journal C, 2015, 75, 92. | 3.9 | 77 |
| 301 | Measurement of the $t\bar{t} \rightarrow q\bar{q} \ell\ell$ production cross-section as a function of jet multiplicity and jet transverse momentum in 7 TeV proton-proton collisions with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1. | 4.7 | 30 |
| 302 | Measurement of the $WW + WZ$ cross section and limits on anomalous triple gauge couplings using final states with one lepton, missing transverse momentum, and two jets with the ATLAS detector at $\sqrt{s} = 7 \text{ TeV}$. Journal of High Energy Physics, 2015, 2015, 1. | 4.7 | 27 |
| 303 | Searches for heavy long-lived charged particles with the ATLAS detector in proton-proton collisions at $\sqrt{s} = 8 \text{ TeV}$. Journal of High Energy Physics, 2015, 2015, 1. | 4.7 | 33 |
| 304 | Search for the $b\bar{b} \rightarrow b\bar{b}$ decay of the Standard Model Higgs boson in associated $(W/Z)H$ production with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1. | 4.7 | 89 |
| 305 | Measurement of the inclusive jet cross-section in proton-proton collisions at $\sqrt{s} = 7 \text{ TeV}$ using 4.5 fb^{-1} of data with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1. | 4.7 | 35 |
| 306 | Search for anomalous production of prompt same-sign lepton pairs and pair-produced doubly charged Higgs bosons with $\sqrt{s} = 8 \text{ TeV}$ pp collisions using the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1. | 4.7 | 60 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 307 | Search for charged Higgs bosons decaying via $H \rightarrow t\bar{t}, b\bar{b}$ in fully hadronic final states using pp collision data at $s = 8$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2015, 2015, 1. | 4.7 | 69 |
| 308 | Search for production of WW/WZ resonances decaying to a lepton, neutrino and jets in pp collisions at $s = 8$ TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2015, 75, 209. | 3.9 | 79 |
| 309 | Performance of the ATLAS muon trigger in pp collisions at $s = 8$ TeV. <i>European Physical Journal C</i> , 2015, 75, 120. | 3.9 | 62 |
| 310 | Search for Higgs boson pair production in the $b\bar{b} b\bar{b}$ final state from pp collisions at $s = 8$ TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2015, 75, 412. | 3.9 | 90 |
| 311 | Determination of spin and parity of the Higgs boson in the $WW \rightarrow e^+ e^- \mu^+ \mu^-$ decay channel with the ATLAS detector. <i>European Physical Journal C</i> , 2015, 75, 231. | 3.9 | 21 |
| 312 | Search for new phenomena in final states with an energetic jet and large missing transverse momentum in pp collisions at $s = 8$ TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2015, 75, 299. | 3.9 | 238 |
| 313 | Search for a new resonance decaying to a W or Z boson and a Higgs boson in the $ell^+ ell^- + b\bar{b}$ final states with the ATLAS detector. <i>European Physical Journal C</i> , 2015, 75, 263. | 3.9 | 60 |
| 314 | Measurement of three-jet production cross-sections in pp collisions at 7 TeV centre-of-mass energy using the ATLAS detector. <i>European Physical Journal C</i> , 2015, 75, 228. | 3.9 | 23 |
| 315 | Constraints on the off-shell Higgs boson signal strength in the high-mass ZZ and WW final states with the ATLAS detector. <i>European Physical Journal C</i> , 2015, 75, 335. | 3.9 | 95 |
| 316 | Identification and energy calibration of hadronically decaying tau leptons with the ATLAS experiment in pp collisions at $s = 8$ TeV. <i>European Physical Journal C</i> , 2015, 75, 303. | 3.9 | 70 |
| 317 | Study of the spin and parity of the Higgs boson in diboson decays with the ATLAS detector. <i>European Physical Journal C</i> , 2015, 75, 476. | 3.9 | 174 |
| 318 | Observation and measurements of the production of prompt and non-prompt J/ψ mesons in association with a Z boson in pp collisions at $s = 8$ TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2015, 75, 229. | 3.9 | 64 |
| 319 | Search for the Standard Model Higgs boson produced in association with top quarks and decaying into $b\bar{b}$ in pp collisions at $s = 8$ TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2015, 75, 349. | 3.9 | 123 |
| 320 | Search for supersymmetry in events containing a same-flavour opposite-sign dilepton pair, jets, and large missing transverse momentum in pp collisions with the ATLAS detector. <i>European Physical Journal C</i> , 2015, 75, 318. | 3.9 | 56 |
| 321 | Search for heavy long-lived multi-charged particles in pp collisions at $s = 8$ TeV using the ATLAS detector. <i>European Physical Journal C</i> , 2015, 75, 362. | 3.9 | 36 |
| 322 | Two-particle Bose-Einstein correlations in pp collisions at $s = 0.9$ and 7 TeV measured with the ATLAS detector. <i>European Physical Journal C</i> , 2015, 75, 466. | 3.9 | 42 |
| 323 | Measurement of the top quark mass in the $t\bar{t}$ channels using $s = 7$ TeV ATLAS data. <i>European Physical Journal C</i> , 2015, 75, 330. | 3.9 | 52 |
| 324 | ATLAS Run 1 searches for direct pair production of third-generation squarks at the Large Hadron Collider. <i>European Physical Journal C</i> , 2015, 75, 510. | 3.9 | 138 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 325 | Measurement of the inclusive jet cross-section in proton-proton collisions at ($\sqrt{s}=7$) TeV using 4.5 fb^{-1} of data with the ATLAS detector. <i>Nature</i> , 2015, 518, 1. | 3 | |
| 326 | Search for production of (WW/WZ) resonances decaying to a lepton, neutrino and jets in (pp) collisions at ($\sqrt{s}=8$) TeV with the ATLAS detector. <i>Nature</i> , 2015, 518, 1. | 1 | |
| 327 | Search for new phenomena in final states with an energetic jet and large missing transverse momentum in pp collisions at ($\sqrt{s}=8$) TeV with the ATLAS detector. <i>Nature</i> , 2015, 518, 1. | 2 | |
| 328 | Search for neutral Higgs bosons of the minimal supersymmetric standard model in pp collisions at $s = 8 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2014, 2014, 1. | 4.7 | 82 |
| 329 | Measurement of the muon reconstruction performance of the ATLAS detector using 2011 and 2012 LHC proton-proton collision data. <i>European Physical Journal C</i> , 2014, 74, 3130. | 3.9 | 213 |
| 330 | Measurements of jet vetoes and azimuthal decorrelations in dijet events produced in pp p p collisions at $\sqrt{s}=7$ TeV using the ATLAS detector. <i>European Physical Journal C</i> , 2014, 74, 3117. | 3.9 | 40 |
| 331 | A measurement of the ratio of the production cross sections for W and Z bosons in association with jets with the ATLAS detector. <i>European Physical Journal C</i> , 2014, 74, 3168. | 3.9 | 23 |
| 332 | Measurements of fiducial and differential cross sections for Higgs boson production in the diphoton decay channel at $s = 8 \text{ TeV}$ with ATLAS. <i>Journal of High Energy Physics</i> , 2014, 2014, 1. | 4.7 | 45 |
| 333 | Search for supersymmetry in events with large missing transverse momentum, jets, and at least one tau lepton in 20 fb^{-1} of $s = 8 \text{ TeV}$ proton-proton collision data with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2014, 2014, 1. | 4.7 | 12 |
| 334 | Search for squarks and gluinos with the ATLAS detector in final states with jets and missing transverse momentum using $s = 8 \text{ TeV}$ proton-proton collision data. <i>Journal of High Energy Physics</i> , 2014, 2014, 1. | 4.7 | 128 |
| 335 | Measurement of the $t\bar{t}$ production cross-section using $e\mu$ events with b-tagged jets in pp p p collisions at $\sqrt{s}=7$ TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2014, 74, 3109. | 3.9 | 143 |
| 336 | Search for top squark pair production in final states with one isolated lepton, jets, and missing transverse momentum in $s = 8 \text{ TeV}$ pp collisions with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2014, 2014, 1. | 4.7 | 66 |
| 337 | Muon reconstruction efficiency and momentum resolution of the ATLAS experiment in proton-proton collisions at $\sqrt{s}=7$ TeV in 2010. <i>European Physical Journal C</i> , 2014, 74, 3034. | 3.9 | 58 |
| 338 | Electron and photon energy calibration with the ATLAS detector using LHC Run 1 data. <i>European Physical Journal C</i> , 2014, 74, 1. | 3.9 | 172 |
| 339 | Search for contact interactions and large extra dimensions in the dilepton channel using proton-proton collisions at $\sqrt{s}\sim 8$ TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2014, 74, 3134. | 3.9 | 48 |
| 340 | Measurement of flow harmonics with multi-particle cumulants in Pb+Pb collisions at $\sqrt{s_{NN}}=2.76$ TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2014, 74, 3157. | 3.9 | 68 |
| 341 | Measurement of distributions sensitive to the underlying event in inclusive Z-boson production in pp p p collisions at $\sqrt{s}=7$ TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2014, 74, 3195. | 3.9 | 46 |
| 342 | Search for direct pair production of the top squark in all-hadronic final states in proton-proton collisions at $s = 8 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2014, 2014, 1. | 4.7 | 41 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 343 | Measurement of the production cross-section of $\tilde{\chi}^0(2S) \rightarrow \tilde{J}/\psi(\tilde{\chi}^{1/2} + \tilde{\chi}^{1/2}) \rightarrow e^+ e^-$ in pp collisions at $s = 7 \text{ TeV}$ at ATLAS. <i>Journal of High Energy Physics</i> , 2014, 2014, 1. | 4.7 | 21 |
| 344 | Measurement of the $Z/\tilde{\chi}^0$ boson transverse momentum distribution in pp collisions at $s = 7 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2014, 2014, 1. | 4.7 | 131 |
| 345 | Search for strong production of supersymmetric particles in final states with missing transverse momentum and at least three b-jets at $s = 8 \text{ TeV}$ proton-proton collisions with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2014, 2014, 1. | 4.7 | 38 |
| 346 | Measurement of differential production cross-sections for a Z boson in association with b-jets in 7 TeV proton-proton collisions with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2014, 2014, 1. | 4.7 | 45 |
| 347 | Search for long-lived neutral particles decaying into lepton jets in proton-proton collisions at $s = 8 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2014, 2014, 1. | 4.7 | 47 |
| 348 | Search for pair and single production of new heavy quarks that decay to a Z boson and a third-generation quark in pp collisions at $s = 8 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2014, 2014, 1. | 4.7 | 35 |
| 349 | Measurement of the top quark pair production charge asymmetry in proton-proton collisions at $s = 7 \text{ TeV}$ using the ATLAS detector. <i>Journal of High Energy Physics</i> , 2014, 2014, 1. | 4.7 | 42 |
| 350 | Search for the direct production of charginos, neutralinos and staus in final states with at least two hadronically decaying taus and missing transverse momentum in pp collisions at $s = 8 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2014, 2014, 1. | 4.7 | 40 |
| 351 | The differential production cross section of the $\phi(1020)$ meson in $s = 7 \text{ TeV}$ pp collisions measured with the ATLAS detector. <i>European Physical Journal C</i> , 2014, 74, 2895. | 3.9 | 13 |
| 352 | Electron reconstruction and identification efficiency measurements with the ATLAS detector using the 2011 LHC proton-proton collision data. <i>European Physical Journal C</i> , 2014, 74, 2941. | 3.9 | 204 |
| 353 | Measurement of the underlying event in jet events from 7 TeV proton-proton collisions with the ATLAS detector. <i>European Physical Journal C</i> , 2014, 74, 1. | 3.9 | 23 |
| 354 | Measurement of the centrality and pseudorapidity dependence of the integrated elliptic flow in lead-lead collisions at $s_{NN} = 2.76 \text{ TeV}$ with the ATLAS detector. <i>European Physical Journal C</i> , 2014, 74, 2982. | 3.9 | 22 |
| 355 | Light-quark and gluon jet discrimination in pp collisions at $s = 7 \text{ TeV}$ with the ATLAS detector. <i>European Physical Journal C</i> , 2014, 74, 3023. | 3.9 | 77 |
| 356 | Measurement of the electroweak production of dijets in association with a Z -boson and distributions sensitive to vector boson fusion in proton-proton collisions at $s = 8 \text{ TeV}$ using the ATLAS detector. <i>Journal of High Energy Physics</i> , 2014, 2014, 1. | 4.7 | 22 |
| 357 | Search for direct production of charginos and neutralinos in events with three leptons and missing transverse momentum in $s = 8 \text{ TeV}$ pp collisions with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2014, 2014, 1. | 4.7 | 88 |
| 358 | Measurement of the production cross section of prompt J/ψ mesons in association with a $W \pm$ boson in pp collisions at $s = 7 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2014, 2014, 1. | 4.7 | 35 |
| 359 | Measurement of dijet cross-sections in pp collisions at 7 TeV centre-of-mass energy using the ATLAS detector. <i>Journal of High Energy Physics</i> , 2014, 2014, 1. | 4.7 | 36 |
| 360 | Measurement of the production of a W boson in association with a charm quark in pp collisions at $s = 7 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2014, 2014, 1. | 4.7 | 59 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 361 | Search for direct production of charginos, neutralinos and sleptons in final states with two leptons and missing transverse momentum in pp collisions at $\sqrt{s} = 8\text{TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1. | 4.7 | 145 |
| 362 | Search for supersymmetry at $\sqrt{s} = 8\text{TeV}$ in final states with jets and two same-sign leptons or three leptons with the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1. | 4.7 | 45 |
| 363 | Measurement of the low-mass Drell-Yan differential cross section at $\sqrt{s} = 7\text{TeV}$ using the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1. | 4.7 | 25 |
| 364 | Search for direct top-squark pair production in final states with two leptons in pp collisions at $\sqrt{s} = 8\text{TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1. | 4.7 | 59 |
| 365 | Measurement of $t\bar{t} c_1$ and $t\bar{t} c_2$ production with $\sqrt{s} = 7\text{TeV}$ pp collisions at ATLAS. Journal of High Energy Physics, 2014, 2014, 1. | 4.7 | 32 |
| 366 | Search for microscopic black holes and string balls in final states with leptons and jets with the ATLAS detector at $\sqrt{s} = 8\text{TeV}$. Journal of High Energy Physics, 2014, 2014, 1. | 4.7 | 10 |
| 367 | Search for new particles in events with one lepton and missing transverse momentum in pp collisions at $\sqrt{s} = 8\text{TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1. | 4.7 | 45 |
| 368 | Search for direct top squark pair production in events with a Z boson, b-jets and missing transverse momentum in $\sqrt{s}=8\text{TeV}$ pp collisions with the ATLAS detector. European Physical Journal C, 2014, 74, 2883. | 3.9 | 55 |
| 369 | Measurement of the ($t\bar{t}$) production cross-section using (emu) events with (b)-tagged jets in (pp) collisions at ($\sqrt{s}=7$) and 8 TeV with the ATLAS detector. , 2014, 74, 1. | 2 | |
| 370 | Measurement of the production cross section of jets in association with a Z boson in pp collisions at $\sqrt{s}=7\text{TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2013, 2013, 1. | 4.7 | 73 |
| 371 | Measurement of the cross-section for W boson production in association with b-jets in pp collisions at $\sqrt{s}=7\text{TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2013, 2013, 1. | 4.7 | 53 |
| 372 | Search for third generation scalar leptoquarks in pp collisions at $\sqrt{s}=7\text{TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2013, 2013, 1. | 4.7 | 32 |
| 373 | Search for dark matter candidates and large extra dimensions in events with a jet and missing transverse momentum with the ATLAS detector. Journal of High Energy Physics, 2013, 2013, 1. | 4.7 | 137 |
| 374 | Measurement of ZZ production in pp collisions at $\sqrt{s}=7\text{TeV}$ and limits on anomalous ZZZ and ZZ \tilde{l}^3 couplings with the ATLAS detector. Journal of High Energy Physics, 2013, 2013, 1. | 4.7 | 61 |
| 375 | Search for charged Higgs bosons through the violation of lepton universality in $t\bar{t}$ events using pp collision data at $\sqrt{s}=7\text{TeV}$ with the ATLAS experiment. Journal of High Energy Physics, 2013, 2013, 1. | 4.7 | 19 |
| 376 | Search for the neutral Higgs bosons of the minimal supersymmetric standard model in pp collisions at $\sqrt{s}=7\text{TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2013, 2013, 1. | 4.7 | 52 |
| 377 | Measurement of k T splitting scales in $t\bar{t}$ events at $\sqrt{s} = 7\text{TeV}$ with the ATLAS detector. European Physical Journal C, 2013, 73, 2432. | 3.9 | 19 |
| 378 | Search for a light charged Higgs boson in the decay channel $H^{\pm} \rightarrow l^{\pm} \nu$ in $t\bar{t}$ events using pp collisions at $\sqrt{s} = 7\text{TeV}$ with the ATLAS detector. European Physical Journal C, 2013, 73, 2465. | 3.9 | 119 |


| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 379 | Search for direct third-generation squark pair production in final states with missing transverse momentum and two b-jets in $\sqrt{s}=8$ TeV pp collisions with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2013, 2013, 1. | 4.7 | 102 |
| 380 | Search for new phenomena in final states with large jet multiplicities and missing transverse momentum at $\sqrt{s}=8$ TeV proton-proton collisions using the ATLAS experiment. <i>Journal of High Energy Physics</i> , 2013, 2013, 1. | 4.7 | 71 |
| 381 | Measurement of the differential cross-section of B + meson production in pp collisions at $\sqrt{s}=7$ TeV at ATLAS. <i>Journal of High Energy Physics</i> , 2013, 2013, 1. | 4.7 | 31 |
| 382 | Performance of jet substructure techniques for large-R jets in proton-proton collisions at $\sqrt{s}=7$ TeV using the ATLAS detector. <i>Journal of High Energy Physics</i> , 2013, 2013, 1. | 4.7 | 52 |
| 383 | Improved luminosity determination in pp collisions at $\sqrt{s} = 7$ TeV using the ATLAS detector at the LHC. <i>European Physical Journal C</i> , 2013, 73, 2518. | 3.9 | 362 |
| 384 | Measurement of the inclusive jet cross-section in pp collisions at $\sqrt{s}=2.76$ TeV and comparison to the inclusive jet cross-section at $\sqrt{s}=7$ TeV using the ATLAS detector. <i>European Physical Journal C</i> , 2013, 73, 2509. | 3.9 | 105 |
| 385 | Multi-channel search for squarks and gluinos in $\sqrt{s}=7$ TeV pp collisions with the ATLAS detector at the LHC. <i>European Physical Journal C</i> , 2013, 73, 2362. | 3.9 | 34 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 397 | Single hadron response measurement and calorimeter jet energy scale uncertainty with the ATLAS detector at the LHC. European Physical Journal C, 2013, 73, 1. | 3.9 | 45 |
| 398 | Jet energy resolution in proton-proton collisions at $\sqrt{s} = 7 \text{ TeV}$ recorded in 2010 with the ATLAS detector. European Physical Journal C, 2013, 73, 2306. | 3.9 | 209 |
| 399 | Measurement of the $t\bar{t}$ production cross section in the tau + jets channel using the ATLAS detector. European Physical Journal C, 2013, 73, 2328. | 3.9 | 45 |
| 400 | Search for WH production with a light Higgs boson decaying to prompt electron-jets in proton-proton collisions at $\sqrt{s} = 7 \text{ TeV}$ with the ATLAS detector. New Journal of Physics, 2013, 15, 043009. | 2.9 | 15 |
| 401 | Search for Gluinos in Events with Two Same-Sign Leptons, Jets, and Missing Transverse Momentum with the ATLAS Detector in pp Collisions at $\sqrt{s} = 7 \text{ TeV}$. Physical Review Letters, 2012, 108, 241802. | 7.8 | 37 |
| 402 | Measurement of the azimuthal ordering of charged hadrons with the ATLAS detector. Physical Review D, 2012, 86, . | 4.7 | 3 |
| 403 | Search for Scalar Bottom Quark Pair Production with the ATLAS Detector in pp Collisions at $\sqrt{s} = 7 \text{ TeV}$. Physical Review Letters, 2012, 108, 181802. | 7.8 | 61 |
| 404 | ATLAS measurements of the properties of jets for boosted particle searches. Physical Review D, 2012, 86, . | 4.7 | 21 |
| 405 | Search for New Phenomena in $\sqrt{s} = 7 \text{ TeV}$ Events with Large Missing Transverse Momentum in Proton-Proton Collisions at $\sqrt{s} = 7 \text{ TeV}$. Physical Review Letters, 2012, 108, 181803. | 7.8 | 46 |
| 406 | Search for Pair Production of a Heavy Up-Type Quark Decaying to a $t\bar{t}$ System in $\sqrt{s} = 7 \text{ TeV}$ Events. Physical Review Letters, 2012, 108, 181804. | 7.8 | 31 |
| 407 | Search for Pair Production of a Heavy Up-Type Quark in the $\sqrt{s} = 7 \text{ TeV}$ Events. Physical Review Letters, 2012, 108, 181805. | 7.8 | 80 |
| 408 | Measurement of inclusive jet and dijet production in pp collisions at $\sqrt{s} = 7 \text{ TeV}$ using the ATLAS detector. Physical Review D, 2012, 86, . | 4.7 | 135 |
| 409 | Observation of a New $t\bar{t}$ Production Cross Section in $\sqrt{s} = 7 \text{ TeV}$ Events. Physical Review Letters, 2012, 109, 081801. | 7.8 | 90 |
| 410 | Measurement of the production cross section of an isolated photon associated with jets in proton-proton collisions at $\sqrt{s} = 7 \text{ TeV}$. Physical Review Letters, 2012, 109, 081802. | 4.7 | 45 |
| 411 | Measurement of the production cross section of an isolated photon associated with jets in the ATLAS detector. Physical Review D, 2012, 85, . | 7.8 | 33 |
| 412 | Underlying event characteristics and their dependence on jet size of charged-particle jet events in pp collisions at $\sqrt{s} = 7 \text{ TeV}$ with the ATLAS detector. Physical Review D, 2012, 86, . | 4.7 | 12 |
| 413 | Search for Pair Production of a New $t\bar{t}$ System in $\sqrt{s} = 7 \text{ TeV}$ Events. Physical Review Letters, 2012, 109, 081803. | 7.8 | 26 |
| 414 | Measurement of the azimuthal anisotropy for charged particle production in $\sqrt{s} = 7 \text{ TeV}$ lead-lead collisions with the ATLAS detector. Physical Review C, 2012, 86, . | 2.9 | 365 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 415 | Search for the Higgs Boson in the $WW^*(\rightarrow l^+l^-/\tau^+\tau^-)$ Decay Channel in pp Collisions at $\sqrt{s} = 7 \text{ TeV}$ with the ATLAS Detector. <i>Physical Review Letters</i> , 2012, 108, 111802. | 7.8 | 35 |
| 416 | Search for a Light Higgs Boson Decaying to Long-Lived Weakly Interacting Particles in Proton-Proton Collisions at $\sqrt{s} = 7 \text{ TeV}$. <i>Physical Review Letters</i> , 2012, 108, 251801. | 7.8 | 61 |
| 417 | Further search for supersymmetry at $\sqrt{s} = 7 \text{ TeV}$. <i>Physical Review D</i> , 2012, 86. | 7.8 | Te |
| 418 | Search for anomalous production of prompt like-sign muon pairs and constraints on physics beyond the standard model with the ATLAS detector. <i>Physical Review D</i> , 2012, 85. | 4.7 | 26 |
| 419 | Production of jets from $t\bar{t}$ collisions at $\sqrt{s} = 7 \text{ TeV}$. <i>Physical Review Letters</i> , 2012, 109, 012001. | 4.7 | 23 |
| 420 | Determination of the Strange Quark Density of the Proton from ATLAS Measurements of the $\Lambda \pm$ Production in Jets. <i>Physical Review Letters</i> , 2012, 109, 012001. | 7.8 | 117 |
| 421 | Search for Production of Resonant States in the Photon-Jet Mass Distribution Using pp Collisions at $\sqrt{s} = 7 \text{ TeV}$ Collected by the ATLAS Detector. <i>Physical Review Letters</i> , 2012, 108, 211802. | 7.8 | 12 |
| 422 | Limits on Anomalous Neutral Triple Gauge Couplings in Proton-Proton Collisions at $\sqrt{s} = 7 \text{ TeV}$. <i>Physical Review Letters</i> , 2012, 108, 041804. | 7.8 | 33 |
| 423 | Search for Supersymmetry in Events with Three Leptons and Missing Transverse Momentum in $\sqrt{s} = 7 \text{ TeV}$ pp Collisions with the ATLAS Detector. <i>Physical Review Letters</i> , 2012, 108, 261804. | 7.8 | 33 |
| 424 | Search for pair-produced heavy quarks decaying to $t\bar{t}$. <i>Physical Review Letters</i> , 2012, 108, 261804. | 4.7 | 23 |
| 425 | Search for Down-Type Fourth Generation Quarks with the ATLAS Detector in Events with One Lepton and Hadronically Decaying $t\bar{t}$. <i>Physical Review Letters</i> , 2012, 109, 032001. | 7.8 | 40 |
| 426 | Study of jets produced in association with charm quarks. <i>Physical Review Letters</i> , 2012, 109, 032001. | 4.7 | 47 |
| 427 | Search for resonant WZ production in the $WZ \rightarrow l^+l^-/\tau^+\tau^-$ channel in $\sqrt{s} = 7 \text{ TeV}$ pp collisions with the ATLAS detector. <i>Physical Review D</i> , 2012, 85, . | 4.7 | 12 |
| 428 | A study of the material in the ATLAS inner detector using secondary hadronic interactions. <i>Journal of Instrumentation</i> , 2012, 7, P01013-P01013. | 1.2 | 23 |
| 429 | Measurement of the cross section for top-quark pair production in pp collisions at $\sqrt{s} = 7 \text{ TeV}$ with the ATLAS detector using final states with two high-p T leptons. <i>Journal of High Energy Physics</i> , 2012, 2012, 1. | 4.7 | 45 |
| 430 | Jet mass and substructure of inclusive jets in $\sqrt{s} = 7 \text{ TeV}$ pp collisions with the ATLAS experiment. <i>Journal of High Energy Physics</i> , 2012, 2012, 1. | 4.7 | 88 |
| 431 | Measurement of inclusive two-particle angular correlations in pp collisions with the ATLAS detector at the LHC. <i>Journal of High Energy Physics</i> , 2012, 2012, 1. | 4.7 | 12 |
| 432 | Hunt for new phenomena using large jet multiplicities and missing transverse momentum with ATLAS in 4.7 fb^{-1} of $\sqrt{s} = 7 \text{ TeV}$ proton-proton collisions. <i>Journal of High Energy Physics</i> , 2012, 2012, 1. | 4.7 | 53 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 433 | A search for \overline{t} resonances in lepton+jets events with highly boosted top quarks collected in pp collisions at $\sqrt{s} = 7$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2012, 2012, 1. | 4.7 | 40 |
| 434 | Search for the Standard Model Higgs boson in the $H \rightarrow \tau^+ \tau^-$ decay mode in $\sqrt{s} = 7$ TeV pp collisions with ATLAS. <i>Journal of High Energy Physics</i> , 2012, 2012, 1. | 4.7 | 43 |
| 435 | A search for flavour changing neutral currents in top-quark decays in pp collision data collected with the ATLAS detector at $\sqrt{s}=7$ TeV. <i>Journal of High Energy Physics</i> , 2012, 2012, 1. | 4.7 | 34 |
| 436 | Measurements of the pseudorapidity dependence of the total transverse energy in proton-proton collisions at $\sqrt{s}=7$ TeV with ATLAS. <i>Journal of High Energy Physics</i> , 2012, 2012, 1. | 4.7 | 15 |
| 437 | Search for a heavy top-quark partner in final states with two leptons with the ATLAS detector at the LHC. <i>Journal of High Energy Physics</i> , 2012, 2012, 1. | 4.7 | 54 |
| 438 | Search for high-mass resonances decaying to dilepton final states in pp collisions at $\sqrt{s}=7$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2012, 2012, 1. | 4.7 | 54 |
| 439 | Search for anomalous production of prompt like-sign lepton pairs at $\sqrt{s}=7$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2012, 2012, 1. | 4.7 | 17 |
| 440 | Search for pair production of massive particles decaying into three quarks with the ATLAS detector in $\sqrt{s}=7$ TeV pp collisions at the LHC. <i>Journal of High Energy Physics</i> , 2012, 2012, 1. | 4.7 | 48 |
| 441 | Search for R-parity-violating supersymmetry in events with four or more leptons in $\sqrt{s}=7$ TeV pp collisions with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2012, 2012, 1. | 4.7 | 13 |
| 442 | Search for excited leptons in proton-proton collisions at $\sqrt{s}=7$ TeV with the ATLAS detector. <i>Physical Review D</i> , 2012, 85, . | 4.7 | 14 |
| 443 | Measurement of the isolated photon cross section in $\sqrt{s}=7$ TeV pp collisions with the ATLAS detector. <i>Physical Review D</i> , 2012, 85, . | 4.7 | 41 |
| 444 | Search for supersymmetry in $\sqrt{s}=7$ TeV pp collisions with the ATLAS detector. <i>Physical Review D</i> , 2012, 85, . | 4.7 | 24 |
| 445 | Search for supersymmetry in $\sqrt{s}=7$ TeV pp collisions with the ATLAS detector. <i>Physical Review D</i> , 2012, 85, . | 4.7 | 31 |
| 446 | Search for supersymmetry in $\sqrt{s}=7$ TeV pp collisions with the ATLAS detector. <i>Physical Review D</i> , 2012, 85, . | 4.7 | 58 |
| 447 | Search for supersymmetry in $\sqrt{s}=7$ TeV pp collisions with the ATLAS detector. <i>Physical Review D</i> , 2012, 85, . | 4.7 | 30 |
| 448 | Measurement of the transverse momentum distribution of Z bosons in $\sqrt{s}=7$ TeV pp collisions with the ATLAS detector. <i>Physical Review D</i> , 2012, 85, . | 4.7 | 37 |
| 449 | Search for supersymmetry in final states with jets, missing transverse momentum and one isolated lepton in $\sqrt{s}=7$ TeV pp collisions using 1 fb of ATLAS data. <i>Physical Review D</i> , 2012, 85, . | 4.7 | 57 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 451 | Measurement of the b-hadron production cross section using decays to $\text{b} \rightarrow \text{hadrons}$ final states in pp collisions at $\sqrt{s} = 7 \text{ TeV}$. Nuclear Physics B, 2012, 864, 341-381. | 2.5 | 31 |
| 452 | Search for the decay $\text{b} \rightarrow \text{hadrons}$ with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2012, 713, 387-407. | 4.1 | 59 |
| 453 | Search for events with large missing transverse momentum, jets, and at least two tau leptons in 7 TeV proton-proton collision data with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2012, 714, 180-196. | 4.1 | 12 |
| 454 | Search for supersymmetry with jets, missing transverse momentum and at least one hadronically decaying $\tilde{\chi}_1^0$, lepton in proton-proton collisions at $\sqrt{s} = 7 \text{ TeV}$ with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2012, 714, 197-214. | 4.1 | 6 |
| 455 | Search for supersymmetry with jets, missing transverse momentum and at least one hadronically decaying $\tilde{\chi}_1^0$, lepton in proton-proton collisions at $\sqrt{s} = 7 \text{ TeV}$ with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2012, 714, 197-214. | 4.1 | 17 |
| 456 | Electron performance measurements with the ATLAS detector using the 2010 LHC proton-proton collision data. European Physical Journal C, 2012, 72, 1. | 3.9 | 248 |
| 457 | Rapidity gap cross sections measured with the ATLAS detector in pp collisions at $\sqrt{s} = 7 \text{ TeV}$. European Physical Journal C, 2012, 72, 1. | 3.9 | 100 |
| 458 | Search for anomaly-mediated supersymmetry breaking with the ATLAS detector based on a disappearing-track signature in pp collisions at $\sqrt{s} = 7 \text{ TeV}$. European Physical Journal C, 2012, 72, 1. | 3.9 | 13 |
| 459 | Measurement of $\text{t}\bar{\text{t}}$ production with a veto on additional central jet activity in pp collisions at $\sqrt{s}=7 \text{ TeV}$ using the ATLAS detector. European Physical Journal C, 2012, 72, 2043. | 3.9 | 109 |
| 460 | A search for $\text{t}\bar{\text{t}}$ resonances with the ATLAS detector in 2.05 fb^{-1} of proton-proton collisions at $\sqrt{s} = 7 \text{ TeV}$. European Physical Journal C, 2012, 72, 2083. | 3.9 | 25 |
| 461 | Search for second generation scalar leptoquarks in pp collisions at $\sqrt{s}=7 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2012, 72, 1. | 3.9 | 37 |
| 462 | Search for a fermiophobic Higgs boson in the diphoton decay channel with the ATLAS detector. European Physical Journal C, 2012, 72, 1. | 3.9 | 16 |
| 463 | Measurement of $\text{W} \pm \text{Z}$ production in proton-proton collisions at $\sqrt{s}=7 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2012, 72, 1. | 3.9 | 59 |
| 464 | Search for top and bottom squarks from gluino pair production in final states with missing transverse energy and at least three b-jets with the ATLAS detector. European Physical Journal C, 2012, 72, 1. | 3.9 | 25 |
| 465 | Measurement of event shapes at large momentum transfer with the ATLAS detector in pp collisions at $\sqrt{s}=7 \text{ TeV}$. European Physical Journal C, 2012, 72, 1. | 3.9 | 22 |
| 466 | Search for supersymmetry in events with large missing transverse momentum, jets, and at least one tau lepton in 7 TeV proton-proton collision data with the ATLAS detector. European Physical Journal C, 2012, 72, 1. | 3.9 | 13 |
| 467 | Search for light scalar top-quark pair production in final states with two leptons with the ATLAS detector in $\sqrt{s}=7 \text{ TeV}$ proton-proton collisions. European Physical Journal C, 2012, 72, 1. | 3.9 | 31 |
| 468 | ATLAS search for a heavy gauge boson decaying to a charged lepton and a neutrino in pp collisions at $\sqrt{s} = 7 \text{ TeV}$. European Physical Journal C, 2012, 72, 1. | 3.9 | 36 |



| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 487 | Measurement of the top quark pair production cross section in pp collisions at $\sqrt{s} = 7\text{ TeV}$ with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2012, 710, 538-556. | 4.1 | 361 |
| 488 | Measurement of the η -dependent transverse momentum dependence of the elliptic flow of charged particles in lead+lead collisions at $\sqrt{s} = 200\text{ GeV}$ with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2012, 710, 37-47. | 4.1 | 231 |
| 489 | Search for displaced vertices arising from decays of new heavy particles in 7 TeV pp collisions at ATLAS. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2012, 707, 478-496. | 4.1 | 39 |
| 490 | Search for new physics in the dijet mass distribution using 1 fb^{-1} of pp collision data at $\sqrt{s} = 7\text{ TeV}$ collected by the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2012, 707, 37-54. | 4.1 | 231 |
| 491 | Searches for supersymmetry with the ATLAS detector using final states with two leptons and missing transverse momentum in $\sqrt{s} = 7\text{ TeV}$ pp collisions. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2012, 707, 37-54. | 4.1 | 8 |
| 492 | Search for first generation scalar leptoquarks in pp collisions at $\sqrt{s} = 7\text{ TeV}$ with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2012, 707, 37-54. | 4.1 | 58 |
| 493 | Combined search for the Standard Model Higgs boson using up to 4.9 fb^{-1} of pp collision data at $\sqrt{s} = 7\text{ TeV}$ with the ATLAS detector at the LHC. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2012, 710, 49-66. | 4.1 | 109 |
| 494 | Search for strong gravity signatures in same-sign dimuon final states using the ATLAS detector at the LHC. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2012, 709, 322-340. | 4.1 | 17 |
| 495 | Search for squarks and gluinos using final states with jets and missing transverse momentum with the ATLAS detector in $\sqrt{s} = 7\text{ TeV}$ pp collisions. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2012, 710, 363-382. | 4.1 | 109 |
| 496 | Measurement of the triple gauge coupling in proton+proton collisions at $\sqrt{s} = 7\text{ TeV}$ with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2012, 710, 363-382. | 4.1 | 109 |
| 497 | Measurement of the triple gauge coupling in proton+proton collisions at $\sqrt{s} = 7\text{ TeV}$ with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2012, 710, 363-382. | 4.1 | 109 |
| 498 | Search for the Standard Model Higgs boson in the decay channel $H \rightarrow \tau^{\pm} \nu \tau^{\mp} \nu$ with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2012, 710, 363-382. | 4.1 | 21 |
| 499 | Search for the Standard Model Higgs boson in the decay channel $H \rightarrow \tau^{\pm} \nu \tau^{\mp} \nu$ with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2012, 710, 363-382. | 4.1 | 21 |
| 500 | Search for heavy vector-like quarks coupling to light quarks in proton+proton collisions at $\sqrt{s} = 7\text{ TeV}$ with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2012, 712, 22-39. | 4.1 | 109 |
| 501 | Measurement of the top quark pair production cross-section with ATLAS in the single lepton channel. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2012, 711, 244-263. | 4.1 | 36 |
| 502 | Search for contact interactions in dilepton events from pp collisions at $\sqrt{s} = 7\text{ TeV}$ with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2012, 712, 22-39. | 4.1 | 109 |
| 503 | Measurement of the top quark pair production cross-section with ATLAS in the single lepton channel. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2012, 711, 244-263. | 4.1 | 69 |
| 504 | Search for contact interactions in dilepton events from pp collisions at $\sqrt{s} = 7\text{ TeV}$ with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2012, 712, 40-58. | 4.1 | 109 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 505 | Measurement of the WW cross section in $\sqrt{s} = 7\text{ TeV}$ pp collisions with the ATLAS detector in $t\bar{t}$ decays to ZZ final states with leptons and jets with the ATLAS detector in $\sqrt{s} = 7\text{ TeV}$ pp collisions. Search for new particle decaying to ZZ final states with leptons and jets with the ATLAS detector in $\sqrt{s} = 7\text{ TeV}$ pp collisions. Search for top quark production at $\sqrt{s} = 7\text{ TeV}$ with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High Energy Physics, 2012, 712, 351-369. | 4.1 | 40 |
| 506 | Search for top quark production at $\sqrt{s} = 7\text{ TeV}$ with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High Energy Physics, 2012, 712, 351-369. | 4.1 | 16 |
| 507 | Search for decays of stopped, long-lived particles from 7 TeV pp collisions with the ATLAS detector. European Physical Journal C, 2012, 72, 1. | 3.9 | 15 |

510

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 523 | <p>Measurement of the differential cross-sections of inclusive, prompt and non-prompt η production in proton-proton collisions at $\sqrt{s} = 7\text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2011, 71, 1.</p> | 2.5 | 163 |
| 524 | <p>Search for heavy long-lived charged particles with the ATLAS detector in pp collisions at $\sqrt{s} = 7\text{ TeV}$. European Physical Journal C, 2011, 71, 1.</p> | 4.1 | 41 |
| 525 | <p>Search for a heavy gauge boson decaying to a charged lepton and a neutrino in 1 fb$^{-1}$ of pp collisions at the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2011, 705, 28-46.</p> | 4.1 | 66 |
| 526 | <p>Search for new phenomena with the monojet and missing transverse momentum signature using the ATLAS detector in proton-proton collisions at $\sqrt{s} = 7\text{ TeV}$. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2011, 705, 28-46.</p> | 4.1 | 45 |
| 527 | <p>Search for new phenomena with the monojet and missing transverse momentum signature using the ATLAS detector in proton-proton collisions at $\sqrt{s} = 7\text{ TeV}$. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2011, 705, 28-46.</p> | 4.1 | 45 |
| 528 | <p>Search for the Standard Model Higgs boson in the decay channel $H \rightarrow Z Z^*$ in proton-proton collisions. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2011, 705, 294-312.</p> | 4.1 | 22 |
| 529 | <p>Search for the Standard Model Higgs boson in the decay channel $H \rightarrow Z Z^*$. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2011, 705, 294-312.</p> | 4.1 | 57 |
| 530 | <p>Search for the Standard Model Higgs boson in the two photon decay channel with the ATLAS detector at the LHC. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2011, 705, 294-312.</p> | 4.1 | 23 |
| 531 | <p>Measurement of the inclusive isolated prompt photon cross-section in pp collisions at $\sqrt{s} = 7\text{ TeV}$. European Physical Journal C, 2011, 71, 1.</p> | 4.1 | 49 |
| 532 | <p>Measurement of the inclusive isolated prompt photon cross-section in pp collisions at $\sqrt{s} = 7\text{ TeV}$. European Physical Journal C, 2011, 71, 1.</p> | 4.1 | 49 |
| 533 | <p>Measurement of inclusive jet and dijet cross sections in proton-proton collisions at 7 TeV centre-of-mass energy with the ATLAS detector. European Physical Journal C, 2011, 71, 1.</p> | 3.9 | 114 |
| 534 | <p>Measurement of the top quark-pair production cross section with ATLAS in pp collisions at $\sqrt{s} = 7\text{ TeV}$. European Physical Journal C, 2011, 71, 1.</p> | 3.9 | 146 |
| 535 | <p>Studies of the performance of the ATLAS detector using cosmic-ray muons. European Physical Journal C, 2011, 71, 1.</p> | 3.9 | 17 |
| 536 | <p>Luminosity determination in pp collisions at $\sqrt{s} = 7\text{ TeV}$ using the ATLAS detector at the LHC. European Physical Journal C, 2011, 71, 1.</p> | 3.9 | 179 |
| 537 | <p>Measurements of underlying-event properties using neutral and charged particles in pp collisions at $\sqrt{s} = 900\text{ GeV}$ and $\sqrt{s} = 7\text{ TeV}$ with the ATLAS detector at the LHC. European Physical Journal C, 2011, 71, 1.</p> | 3.9 | 31 |
| 538 | <p>Search for an excess of events with an identical flavour lepton pair and significant missing transverse momentum in $\sqrt{s} = 7\text{ TeV}$ proton-proton collisions with the ATLAS detector. European Physical Journal C, 2011, 71, 1.</p> | 3.9 | 18 |
| 539 | <p>Search for supersymmetric particles in events with lepton pairs and large missing transverse momentum in $\sqrt{s} = 7\text{ TeV}$ proton-proton collisions with the ATLAS experiment. European Physical Journal C, 2011, 71, 1.</p> | 3.9 | 41 |
| 540 | <p>Limits on the production of the standard model Higgs boson in pp collisions at $\sqrt{s} = 7\text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2011, 71, 1.</p> | 3.9 | 40 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 541 | Search for diphoton events with large missing transverse energy with 36 pb^{-1} of 7 TeV proton-proton collision data with the ATLAS detector. European Physical Journal C, 2011, 71, 1. | 3.9 | 15 |
| 542 | Measurement of multi-jet cross sections in proton-proton collisions at a 7 TeV center-of-mass energy. European Physical Journal C, 2011, 71, 1. | 3.9 | 60 |
| 543 | Measurement of the jet fragmentation function and transverse profile in proton-proton collisions at a center-of-mass energy of 7 TeV with the ATLAS detector. European Physical Journal C, 2011, 71, 1. | 3.9 | 56 |
| 544 | Search for a heavy neutral particle decaying into an electron and a muon using 1 fb^{-1} of ATLAS data. European Physical Journal C, 2011, 71, 1. | 3.9 | 14 |
| 545 | Search for massive colored scalars in four-jet final states in $\sqrt{s}=7 \text{ TeV}$ proton-proton collisions with the ATLAS detector. European Physical Journal C, 2011, 71, 1. | 3.9 | 39 |
| 546 | Measurement of the inclusive and dijet cross-sections of b-jets in pp collisions at $\sqrt{s}=7 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2011, 71, 1. | 3.9 | 73 |
| 547 | Measurement of dijet production with a veto on additional central jet activity in pp collisions at $\sqrt{s} = 7 \text{ TeV}$ using the ATLAS detector. Journal of High Energy Physics, 2011, 2011, 1. | 4.7 | 46 |
| 548 | Measurement of W^3 and Z^3 production in proton-proton collisions at $\sqrt{s} = 7 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2011, 2011, 1. | 4.7 | 11 |
| 549 | Inclusive search for same-sign dilepton signatures in pp collisions at $\sqrt{s} = 7 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2011, 2011, 1. | 4.7 | 33 |
| 550 | Search for new phenomena in final states with large jet multiplicities and missing transverse momentum using $\sqrt{s} = 7 \text{ TeV}$ pp collisions with the ATLAS detector. Journal of High Energy Physics, 2011, 2011, 1. | 4.7 | 65 |
| 551 | Search for quark contact interactions in dijet angular distributions in pp collisions at $\sqrt{s} = 7 \text{ TeV}$ measured with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particles and High-Energy Physics, 2011, 693, 64-73. | | |
| 552 | Measurement of the centrality dependence of $\langle \eta \rangle_{\text{cent}}$ in lead-lead collisions with the ATLAS detector at the LHC. Physics Letters, Section B: Nuclear, Elementary Particles and High-Energy Physics, 2011, 693, 125-135. | 4.1 | 107 |
| 553 | Measurement of the production cross-section of W^3 bosons in association with jets in pp collisions at $\sqrt{s} = 7 \text{ TeV}$ with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particles and High-Energy Physics, 2011, 698, 325-345. | | |
| 554 | Search for massive long-lived highly ionising particles with the ATLAS detector at the LHC. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2011, 698, 353-370. | 4.1 | 28 |
| 555 | Search for high mass dilepton resonances in pp collisions at $\sqrt{s} = 7 \text{ TeV}$. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2011, 698, 371-378. | 4.1 | 32 |
| 556 | Search for stable hadronising squarks and gluinos with the ATLAS experiment at the LHC. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2011, 701, 1-19. | 4.1 | 52 |
| 557 | Measurement of the W charge asymmetry in the continuum $\sqrt{s} = 7 \text{ TeV}$ collisions. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2011, 701, 12-18. | 4.1 | 38 |
| 558 | Search for high-mass states with one lepton plus missing transverse momentum in proton-proton collisions at $\sqrt{s} = 7 \text{ TeV}$. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2011, 701, 19-24. | 4.1 | 21 |

| # | ARTICLE for squarks and gluinos using final states with jets and missing transverse momentum with the ATLAS detector in <mml:math altimg="s11.gif" overflow="scroll"> | IF | CITATIONS |
|-----|---|------|-----------|
| 559 | $\text{Search for } t\bar{t}\text{, } b\bar{b}\text{, } \text{stop}^{\pm}\text{, } \text{chargino}^{\pm}\text{, } \text{neutralino}^0\text{, } \text{Higgs boson}^0\text{, } \text{and } \text{gluino}^{\pm}\text{ in } p\bar{p}\text{ collisions at } \sqrt{s} = 7\text{ TeV with the ATLAS detector. New Journal of Physics, 2011, 13, 053044.}$ | 4.1 | 126 |
| 560 | $\text{Charged-particle multiplicities in } p\bar{p}\text{ interactions measured with the ATLAS detector at the LHC. New Journal of Physics, 2011, 13, 053033.}$ | 4.1 | 54 |
| 561 | $\text{A search for new physics in dijet mass and angular distributions in } p\bar{p}\text{ collisions at } \sqrt{s} = 7\text{ TeV measured with the ATLAS detector. New Journal of Physics, 2011, 13, 053044.}$ | 2.9 | 116 |
| 562 | $\text{Charged-particle multiplicities in } p\bar{p}\text{ interactions measured with the ATLAS detector at the LHC. New Journal of Physics, 2011, 13, 053033.}$ | 2.9 | 314 |
| 563 | $\text{Measurement of the inelastic proton-proton cross-section at } \sqrt{s}=7\text{ TeV with the ATLAS detector. Nature Communications, 2011, 2, 463.}$ | 12.8 | 160 |
| 564 | $\text{Search for the Higgs Boson in the } WW \rightarrow l^+l^- jj \text{ Decay Channel in } p\bar{p} \text{ Collisions at } \sqrt{s} = 7\text{ TeV with the ATLAS Detector. Physical Review Letters, 2011, 107, 231801.}$ | 7.8 | 23 |
| 565 | $\text{Search for a Heavy Particle Decaying into an Electron and a Muon with the ATLAS Detector in } p\bar{p} \text{ Collisions at } \sqrt{s} = 7\text{ TeV with the ATLAS Detector. Physical Review Letters, 2011, 106, 131802.}$ | 7.8 | 15 |
| 566 | $\text{Search for Supersymmetry Using Final States with One Lepton/Jets and Missing Transverse Momentum with the ATLAS Detector in } p\bar{p} \text{ Collisions at } \sqrt{s} = 7\text{ TeV with the ATLAS Detector. Physical Review Letters, 2011, 106, 131802.}$ | 7.8 | 138 |
| 567 | $\text{Search for Dilepton Resonances in } p\bar{p} \text{ Collisions at } \sqrt{s} = 7\text{ TeV with the ATLAS Detector. Physical Review Letters, 2011, 106, 131802.}$ | 7.8 | 81 |
| 568 | $\text{Measurement of Dijet Azimuthal Decorrelations in } p\bar{p} \text{ Collisions at } \sqrt{s} = 7\text{ TeV with the ATLAS Detector. Physical Review Letters, 2011, 106, 172002.}$ | 7.8 | 61 |
| 569 | $\text{Search for a Standard Model Higgs Boson in the } ZZ \rightarrow +, - \text{ Decay Channel with the ATLAS Detector. Physical Review Letters, 2011, 106, 172002.}$ | 7.8 | 29 |
| 570 | $\text{Search for Diphoton Events with Large Missing Transverse Energy in 7\text{ TeV Proton-Proton Collisions with the ATLAS Detector. Physical Review Letters, 2011, 106, 121803.}$ | 7.8 | 19 |
| 571 | $\text{Title is missing!. Acta Physica Polonica B, 2011, 42, 1689.}$ | 0.8 | 0 |
| 572 | $\text{Readiness of the ATLAS liquid argon calorimeter for LHC Collisions. European Physical Journal C, 2010, 70, 723-753.}$ | 3.9 | 61 |
| 573 | $\text{The ATLAS Inner Detector commissioning and calibration. European Physical Journal C, 2010, 70, 787-821.}$ | 3.9 | 95 |
| 574 | $\text{Drift Time Measurement in the ATLAS Liquid Argon Electromagnetic Calorimeter using Cosmic Muons. European Physical Journal C, 2010, 70, 755-785.}$ | 3.9 | 51 |
| 575 | $\text{Commissioning of the ATLAS Muon Spectrometer with Cosmic Rays. European Physical Journal C, 2010, 70, 875-916.}$ | 3.9 | 23 |
| 576 | $\text{The ATLAS Simulation Infrastructure. European Physical Journal C, 2010, 70, 823-874.}$ | 3.9 | 1,187 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 577 | Readiness of the ATLAS Tile Calorimeter for LHC collisions. European Physical Journal C, 2010, 70, 1193-1236. | 3.9 | 121 |
| 578 | Performance of the ATLAS detector using first collision data. Journal of High Energy Physics, 2010, 2010, 1. | 4.7 | 18 |
| 579 | Measurement of the $W \rightarrow l^+ l^-$ and $Z \rightarrow l^+ l^-$ production cross sections in proton-proton collisions at $\sqrt{s} = 7\text{TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2010, 2010, 1. | 4.7 | 64 |
| 580 | Charged-particle multiplicities in pp interactions at $\sqrt{s} = 7\text{TeV}$ measured with the ATLAS detector at the LHC. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2010, 688, 21-42. | | |
| 581 | Search for New Particles in Two-Jet Final States in 7 TeV Proton-Proton Collisions with the ATLAS Detector at the LHC. Physical Review Letters, 2010, 105, 161801. | 7.8 | 113 |
| 582 | Observation of a Centrality-Dependent Dijet Asymmetry in Lead-Lead Collisions at $\sqrt{s} = 7\text{TeV}$ measured with the ATLAS Detector at the LHC. Physical Review Letters, 2010, 105, 252303. | 7.8 | 581 |
| 583 | Study of the ATLAS MDT spectrometer using high energy CERN combined test beam data. Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment, 2009, 598, 400-415. | 1.6 | 10 |
| 584 | Tau identification using multivariate techniques in ATLAS. , 2009, . | | 0 |
| 585 | System test of the ATLAS muon spectrometer in the H8 beam at the CERN SPS. Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment, 2008, 593, 232-254. | 1.6 | 12 |
| 586 | The ATLAS Experiment at the CERN Large Hadron Collider. Journal of Instrumentation, 2008, 3, S08003-S08003. | 1.2 | 1,752 |
| 587 | Engineering for the ATLAS SemiConductor Tracker (SCT) End-cap. Journal of Instrumentation, 2008, 3, P05002-P05002. | 1.2 | 5 |
| 588 | The silicon microstrip sensors of the ATLAS semiconductor tracker. Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment, 2007, 578, 98-118. | 1.6 | 63 |
| 589 | Multivariate analysis methods in physics. Physics of Particles and Nuclei, 2007, 38, 255-268. | 0.7 | 9 |
| 590 | The ATLAS semiconductor tracker end-cap module. Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment, 2007, 575, 353-389. | 1.6 | 65 |
| 591 | Measurement of the azimuthal angle distribution of leptons from W boson decays as a function of the W transverse momentum in $p_T > 1.8\text{ TeV}$. Physical Review D, 2006, 73, . | 4.7 | 11 |
| 592 | Search for W and Z bosons in the reaction $p + p \rightarrow l^+ l^- + jets + \gamma$ at $\sqrt{s} = 1.8\text{ TeV}$. Physical Review D, 2006, 73, . | 1 | |
| 593 | The barrel modules of the ATLAS semiconductor tracker. Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment, 2006, 568, 642-671. | 1.6 | 79 |
| 594 | Diffusion Rates of Cr_2O_3 and Fe_2O_3 in $MnCr_2O_4$ and $FeCr_2O_4$ Spinels. Advances in Science and Technology, 2006, 46, 27. | 0.2 | 13 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 595 | Measurement of Bottom-Quark Hadron Masses in Exclusive J/ψ Decays with the CDF Detector. <i>Physical Review Letters</i> , 2006, 96, 202001. | 7.8 | 82 |
| 596 | Beam tests of ATLAS SCT silicon strip detector modules. <i>Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment</i> , 2005, 538, 384-407. | 1.6 | 42 |
| 597 | Design and performance of the ABCD3TA ASIC for readout of silicon strip detectors in the ATLAS semiconductor tracker. <i>Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment</i> , 2005, 552, 292-328. | 1.6 | 104 |
| 598 | Diffusion of chromium, manganese, and iron in MnCr ₂ O ₄ spinel. <i>Journal of Phase Equilibria and Diffusion</i> , 2005, 26, 561-564. | 1.4 | 53 |
| 599 | Search for Excited and Exotic Electrons in the e^+e^- Decay Channel in pp̄ Collisions at $\sqrt{s} = 1.96 \text{ TeV}$. <i>Physical Review Letters</i> , 2005, 94, 101802. | 7.8 | 30 |
| 600 | Measurement of the $t\bar{t}$ production cross section in pp̄ collisions at $\sqrt{s} = 1.96 \text{ TeV}$ using lepton+jets events with secondary vertex b-tagging. <i>Physical Review D</i> , 2005, 71, . | 4.7 | 231 |
| 601 | Publisher's Note: Measurement of the W boson polarization in top decay at CDF at $\sqrt{s} = 1.96 \text{ TeV}$ [Phys. Rev. D71, 031101 (2005)]. <i>Physical Review D</i> , 2005, 71, . | 4.7 | 3 |
| 602 | Measurement of the cross section for $t\bar{t}$ production in pp̄ collisions using the kinematics of lepton+jets events. <i>Physical Review D</i> , 2005, 72, . | 4.7 | 39 |
| 603 | Measurement of the Lifetime Difference between B_s Mass Eigenstates. <i>Physical Review Letters</i> , 2005, 94, 101803. | 7.8 | 53 |
| 604 | Search for supersymmetric Higgs bosons in the di-tau decay mode in pp̄ collisions at $\sqrt{s} = 1.8 \text{ TeV}$. <i>Physical Review D</i> , 2005, 72, . | 4.7 | 8 |
| 605 | First Measurements of Inclusive W and Z Cross Sections from Run II of the Fermilab Tevatron Collider. <i>Physical Review Letters</i> , 2005, 94, 091803. | 7.8 | 111 |
| 606 | Measurement of the Cross Section for Prompt Diphoton Production in pp̄ Collisions at $\sqrt{s} = 1.96 \text{ TeV}$. <i>Physical Review Letters</i> , 2005, 95, 022003. | 7.8 | 34 |
| 607 | Measurement of Partial Widths and Search for Direct CP Violation in D0 Meson Decays to $K^+\bar{K}^+$ and $\ell^-\bar{\nu}_\ell$. <i>Physical Review Letters</i> , 2005, 94, 122001. | 7.8 | 38 |
| 608 | Measurement of W^3 and Z^3 Production in pp̄ Collisions at $\sqrt{s} = 1.96 \text{ TeV}$. <i>Physical Review Letters</i> , 2005, 94, 041803. | 7.8 | 32 |
| 609 | $K\bar{S}0$ and $\bar{D}0$ production studies in pp̄ collisions at $\sqrt{s} = 1800 \text{ GeV}$. <i>Physical Review D</i> , 2005, 72, . | 4.7 | 23 |
| 610 | Comparison of three-jet events in pp̄ collisions at $\sqrt{s} = 1.8 \text{ TeV}$ to predictions from a next-to-leading order QCD calculation. <i>Physical Review D</i> , 2005, 71, . | 4.7 | 4 |
| 611 | Study of jet shapes in inclusive jet production in pp̄ collisions at $\sqrt{s} = 1.96 \text{ TeV}$. <i>Physical Review D</i> , 2005, 71, . | 7.6 | 76 |
| 612 | Measurements of bottom-antibottom azimuthal production correlations in proton-antiproton collisions at $\sqrt{s} = 1.8 \text{ TeV}$. <i>Physical Review D</i> , 2005, 71, . | 4.7 | 27 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 613 | Measurement of the $t\bar{t}$ production cross section in $p\bar{p}$ collisions at $\sqrt{s} = 1.96 \text{ TeV}$ using lepton plus jets events with semileptonic B -decays to muons. Physical Review D, 2005, 72, . | 4.7 | 34 |
| 614 | Search for scalar leptoquark pairs decaying to $1/2\bar{1}/2\bar{1}/2\bar{1}$ $q\bar{q}$ in $p\bar{p}$ collisions at $\sqrt{s} = 1.96 \text{ TeV}$. Physical Review D, 2005, 71, . | 4.7 | 7 |
| 615 | Search for $b0\rightarrow p\ell$ and $b0\rightarrow pK$ decays in $p\bar{p}$ collisions at $\sqrt{s} = 1.96 \text{ TeV}$. Physical Review D, 2005, 72, . | 4.7 | 3 |
| 616 | Measurement of the J/ψ meson and b -hadron production cross sections in $p\bar{p}$ collisions at $\sqrt{s} = 1.96 \text{ TeV}$. Physical Review D, 2005, 71, . | 4.7 | 624 |
| 617 | Search for first-generation scalar leptoquarks in $p\bar{p}$ collisions at $\sqrt{s} = 1.96 \text{ TeV}$. Physical Review D, 2005, 72, . | 4.7 | 24 |
| 618 | Measurement of the moments of the hadronic invariant mass distribution in semileptonic B -decays. Physical Review D, 2005, 71, . | 4.7 | 31 |
| 619 | Measurement of the $t\bar{t}$ production cross section in $p\bar{p}$ collisions at $\sqrt{s} = 1.96 \text{ TeV}$ using kinematic fitting of b -tagged lepton+jet events. Physical Review D, 2005, 71, . | 4.7 | 29 |
| 620 | Search for ZZ and ZW production in $p\bar{p}$ collisions at $\sqrt{s} = 1.96 \text{ TeV}$. Physical Review D, 2005, 71, . | 4.7 | 8 |
| 621 | Search for anomalous production of diphoton events with missing transverse energy at CDF and limits on gauge-mediated supersymmetry-breaking models. Physical Review D, 2005, 71, . | 4.7 | 23 |
| 622 | Search for electroweak single-top-quark production in $p\bar{p}$ collisions at $\sqrt{s} = 1.96 \text{ TeV}$. Physical Review D, 2005, 71, . | 4.7 | 37 |
| 623 | Measurement of the W boson polarization in top decay at CDF at $\sqrt{s} = 1.8 \text{ TeV}$. Physical Review D, 2005, 71, . | 4.7 | 24 |
| 624 | Diffusion of Chromium, Manganese, and Iron in $MnCr_{2-x}O_4$ Spinel. Journal of Phase Equilibria and Diffusion, 2005, 26, 561-566. | 1.4 | 1 |
| 625 | Observation of the Narrow State $X(3872)$ in $p\bar{p}$ Collisions at $\sqrt{s} = 1.96 \text{ TeV}$. Physical Review Letters, 2004, 93, 072001. | 7.8 | 531 |
| 626 | Search for $B_s^0\rightarrow l^+l^-$ and $B_d^0\rightarrow l^+l^-$ Decays in $p\bar{p}$ Collisions at $\sqrt{s} = 1.96 \text{ TeV}$. Physical Review Letters, 2004, 93, 032001. | 7.8 | 69 |
| 627 | Search for Kaluza-Klein Graviton Emission in $p\bar{p}$ Collisions at $\sqrt{s} = 1.8 \text{ TeV}$ Using the Missing Energy Signature. Physical Review Letters, 2004, 92, 121802. | 7.8 | 22 |
| 628 | Measurement of the polar-angle distribution of leptons from W boson decay as a function of the W transverse momentum in $p\bar{p}$ collisions at $\sqrt{s} = 1.8 \text{ TeV}$. Physical Review D, 2004, 70, . | 4.7 | 12 |
| 629 | Underlying event in hard interactions at the Fermilab Tevatron $p\bar{p}$ collider. Physical Review D, 2004, 70, . | 4.7 | 82 |
| 630 | Heavy flavor properties of jets produced in $p\bar{p}$ interactions at $\sqrt{s} = 1.8 \text{ TeV}$. Physical Review D, 2004, 69, . | 4.7 | 17 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|------|-----------|
| 631 | Inclusive Double-Pomeron Exchange at the Fermilab Tevatron $\bar{p}p$ Collider. Physical Review Letters, 2004, 93, 141601. | 7.8 | 12 |
| 632 | Direct photon cross section with conversions at CDF. Physical Review D, 2004, 70, . | 4.7 | 23 |
| 633 | Inclusive Search for Anomalous Production of High-pT Like-Sign Lepton Pairs in $p\bar{p}$ Collisions at $s=1.8\text{TeV}$. Physical Review Letters, 2004, 93, 061802. | 7.8 | 10 |
| 634 | Combination of CDF and D0 results on the W boson mass and width. Physical Review D, 2004, 70, . | 4.7 | 50 |
| 635 | Physics at CPLEAR. Physics Reports, 2003, 374, 165-270. | 25.6 | 40 |
| 636 | Cross section for forward J/ψ production in $p\bar{p}$ collisions at $s=1.8\text{TeV}$. Physical Review D, 2002, 66, . | 4.7 | 7 |
| 637 | transitions monitored by strong interactions: a new determination of the $K\bar{L}-K\bar{S}$ mass difference. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2001, 503, 49-57. | 4.1 | 9 |
| 638 | Tracer diffusion of iron in $\text{Fe}-\text{Mn}_1\text{S}_y$ polycrystals. Solid State Communications, 2001, 117, 719-722. | 1.9 | 4 |
| 639 | Transport Properties of $\text{Fe}-\text{MnS}$, Comparison of Different Techniques. Defect and Diffusion Forum, 2001, 194-199, 1731-1736. | 0.4 | 0 |
| 640 | Measurement of the energy dependence of the form factor f_+ in $K^0\rightarrow\pi^0$ decay. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2000, 473, 186-192. | 4.1 | 12 |
| 641 | Design and performance of the ABCD chip for the binary readout of silicon strip detectors in the ATLAS semiconductor tracker. IEEE Transactions on Nuclear Science, 2000, 47, 1843-1850. | 2.0 | 33 |
| 642 | K^0 mass and decay-width differences: CPLEAR evaluation. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 1999, 471, 332-338. | 4.1 | 12 |
| 643 | Search for CP violation in the decay of tagged and K^0 to $\pi^+\pi^-$. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 1998, 425, 391-398. | 4.1 | 23 |
| 644 | The CPLEAR electromagnetic calorimeter. Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment, 1997, 390, 293-320. | 1.6 | 4 |
| 645 | Observation of the CP-conserving $K_S \rightarrow \pi^+\pi^-$ decay amplitude. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 1996, 374, 313-318. | 4.1 | 11 |
| 646 | The CPLEAR detector at CERN. Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment, 1996, 379, 76-100. | 1.6 | 48 |
| 647 | Measurement of the K_L-K_S mass difference using semileptonic decays of tagged neutral kaons. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 1995, 363, 237-242. | 4.1 | 28 |
| 648 | Measurement of the CP violation parameter ϵ_{+-} using tagged K^0 and 0 . Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 1995, 363, 243-248. | 4.1 | 35 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 649 | Tests of CPT symmetry and quantum mechanics with experimental data from CPLEAR. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 1995, 364, 239-245. | 4.1 | 85 |
| 650 | Inclusive measurement of $\pi^+\pi^-$ annihilation at rest in gaseous hydrogen to final states containing π^+ and π^- . Zeitschrift fÃ¼r Physik C-Particles and Fields, 1995, 65, 199-205. | 1.5 | 3 |
| 651 | Bose-Einstein correlations in $\pi^+\pi^-$ annihilations at rest. Zeitschrift fÃ¼r Physik C-Particles and Fields, 1994, 63, 541-547. | 1.5 | 9 |
| 652 | Recent results of the CPLEAR experiment. Nuclear Physics A, 1993, 558, 437-447. | 1.5 | 1 |