

# Mingzhan Xue

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2004652/publications.pdf>

Version: 2024-02-01

25  
papers

1,609  
citations

471509

17  
h-index

610901

24  
g-index

25  
all docs

25  
docs citations

25  
times ranked

2111  
citing authors

#	ARTICLE	IF	CITATIONS
1	Hexokinase-2-Linked Glycolytic Overload and Unscheduled Glycolysisâ€™Driver of Insulin Resistance and Development of Vascular Complications of Diabetes. <i>International Journal of Molecular Sciences</i> , 2022, 23, 2165.	4.1	22
2	Dicarbonyl stress, protein glycation and the unfolded protein response. <i>Glycoconjugate Journal</i> , 2021, 38, 331-340.	2.7	32
3	Reversal of Insulin Resistance in Overweight and Obese Subjects by trans-Resveratrol and Hesperetin Combinationâ€™Link to Dysglycemia, Blood Pressure, Dyslipidemia, and Low-Grade Inflammation. <i>Nutrients</i> , 2021, 13, 2374.	4.1	37
4	Studies of Glyoxalase 1-Linked Multidrug Resistance Reveal Glycolysis-Derived Reactive Metabolite, Methylglyoxal, Is a Common Contributor in Cancer Chemotherapy Targeting the Spliceosome. <i>Frontiers in Oncology</i> , 2021, 11, 748698.	2.8	10
5	Glycolytic overload-driven dysfunction of periodontal ligament fibroblasts in high glucose concentration, corrected by glyoxalase 1 inducer. <i>BMJ Open Diabetes Research and Care</i> , 2020, 8, e001458.	2.8	19
6	Activation of the unfolded protein response in high glucose treated endothelial cells is mediated by methylglyoxal. <i>Scientific Reports</i> , 2019, 9, 7889.	3.3	69
7	Multiple roles of glyoxalase 1-mediated suppression of methylglyoxal glycation in cancer biologyâ€™Involvement in tumour suppression, tumour growth, multidrug resistance and target for chemotherapy. <i>Seminars in Cancer Biology</i> , 2018, 49, 83-93.	9.6	58
8	Sulforaphane Delays Fibroblast Senescence by Curbing Cellular Glucose Uptake, Increased Glycolysis, and Oxidative Damage. <i>Oxidative Medicine and Cellular Longevity</i> , 2018, 2018, 1-16.	4.0	27
9	Glyoxalase 1 copy number variation in patients with well differentiated gastro-entero-pancreatic neuroendocrine tumours (GEP-NET). <i>Oncotarget</i> , 2017, 8, 76961-76973.	1.8	5
10	Women with Recurrent Miscarriage Have Decreased Expression of 25-Hydroxyvitamin D3-1 $\alpha$ -Hydroxylase by the Fetal-Maternal Interface. <i>PLoS ONE</i> , 2016, 11, e0165589.	2.5	18
11	Reappraisal of putative glyoxalase 1-deficient mouse and dicarbonyl stress on embryonic stem cells <i>in vitro</i> . <i>Biochemical Journal</i> , 2016, 473, 4255-4270.	3.7	26
12	The uremic toxin oxythiamine causes functional thiamine deficiency in end-stage renal disease by inhibiting transketolase activity. <i>Kidney International</i> , 2016, 90, 396-403.	5.2	35
13	Improved Glycemic Control and Vascular Function in Overweight and Obese Subjects by Glyoxalase 1 Inducer Formulation. <i>Diabetes</i> , 2016, 65, 2282-2294.	0.6	170
14	Decreased expression of the vitamin D receptor in women with recurrent pregnancy loss. <i>Archives of Biochemistry and Biophysics</i> , 2016, 606, 128-133.	3.0	19
15	Methylglyoxal-induced dicarbonyl stress in aging and disease: first steps towards glyoxalase 1-based treatments. <i>Clinical Science</i> , 2016, 130, 1677-1696.	4.3	124
16	Dicarbonyls and glyoxalase in disease mechanisms and clinical therapeutics. <i>Glycoconjugate Journal</i> , 2016, 33, 513-525.	2.7	130
17	Frequency modulated translocational oscillations of Nrf2, a transcription factor functioning like a wireless sensor. <i>Biochemical Society Transactions</i> , 2015, 43, 669-673.	3.4	15
18	Frequency Modulated Translocational Oscillations of Nrf2 Mediate the Antioxidant Response Element Cytoprotective Transcriptional Response. <i>Antioxidants and Redox Signaling</i> , 2015, 23, 613-629.	5.4	63

#	ARTICLE	IF	CITATIONS
19	Copy number variation of glyoxalase I. <i>Biochemical Society Transactions</i> , 2014, 42, 500-503.	3.4	18
20	Activity, regulation, copy number and function in the glyoxalase system. <i>Biochemical Society Transactions</i> , 2014, 42, 419-424.	3.4	83
21	Measurement of glyoxalase gene expression. <i>Biochemical Society Transactions</i> , 2014, 42, 495-499.	3.4	10
22	Transcriptional control of glyoxalase 1 by Nrf2 provides a stress-responsive defence against dicarbonyl glycation. <i>Biochemical Journal</i> , 2012, 443, 213-222.	3.7	251
23	Glyoxalase in ageing. <i>Seminars in Cell and Developmental Biology</i> , 2011, 22, 293-301.	5.0	154
24	Protein damage in the ageing process: advances in quantitation and the importance of enzymatic defences. <i>SEB Experimental Biology Series</i> , 2009, 62, 227-65.	0.1	0
25	Activation of NF-E2-Related Factor-2 Reverses Biochemical Dysfunction of Endothelial Cells Induced by Hyperglycemia Linked to Vascular Disease. <i>Diabetes</i> , 2008, 57, 2809-2817.	0.6	214