Vassilios P Papageorgiou

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/2013206/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Endophytic Bacteria From the Roots of the Medicinal Plant Alkanna tinctoria Tausch (Boraginaceae): Exploration of Plant Growth Promoting Properties and Potential Role in the Production of Plant Secondary Metabolites. Frontiers in Microbiology, 2021, 12, 633488.	3.5	48
2	Novel electrospun poly-hydroxybutyrate scaffolds as carriers for the wound healing agents alkannins and shikonins. International Journal of Energy Production and Management, 2021, 8, rbab011.	3.7	13
3	Electrospun wound dressings containing bioactive natural products: physico-chemical characterization and biological assessment. Biomaterials Research, 2021, 25, 23.	6.9	31
4	Comparative Study of PEGylated and Conventional Liposomes as Carriers for Shikonin. Fluids, 2018, 3, 36.	1.7	38
5	Advanced Drug Delivery Nanosystems for Shikonin: A Calorimetric and Electron Paramagnetic Resonance Study. Langmuir, 2018, 34, 9424-9434.	3.5	20
6	Metabolic profiling study of shikonin's cytotoxic activity in the Huh7 human hepatoma cell line. Molecular BioSystems, 2017, 13, 841-851.	2.9	10
7	Pistacia lentiscus Oleoresin: Virtual Screening and Identification of Masticadienonic and Isomasticadienonic Acids as Inhibitors of 11l²-Hydroxysteroid Dehydrogenase 1. Planta Medica, 2015, 81, 525-532.	1.3	22
8	Inhibition of c-MYC with involvement of ERK/JNK/MAPK and AKT pathways as a novel mechanism for shikonin and its derivatives in killing leukemia cells. Oncotarget, 2015, 6, 38934-38951.	1.8	70
9	Quantitative determination of alkannins and shikonins in endemic Mediterranean <i>Alkanna</i> species. Biomedical Chromatography, 2014, 28, 923-933.	1.7	20
10	Sterically stabilized liposomes as a potent carrier for shikonin. Journal of Liposome Research, 2014, 24, 230-240.	3.3	21
11	Molecularly imprinted polymers for the isolation of bioactive naphthoquinones from plant extracts. Journal of Chromatography A, 2013, 1315, 15-20.	3.7	29
12	Chimeric advanced drug delivery nano systems (chi-aDDnSs) for shikonin combining dendritic and liposomal technology. International Journal of Pharmaceutics, 2012, 422, 381-389.	5.2	38
13	Structure/Antileishmanial Activity Relationship Study of Naphthoquinones and Dependency of the Mode of Action on the Substitution Patterns. Planta Medica, 2011, 77, 2003-2012.	1.3	33
14	Modeling of hyperbranched polyesters as hosts for the multifunctional bioactive agent shikonin. Physical Chemistry Chemical Physics, 2011, 13, 10808.	2.8	16
15	Pharmacophore-driven identification of PPAR ^{ĵ3} agonists from natural sources. Journal of Computer-Aided Molecular Design, 2011, 25, 107-116.	2.9	45
16	Electrospun fiber mats containing shikonin and derivatives with potential biomedical applications. International Journal of Pharmaceutics, 2011, 409, 216-228.	5.2	139
17	Shikonin-loaded liposomes as a new drug delivery system: Physicochemical characterization and in vitro cytotoxicity. European Journal of Lipid Science and Technology, 2011, 113, 1113-1123.	1.5	20
18	Structure-radical scavenging activity relationship of alkannin/shikonin derivatives. Food Chemistry, 2011. 124. 171-176.	8.2	41

#	Article	IF	CITATIONS
19	Solid-phase extraction for purification of alkannin/shikonin samples and isolation of monomeric and dimeric fractions. Analytical and Bioanalytical Chemistry, 2010, 397, 2221-2232.	3.7	14
20	Naturally Occurring Isohexenylnaphthazarins and Wound Healing: Experimental Study in Dogs. Journal of Cutaneous Medicine and Surgery, 2010, 14, 62-70.	1.2	6
21	Preparative isolation and purification of alkannin/shikonin derivatives from natural products by highâ€speed counterâ€current chromatography. Biomedical Chromatography, 2009, 23, 182-198.	1.7	35
22	Simultaneous determination of monomeric and oligomeric alkannins and shikonins by highâ€performance liquid chromatography–diode array detection–mass spectrometry. Biomedical Chromatography, 2008, 22, 173-190.	1.7	30
23	Radical scavenging activity of various extracts and fractions of sweet orange peel (Citrus sinensis). Food Chemistry, 2006, 94, 19-25.	8.2	384
24	Analysis of alkannin derivatives fromAlkanna species by high-performance liquid chromatography/photodiode array/mass spectrometry. Biomedical Chromatography, 2006, 20, 1359-1374.	1.7	58
25	Analytical Methods for the Determination of Alkannins and Shikonins. Current Organic Chemistry, 2006, 10, 583-622.	1.6	32
26	Recent Advances in Chemistry, Biology and Biotechnology of Alkannins and Shikonins. Current Organic Chemistry, 2006, 10, 2123-2142.	1.6	77
27	Antioxidant activity of natural resins and bioactive triterpenes in oil substrates. Food Chemistry, 2005, 92, 721-727.	8.2	92
28	Analysis of antioxidant compounds in sweet orange peel by HPLC-diode array detection-electrospray ionization mass spectrometry. Biomedical Chromatography, 2005, 19, 138-148.	1.7	132
29	GC-MS analysis of penta- and tetra-cyclic triterpenes from resins ofPistacia species. Part I.Pistacia lentiscus var. Chia. Biomedical Chromatography, 2005, 19, 285-311.	1.7	116
30	Structure determination of oligomeric alkannin and shikonin derivatives. Biomedical Chromatography, 2005, 19, 498-505.	1.7	23
31	GC-MS analysis of penta- and tetra-cyclic triterpenes from resins ofPistacia species. Part II.Pistacia terebinthus var. Chia. Biomedical Chromatography, 2005, 19, 586-605.	1.7	50
32	Encapsulation of isohexenylnaphthazarins in cyclodextrins. Biomedical Chromatography, 2004, 18, 240-247.	1.7	20
33	Study on polymerization of the pharmaceutical substances isohexenylnaphthazarins. Biomedical Chromatography, 2004, 18, 492-500.	1.7	21
34	Study on isohexenylnaphthazarins polymerization in alkaline media. Biomedical Chromatography, 2004, 18, 508-522.	1.7	19
35	Study on the enantiomeric ratio of the pharmaceutical substances alkannin and shikonin. Biomedical Chromatography, 2004, 18, 791-799.	1.7	18
36	Antioxidant activities of alkannin, shikonin and Alkanna tinctoria root extracts in oil substrates. Food Chemistry, 2004, 87, 433-438.	8.2	99

#	Article	IF	CITATIONS
37	Preparation and release studies of alkannin-containing microcapsules. Journal of Microencapsulation, 2004, 21, 161-173.	2.8	22
38	Biological activity of some naturally occurring resins, gums and pigments againstin vitro LDL oxidation. Phytotherapy Research, 2003, 17, 501-507.	5.8	113
39	Lipids of the hexane extract from the roots of medicinal boraginaceous species. Phytochemical Analysis, 2003, 14, 251-258.	2.4	12
40	Synthesis and release studies of shikonin-containing microcapsules prepared by the solvent evaporation method. Journal of Microencapsulation, 2003, 20, 581-596.	2.8	7
41	Inhibitory Activity of Minor Polyphenolic and Nonpolyphenolic Constituents of Olive Oil AgainstIn VitroLow-Density Lipoprotein Oxidation. Journal of Medicinal Food, 2002, 5, 1-7.	1.5	114
42	Alkannin and Shikonin: Effect on Free Radical Processes and on Inflammation - A Preliminary Pharmacochemical Investigation. Archiv Der Pharmazie, 2002, 335, 262.	4.1	81
43	Determination of naturally occurring hydroxynaphthoquinone polymers by size-exclusion chromatography. Chromatographia, 2002, 55, 423-430.	1.3	27
44	The Chemistry and Biology of Alkannin, Shikonin, and Related Naphthazarin Natural Products. Angewandte Chemie - International Edition, 1999, 38, 270-301.	13.8	519
45	Chemical Composition of the Essential Oil of Chios Turpentine. Journal of Essential Oil Research, 1999, 11, 367-368.	2.7	17
46	The Chemistry and Biology of Alkannin, Shikonin, and Related Naphthazarin Natural Products. , 1999, 38, 270.		1
47	The Chemistry and Biology of Alkannin, Shikonin, and Related Naphthazarin Natural Products. Angewandte Chemie - International Edition, 1999, 38, 270-301.	13.8	4
48	Derivatives of Aminoquinones with N-protected Amino Acids. International Journal of Peptide Research and Therapeutics, 1998, 5, 259-262.	0.1	0
49	Derivatives of aminoquinones with N-protected amino acids. International Journal of Peptide Research and Therapeutics, 1998, 5, 259-262.	0.1	7
50	Inhibition of topoisomerase I by naphthoquinone derivatives. Bioorganic and Medicinal Chemistry Letters, 1998, 8, 3385-3390.	2.2	77
51	Efficient Synthesis of Aminonaphthoquinones and Azidobenzohydroquinones:  Mechanistic Considerations of the Reaction of Hydrazoic Acid with Quinones. An Overview. Journal of Organic Chemistry, 1997, 62, 6-10.	3.2	60
52	Asymmetric synthesis of alkannin and shikonin. Tetrahedron Letters, 1997, 38, 7263-7266.	1.4	27
53	Heteroannulation of naphthoquinones. Studies on the reaction of 2â€bromoâ€2,3â€dihydronaphthoquinone derivatives with 1,2â€binucleophiles Journal of Heterocyclic Chemistry, 1996, 33, 709-714.	2.6	3
54	A General Procedure for the Efficient Synthesis of (Alkylamino)naphthoquinones. Journal of Organic Chemistry, 1996, 61, 3031-3033.	3.2	41

VASSILIOS P PAPAGEORGIOU

#	Article	IF	CITATIONS
55	Voltammetric determination of total alkannin using a glassy carbon electrode. Analyst, The, 1993, 118, 179.	3.5	10
56	Phenolic Constituents from Onosma heterophylla. Journal of Natural Products, 1993, 56, 949-952.	3.0	16
57	THE CHEMISTRY OF 1,3-DIOXIMES. A BRIEF REVIEW. Organic Preparations and Procedures International, 1991, 23, 593-610.	1.3	14
58	The Chemical Composition of the Essential Oil of Mastic Gum. Journal of Essential Oil Research, 1991, 3, 107-110.	2.7	39
59	Synthesis and molecular structure of (oxalato)(2,4-hexanedionato)boron(III). Zeitschrift FÃ1⁄4r Kristallographie, 1989, 187, 55-61.	1.1	5
60	Naphthazarins from Onosma heterophylla. Journal of Natural Products, 1987, 50, 618-619.	3.0	8
61	Lipids from roots of Onosma heterophylla. Phytochemistry, 1987, 26, 842-843.	2.9	9
62	A study of the electron impact fragmentation of aliphatic and alicyclic Î ² -dioximes. Organic Mass Spectrometry, 1987, 22, 373-376.	1.3	4
63	Electron impact mass spectra of pyrazole- and pyrazoline-1,2-dioxides. A comparative study with related systems. Organic Mass Spectrometry, 1986, 21, 435-436.	1.3	1
64	Synthesis and antitumor activity of a novel diplatinum complex of the binucleating naphthazarinato ligand. Inorganica Chimica Acta, 1986, 124, 203-206.	2.4	9
65	Novel method for selective esterification of polyhydroxy-anthraquinones. Tetrahedron Letters, 1986, 27, 5881-5882.	1.4	6
66	Oxidation of the dioximes of 1,3-diketones with lead tetra-acetate. Journal of the Chemical Society Perkin Transactions 1, 1985, , 2083.	0.9	11
67	Structure and bonding of mononuclear and homobinuclear chelates of some divalent metal ions with the ligand 1,8-dihydroxyanthraquinone. Canadian Journal of Chemistry, 1982, 60, 2477-2483.	1.1	22
68	Carbon-13 NMR Spectra of Some Naturally Occurring Hydroxynaphthaquinones. Planta Medica, 1980, 40, 305-307.	1.3	8
69	1H–NMR Spectra of Naturally Occurring Isohexenylnaphthazarin Pigments. Planta Medica, 1979, 37, 185-187.	1.3	13
70	Expanding the Biological Properties of Alkannins and Shikonins: Their Impact on Adipogenesis and Life Expectancy in Nematodes. Frontiers in Pharmacology, 0, 13, .	3.5	1