

Victor G Prieto

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2014446/publications.pdf>

Version: 2024-02-01

180
papers

7,185
citations

81900

39
h-index

69250

77
g-index

187
all docs

187
docs citations

187
times ranked

10560
citing authors

#	ARTICLE	IF	CITATIONS
1	Perianal condylomata lata mimicking carcinoma. <i>Journal of Cutaneous Pathology</i> , 2022, 49, 209-214.	1.3	2
2	Appropriate use criteria for ancillary diagnostic testing in dermatopathology: New recommendations for 11 tests and 220 clinical scenarios from the American Society of Dermatopathology Appropriate Use Criteria Committee. <i>Journal of Cutaneous Pathology</i> , 2022, 49, 231-245.	1.3	5
3	Cutaneous Lymphoid Hyperplasia With T-Cell Clonality and Monotypic Plasma Cells Secondary to a Tick Bite: A Hidden Critter and the Power of Deeper Levels. <i>American Journal of Dermatopathology</i> , 2022, 44, 226-229.	0.6	2
4	Diverse landscape of dermatologic toxicities from small-molecule inhibitor cancer therapy. <i>Journal of Cutaneous Pathology</i> , 2022, 49, 61-81.	1.3	5
5	Expression of TRPS1 in phyllodes tumor and sarcoma of the breast. <i>Human Pathology</i> , 2022, 121, 73-80.	2.0	18
6	Eosinophilic homogeneous intracytoplasmic inclusion bodies: Unique viral cytopathic changes associated with epidermodysplasia verruciformis and human papillomavirus type 49. <i>Journal of Cutaneous Pathology</i> , 2022, , .	1.3	1
7	Diagnostic utility of PRAME expression by immunohistochemistry in subungual and non-subungual acral melanocytic lesions. <i>Journal of Cutaneous Pathology</i> , 2022, 49, 859-867.	1.3	10
8	Cutaneous adnexal carcinosarcoma: Immunohistochemical and molecular evidence of epithelial mesenchymal transition. <i>Journal of Cutaneous Pathology</i> , 2021, 48, 526-534.	1.3	1
9	Langerhans cell sarcoma involving skin and showing epidermotropism: A comprehensive review. <i>Journal of Cutaneous Pathology</i> , 2021, 48, 547-557.	1.3	3
10	Prognostic significance of acral lentiginous histologic type in T1 melanoma. <i>Modern Pathology</i> , 2021, 34, 572-583.	5.5	8
11	TRPS1: a highly sensitive and specific marker for breast carcinoma, especially for triple-negative breast cancer. <i>Modern Pathology</i> , 2021, 34, 710-719.	5.5	90
12	Tertiary lymphoid structures with overlapping histopathologic features of cutaneous marginal zone lymphoma during neoadjuvant cemiplimab therapy are associated with antitumor response. <i>Journal of Cutaneous Pathology</i> , 2021, 48, 674-679.	1.3	4
13	Positive Job Search Experience for New Pathologists Seeking First Employment Between 2017 and 2019. <i>Archives of Pathology and Laboratory Medicine</i> , 2021, 145, 1117-1122.	2.5	4
14	Standardized Method for Defining a 1-mm ² Region of Interest for Calculation of Mitotic Rate on Melanoma Whole Slide Images. <i>Archives of Pathology and Laboratory Medicine</i> , 2021, 145, 1255-1263.	2.5	6
15	Is immunohistochemical expression of GATA3 helpful in the differential diagnosis of transformed mycosis fungoides and primary cutaneous CD30-positive T cell lymphoproliferative disorders?. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , 2021, 479, 377-383.	2.8	5
16	Metaplasia mimicking malignancy: A challenging case of florid eccrine squamous syringometaplasia. <i>Journal of Cutaneous Pathology</i> , 2021, 48, 995-998.	1.3	1
17	Melanocytic lesions with blue naevus-like (dendritic) morphology: an update with an emphasis on histopathological, immunophenotypic, and molecular features. <i>Histopathology</i> , 2021, 79, 291-305.	2.9	4
18	Randomized phase II trial of lymphodepletion plus adoptive cell transfer of tumor-infiltrating lymphocytes, with or without dendritic cell vaccination, in patients with metastatic melanoma. , 2021, 9, e002449.		16

#	ARTICLE	IF	CITATIONS
19	Diagnostic utility of <scp>PRAME</scp> in distinguishing proliferative nodules from melanoma in giant congenital melanocytic nevi. <i>Journal of Cutaneous Pathology</i> , 2021, 48, 1410-1415.	1.3	11
20	Telomerase Reverse Transcriptase Protein Expression Is More Frequent in Acral Lentiginous Melanoma Than in Other Types of Cutaneous Melanoma. <i>Archives of Pathology and Laboratory Medicine</i> , 2021, 145, 842-850.	2.5	0
21	Localized cutaneous argyria: Review of a rare clinical mimicker of melanocytic lesions. <i>Annals of Diagnostic Pathology</i> , 2021, 54, 151776.	1.3	4
22	The utility of digital pathology in improving the diagnostic skills of pathology trainees in commonly encountered pigmented cutaneous lesions during the COVID-19 pandemic: A single academic institution experience. <i>Annals of Diagnostic Pathology</i> , 2021, 54, 151807.	1.3	7
23	Immune Checkpoint Inhibitor Therapy as an Eye-Preserving Treatment for Locally Advanced Conjunctival Melanoma. <i>Ophthalmic Plastic and Reconstructive Surgery</i> , 2021, 37, e9-e13.	0.8	11
24	Prognostic Significance of Subungual Anatomic Site in Acral Lentiginous Melanoma. <i>Archives of Pathology and Laboratory Medicine</i> , 2021, 145, 943-952.	2.5	8
25	Transition From a Standard to a Hybrid On-Site and Remote Anatomic Pathology Training Model During the Coronavirus Disease 2019 (COVID-19) Pandemic. <i>Archives of Pathology and Laboratory Medicine</i> , 2021, 145, 22-31.	2.5	25
26	Histologic Patterns of Cutaneous Metastases of Breast Carcinoma: A Clinicopathologic Study of 232 Cases. <i>American Journal of Dermatopathology</i> , 2021, 43, 401-411.	0.6	6
27	Prognostic model for patient survival in primary anorectal mucosal melanoma: stage at presentation determines relevance of histopathologic features. <i>Modern Pathology</i> , 2020, 33, 496-513.	5.5	19
28	Cutaneous neoplasms composed of melanoma and carcinoma: A rare but important diagnostic pitfall and review of the literature. <i>Journal of Cutaneous Pathology</i> , 2020, 47, 36-46.	1.3	2
29	Common traps/pitfalls and emergency diagnosis in dermatopathology. <i>Modern Pathology</i> , 2020, 33, 128-139.	5.5	2
30	Diagnostic performance of adrenal CT in the differentiation of adenoma and pheochromocytoma. <i>Acta Radiologica</i> , 2020, 61, 1080-1086.	1.1	15
31	Measurement of Tumor Thickness in Cutaneous Squamous Cell Carcinomas: Do the Different Methods Provide Better Prognostic Data?. <i>American Journal of Dermatopathology</i> , 2020, 42, 337-342.	0.6	9
32	Three Types of Nodal Melanocytic Nevi in Sentinel Lymph Nodes of Patients With Melanoma: Pitfalls, Immunohistochemistry, and a Review of the Literature. <i>American Journal of Dermatopathology</i> , 2020, 42, 739-744.	0.6	13
33	Clinical validity of a gene expression signature in diagnostically uncertain neoplasms. <i>Personalized Medicine</i> , 2020, 17, 361-371.	1.5	11
34	Factors Influencing US Allopathic Medical Students to Choose Pathology as a Specialty. <i>Academic Pathology</i> , 2020, 7, 2374289520951924.	1.1	29
35	Characterization of novel neutralizing mouse monoclonal antibody JM1-24-3 developed against MUC18 in metastatic melanoma. <i>Journal of Experimental and Clinical Cancer Research</i> , 2020, 39, 273.	8.6	5
36	Correlative study of epigenetic regulation of tumor microenvironment in spindle cell melanomas and cutaneous malignant peripheral nerve sheath tumors. <i>Scientific Reports</i> , 2020, 10, 12996.	3.3	6

#	ARTICLE	IF	CITATIONS
37	Hypertrophic lichenoid dermatitis immune-related adverse event during combined immune checkpoint and exportin inhibitor therapy: A diagnostic pitfall for superficially invasive squamous cell carcinoma. <i>Journal of Cutaneous Pathology</i> , 2020, 47, 954-959.	1.3	8
38	TERT amplification but not activation of canonical Wnt/ β -catenin pathway is involved in acral lentiginous melanoma progression to metastasis. <i>Modern Pathology</i> , 2020, 33, 2067-2074.	5.5	6
39	Lichen planus related to transforming growth factor beta inhibitor in a patient with metastatic chondrosarcoma: a case report. <i>Journal of Cutaneous Pathology</i> , 2020, 47, 490-493.	1.3	4
40	Epithelioid angiomyolipoma mimicking metastatic melanoma in a liver tumor. <i>Journal of Cutaneous Pathology</i> , 2020, 47, 824-828.	1.3	1
41	T-Cell Repertoire in Combination with T-Cell Density Predicts Clinical Outcomes in Patients with Merkel Cell Carcinoma. <i>Journal of Investigative Dermatology</i> , 2020, 140, 2146-2156.e4.	0.7	14
42	Entry of Graduates of US Pathology Residency Programs Into the Workforce: Cohort Data Between 2008 and 2016 Remain Positive and Stable. <i>Academic Pathology</i> , 2020, 7, 2374289520901833.	1.1	8
43	Appropriate use criteria in dermatopathology: Initial recommendations from the American Society of Dermatopathology. <i>Journal of the American Academy of Dermatology</i> , 2019, 80, 189-207.e11.	1.2	16
44	Lichenoid dermatitis from immune checkpoint inhibitor therapy: An immune-related adverse event with mycosis fungoides-like morphologic and molecular features. <i>Journal of Cutaneous Pathology</i> , 2019, 46, 872-877.	1.3	4
45	Unusual cutaneous metastatic carcinoma. <i>Annals of Diagnostic Pathology</i> , 2019, 43, 151399.	1.3	10
46	Role of Immune Response, Inflammation, and Tumor Immune Response-Related Cytokines/Chemokines in Melanoma Progression. <i>Journal of Investigative Dermatology</i> , 2019, 139, 2352-2358.e3.	0.7	23
47	Expression of PD-1 and PD-L1 in Extramammary Paget Disease: Implications for Immune-Targeted Therapy. <i>Cancers</i> , 2019, 11, 754.	3.7	21
48	PD1/PD-L1 Expression in Blastic Plasmacytoid Dendritic Cell Neoplasm. <i>Cancers</i> , 2019, 11, 695.	3.7	12
49	Magnifying glass on spiradenoma and cylindroma histogenesis and tumorigenesis using systematic transcriptome analysis. <i>Annals of Diagnostic Pathology</i> , 2019, 41, 14-23.	1.3	2
50	Comparative transcriptome analysis of sinonasal inverted papilloma and associated squamous cell carcinoma: Out-of-HOX developmental genes. <i>Head and Neck</i> , 2019, 41, 3090-3104.	2.0	5
51	From mycosis fungoides to herpetic folliculitis: The significance of deeper H&E tissue sections in dermatopathology. <i>Journal of Cutaneous Pathology</i> , 2019, 46, 624-626.	1.3	1
52	Melanoma With Loss of BAP1 Expression in Patients With No Family History of BAP1-Associated Cancer Susceptibility Syndrome: A Case Series. <i>American Journal of Dermatopathology</i> , 2019, 41, 167-179.	0.6	14
53	B7-H3 Expression in Merkel Cell Carcinoma-Associated Endothelial Cells Correlates with Locally Aggressive Primary Tumor Features and Increased Vascular Density. <i>Clinical Cancer Research</i> , 2019, 25, 3455-3467.	7.0	24
54	Immunohistochemical and Molecular Features of Melanomas Exhibiting Intratumor and Intertumor Histomorphologic Heterogeneity. <i>Cancers</i> , 2019, 11, 1714.	3.7	5

#	ARTICLE	IF	CITATIONS
55	Aberrant DNA Methylation Predicts Melanoma-Specific Survival in Patients with Acral Melanoma. <i>Cancers</i> , 2019, 11, 2031.	3.7	23
56	Prognostic Significance of "Nonsolid" Microscopic Metastasis in Merkel Cell Carcinoma Sentinel Lymph Nodes. <i>American Journal of Surgical Pathology</i> , 2019, 43, 907-919.	3.7	2
57	Extramammary Paget Disease" A Challenging Case. <i>American Journal of Dermatopathology</i> , 2019, 41, 867-868.	0.6	2
58	Correlation of Tumor Burden in Sentinel Lymph Nodes with Tumor Burden in Nonsentinel Lymph Nodes and Survival in Cutaneous Melanoma. <i>Clinical Cancer Research</i> , 2019, 25, 7585-7593.	7.0	17
59	Distinct Biological Types of Ocular Adnexal Sebaceous Carcinoma: HPV-Driven and Virus-Negative Tumors Arise through Nonoverlapping Molecular-Genetic Alterations. <i>Clinical Cancer Research</i> , 2019, 25, 1280-1290.	7.0	39
60	Update on eighth edition American Joint Committee on Cancer classification for Merkel cell carcinoma and histopathological parameters that determine prognosis. <i>Journal of Clinical Pathology</i> , 2019, 72, 337-340.	2.0	23
61	Melanoma coexisting with solar elastosis: a potential pitfall in the differential diagnosis between nevus and melanoma. <i>Human Pathology</i> , 2019, 84, 270-274.	2.0	3
62	Post-radiation vascular lesions of the breast. <i>Journal of Cutaneous Pathology</i> , 2019, 46, 52-58.	1.3	17
63	BCAT1 and miR-2504: novel methylome signature distinguishes spindle/desmoplastic melanoma from superficial malignant peripheral nerve sheath tumor. <i>Modern Pathology</i> , 2019, 32, 338-345.	5.5	8
64	Update on eighth edition American Joint Committee on Cancer classification for cutaneous melanoma and overview of potential pitfalls in histological examination of staging parameters. <i>Journal of Clinical Pathology</i> , 2019, 72, 265-270.	2.0	21
65	Regressed melanocytic nevi secondary to pembrolizumab therapy: an emerging melanocytic dermatologic effect from immune checkpoint antibody blockade. <i>International Journal of Dermatology</i> , 2019, 58, 1045-1052.	1.0	11
66	Common Cutaneous Neoplasms in Patients with Immunodeficiency: A Case Series. <i>Journal of Immunotherapy and Precision Oncology</i> , 2019, 2, 79-84.	1.4	1
67	Necrotizing Granulomatous Dermatitis and Panniculitis Masquerading as T Cell Lymphoma. <i>Skinmed</i> , 2019, 17, 406-408.	0.0	1
68	Programmed death ligand 1 testing in non-small cell lung carcinoma cytology cell block and aspirate smear preparations. <i>Cancer Cytopathology</i> , 2018, 126, 342-352.	2.4	102
69	Summary of expression of SPARC protein in cutaneous vascular neoplasms and mimickers. <i>Annals of Diagnostic Pathology</i> , 2018, 34, 151-154.	1.3	3
70	Metastatic melanoma with balloon/histiocytoid cytomorphology after treatment with immunotherapy: A histologic mimic and diagnostic pitfall. <i>Journal of Cutaneous Pathology</i> , 2018, 45, 545-549.	1.3	5
71	Dermatologic toxicity from novel therapy using antimicrobial peptide LL37 in melanoma: A detailed examination of the clinicopathologic features. <i>Journal of Cutaneous Pathology</i> , 2018, 45, 539-544.	1.3	13
72	Poly ADP-ribose polymerase1 as a potential therapeutic target in Merkel cell carcinoma. <i>Head and Neck</i> , 2018, 40, 1676-1684.	2.0	9

#	ARTICLE	IF	CITATIONS
73	Appropriate use criteria in dermatopathology: Initial recommendations from the American Society of Dermatopathology. <i>Journal of Cutaneous Pathology</i> , 2018, 45, 563-580.	1.3	22
74	Dermatologic toxicity from immune checkpoint blockade therapy with an interstitial granulomatous pattern. <i>Journal of Cutaneous Pathology</i> , 2018, 45, 504-507.	1.3	25
75	Combining Washout and Noncontrast Data From Adrenal Protocol CT. <i>Academic Radiology</i> , 2018, 25, 861-868.	2.5	6
76	Differentiation of Malignant and Benign Adrenal Lesions With Delayed CT: Multivariate Analysis and Predictive Models. <i>American Journal of Roentgenology</i> , 2018, 210, W156-W163.	2.2	7
77	Granulomatous/sarcoid-like lesions associated with checkpoint inhibitors: a marker of therapy response in a subset of melanoma patients. , 2018, 6, 14.		118
78	Clinical impact of ulceration width, lymphovascular invasion, microscopic satellitosis, perineural invasion, and mitotic rate in patients undergoing sentinel lymph node biopsy for cutaneous melanoma: a retrospective observational study at a comprehensive cancer center. <i>Cancer Medicine</i> , 2018, 7, 583-593.	2.8	45
79	Intratumoral and peritumoral lymphovascular invasion detected by D2-40 immunohistochemistry correlates with metastasis in primary cutaneous Merkel cell carcinoma. <i>Human Pathology</i> , 2018, 77, 98-107.	2.0	8
80	Differential expression of CCR4 in primary cutaneous gamma/delta ($\gamma\delta$) T cell lymphomas and mycosis fungoides: Significance for diagnosis and therapy. <i>Journal of Dermatological Science</i> , 2018, 89, 88-91.	1.9	13
81	Novel enriched pathways in superficial malignant peripheral nerve sheath tumours and spindle/desmoplastic melanomas. <i>Journal of Pathology</i> , 2018, 244, 97-106.	4.5	17
82	Necrotizing fungal gingivitis in a patient with acute myelogenous leukemia: Visible yet obscure. <i>Journal of Oral and Maxillofacial Surgery, Medicine, and Pathology</i> , 2018, 30, 50-54.	0.3	2
83	Transcriptome comparison identifies potential biomarkers of spine and skull base chordomas. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , 2018, 472, 489-497.	2.8	11
84	Validation of Immunohistochemical Assays for Integral Biomarkers in the NCI-MATCH EAY131 Clinical Trial. <i>Clinical Cancer Research</i> , 2018, 24, 521-531.	7.0	64
85	Malignant perivascular epithelioid cell tumor of the oropharynx with strong TFE3 expression mimicking alveolar soft part sarcoma: a case report and review of the literature. <i>Human Pathology</i> , 2018, 76, 149-155.	2.0	11
86	Angiotropism in recurrent cutaneous squamous cell carcinoma: Implications for regional tumor recurrence and extravascular migratory spread. <i>Journal of Cutaneous Pathology</i> , 2018, 46, 152-158.	1.3	5
87	Neoadjuvant immune checkpoint blockade in high-risk resectable melanoma. <i>Nature Medicine</i> , 2018, 24, 1649-1654.	30.7	592
88	Metastatic melanoma to the testis. <i>BJR case Reports</i> , 2018, 4, 20170104.	0.2	0
89	Dermal xanthomatous infiltrates after brentuximab vedotin therapy in mycosis fungoides with large cell transformation: A novel histologic finding. <i>Journal of Cutaneous Pathology</i> , 2018, 45, 711-715.	1.3	2
90	Suprabasal acantholytic dermatologic toxicities associated checkpoint inhibitor therapy: A spectrum of immune reactions from paraneoplastic pemphigus-like to Grover-like lesions. <i>Journal of Cutaneous Pathology</i> , 2018, 45, 764-773.	1.3	38

#	ARTICLE	IF	CITATIONS
91	Utility of Intermediate-Delay Washout CT Images for Differentiation of Malignant and Benign Adrenal Lesions: A Multivariate Analysis. <i>American Journal of Roentgenology</i> , 2018, 211, W109-W115.	2.2	12
92	Detection of a MicroRNA molecular signature of ultraviolet radiation in the superficial regions of melanocytic nevi on sun-exposed skin. <i>Modern Pathology</i> , 2018, 31, 1744-1755.	5.5	9
93	Calcinosis cutis dermatologic toxicity associated with fibroblast growth factor receptor inhibitor for the treatment of Wilms tumor. <i>Journal of Cutaneous Pathology</i> , 2018, 45, 786-790.	1.3	18
94	Regression in primary cutaneous melanoma: etiopathogenesis and clinical significance. <i>Laboratory Investigation</i> , 2017, 97, 657-668.	3.7	70
95	Integrated molecular analysis of tumor biopsies on sequential CTLA-4 and PD-1 blockade reveals markers of response and resistance. <i>Science Translational Medicine</i> , 2017, 9, .	12.4	689
96	Gene expression analysis in Cutaneous T-Cell Lymphomas (CTCL) highlights disease heterogeneity and potential diagnostic and prognostic indicators. <i>OncoImmunology</i> , 2017, 6, e1306618.	4.6	78
97	Index report of cutaneous angiosarcomas with strong positivity for tyrosinase mimicking melanoma with further evaluation of melanocytic markers in a large angiosarcoma series. <i>Journal of Cutaneous Pathology</i> , 2017, 44, 692-697.	1.3	5
98	Intraepidermal Merkel cell carcinoma: A case series of a rare entity with clinical follow up. <i>Journal of Cutaneous Pathology</i> , 2017, 44, 684-691.	1.3	29
99	Tumor Thickness and Mitotic Rate Robustly Predict Melanoma-Specific Survival in Patients with Primary Vulvar Melanoma: A Retrospective Review of 100 Cases. <i>Clinical Cancer Research</i> , 2017, 23, 2093-2104.	7.0	48
100	Erythema nodosum-like panniculitis mimicking disease recurrence: A novel toxicity from immune checkpoint blockade therapy—Report of 2 patients. <i>Journal of Cutaneous Pathology</i> , 2017, 44, 1080-1086.	1.3	48
101	Cutaneous angiosarcoma: a current update. <i>Journal of Clinical Pathology</i> , 2017, 70, 917-925.	2.0	91
102	Invasive mold infections of the central nervous system in patients with hematologic cancer or stem cell transplantation (2000–2016): Uncommon, with improved survival but still deadly often. <i>Journal of Infection</i> , 2017, 75, 572-580.	3.3	30
103	Chronic myelomonocytic leukemia masquerading as cutaneous indeterminate dendritic cell tumor: Expanding the spectrum of skin lesions in chronic myelomonocytic leukemia. <i>Journal of Cutaneous Pathology</i> , 2017, 44, 1075-1079.	1.3	27
104	Toward a Molecular-Genetic Classification of Spitzoid Neoplasms. <i>Clinics in Laboratory Medicine</i> , 2017, 37, 431-448.	1.4	29
105	Sentinel Lymph Nodes in Cutaneous Melanoma. <i>Clinics in Laboratory Medicine</i> , 2017, 37, 417-430.	1.4	18
106	Aberrant expression of <i>Fli1</i> in melanoma. <i>Journal of Cutaneous Pathology</i> , 2017, 44, 790-793.	1.3	5
107	Sentinel lymph node biopsy for ocular adnexal melanoma. <i>Acta Ophthalmologica</i> , 2017, 95, e323-e328.	1.1	36
108	Diverse types of dermatologic toxicities from immune checkpoint blockade therapy. <i>Journal of Cutaneous Pathology</i> , 2017, 44, 158-176.	1.3	186

#	ARTICLE	IF	CITATIONS
109	An independent validation of a gene expression signature to differentiate malignant melanoma from benign melanocytic nevi. <i>Cancer</i> , 2017, 123, 617-628.	4.1	86
110	Synchronous presentation of intra-nodal follicular dendritic cell sarcoma and Castleman disease. <i>American Journal of Hematology</i> , 2017, 92, 478-479.	4.1	8
111	Melanoma Expression Genes Identified through Genome-Wide Association Study of Breslow Tumor Thickness. <i>Journal of Investigative Dermatology</i> , 2017, 137, 253-257.	0.7	2
112	Diagnostic performance of 18-F-FDG-PET-CT in adrenal lesions using histopathology as reference standard. <i>Abdominal Radiology</i> , 2017, 42, 577-584.	2.1	11
113	Clinical significance of BRAF V600E mutational status in capsular nevi of sentinel lymph nodes in patients with primary cutaneous melanoma. <i>Human Pathology</i> , 2017, 59, 48-54.	2.0	8
114	Next-generation sequencing identifies high frequency of mutations in potentially clinically actionable genes in sebaceous carcinoma. <i>Journal of Pathology</i> , 2016, 240, 84-95.	4.5	63
115	Giemsa is the optimal counterstain for immunohistochemical detection of BRAF V600E mutation status in pigmented melanomas. <i>Journal of Cutaneous Pathology</i> , 2016, 43, 722-724.	1.3	9
116	Desmoplastic melanoma: an updated immunohistochemical analysis of 40 cases with a proposal for an additional panel of stains for diagnosis. <i>Journal of Cutaneous Pathology</i> , 2016, 43, 313-323.	1.3	58
117	Mutational landscape of lacrimal gland carcinomas and implications for treatment. <i>Head and Neck</i> , 2016, 38, E724-E729.	2.0	26
118	Autoimmune dermatologic toxicities from immune checkpoint blockade with anti-PD-1 antibody therapy: a report on bullous skin eruptions. <i>Journal of Cutaneous Pathology</i> , 2016, 43, 688-696.	1.3	126
119	NFAT1 Directly Regulates IL8 and MMP3 to Promote Melanoma Tumor Growth and Metastasis. <i>Cancer Research</i> , 2016, 76, 3145-3155.	0.9	87
120	Comparison between melanoma gene expression score and fluorescence in situ hybridization for the classification of melanocytic lesions. <i>Modern Pathology</i> , 2016, 29, 832-843.	5.5	55
121	Density, Distribution, and Composition of Immune Infiltrates Correlate with Survival in Merkel Cell Carcinoma. <i>Clinical Cancer Research</i> , 2016, 22, 5553-5563.	7.0	96
122	Imaging mass spectrometry assists in the classification of diagnostically challenging atypical Spitzoid neoplasms. <i>Journal of the American Academy of Dermatology</i> , 2016, 75, 1176-1186.e4.	1.2	38
123	Cutaneous histoplasmosis with prominent parasitization of epidermal keratinocytes: report of a case. <i>Journal of Cutaneous Pathology</i> , 2016, 43, 1155-1160.	1.3	7
124	Loss of CD30 expression after treatment with brentuximab vedotin in a patient with anaplastic large cell lymphoma: a novel finding. <i>Journal of Cutaneous Pathology</i> , 2016, 43, 1161-1166.	1.3	40
125	Analysis of Immune Signatures in Longitudinal Tumor Samples Yields Insight into Biomarkers of Response and Mechanisms of Resistance to Immune Checkpoint Blockade. <i>Cancer Discovery</i> , 2016, 6, 827-837.	9.4	785
126	Cutaneous metastasis from anaplastic thyroid carcinoma exhibiting exclusively a spindle cell morphology. A case report and review of literature. <i>Journal of Cutaneous Pathology</i> , 2016, 43, 252-257.	1.3	8

#	ARTICLE	IF	CITATIONS
127	BRAF inhibitor therapy-associated melanocytic lesions lack the BRAF V600E mutation and show increased levels of cyclin D1 expression. <i>Human Pathology</i> , 2016, 50, 79-89.	2.0	18
128	Proliferation indices correlate with diagnosis and metastasis in diagnostically challenging melanocytic tumors. <i>Human Pathology</i> , 2016, 53, 73-81.	2.0	11
129	Inflammatory Marker Testing Identifies CD74 Expression in Melanoma Tumor Cells, and Its Expression Associates with Favorable Survival for Stage III Melanoma. <i>Clinical Cancer Research</i> , 2016, 22, 3016-3024.	7.0	39
130	Molecular characteristics and potential therapeutic targets in Merkel cell carcinoma. <i>Journal of Clinical Pathology</i> , 2016, 69, 382-390.	2.0	19
131	Histological pattern of Merkel cell carcinoma sentinel lymph node metastasis improves stratification of Stage III patients. <i>Modern Pathology</i> , 2016, 29, 122-130.	5.5	25
132	Role of Radiotherapy in Aggressive Digital Papillary Adenocarcinoma. <i>Annals of Clinical and Laboratory Science</i> , 2016, 46, 222-4.	0.2	5
133	Demographic patterns of cutaneous T-cell lymphoma incidence in Texas based on two different cancer registries. <i>Cancer Medicine</i> , 2015, 4, 1440-1447.	2.8	44
134	Use of clinical next-generation sequencing to identify melanomas harboring <i>SMARCB1</i> mutations. <i>Journal of Cutaneous Pathology</i> , 2015, 42, 308-317.	1.3	11
135	Next-generation sequencing reveals rare genomic alterations in aggressive digital papillary adenocarcinoma. <i>Annals of Diagnostic Pathology</i> , 2015, 19, 381-384.	1.3	24
136	Challenges in the diagnosis of cutaneous adnexal tumours. <i>Journal of Clinical Pathology</i> , 2015, 68, 992-1002.	2.0	31
137	NIH Consensus Development Project on Criteria for Clinical Trials in Chronic Graft-versus-Host Disease: II. The 2014 Pathology Working Group Report. <i>Biology of Blood and Marrow Transplantation</i> , 2015, 21, 589-603.	2.0	228
138	<i>Stenotrophomonas maltophilia</i> with histopathological features mimicking cutaneous gamma/delta T-cell lymphoma. <i>International Journal of Infectious Diseases</i> , 2015, 30, 7-9.	3.3	9
139	Identification of geographic clustering and regions spared by cutaneous T-cell lymphoma in Texas using 2 distinct cancer registries. <i>Cancer</i> , 2015, 121, 1993-2003.	4.1	45
140	HTLV-1-associated infective dermatitis demonstrates low frequency of FOXP3-positive T-regulatory lymphocytes. <i>Journal of Dermatological Science</i> , 2015, 77, 150-155.	1.9	11
141	Shared clonality in distinctive lesions of lymphomatoid papulosis and mycosis fungoides occurring in the same patients suggests a common origin. <i>Human Pathology</i> , 2015, 46, 558-569.	2.0	43
142	Distinct Pathways in the Pathogenesis of Sebaceous Carcinomas Implicated by Differentially Expressed MicroRNAs. <i>JAMA Ophthalmology</i> , 2015, 133, 1109.	2.5	33
143	Utility of BRAF V600E Immunohistochemistry Expression Pattern as a Surrogate of BRAF Mutation Status in 154 Patients with Advanced Melanoma. <i>Human Pathology</i> , 2015, 46, 1101-1110.	2.0	43
144	Differential diagnosis of heavily pigmented melanocytic lesions: challenges and diagnostic approach. <i>Journal of Clinical Pathology</i> , 2015, 68, 963-970.	2.0	21

#	ARTICLE	IF	CITATIONS
145	Beyond BRAF V600 : Clinical Mutation Panel Testing by Next-Generation Sequencing in Advanced Melanoma. <i>Journal of Investigative Dermatology</i> , 2015, 135, 508-515.	0.7	138
146	Predictive factors of activity of anti-programmed death-1/programmed death ligand-1 drugs: immunohistochemistry analysis. <i>Translational Lung Cancer Research</i> , 2015, 4, 743-51.	2.8	31
147	Squamoid Cystosis of Pancreatic Ducts: A Variant of a Newly-Described Cystic Lesion, with Evidence for an Obstructive Etiology. <i>Rare Tumors</i> , 2014, 6, 39-41.	0.6	3
148	Sweet syndrome following vemurafenib therapy for recurrent cholangiocarcinoma. <i>Journal of Cutaneous Pathology</i> , 2014, 41, 326-328.	1.3	28
149	Histological Features Associated With Vemurafenib-Induced Skin Toxicities. <i>American Journal of Dermatopathology</i> , 2014, 36, 557-561.	0.6	17
150	Dermatologic toxicities to targeted cancer therapy: shared clinical and histologic adverse skin reactions. <i>International Journal of Dermatology</i> , 2014, 53, 376-384.	1.0	62
151	Melanoma arising in association with blue nevus: a clinical and pathologic study of 24 cases and comprehensive review of the literature. <i>Modern Pathology</i> , 2014, 27, 1468-1478.	5.5	54
152	Primary orbital melanoma in association with cellular blue nevus. <i>Digital Journal of Ophthalmology: DJO</i> , 2014, 20, 35-40.	0.6	6
153	Impact of the 2009 (7th Edition) AJCC Melanoma Staging System in the Classification of Thin Cutaneous Melanomas. <i>BioMed Research International</i> , 2013, 2013, 1-7.	1.9	15
154	<i>Nocardia yamanashiensis</i> in an immunocompromised patient presenting as an indurated nodule on the dorsal hand. <i>Tumori</i> , 2013, 99, e156-e158.	1.1	3
155	Cutaneous Melanocytic Lesions. <i>Advances in Anatomic Pathology</i> , 2012, 19, 263-269.	4.3	5
156	Sentinel Lymph Nodes in Cutaneous Melanoma. <i>Clinics in Laboratory Medicine</i> , 2011, 31, 301-310.	1.4	14
157	Resistant mechanisms to BRAF inhibitor PLX4032 in melanoma. <i>Expert Review of Dermatology</i> , 2011, 6, 355-357.	0.3	2
158	Immunohistochemistry of Melanocytic Proliferations. <i>Archives of Pathology and Laboratory Medicine</i> , 2011, 135, 853-859.	2.5	87
159	Sentinel Lymph Nodes in Cutaneous Melanoma: Handling, Examination, and Clinical Repercussion. <i>Archives of Pathology and Laboratory Medicine</i> , 2010, 134, 1764-1769.	2.5	34
160	Correlation between KIT expression and KIT mutation in melanoma: a study of 173 cases with emphasis on the acral-lentiginous/mucosal type. <i>Modern Pathology</i> , 2009, 22, 1446-1456.	5.5	196
161	Immunohistochemical detection of lymphovascular invasion with D2â€40 in melanoma correlates with sentinel lymph node status, metastasis and survival. <i>Journal of Cutaneous Pathology</i> , 2009, 36, 1157-1163.	1.3	80
162	Cutaneous Squamous Cell Carcinoma and Inflammation of Actinic Keratoses Associated with Sorafenib. <i>Clinical Genitourinary Cancer</i> , 2009, 7, 20-23.	1.9	103

#	ARTICLE	IF	CITATIONS
163	Sentinel Lymph Nodes in Cutaneous Melanoma. <i>Surgical Pathology Clinics</i> , 2009, 2, 553-563.	1.7	4
164	Use of immunohistochemistry in melanocytic lesions. <i>Journal of Cutaneous Pathology</i> , 2008, 35, 1-10.	1.3	126
165	Expression of P63 in Primary Cutaneous Adnexal Neoplasms and Adenocarcinoma Metastatic to the Skin. <i>Journal of Cutaneous Pathology</i> , 2008, 32, 94-94.	1.3	2
166	Use of frozen sections in the examination of sentinel lymph nodes in patients with melanoma. <i>Seminars in Diagnostic Pathology</i> , 2008, 25, 112-115.	1.5	20
167	Galectin-3 Expression Is Associated with Tumor Progression and Pattern of Sun Exposure in Melanoma. <i>Clinical Cancer Research</i> , 2006, 12, 6709-6715.	7.0	84
168	Comparison of a combination diode laser and radiofrequency device (Polaris®) and a long-pulsed 1064-nm Nd:YAG laser (Lyra®) on leg telangiectases. Histologic and immunohistochemical analysis. <i>Journal of Cosmetic and Laser Therapy</i> , 2006, 8, 191-195.	0.9	8
169	Evaluation of pulsed light and radiofrequency combined for the treatment of acne vulgaris with histologic analysis of facial skin biopsies. <i>Journal of Cosmetic and Laser Therapy</i> , 2005, 7, 63-68.	0.9	56
170	Effects of Intense Pulsed Light and the 1,064 nm Nd:YAG Laser on Sun-Damaged Human Skin: Histologic and Immunohistochemical Analysis. <i>Dermatologic Surgery</i> , 2005, 31, 522-525.	0.8	35
171	Mycosis fungoides-like reaction in a patient treated with Gleevec. <i>Journal of Cutaneous Pathology</i> , 2003, 30, 279-281.	1.3	41
172	Are En Face Frozen Sections Accurate for Diagnosing Margin Status in Melanocytic Lesions?. <i>American Journal of Clinical Pathology</i> , 2003, 120, 203-208.	0.7	20
173	Processing of sentinel lymph nodes for detection of metastatic melanoma. <i>Annals of Diagnostic Pathology</i> , 2002, 6, 257-264.	1.3	94
174	Effects of intense pulsed light on sun-damaged human skin, routine, and ultrastructural analysis. <i>Lasers in Surgery and Medicine</i> , 2002, 30, 82-85.	2.1	123
175	Effects of intense pulsed light on sun-damaged human skin, routine, and ultrastructural analysis*Neil Sadick has disclosed a potential financial conflict of interest with this study.. <i>Lasers in Surgery and Medicine</i> , 2002, 30, 82.	2.1	3
176	Persistent Atypical Lymphocytic Hyperplasia Following Tick Bite in a Child: Report of a Case and Review of the Literature. <i>Pediatric Dermatology</i> , 2001, 18, 481-484.	0.9	29
177	Recurrent melanocytic nevus: a histologic and immunohistochemical evaluation. <i>Journal of Cutaneous Pathology</i> , 2001, 28, 400-406.	1.3	67
178	Down-regulated melanoma differentiation associated gene (mda-7) expression in human melanomas. <i>International Journal of Cancer</i> , 2001, 94, 54-59.	5.1	119
179	Keratotic melanocytic nevus: a clinicopathologic and immunohistochemical study. <i>Journal of Cutaneous Pathology</i> , 2000, 27, 344-350.	1.3	26
180	Amyloid deposition with a granulomatous reaction in a resection specimen: A clue for a preexisting Merkel cell carcinoma. <i>Journal of Cutaneous Pathology</i> , 0, , .	1.3	0