

Viktor H. Koelzer

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2015281/publications.pdf>

Version: 2024-02-01

88
papers

4,694
citations

101543

36
h-index

114465

63
g-index

106
all docs

106
docs citations

106
times ranked

9678
citing authors

#	ARTICLE	IF	CITATIONS
1	Integrated Analysis Of Immunotherapy Treated Clear Cell Renal Cell Carcinomas: An Exploratory Study. <i>Journal of Immunotherapy</i> , 2022, 45, 35-42.	2.4	3
2	Update on the current opinion, status and future development of digital pathology in Switzerland in light of COVID-19. <i>Journal of Clinical Pathology</i> , 2022, 75, 687-689.	2.0	12
3	miR-579-3p Controls Hepatocellular Carcinoma Formation by Regulating the Phosphoinositide 3-Kinase-Protein Kinase B Pathway in Chronically Inflamed Liver. <i>Hepatology Communications</i> , 2022, 6, 1467-1481.	4.3	8
4	Tertiary lymphoid structures critical for prognosis in endometrial cancer patients. <i>Nature Communications</i> , 2022, 13, 1373.	12.8	47
5	Germline MBD4 deficiency causes a multi-tumor predisposition syndrome. <i>American Journal of Human Genetics</i> , 2022, 109, 953-960.	6.2	23
6	Automated causal inference in application to randomized controlled clinical trials. <i>Nature Machine Intelligence</i> , 2022, 4, 436-444.	16.0	8
7	Towards a national strategy for digital pathology in Switzerland. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , 2022, 481, 647-652.	2.8	7
8	Biological Misinterpretation of Transcriptional Signatures in Tumor Samples Can Unknowingly Undermine Mechanistic Understanding and Faithful Alignment with Preclinical Data. <i>Clinical Cancer Research</i> , 2022, 28, 4056-4069.	7.0	14
9	Image-based consensus molecular subtype (imCMS) classification of colorectal cancer using deep learning. <i>Gut</i> , 2021, 70, 544-554.	12.1	148
10	In-depth Clinical and Biological Exploration of DNA Damage Immune Response as a Biomarker for Oxaliplatin Use in Colorectal Cancer. <i>Clinical Cancer Research</i> , 2021, 27, 288-300.	7.0	13
11	Tracing Clonal Dynamics Reveals that Two- and Three-dimensional Patient-derived Cell Models Capture Tumor Heterogeneity of Clear Cell Renal Cell Carcinoma. <i>European Urology Focus</i> , 2021, 7, 152-162.	3.1	34
12	The Tumor Profiler Study: integrated, multi-omic, functional tumor profiling for clinical decision support. <i>Cancer Cell</i> , 2021, 39, 288-293.	16.8	71
13	Oncogenic BRAF, unrestrained by TGF β -receptor signalling, drives right-sided colonic tumorigenesis. <i>Nature Communications</i> , 2021, 12, 3464.	12.8	33
14	Bone Morphogenetic Protein Pathway Antagonism by Grem1 Regulates Epithelial Cell Fate in Intestinal Regeneration. <i>Gastroenterology</i> , 2021, 161, 239-254.e9.	1.3	25
15	Establishing standardized immune phenotyping of metastatic melanoma by digital pathology. <i>Laboratory Investigation</i> , 2021, 101, 1561-1570.	3.7	15
16	Stromal composition predicts recurrence of early rectal cancer after local excision. <i>Histopathology</i> , 2021, 79, 947-956.	2.9	8
17	Towards computationally efficient prediction of molecular signatures from routine histology images. <i>The Lancet Digital Health</i> , 2021, 3, e752-e753.	12.3	7
18	Exploiting differential Wnt target gene expression to generate a molecular biomarker for colorectal cancer stratification. <i>Gut</i> , 2020, 69, 1092-1103.	12.1	52

#	ARTICLE	IF	CITATIONS
19	Two distinct immunopathological profiles in autopsy lungs of COVID-19. <i>Nature Communications</i> , 2020, 11, 5086.	12.8	230
20	The Interleukin 22 Pathway Interacts with Mutant KRAS to Promote Poor Prognosis in Colon Cancer. <i>Clinical Cancer Research</i> , 2020, 26, 4313-4325.	7.0	22
21	Prognostic Integrated Image-Based Immune and Molecular Profiling in Early-Stage Endometrial Cancer. <i>Cancer Immunology Research</i> , 2020, 8, 1508-1519.	3.4	45
22	Single-Cell Quantification of mRNA Expression in The Human Brain. <i>Scientific Reports</i> , 2019, 9, 12353.	3.3	39
23	Uncoupling protein 2 reprograms the tumor microenvironment to support the anti-tumor immune cycle. <i>Nature Immunology</i> , 2019, 20, 206-217.	14.5	51
24	Precision immunoprofiling by image analysis and artificial intelligence. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , 2019, 474, 511-522.	2.8	101
25	Stromal PD-1/PD-L1 Expression Predicts Outcome in Colon Cancer Patients. <i>Clinical Colorectal Cancer</i> , 2019, 18, e20-e38.	2.3	62
26	Abstract B050: Identification of PD-1 ^{hi} TILs and CXCL13 as determinants for response to anti-PD-1 treatment using human tumor explants. , 2019, , .		0
27	Abstract 4446: Assessment of tissue composition with digital pathology in colorectal cancer. , 2019, , .		3
28	Digital image analysis improves precision of PD-L1 scoring in cutaneous melanoma. <i>Histopathology</i> , 2018, 73, 397-406.	2.9	54
29	Critical research gaps and recommendations to inform research prioritisation for more effective prevention and improved outcomes in colorectal cancer. <i>Gut</i> , 2018, 67, 179-193.	12.1	73
30	The T cell repertoire in tumors overlaps with pulmonary inflammatory lesions in patients treated with checkpoint inhibitors. <i>Oncolmmunology</i> , 2018, 7, e1386362.	4.6	62
31	Tumor infiltrating lymphocytes in lymph node metastases of stage III melanoma correspond to response and survival in nine patients treated with ipilimumab at the time of stage IV disease. <i>Cancer Immunology, Immunotherapy</i> , 2018, 67, 39-45.	4.2	45
32	The evolutionary landscape of colorectal tumorigenesis. <i>Nature Ecology and Evolution</i> , 2018, 2, 1661-1672.	7.8	99
33	A transcriptionally and functionally distinct PD-1 ^{hi} CD8 ⁺ T cell pool with predictive potential in non-small-cell lung cancer treated with PD-1 blockade. <i>Nature Medicine</i> , 2018, 24, 994-1004.	30.7	783
34	Association of genetic variations within the PD-L2 immune checkpoint gene with outcome in stage II and III colon cancer.. <i>Journal of Clinical Oncology</i> , 2018, 36, 626-626.	1.6	0
35	Comprehensive assessment of tumour budding by cytokeratin staining in colorectal cancer. <i>Histopathology</i> , 2017, 70, 1044-1051.	2.9	32
36	DNA profiling of tumor buds in colorectal cancer indicates that they have the same mutation profile as the tumor from which they derive. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , 2017, 470, 341-346.	2.8	14

#	ARTICLE	IF	CITATIONS
37	Single-Center Experience with a Targeted Next Generation Sequencing Assay for Assessment of Relevant Somatic Alterations in Solid Tumors. <i>Neoplasia</i> , 2017, 19, 196-206.	5.3	22
38	Digital analysis and epigenetic regulation of the signature of rejection in colorectal cancer. <i>Oncolmmunology</i> , 2017, 6, e1288330.	4.6	11
39	Tumor-associated macrophages and response to 5-fluorouracil adjuvant therapy in stage III colorectal cancer. <i>Oncolmmunology</i> , 2017, 6, e1342918.	4.6	90
40	Cytokeratin-based assessment of tumour budding in colorectal cancer: analysis in stage II patients and prospective diagnostic experience. <i>Journal of Pathology: Clinical Research</i> , 2017, 3, 171-178.	3.0	30
41	The ESRP1-GPR137 axis contributes to intestinal pathogenesis. <i>ELife</i> , 2017, 6, .	6.0	24
42	Colorectal Choriocarcinoma in a Patient with Probable Lynch Syndrome. <i>Frontiers in Oncology</i> , 2016, 6, 252.	2.8	5
43	Systemic inflammation in a melanoma patient treated with immune checkpoint inhibitors—an autopsy study. , 2016, 4, 13.		162
44	Somatic POLE proofreading domain mutation, immune response, and prognosis in colorectal cancer: a retrospective, pooled biomarker study. <i>The Lancet Gastroenterology and Hepatology</i> , 2016, 1, 207-216.	8.1	227
45	Grover's-like drug eruption in a patient with metastatic melanoma under ipilimumab therapy. , 2016, 4, 47.		27
46	Phenotyping of tumor-associated macrophages in colorectal cancer: Impact on single cell invasion (tumor budding) and clinicopathological outcome. <i>Oncolmmunology</i> , 2016, 5, e1106677.	4.6	99
47	Impact of peritumoral and intratumoral budding in esophageal adenocarcinomas. <i>Human Pathology</i> , 2016, 52, 1-8.	2.0	31
48	Tumor budding in colorectal cancer—ready for diagnostic practice?. <i>Human Pathology</i> , 2016, 47, 4-19.	2.0	186
49	The IL-33/ST2 pathway contributes to intestinal tumorigenesis in humans and mice. <i>Oncolmmunology</i> , 2016, 5, e1062966.	4.6	80
50	Abstract 4135: A signature of rejection in colorectal cancer: immune markers and their epigenetic regulation. , 2016, , .		1
51	Loss of tapasin correlates with diminished CD8+ T-cell immunity and prognosis in colorectal cancer. <i>Journal of Translational Medicine</i> , 2015, 13, 279.	4.4	47
52	Tumor budding in colorectal cancer revisited: results of a multicenter interobserver study. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , 2015, 466, 485-493.	2.8	94
53	Tumour border configuration in colorectal cancer: proposal for an alternative scoring system based on the percentage of infiltrating margin. <i>Histopathology</i> , 2015, 67, 464-473.	2.9	19
54	Heterogeneity analysis of Metastasis Associated in Colon Cancer 1 (MACC1) for survival prognosis of colorectal cancer patients: a retrospective cohort study. <i>BMC Cancer</i> , 2015, 15, 160.	2.6	48

#	ARTICLE	IF	CITATIONS
55	Active immunosurveillance in the tumor microenvironment of colorectal cancer is associated with low frequency tumor budding and improved outcome. <i>Translational Research</i> , 2015, 166, 207-217.	5.0	43
56	Suppression of Intratumoral CCL22 by Type I Interferon Inhibits Migration of Regulatory T Cells and Blocks Cancer Progression. <i>Cancer Research</i> , 2015, 75, 4483-4493.	0.9	59
57	Expression of the hyaluronan-mediated motility receptor RHAMM in tumor budding cells identifies aggressive colorectal cancers. <i>Human Pathology</i> , 2015, 46, 1573-1581.	2.0	36
58	Tyrosine kinase receptor B (TrkB) expression in colorectal cancers highlights anoikis resistance as a survival mechanism of tumour budding cells. <i>Histopathology</i> , 2015, 66, 715-725.	2.9	20
59	TWIST1 and TWIST2 promoter methylation and protein expression in tumor stroma influence the epithelial-mesenchymal transition-like tumor budding phenotype in colorectal cancer. <i>Oncotarget</i> , 2015, 6, 874-885.	1.8	64
60	Accumulation of FOXP3+T-cells in the tumor microenvironment is associated with an epithelial-mesenchymal-transition-type tumor budding phenotype and is an independent prognostic factor in surgically resected pancreatic ductal adenocarcinoma. <i>Oncotarget</i> , 2015, 6, 4190-4201.	1.8	52
61	DAPK loss in colon cancer tumor buds: implications for migration capacity of disseminating tumor cells. <i>Oncotarget</i> , 2015, 6, 36774-36788.	1.8	14
62	VE1 immunohistochemistry predicts BRAF V600E mutation status and clinical outcome in colorectal cancer. <i>Oncotarget</i> , 2015, 6, 41453-41463.	1.8	22
63	Abstract 4053: Misregulation of dicer miRNA processing correlates with antigen presentation and survival in colorectal cancer. , 2015, , .		0
64	Intratumoural budding (ITB) in preoperative biopsies predicts the presence of lymph node and distant metastases in colon and rectal cancer patients. <i>British Journal of Cancer</i> , 2014, 110, 1008-1013.	6.4	69
65	A simple Baker's cyst? Tocilizumab remits paraneoplastic signs and controls growth of IL-6-producing angiomatoid malignant fibrous histiocytoma. <i>Rheumatology</i> , 2014, 53, 1350-1352.	1.9	9
66	Tumor Budding in Upper Gastrointestinal Carcinomas. <i>Frontiers in Oncology</i> , 2014, 4, 216.	2.8	37
67	The Tumor Border Configuration of Colorectal Cancer as a Histomorphological Prognostic Indicator. <i>Frontiers in Oncology</i> , 2014, 4, 29.	2.8	48
68	The apoptotic and proliferation rate of tumour budding cells in colorectal cancer outlines a heterogeneous population of cells with various impacts on clinical outcome. <i>Histopathology</i> , 2014, 64, 577-584.	2.9	49
69	Possible role of Cdx2 in the serrated pathway of colorectal cancer characterized by BRAF mutation, high-level CpG Island methylator phenotype and mismatch repair-deficiency. <i>International Journal of Cancer</i> , 2014, 134, 2342-2351.	5.1	51
70	CD8/CD45RO T-cell infiltration in endoscopic biopsies of colorectal cancer predicts nodal metastasis and survival. <i>Journal of Translational Medicine</i> , 2014, 12, 81.	4.4	51
71	Tumor budding in the clinical management of colon and rectal cancer. <i>Colorectal Cancer</i> , 2014, 3, 387-403.	0.8	4
72	Investigation of IL-23 (p19, p40) and IL-23R identifies nuclear expression of IL-23 p19 as a favorable prognostic factor in colorectal cancer: a retrospective multicenter study of 675 patients. <i>Oncotarget</i> , 2014, 5, 4671-4682.	1.8	10

#	ARTICLE	IF	CITATIONS
73	A Modular Approach to Suppression Assays: TLR Ligands, Conditioned Medium, and Viral Infection. <i>Methods in Molecular Biology</i> , 2014, 1169, 107-120.	0.9	0
74	Abstract 34: The receptor for hyaluronan acid mediator motility (RHAMM, CD168) expression in EMT-like cancer cells is a predictor of tumor progression in colorectal cancer. , 2014, , .		0
75	Abstract 3825: High DAPK expression is correlated with worse prognosis in colorectal cancer patients. , 2014, , .		0
76	Next-generation tissue microarray (ngTMA) increases the quality of biomarker studies: an example using CD3, CD8, and CD45RO in the tumor microenvironment of six different solid tumor types. <i>Journal of Translational Medicine</i> , 2013, 11, 104.	4.4	65
77	Tumor budding score based on 10 high-power fields is a promising basis for a standardized prognostic scoring system in stage II colorectal cancer. <i>Human Pathology</i> , 2013, 44, 697-705.	2.0	109
78	Geographic analysis of RKIP expression and its clinical relevance in colorectal cancer. <i>British Journal of Cancer</i> , 2013, 108, 2088-2096.	6.4	36
79	Proposal for a 10-high-power-fields scoring method for the assessment of tumor budding in colorectal cancer. <i>Modern Pathology</i> , 2013, 26, 295-301.	5.5	114
80	Loss of Cdx2 Expression in Primary Tumors and Lymph Node Metastases is Specific for Mismatch Repair-Deficiency in Colorectal Cancer. <i>Frontiers in Oncology</i> , 2013, 3, 265.	2.8	29
81	T-cell infiltrates and tumor budding: promising prognostic factors in the tumor microenvironment of colorectal cancer. <i>Colorectal Cancer</i> , 2013, 2, 173-176.	0.8	0
82	Abstract 4987: Immunoscore of CD8/CD45RO in pre-operative biopsy specimens predicts TNM-stage in primary colorectal cancer.. , 2013, , .		0
83	Abstract 4694: Nuclear expression of IL23p19 shows indolent tumor features and favorable outcome in patients with colorectal cancer.. , 2013, , .		0
84	Prognostic impact of β 2-microglobulin expression in colorectal cancers stratified by mismatch repair status. <i>Journal of Clinical Pathology</i> , 2012, 65, 996-1002.	2.0	36
85	Mo1634 Keeping Check on Tumor-Host Interaction: Triple Positive MHC-I/CD8/Tia1 Expression Improves Outcome in Patients With Colorectal Cancer. <i>Gastroenterology</i> , 2012, 142, S-646.	1.3	0
86	CD103 is a hallmark of tumor-infiltrating regulatory T cells. <i>International Journal of Cancer</i> , 2011, 129, 2417-2426.	5.1	104
87	Immunostimulatory RNA Blocks Suppression by Regulatory T Cells. <i>Journal of Immunology</i> , 2010, 184, 939-946.	0.8	55
88	Short-term activation induces multifunctional dendritic cells that generate potent antitumor T-cell responses in vivo. <i>Cancer Immunology, Immunotherapy</i> , 2009, 58, 901-913.	4.2	15