

Chung-Wu Lin

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/20176/publications.pdf>

Version: 2024-02-01

78
papers

2,805
citations

201385

27
h-index

182168

51
g-index

79
all docs

79
docs citations

79
times ranked

4784
citing authors

#	ARTICLE	IF	CITATIONS
1	p53 controls cancer cell invasion by inducing the MDM2-mediated degradation of Slug. <i>Nature Cell Biology</i> , 2009, 11, 694-704.	4.6	414
2	Identification of a Novel Biomarker, <i>SEMA5A</i> , for Non-Small Cell Lung Carcinoma in Nonsmoking Women. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2010, 19, 2590-2597.	1.1	270
3	Claudin-1 Is a Metastasis Suppressor and Correlates with Clinical Outcome in Lung Adenocarcinoma. <i>American Journal of Respiratory and Critical Care Medicine</i> , 2009, 179, 123-133.	2.5	151
4	<i>Helicobacter pylori</i> eradication therapy is effective in the treatment of early-stage <i>H pylori</i> -positive gastric diffuse large B-cell lymphomas. <i>Blood</i> , 2012, 119, 4838-4844.	0.6	123
5	Novel direct cover vitrification for cryopreservation of ovarian tissues increases follicle viability and pregnancy capability in mice. <i>Human Reproduction</i> , 2006, 21, 2794-2800.	0.4	117
6	A New Tumor Suppressor DnaJ-like Heat Shock Protein, HJ1, and Survival of Patients With Non-Small-Cell Lung Carcinoma. <i>Journal of the National Cancer Institute</i> , 2006, 98, 825-838.	3.0	108
7	Causes, clinical symptoms, and outcomes of infectious diseases associated with hemophagocytic lymphohistiocytosis in Taiwanese adults. <i>Journal of Microbiology, Immunology and Infection</i> , 2011, 44, 191-197.	1.5	80
8	Translocation of <i>Helicobacter pylori</i> CagA into Human B Lymphocytes, the Origin of Mucosa-Associated Lymphoid Tissue Lymphoma. <i>Cancer Research</i> , 2010, 70, 5740-5748.	0.4	79
9	p53 overexpression and mutation in metaplastic carcinoma of the breast: genetic evidence for a monoclonal origin of both the carcinomatous and the heterogeneous sarcomatous components. <i>Journal of Pathology</i> , 2004, 204, 131-139.	2.1	77
10	Lysophosphatidic Acid Up-Regulates Expression of Interleukin-8 and -6 in Granulosa-Lutein Cells through Its Receptors and Nuclear Factor- κ B Dependent Pathways: Implications for Angiogenesis of Corpus Luteum and Ovarian Hyperstimulation Syndrome. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2008, 93, 935-943.	1.8	69
11	EBV-Encoded miR-BART20-5p and miR-BART8 Inhibit the IFN- γ -STAT1 Pathway Associated with Disease Progression in Nasal NK-Cell Lymphoma. <i>American Journal of Pathology</i> , 2014, 184, 1185-1197.	1.9	59
12	Higher bone marrow LGALS3 expression is an independent unfavorable prognostic factor for overall survival in patients with acute myeloid leukemia. <i>Blood</i> , 2013, 121, 3172-3180.	0.6	58
13	Signal mechanisms of vascular endothelial growth factor and interleukin-8 in ovarian hyperstimulation syndrome: dopamine targets their common pathways. <i>Human Reproduction</i> , 2010, 25, 757-767.	0.4	55
14	Expression of cereblon protein assessed by immunohistochemical staining in myeloma cells is associated with superior response of thalidomide- and lenalidomide-based treatment, but not bortezomib-based treatment, in patients with multiple myeloma. <i>Annals of Hematology</i> , 2014, 93, 1371-1380.	0.8	54
15	Overexpression of B cell-activating factor of TNF family (BAFF) is associated with <i>Helicobacter pylori</i> -independent growth of gastric diffuse large B-cell lymphoma with histologic evidence of MALT lymphoma. <i>Blood</i> , 2008, 112, 2927-2934.	0.6	52
16	Formulation of novel lipid-coated magnetic nanoparticles as the probe for in vivo imaging. <i>Journal of Biomedical Science</i> , 2009, 16, 86.	2.6	50
17	The PTEN-AKT-mTOR/RICTOR Pathway in Nasal Natural Killer Cell Lymphoma Is Activated by miR-494-3p via PTEN But Inhibited by miR-142-3p via RICTOR. <i>American Journal of Pathology</i> , 2015, 185, 1487-1499.	1.9	49
18	E2A-positive gastric MALT lymphoma has weaker plasmacytoid infiltrates and stronger expression of the memory B-cell-associated miR-223: possible correlation with stage and treatment response. <i>Modern Pathology</i> , 2010, 23, 1507-1517.	2.9	48

#	ARTICLE	IF	CITATIONS
19	Epstein-Barr Virus Encoded miR-BART20-5p Inhibits T-bet Translation with Secondary Suppression of p53 in Invasive Nasal NK/T-Cell Lymphoma. <i>American Journal of Pathology</i> , 2013, 182, 1865-1875.	1.9	44
20	Lysophosphatidic Acid Mediates Interleukin-8 Expression in Human Endometrial Stromal Cells through Its Receptor and Nuclear Factor- κ B-Dependent Pathway: A Possible Role in Angiogenesis of Endometrium and Placenta. <i>Endocrinology</i> , 2008, 149, 5888-5896.	1.4	37
21	CD94 transcripts imply a better prognosis in nasal-type extranodal NK/T-cell lymphoma. <i>Blood</i> , 2003, 102, 2623-2631.	0.6	36
22	Lysophosphatidic Acid Up-Regulates Expression of Growth-Regulated Oncogene- β , Interleukin-8, and Monocyte Chemoattractant Protein-1 in Human First-Trimester Trophoblasts: Possible Roles in Angiogenesis and Immune Regulation. <i>Endocrinology</i> , 2010, 151, 369-379.	1.4	35
23	CHC promotes tumor growth and angiogenesis through regulation of HIF-1 α and VEGF signaling. <i>Cancer Letters</i> , 2013, 331, 58-67.	3.2	35
24	Restricted Killer Cell Immunoglobulin-Like Receptor Repertoire without T-Cell Receptor β 3 Rearrangement Supports a True Natural Killer-Cell Lineage in a Subset of Sinonasal Lymphomas. <i>American Journal of Pathology</i> , 2001, 159, 1671-1679.	1.9	33
25	Distal Ligament in Human Glans: A Comparative Study of Penile Architecture. <i>Journal of Andrology</i> , 2005, 26, 624-628.	2.0	31
26	Epstein-Barr virus LMP2A suppresses MHC class II expression by regulating the B-cell transcription factors E47 and PU.1. <i>Blood</i> , 2015, 125, 2228-2238.	0.6	30
27	Novel Insights of Lymphomagenesis of Helicobacter pylori-Dependent Gastric Mucosa-Associated Lymphoid Tissue Lymphoma. <i>Cancers</i> , 2019, 11, 547.	1.7	30
28	Soluble PD-L1: A biomarker to predict progression of autologous transplantation in patients with multiple myeloma. <i>Oncotarget</i> , 2016, 7, 62490-62502.	0.8	30
29	Clinicopathologic features and treatment outcome of non-Hodgkin lymphoma of the breast – a review of 42 primary and secondary cases in Taiwanese patients. <i>Leukemia and Lymphoma</i> , 2009, 50, 918-924.	0.6	29
30	VCP Phosphorylation-Dependent Interaction Partners Prevent Apoptosis in Helicobacter pylori-Infected Gastric Epithelial Cells. <i>PLoS ONE</i> , 2013, 8, e55724.	1.1	29
31	Long form collapsin response mediator protein-1 (LCRMP-1) expression is associated with clinical outcome and lymph node metastasis in non-small cell lung cancer patients. <i>Lung Cancer</i> , 2010, 67, 93-100.	0.9	28
32	CD94 1A transcripts characterize lymphoblastic lymphoma/leukemia of immature natural killer cell origin with distinct clinical features. <i>Blood</i> , 2005, 106, 3567-3574.	0.6	24
33	Regulation of EBV LMP1-triggered EphA4 downregulation in EBV-associated B lymphoma and its impact on patients' survival. <i>Blood</i> , 2016, 128, 1578-1589.	0.6	23
34	Human Chorionic Gonadotropin Up-Regulates Expression of Myeloid Cell Leukemia-1 Protein in Human Granulosa-Lutein Cells: Implication of Corpus Luteum Rescue and Ovarian Hyperstimulation Syndrome. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2010, 95, 3982-3992.	1.8	21
35	First-line antibiotic therapy in Helicobacter pylori-negative low-grade gastric mucosa-associated lymphoid tissue lymphoma. <i>Scientific Reports</i> , 2017, 7, 14333.	1.6	21
36	Loss of CD7, independent of galectin-3 expression, implies a worse prognosis in adult T-cell leukaemia/lymphoma. <i>Histopathology</i> , 2009, 54, 214-220.	1.6	20

#	ARTICLE	IF	CITATIONS
37	Expressions of the CagA protein and CagA-signaling molecules predict <i>Helicobacter pylori</i> dependence of early-stage gastric DLBCL. <i>Blood</i> , 2017, 129, 188-198.	0.6	20
38	Spontaneous Regression of Kikuchi Lymphadenopathy With Oligoclonal T-Cell Populations Favors a Benign Immune Reaction Over a T-Cell Lymphoma. <i>American Journal of Clinical Pathology</i> , 2002, 117, 627-635.	0.4	19
39	Inhibition of ZEB1 by miR-200 characterizes <i>Helicobacter pylori</i> -positive gastric diffuse large B-cell lymphoma with a less aggressive behavior. <i>Modern Pathology</i> , 2014, 27, 1116-1125.	2.9	19
40	<i>Helicobacter pylori</i> CagA Translocation Is Closely Associated With the Expression of CagA-signaling Molecules in Low-grade Gastric Mucosa-associated Lymphoid Tissue Lymphoma. <i>American Journal of Surgical Pathology</i> , 2015, 39, 761-766.	2.1	19
41	Long-term Follow-up of Gastrectomized Patients With Mucosa-associated Lymphoid Tissue Lymphoma. <i>Annals of Surgery</i> , 2008, 247, 265-269.	2.1	17
42	EBV-positive Hodgkin lymphoma is associated with suppression of p21cip1/waf1 and a worse prognosis. <i>Molecular Cancer</i> , 2010, 9, 32.	7.9	17
43	Expression of CD19 and lack of miR-223 distinguish extramedullary plasmacytoma from multiple myeloma. <i>Histopathology</i> , 2011, 58, 896-905.	1.6	16
44	An Approach of Multiscale Complexity in Texture Analysis of Lymphomas. <i>IEEE Signal Processing Letters</i> , 2011, 18, 239-242.	2.1	15
45	t(11;18)(q21;q21) translocation as predictive marker for non-responsiveness to salvage thalidomide therapy in patients with marginal zone B-cell lymphoma with gastric involvement. <i>Cancer Chemotherapy and Pharmacology</i> , 2011, 68, 1387-1395.	1.1	14
46	Tunica Outer Layer Plays an Essential Role in Penile Veno-occlusive Mechanism Evidenced from Electrocautery Effects to the Corpora Cavernosa in Defrosted Human Cadavers. <i>Urology</i> , 2015, 86, 1129-1136.	0.5	14
47	Early-stage splenic diffuse large B-cell lymphoma is highly associated with hepatitis C virus infection. <i>Kaohsiung Journal of Medical Sciences</i> , 2013, 29, 150-156.	0.8	13
48	The B-cell-activating factor signalling pathway is associated with <i>Helicobacter pylori</i> independence in gastric mucosa-associated lymphoid tissue lymphoma without t(11;18)(q21;q21). <i>Journal of Pathology</i> , 2017, 241, 420-433.	2.1	13
49	Treatment outcomes of and prognostic factors for definitive radiotherapy with and without chemotherapy for Stage I/II nasal extranodal NK/T-cell lymphoma. <i>Journal of Radiation Research</i> , 2017, 58, 114-122.	0.8	12
50	Early Low-grade Gastric MALToma Rarely Transforms Into Diffuse Large Cell Lymphoma or Progresses Beyond the Stomach and Regional Lymph Nodes. <i>Journal of the Formosan Medical Association</i> , 2010, 109, 463-471.	0.8	11
51	Intramucosal variant of nasal natural killer (NK)/T cell lymphoma has a better survival than does invasive variant: implication on loss of E26 transformation-specific sequence 1 (ETS1) and β expressed in T cells (β) with invasion. <i>Histopathology</i> , 2012, 60, 287-295.	1.6	11
52	Current Status of the Spectrum and Therapeutics of <i>Helicobacter pylori</i> -Negative Mucosa-Associated Lymphoid Tissue Lymphoma. <i>Cancers</i> , 2022, 14, 1005.	1.7	11
53	Presence of Restricted Killer Immunoglobulin-Like Receptor Repertoire and Monoclonal T-Cell Receptor β Rearrangement as Evidence of Mixed NK/T-Cell Differentiation in a Subset of Sinonasal Lymphomas. <i>Laboratory Investigation</i> , 2003, 83, 55-64.	1.7	10
54	miR-155-regulated mTOR and Toll-like receptor 5 in gastric diffuse large B-cell lymphoma. <i>Cancer Medicine</i> , 2022, 11, 555-570.	1.3	10

#	ARTICLE	IF	CITATIONS
55	Establishment of a novel MALT lymphoma cell line, maâ€1, from a patient with t(14;18)(q32;q21)â€positive <i>Helicobacter Pylori</i>â€independent Gastric MALT Lymphoma. <i>Genes Chromosomes and Cancer</i> , 2011, 50, 908-921.	1.5	9
56	FGFR1 translocation with concurrent myeloproliferative neoplasm, systemic mastocytosis, and lymphoblastic lymphoma: a case report. <i>Human Pathology</i> , 2018, 74, 114-121.	1.1	9
57	Cilostazol Attenuates Retinal Oxidative Stress and Inflammation in a Streptozotocin-Induced Diabetic Animal Model. <i>Current Eye Research</i> , 2019, 44, 294-302.	0.7	9
58	Intravascular Large B cell Lymphoma in Taiwan: An Asian Variant of Non-germinal-center Origin. <i>Journal of the Formosan Medical Association</i> , 2010, 109, 185-191.	0.8	8
59	Intralymphatic Spread is a Rare Finding Associated With Poor Prognosis in Diffuse Large B-Cell Lymphoma With Extranodal Involvements. <i>American Journal of Surgical Pathology</i> , 2018, 42, 616-624.	2.1	7
60	Canonical Nuclear Factor ÎB Pathway Links Tumorigenesis of Synchronous Mantle-Cell Lymphoma, Clear-Cell Renal-Cell Carcinoma, and GI Stromal Tumor. <i>Journal of Clinical Oncology</i> , 2011, 29, e257-e261.	0.8	6
61	Clinical and Prognostic Implications of Roundabout 4 (Robo4) in Adult Patients with Acute Myeloid Leukemia. <i>PLoS ONE</i> , 2015, 10, e0119831.	1.1	6
62	Oligoclonal T cells in histiocytic necrotizing lymphadenopathy are associated with TLR9+ plasmacytoid dendritic cells. <i>Laboratory Investigation</i> , 2005, 85, 267-275.	1.7	5
63	Two-Dimensional Matrix Algorithm Using Detrended Fluctuation Analysis to Distinguish Burkitt and Diffuse Large B-Cell Lymphoma. <i>Computational and Mathematical Methods in Medicine</i> , 2012, 2012, 1-8.	0.7	5
64	Primary central nervous system diffuse large B cell lymphoma transformed from orbital mucosa-associated lymphoid tissue lymphoma: complete response to combined intrathecal and systemic rituximab. <i>Annals of Hematology</i> , 2013, 92, 989-992.	0.8	5
65	ASXL1 mutation confers poor prognosis in primary myelofibrosis patients with low JAK2V617F allele burden but not in those with high allele burden. <i>Blood Cancer Journal</i> , 2020, 10, 99.	2.8	5
66	A multicenter prospective study of first-line antibiotic therapy for early-stage gastric mucosa-associated lymphoid tissue lymphoma and diffuse large B-cell lymphoma with histological evidence of mucosa-associated lymphoid tissue. <i>Haematologica</i> , 2020, 105, e349-e354.	1.7	5
67	Diffuse large B-cell lymphoma classification using linguistic analysis and ensembled artificial neural networks. <i>Journal of the Taiwan Institute of Chemical Engineers</i> , 2012, 43, 15-23.	2.7	4
68	Comparison of clinicopathological features and treatment outcomes in aggressive primary intestinal B- and T/NK-cell lymphomas. <i>Journal of the Formosan Medical Association</i> , 2021, 120, 293-302.	0.8	4
69	Anaplastic Large Cell Lymphoma in Leukemic Transformation: Successful Treatment by Transplantation. <i>Journal of Clinical Oncology</i> , 2007, 25, 4490-4492.	0.8	2
70	Unusual presentation of multiple pathologic bone fractures in a patient with gastric mucosa-associated lymphoid tissue lymphoma. <i>Annals of Hematology</i> , 2010, 89, 431-436.	0.8	1
71	Clonal sequence tracking reveals TET2-mutated extranodal NK/T-cell lymphoma disseminated independent of Epstein Barr virus. <i>Haematologica</i> , 2019, 104, e489-e492.	1.7	1
72	Heterogeneous cell origin of <i>Helicobacter pylori</i>-dependent high-grade gastric lymphomas.. <i>Journal of Clinical Oncology</i> , 2015, 33, e19520-e19520.	0.8	1

#	ARTICLE	IF	CITATIONS
73	Ensembled artificial neural networks for diffuse large B-cell lymphoma classification. , 2010, , .		0
74	Performance of THz fiber-scanning near-field microscopy to diagnose breast tumors. , 2011, , .		0
75	Revisiting the Full Spectrum of Helicobacter pylori-Related Gastric Lymphoma. , 0, , .		0
76	Clinicopathologic features and treatment outcome of primary intestinal non-Hodgkin lymphoma: A single center experience.. Journal of Clinical Oncology, 2013, 31, e19523-e19523.	0.8	0
77	Association of <i>helicobacter pylori</i> CagA translocation with the expression of CagA-signaling transduction molecules in gastric mucosa-associated lymphoid tissue lymphoma.. Journal of Clinical Oncology, 2014, 32, 8571-8571.	0.8	0
78	Efficacy of frontline antibiotics therapy in the treatment of Helicobacter pylori-negative gastric low-grade mucosa-associated lymphoid tissue lymphoma.. Journal of Clinical Oncology, 2016, 34, e19024-e19024.	0.8	0