

Zhihua Yang

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2019041/publications.pdf>

Version: 2024-02-01

300
papers

17,039
citations

15466

65
h-index

19136

118
g-index

301
all docs

301
docs citations

301
times ranked

2327
citing authors

#	ARTICLE	IF	CITATIONS
1	Finding the Next Deep-Ultraviolet Nonlinear Optical Material: $\text{NH}_4\text{B}_4\text{O}_6\text{F}$. <i>Journal of the American Chemical Society</i> , 2017, 139, 10645-10648.	6.6	889
2	Fluorooxoborates: Beryllium-Free Deep-Ultraviolet Nonlinear Optical Materials without Layered Growth. <i>Angewandte Chemie - International Edition</i> , 2017, 56, 3916-3919.	7.2	674
3	$\text{CsB}_4\text{O}_6\text{F}$: A Congruent-Melting Deep-Ultraviolet Nonlinear Optical Material by Combining Superior Functional Units. <i>Angewandte Chemie - International Edition</i> , 2017, 56, 14119-14123.	7.2	654
4	$\text{SrB}_5\text{O}_7\text{F}_3$ Functionalized with $[\text{B}_5\text{O}_9\text{F}_3]^{6-}$ Chromophores: Accelerating the Rational Design of Deep-Ultraviolet Nonlinear Optical Materials. <i>Angewandte Chemie - International Edition</i> , 2018, 57, 6095-6099.	7.2	581
5	Designing a Deep-Ultraviolet Nonlinear Optical Material with a Large Second Harmonic Generation Response. <i>Journal of the American Chemical Society</i> , 2013, 135, 4215-4218.	6.6	542
6	Cation-Tuned Synthesis of Fluorooxoborates: Towards Optimal Deep-Ultraviolet Nonlinear Optical Materials. <i>Angewandte Chemie - International Edition</i> , 2018, 57, 2150-2154.	7.2	527
7	Polar Fluorooxoborate, $\text{NaB}_4\text{O}_6\text{F}$: A Promising Material for Ionic Conduction and Nonlinear Optics. <i>Angewandte Chemie - International Edition</i> , 2018, 57, 6577-6581.	7.2	368
8	Designing an Excellent Deep-Ultraviolet Birefringent Material for Light Polarization. <i>Journal of the American Chemical Society</i> , 2018, 140, 16311-16319.	6.6	350
9	Targeting the Next Generation of Deep-Ultraviolet Nonlinear Optical Materials: Expanding from Borates to Borate Fluorides to Fluorooxoborates. <i>Accounts of Chemical Research</i> , 2019, 52, 791-801.	7.6	315
10	$\text{Ba}_3\text{Mg}_3(\text{BO}_3)_3\text{F}_3$ polymorphs with reversible phase transition and high performances as ultraviolet nonlinear optical materials. <i>Nature Communications</i> , 2018, 9, 3089.	5.8	314
11	$\text{Cs}_3\text{Zn}_6\text{B}_9\text{O}_{21}$: A Chemically Benign Member of the KBBF Family Exhibiting the Largest Second Harmonic Generation Response. <i>Journal of the American Chemical Society</i> , 2014, 136, 1264-1267.	6.6	310
12	A New Deep-Ultraviolet Transparent Orthophosphate LiCs_2PO_4 with Large Second Harmonic Generation Response. <i>Journal of the American Chemical Society</i> , 2016, 138, 9101-9104.	6.6	307
13	$\text{Na}_2\text{ZnGe}_2\text{S}_6$: A New Infrared Nonlinear Optical Material with Good Balance between Large Second-Harmonic Generation Response and High Laser Damage Threshold. <i>Journal of the American Chemical Society</i> , 2016, 138, 7422-7428.	6.6	259
14	$\text{Pb}_2\text{Ba}_3(\text{BO}_3)_3\text{Cl}$: A Material with Large SHG Enhancement Activated by Pb-Chelated BO_3 Groups. <i>Journal of the American Chemical Society</i> , 2015, 137, 9417-9422.	6.6	255
15	New Compressed Chalcopyrite-like $\text{Li}_2\text{BaM}^{\text{IV}}\text{Q}_4$ ($\text{M}^{\text{IV}} = \text{Tj, ET, Qq}$) <i>Journal of the American Chemical Society</i> , 2017, 139, 14885-14888.	6.6	201
16	Expanding Frontiers of Ultraviolet Nonlinear Optical Materials with Fluorophosphates. <i>Chemistry of Materials</i> , 2018, 30, 5397-5403.	3.2	193
17	Chemical Cosubstitution-Oriented Design of Rare-Earth Borates as Potential Ultraviolet Nonlinear Optical Materials. <i>Journal of the American Chemical Society</i> , 2017, 139, 18397-18405.	6.6	187
18	$\text{Pb}_{17}\text{O}_8\text{Cl}_{18}$: A Promising IR Nonlinear Optical Material with Large Laser Damage Threshold Synthesized in an Open System. <i>Journal of the American Chemical Society</i> , 2015, 137, 8360-8363.	6.6	181

#	ARTICLE	IF	CITATIONS
19	A novel deep UV nonlinear optical crystal Ba ₃ B ₆ O ₁₁ F ₂ , with a new fundamental building block, B ₆ O ₁₄ group. <i>Journal of Materials Chemistry</i> , 2012, 22, 9665.	6.7	177
20	Rational Design via Synergistic Combination Leads to an Outstanding Deep-Ultraviolet Birefringent Li ₂ Na ₂ B ₂ O ₅ Material with an Unvalued B ₂ O ₅ Functional Gene. <i>Journal of the American Chemical Society</i> , 2019, 141, 3258-3264.	6.6	177
21	Na ₂ BaMQ ₄ (M=Ge, Sn; Q=S, Se): Infrared Nonlinear Optical Materials with Excellent Performances and that Undergo Structural Transformations. <i>Angewandte Chemie - International Edition</i> , 2016, 55, 6713-6715.	7.2	172
22	Sn ₂ B ₅ O ₉ Cl: A Material with Large Birefringence Enhancement Activated Prepared via Alkaline-Earth Metal Substitution by Tin. <i>Angewandte Chemie - International Edition</i> , 2019, 58, 17675-17678.	7.2	171
23	CsB ₄ O ₆ F: A Congruent Melting Deep-Ultraviolet Nonlinear Optical Material by Combining Superior Functional Units. <i>Angewandte Chemie</i> , 2017, 129, 14307-14311.	1.6	166
24	Na ₃ Ba ₂ (B ₃ O ₆) ₂ F: Next Generation of Deep-Ultraviolet Birefringent Materials. <i>Crystal Growth and Design</i> , 2015, 15, 523-529.	1.4	159
25	Na ₂ Hg ₃ M ₂ S ₈ (M = Si, Ge, and Sn): New Infrared Nonlinear Optical Materials with Strong Second Harmonic Generation Effects and High Laser-Damage Thresholds. <i>Chemistry of Materials</i> , 2016, 28, 2795-2801.	3.2	156
26	Enhancing optical anisotropy of crystals by optimizing bonding electron distribution in anionic groups. <i>Chemical Communications</i> , 2017, 53, 2818-2821.	2.2	155
27	CaB ₅ O ₇ F ₃ : A Beryllium-Free Alkaline-Earth Fluorooxoborate Exhibiting Excellent Nonlinear Optical Performances. <i>Inorganic Chemistry</i> , 2018, 57, 4820-4823.	1.9	136
28	Cation-Tuned Synthesis of Fluorooxoborates: Towards Optimal Deep-Ultraviolet Nonlinear Optical Materials. <i>Angewandte Chemie</i> , 2018, 130, 2172-2176.	1.6	131
29	Li ₄ MgGe ₂ S ₇ : The First Alkali and Alkaline-Earth Diamond-Like Infrared Nonlinear Optical Material with Exceptional Large Band Gap. <i>Angewandte Chemie - International Edition</i> , 2021, 60, 24131-24136.	7.2	130
30	Module-Guided Design Scheme for Deep-Ultraviolet Nonlinear Optical Materials. <i>Journal of the American Chemical Society</i> , 2018, 140, 10726-10733.	6.6	127
31	Simulated pressure-induced blue-shift of phase-matching region and nonlinear optical mechanism for K ₃ B ₆ O ₁₀ X (X=Cl, Br). <i>Applied Physics Letters</i> , 2015, 106, .	1.5	121
32	Strong Nonlinearity Induced by Coaxial Alignment of Polar Chain and Dense [BO ₃] Units in CaZn ₂ (BO ₃) ₂ . <i>Angewandte Chemie - International Edition</i> , 2022, 61, .	7.2	116
33	Potential optical functional crystals with large birefringence: Recent advances and future prospects. <i>Coordination Chemistry Reviews</i> , 2022, 459, 214380.	9.5	114
34	Bi ₃ OF ₃ (IO ₃) ₄ : Metal Oxyiodate Fluoride Featuring a Carbon-Nanotube-like Topological Structure with Large Second Harmonic Generation Response. <i>Chemistry of Materials</i> , 2017, 29, 945-949.	3.2	112
35	Discovery of First Magnesium Fluorooxoborate with Stable Fluorine Terminated Framework for Deep-UV Nonlinear Optical Application. <i>Angewandte Chemie - International Edition</i> , 2021, 60, 14650-14656.	7.2	109
36	A new congruent-melting oxyborate, Pb ₄ O(BO ₃) ₂ with optimally aligned BO ₃ triangles adopting layered-type arrangement. <i>Journal of Materials Chemistry</i> , 2012, 22, 2105-2110.	6.7	108

#	ARTICLE	IF	CITATIONS
37	SrB ₅ O ₇ F ₃ Functionalized with [B ₅ O ₉ F ₃] ⁶⁺ Chromophores: Accelerating the Rational Design of Deep-Ultraviolet Nonlinear Optical Materials. <i>Angewandte Chemie</i> , 2018, 130, 6203-6207.	1.6	108
38	CsAlB ₃ O ₆ F: a beryllium-free deep-ultraviolet nonlinear optical material with enhanced thermal stability. <i>Chemical Science</i> , 2020, 11, 694-698.	3.7	108
39	Li ₂ NF ₂ : A UV Birefringent Material with Large Birefringence and Easy Crystal Growth. <i>Angewandte Chemie - International Edition</i> , 2021, 60, 3540-3544.	7.2	108
40	Sn ₂ PO ₄ ! An Excellent Birefringent Material with Giant Optical Anisotropy in Non-Conjugated Phosphate. <i>Angewandte Chemie - International Edition</i> , 2021, 60, 24901-24904.	7.2	101
41	Expanding the chemistry of borates with functional [BO ₂] ⁻ anions. <i>Nature Communications</i> , 2021, 12, 2597.	5.8	99
42	The first quaternary diamond-like semiconductor with 10-membered Li ₄ rings exhibiting excellent nonlinear optical performances. <i>Chemical Communications</i> , 2017, 53, 3010-3013.	2.2	96
43	Fluorooxoborates: Beryllium-Free Deep-Ultraviolet Nonlinear Optical Materials without Layered Growth. <i>Angewandte Chemie</i> , 2017, 129, 3974-3977.	1.6	94
44	Second Harmonic Generation Susceptibilities from Symmetry Adapted Wannier Functions. <i>Physical Review Letters</i> , 2020, 125, 187402.	2.9	94
45	Na ₂ B ₆ O ₉ F ₂ : A Fluoroborate with Short Cutoff Edge and Deep-Ultraviolet Birefringent Property Prepared by an Open High-Temperature Solution Method. <i>Inorganic Chemistry</i> , 2017, 56, 344-350.	1.9	92
46	Hydroxyfluorooxoborate Na[B ₃ O ₃ F ₂ (OH) ₂] ⁻ ...[B(OH) ₃]: Optimizing the Optical Anisotropy with Heteroanionic Units for Deep Ultraviolet Birefringent Crystals. <i>Angewandte Chemie - International Edition</i> , 2021, 60, 20469-20475.	7.2	90
47	PbB ₅ O ₇ F ₃ : A High-Performing Short-Wavelength Nonlinear Optical Material. <i>Chemistry of Materials</i> , 2020, 32, 2172-2179.	3.2	88
48	Module-Analysis-Assisted Design of Deep Ultraviolet Fluorooxoborates with Extremely Large Gap and High Structural Stability. <i>Chemistry of Materials</i> , 2019, 31, 2807-2813.	3.2	87
49	LiRb ₂ PO ₄ : a new deep-ultraviolet nonlinear optical phosphate with a large SHG response. <i>Journal of Materials Chemistry C</i> , 2017, 5, 269-274.	2.7	84
50	Fluorine-Driven Enhancement of Birefringence in the Fluorooxosulfate: A Deep Evaluation from a Joint Experimental and Computational Study. <i>Advanced Science</i> , 2021, 8, e2003594.	5.6	83
51	Toward the Enhancement of Critical Performance for Deep-Ultraviolet Frequency-Doubling Crystals Utilizing Covalent Tetrahedra. <i>Accounts of Materials Research</i> , 2021, 2, 282-291.	5.9	82
52	Na ₄ B ₈ O ₉ F ₁₀ : A Deep-Ultraviolet Transparent Nonlinear Optical Fluorooxoborate with Unexpected Short Phase-Matching Wavelength Induced by Optimized Chromatic Dispersion. <i>Angewandte Chemie - International Edition</i> , 2022, 61, .	7.2	80
53	Structure-property survey and computer-assisted screening of mid-infrared nonlinear optical chalcogenides. <i>Coordination Chemistry Reviews</i> , 2020, 421, 213379.	9.5	78
54	Advantageous Units in Antimony Sulfides: Exploration and Design of Infrared Nonlinear Optical Materials. <i>ACS Applied Materials & Interfaces</i> , 2018, 10, 26413-26421.	4.0	77

#	ARTICLE	IF	CITATIONS
55	Series of Crystals with Giant Optical Anisotropy: A Targeted Strategic Research. <i>Angewandte Chemie - International Edition</i> , 2021, 60, 1332-1338.	7.2	77
56	Polar Polymorphism: \hat{I}^{\pm} , \hat{I}^2 , and \hat{I}^3 - $\text{Pb}_2\text{Ba}_4\text{Zn}_4\text{B}_{14}\text{O}_{31}$ —“Synthesis, Characterization, and Nonlinear Optical Properties. <i>Chemistry of Materials</i> , 2015, 27, 4779-4788.	3.2	75
57	æ±ç‘â–æ°ÿâĈ–ç¡¼âĈé…çĥâĈæŠ‘â°„çŽĥâ‘ĈæŠ‘â°„çŽĥè%²æ•Ĥçš„æĈšèf½ âĈžçŠç”ç©¶. <i>Science China Materials</i> , 2020, 63, 1480-1486.		
58	$\text{Hg}_3\text{P}_2\text{S}_8$: A New Promising Infrared Nonlinear Optical Material with a Large Second-Harmonic Generation and a High Laser-Induced Damage Threshold. <i>Chemistry of Materials</i> , 2021, 33, 6514-6521.	3.2	74
59	Linear and Nonlinear Optical Properties of $\text{K}_3\text{B}_6\text{O}_{10}\text{Br}$ Single Crystal: Experiment and Calculation. <i>Journal of Physical Chemistry C</i> , 2014, 118, 11849-11856.	1.5	73
60	A Series of Rare-Earth Borates $\text{K}_7\text{MRE}_2\text{B}_{15}\text{O}_{30}$ (M =) TjETQq000rgBT . <i>Materials</i> , 2018, 30, 2414-2423.	3.2	73
61	BaCdSn_4 and $\text{Ba}_3\text{CdSn}_2\text{S}_8$: syntheses, structures, and non-linear optical and photoluminescence properties. <i>Dalton Transactions</i> , 2016, 45, 10681-10688.	1.6	72
62	Functional Materials Design via Structural Regulation Originated from Ions Introduction: A Study Case in Cesium Iodate System. <i>Chemistry of Materials</i> , 2018, 30, 1136-1145.	3.2	72
63	The first lead fluoroxyborate $\text{PbB}_5\text{O}_8\text{F}$: achieving the coexistence of large birefringence and deep-ultraviolet cut-off edge. <i>Chemical Communications</i> , 2018, 54, 6308-6311.	2.2	70
64	Double-Modification Oriented Design of a Deep-UV Birefringent Crystal Functionalized by $[\text{B}_{12}\text{O}_{16}\text{F}_4(\text{OH})_4]$ Clusters. <i>Angewandte Chemie - International Edition</i> , 2022, 61, .	7.2	70
65	Enhancement of Birefringence in Borophosphate Pushing Phase-Matching into the Short-Wavelength Region. <i>Journal of the American Chemical Society</i> , 2022, 144, 9083-9090.	6.6	69
66	$(\text{NH}_4)_3\text{B}_{11}\text{PO}_{19}\text{F}_3$: a deep-UV nonlinear optical crystal with unique $[\text{B}_5\text{PO}_{10}\text{F}]^{\sim}\text{Z}$ layers. <i>National Science Review</i> , 2022, 9, .	4.6	68
67	First Principle Assisted Prediction of the Birefringence Values of Functional Inorganic Borate Materials. <i>Journal of Physical Chemistry C</i> , 2014, 118, 25651-25657.	1.5	67
68	An investigation of new infrared nonlinear optical material: BaCdSn_4 , and three new related centrosymmetric compounds: Ba_2Sn_4 , Mg_2GeSe_4 , and $\text{Ba}_2\text{Ge}_2\text{S}_6$. <i>Dalton Transactions</i> , 2015, 44, 19856-19864.	1.6	67
69	BaB_2S_4 : An Efficient and Air-Stable Thioborate as Infrared Nonlinear Optical Material with High Laser Damage Threshold. <i>Chemistry of Materials</i> , 2018, 30, 7428-7432.	3.2	67
70	Guanidinium Fluoroxyborates as Efficient Metal-free Short-Wavelength Nonlinear Optical Crystals. <i>Chemistry of Materials</i> , 2022, 34, 440-450.	3.2	67
71	Polar Fluoroxyborate, $\text{NaB}_4\text{O}_6\text{F}$: A Promising Material for Ionic Conduction and Nonlinear Optics. <i>Angewandte Chemie</i> , 2018, 130, 6687-6691.	1.6	66
72	Prediction of Fluoroxyborates with Colossal Second Harmonic Generation (SHG) Coefficients and Extremely Wide Band Gaps: Towards Modulating Properties by Tuning the $\text{BO}_3/\text{BO}_3\text{F}$ Ratio in Layers. <i>Angewandte Chemie - International Edition</i> , 2019, 58, 11726-11730.	7.2	66

#	ARTICLE	IF	CITATIONS
73	$A_{2}SrM_{IV}S_{4}$ ($A = Li, Na; M_{IV} = Ge, Sn$) concurrently exhibiting wide bandgaps and good nonlinear optical responses as new potential infrared nonlinear optical materials. <i>Chemical Science</i> , 2019, 10, 3963-3968.	3.7	64
74	Three new phosphates with isolated $P_{2}O_{7}$ units: noncentrosymmetric $Cs_{2}Ba_{3}(P_{2}O_{7})_{2}$ and centrosymmetric $Cs_{2}BaP_{2}O_{7}$ and $LiCsBaP_{2}O_{7}$. <i>Dalton Transactions</i> , 2016, 45, 3936-3942.	1.6	62
75	Two Polar Molybdenum(VI) Iodates(V) with Large Second-Harmonic Generation Responses. <i>Chemistry of Materials</i> , 2019, 31, 2992-3000.	3.2	60
76	Toward the Rational Design of Mid-Infrared Nonlinear Optical Materials with Targeted Properties via a Multi-Level Data-Driven Approach. <i>Advanced Functional Materials</i> , 2022, 32, .	7.8	58
77	Oxyhalides: prospecting ore for optical functional materials with large laser damage thresholds. <i>Journal of Materials Chemistry C</i> , 2018, 6, 2435-2442.	2.7	56
78	Nontoxic KBBF Family Member $Zn_{2}BO_{3}(OH)$: Balance between Beneficial Layered Structure and Layer Tendency. <i>Advanced Science</i> , 2019, 6, 1901679.	5.6	56
79	$Pb_{3}B_{6}O_{11}F_{2}$: the first non-centrosymmetric lead borate fluoride with a large second harmonic generation response. <i>Journal of Materials Chemistry C</i> , 2014, 2, 1704.	2.7	55
80	Contribution of lone-pairs to birefringence affected by the Pb coordination environment: a DFT investigation. <i>Physical Chemistry Chemical Physics</i> , 2015, 17, 21968-21973.	1.3	55
81	Experimental and Theoretical Studies on the Linear and Nonlinear Optical Properties of $Bi_{2}ZnO_{6}$. <i>Journal of Physical Chemistry C</i> , 2013, 117, 14149-14157.	1.5	54
82	$Na_{4}MgM_{2}Se_{6}$ ($M = Si, Ge$): The First Noncentrosymmetric Compounds with Special Ethane-like $[M_{2}Se_{6}]^{6-}$ Units Exhibiting Large Laser-Damage Thresholds. <i>Inorganic Chemistry</i> , 2015, 54, 10108-10110.	1.9	54
83	$Sr_{4}B_{10}O_{18}(OH)_{2} \cdot 2H_{2}O$: a new UV nonlinear optical material with a $[B_{10}O_{23}]^{16-}$ building block. <i>Journal of Materials Chemistry C</i> , 2014, 2, 667-674.	2.7	52
84	Borate Fluoride and Fluoroborate in Alkali-Metal Borate Prepared by an Open High-Temperature Solution Method. <i>Inorganic Chemistry</i> , 2014, 53, 12686-12688.	1.9	50
85	Effect of Element Substitution on Structural Transformation and Optical Performances in $Li_{2}BaM_{IV}Q_{4}$ ($Li, Na, Cu, \text{ and } Ag; M_{IV} = Tl, Pb, Bi, Sb, As, \text{ and } Te$). <i>Journal of Materials Chemistry C</i> , 2019, 7, 10784-10791.	1.0	14
86	Achieving Short-Wavelength Phase-Matching Second Harmonic Generation in Boron-Rich Borosulfate with Planar $[BO_{3}]$ Units. <i>Angewandte Chemie - International Edition</i> , 2022, 61, .	7.2	50
87	Designing excellent mid-infrared nonlinear optical materials with fluorooxo-functional group of d0 transition metal oxyfluorides. <i>Science China Materials</i> , 2019, 62, 1798-1806.	3.5	49
88	$Sn_{2}B_{5}O_{9}Br$ as an Outstanding Bifunctional Material with Strong Second-Harmonic Generation Effect and Large Birefringence. <i>Advanced Optical Materials</i> , 2021, 9, 2001734.	3.6	49
89	New Salt-Inclusion Borate, $Li_{3}Ca_{9}(BO_{3})_{7} \cdot 2[LiF]$: A Promising UV NLO Material with the Coplanar and High Density BO_{3} Triangles. <i>Inorganic Chemistry</i> , 2013, 52, 5359-5365.	1.9	48
90	$BaCu_{2}MIVQ_{4}$ ($MIV = Si, Ge, \text{ and } Sn; Q = S, Se$): synthesis, crystal structures, optical performances and theoretical calculations. <i>RSC Advances</i> , 2017, 7, 29378-29385.	1.7	48

#	ARTICLE	IF	CITATIONS
91	Synthesis and Characterization of Mid-Infrared Transparency Compounds: Acentric BaHgS ₂ and Centric Ba ₈ Hg ₄ S ₅ Se ₇ . <i>Inorganic Chemistry</i> , 2015, 54, 2772-2779.	1.9	47
92	Designing Deep-UV Birefringent Crystals by Cation Regulation. <i>Chemistry - A European Journal</i> , 2018, 24, 11267-11272.	1.7	47
93	Ce(IO ₃) ₂ F ₂ ·xH ₂ O: The First Rare-Earth Metal Iodate Fluoride with Large Second Harmonic Generation Response. <i>Chemistry - A European Journal</i> , 2019, 25, 1221-1226.	1.7	46
94	A review of the Al ₂ B ₂ C ₂ family as infrared nonlinear optical materials: the effect of each site on the structure and optical properties. <i>Chemical Communications</i> , 2020, 56, 11565-11576.	2.2	46
95	BaB ₈ O ₁₂ F ₂ : a promising deep-UV birefringent material. <i>Inorganic Chemistry Frontiers</i> , 2019, 6, 546-549.	3.0	45
96	Ba ₂ B ₁₀ O ₁₇ : a new centrosymmetric alkaline-earth metal borate with a deep-UV cut-off edge. <i>Dalton Transactions</i> , 2014, 43, 8905-8910.	1.6	44
97	New Alkaline-Earth Metal Fluoroiodates Exhibiting Large Birefringence and Short Ultraviolet Cutoff Edge with Highly Polarizable (IO ₃) ²⁻ Units. <i>Chemistry of Materials</i> , 2020, 32, 5723-5728.	3.2	44
98	The Combination of Structure Prediction and Experiment for the Exploration of Alkali-Earth Metal-Contained Chalcopyrite-Like IR Nonlinear Optical Material. <i>Advanced Science</i> , 2022, 9, e2106120.	5.6	44
99	Effect of Rigid Units on the Symmetry of the Framework: Design and Synthesis of Centrosymmetric NaBa ₄ (B ₅ O ₉) ₂ F ₂ Cl and Noncentrosymmetric NaBa ₄ (AlB ₄ O ₉) ₂ Br ₃ . <i>Crystal Growth and Design</i> , 2013, 13, 3514-3521.	1.4	43
100	A Fluorooxosilicophosphate with an Unprecedented SiO ₂ F ₄ Species. <i>Angewandte Chemie - International Edition</i> , 2018, 57, 9828-9832.	7.2	40
101	ZnIO ₃ F: Zinc Iodate Fluoride with Large Birefringence and Wide Band Gap. <i>Inorganic Chemistry</i> , 2020, 59, 4172-4175.	1.9	40
102	Q ₁₈ Mg ₆ (B ₅ O ₁₀) ₃ (B ₇ O ₁₄) ₂ F (Q=Rb and Cs): New Borates Containing Two Large Isolated Polyborate Anions with Similar Topological Structures. <i>Chemistry - A European Journal</i> , 2015, 21, 1414-1419.	1.7	39
103	Synthesis, Characterization, and Theoretical Studies of (Pb ₄ O)Pb ₂ B ₆ O ₁₄ : A New Lead(II) Borate with Isolated Oxygen-Centered Pb ₄ O Tetrahedra and Large Second Harmonic Generation Response. <i>Journal of Physical Chemistry C</i> , 2016, 120, 12757-12764.	1.5	39
104	Li ₄ Na ₂ CsB ₇ O ₁₄ : a new edge-sharing [BO ₄] ⁵⁻ tetrahedra containing borate with high anisotropic thermal expansion. <i>Chemical Communications</i> , 2019, 55, 1295-1298.	2.2	39
105	K ₃ B ₆ O ₉ F ₃ : A New Fluorooxoborate with Four Different Anionic Units. <i>Chemistry - A European Journal</i> , 2018, 24, 4497-4502.	1.7	38
106	Second-harmonic generation in noncentrosymmetric phosphates. <i>Physical Review B</i> , 2017, 96, .	1.1	37
107	The lone-pairs enhanced birefringence and SHG response: A DFT investigation on M ₂ B ₅ O ₉ Cl (M=Sr, Ba). <i>Tj ETQq1</i> 1.0.784314 rgBT /Ove	0.9	36
108	K ₂ Na(IO ₃) ₂ (I ₃ O ₈) with Strong Second Harmonic Generation Response Activated by Two Types of Isolated Iodate Anions. <i>Chemistry of Materials</i> , 2020, 32, 3608-3614.	3.2	36

#	ARTICLE	IF	CITATIONS
127	Nonlinear electronic polarization and optical response in borophosphate Physical Review B, 2016, 93, .		
128	MBaYB6O12 (M = Rb, Cs): two new rare-earth borates with large birefringence and short ultraviolet cutoff edges. Dalton Transactions, 2018, 47, 750-757.	1.6	28
129	Prediction of Novel van der Waals Boron Oxides with Superior Deep-Ultraviolet Nonlinear Optical Performance. Angewandte Chemie - International Edition, 2021, 60, 10791-10797.	7.2	28
130	[C ₃ N ₆ H ₇] ₂ [B ₃ O ₃ F ₄ (OH)]: a new hybrid birefringent crystal with strong optical anisotropy induced by mixed functional units. Journal of Materials Chemistry C, 2022, 10, 6590-6595.	2.7	28
131	Noncentrosymmetric Rare-Earth Borate Fluoride La ₂ B ₅ O ₉ F ₃ : A New Ultraviolet Nonlinear Optical Crystal with Enhanced Linear and Nonlinear Performance. ACS Applied Materials & Interfaces, 2022, 14, 18704-18712.	4.0	28
132	Pb ₄ Zn ₂ B ₁₀ O ₂₁ : a congruently melting lead zinc borate with a novel [B ₁₀ O ₂₄] anionic group and an interesting [Pb ₄ O ₁₂] chain. New Journal of Chemistry, 2014, 38, 285-291.	1.4	27
133	Na ₈ MB ₂₁ O ₃₆ (M = Rb and Cs): Noncentrosymmetric Borates with Unprecedented [B ₂₁ O ₃₆] ⁹⁻ Fundamental Building Blocks. Inorganic Chemistry, 2017, 56, 5506-5509.	1.9	27
134	RbB ₃ O ₄ F ₂ : a rubidium fluorooxoborate with an unprecedented [B ₃ O ₅ F ₂] ³⁻ functionalized unit and a large birefringence. Chemical Communications, 2020, 56, 15333-15336.	2.2	27
135	Computationally assisted multistage design and prediction driving the discovery of deep-ultraviolet nonlinear optical materials. Materials Chemistry Frontiers, 2021, 5, 3507-3523.	3.2	27
136	M ^I M ^{II} P ₃ O ₉ (M ^I = Rb, M ^{II} = Cd,) Tj ETQq0 0 0 rgBT / Overl	1.9	26
137	Intriguing Structural Transition Inducing Variable Birefringences in ABa ₂ MS ₄ Cl (A = Rb, Cs; M = Ge,) Tj ETQq1 1 0.784314 rgBT / Overl	1.9	26
138	Growth, Properties, and Theoretical Analysis of M ₂ LiVO ₄ (M = Rb, Cs) Crystals: Two Potential Mid-Infrared Nonlinear Optical Materials. Scientific Reports, 2017, 7, 1901.	1.6	25
139	LiBa ₄ Ga ₅ Q ₁₂ (Q = S, Se): Noncentrosymmetric Metal Chalcogenides with a Cesium Chloride Topological Structure Displaying a Remarkable Laser Damage Threshold. Inorganic Chemistry, 2020, 59, 5674-5682.	1.9	25
140	Rb ₅ Ba ₂ (B ₁₀ O ₁₇) ₂ (BO ₂): The formation of unusual functional [BO ₂] in borates with deep-ultraviolet transmission window. Science China Chemistry, 2022, 65, 719-725.	4.2	25
141	Predicting Global Minimum in Complex Beryllium Borate System for Deep-ultraviolet Functional Optical Applications. Scientific Reports, 2016, 6, 34839.	1.6	24
142	Structural Insights into Borates with an Anion-emplated Open Framework Configuration: Asymmetric K ₂ BaB ₁₆ O ₂₆ versus Centrosymmetric K ₃ CsB ₂₀ O ₃₂ and Na ₂ M ₂ NB ₁₈ O ₃₀ (M=Rb, Cs; N=Ba, Pb). Chemistry - A European Journal, 2017, 23, 13910-13918.	1.7	24
143	The interaction between cations and anionic groups inducing SHG enhancement in a series of apatite-like crystals: A first-principles study. Journal of Solid State Chemistry, 2014, 219, 138-142.	1.4	23
144	A Member of Fluorooxoborates: Li ₂ Na _{0.9} K _{0.1} B ₅ O ₈ F ₂ with the Fundamental Building Block B ₅ O ₁₀ F ₂ and a Short Cutoff Edge. Inorganic Chemistry, 2018, 57, 873-878.	1.9	23

#	ARTICLE	IF	CITATIONS
145	Transformation of the Ba ²⁺ O Units from Corner-Sharing to Edge-Sharing Linkages in BaMBO ₄ (M = Ga, Al). <i>Inorganic Chemistry</i> , 2019, 58, 8237-8244.	1.9	23
146	A new barium fluorooxoborate BaB ₅ O ₈ F _x H ₂ O with large birefringence and a wide UV transparency window. <i>Dalton Transactions</i> , 2019, 48, 6714-6717.	1.6	23
147	Synthesis, crystal structure and characterization of a new compound, Li ₃ NaBaB ₆ O ₁₂ . <i>Solid State Sciences</i> , 2012, 14, 1186-1190.	1.5	22
148	Theoretical perspective of the lone pair activity influence on band gap and SHG response of lead borates. <i>RSC Advances</i> , 2015, 5, 79882-79887.	1.7	22
149	NaBa ₄ (GaB ₄ O ₉) ₂ X ₃ (X = Cl, Br) with NLO-Active GaO ₄ Tetrahedral Unit: Experimental and ab Initio Studies. <i>Journal of Physical Chemistry C</i> , 2016, 120, 6190-6197.	1.5	22
150	Finding a Series of BaBOF ₃ Fluorooxoborate Polymorphs with Tunable Symmetries: A Simple but Flexible Case. <i>Chemistry of Materials</i> , 2021, 33, 7905-7913.	3.2	22
151	Li ₂ Sr ₄ B ₁₂ O ₂₃ : A new alkali and alkaline-earth metal mixed borate with [B ₁₀ O ₁₈] ⁶⁻ network and isolated [B ₂ O ₅] ⁴⁻ unit. <i>Journal of Solid State Chemistry</i> , 2012, 190, 92-97.	1.4	21
152	Mo ⁶⁺ Cation Enrichment of the Structure Chemistry of Iodates: Syntheses, Structures, and Calculations of Ba(MoO ₂) ₂ (IO ₃) ₄ O, Ba ₃ [(MoO ₂) ₂ (IO ₃) ₄ O(OH) ₄] ₂ H ₂ O, and Sr[(MoO ₂) ₆ (IO ₄) ₂ O ₄] ₂ H ₂ O. <i>Inorganic Chemistry</i> , 2018, 57, 9376-9384.	1.9	21
153	Ba ₄ M(CO ₃) ₂ (BO ₃) ₂ (M=Ba, Sr): two borate-carbonates synthesized by open high temperature solution method. <i>Science China Materials</i> , 2019, 62, 1023-1032.	3.5	21
154	Noncentrosymmetric Fluorooxoborates A ₁₀ B ₁₃ O ₁₅ F ₁₉ (A = K and Rb) with Unexpected [B ₁₀ O ₁₂ F ₁₃] ⁷⁻ Units and Deep-Ultraviolet Cutoff Edges. <i>Inorganic Chemistry</i> , 2020, 59, 3274-3280.	1.9	21
155	DFT Based Theoretical Study about the Contributions of Fluorine to Nonlinear Optical Properties in Borate Fluoride Crystals. <i>Crystal Growth and Design</i> , 2016, 16, 5067-5073.	1.4	20
156	The activity of lone pair contributing to SHG response in bismuth borates: a combination investigation from experiment and DFT calculation. <i>Physical Chemistry Chemical Physics</i> , 2017, 19, 25270-25276.	1.3	20
157	K ₂ TeP ₂ O ₈ : a new telluro-phosphate with a pentagonal Te ⁶⁺ O layer structure. <i>Dalton Transactions</i> , 2018, 47, 9453-9458.	1.6	20
158	NH ₄ B ₁₁ O ₁₆ (OH) ₂ : a new ammonium borate with wavy-shaped polycyclic 2 ⁺ [B ₁₁ O ₁₆ (OH) ₂] layers. <i>New Journal of Chemistry</i> , 2018, 42, 12091-12097.	1.4	20
159	The first lithium difluorophosphate LiPO ₂ F ₂ with a neutral polytetrahedral microporous architecture. <i>Chemical Communications</i> , 2019, 55, 1817-1820.	2.2	20
160	Combination of d ¹⁰ -cations and fluorine anion as active participants to design novel borate/carbonate nonlinear optical materials. <i>Journal of Alloys and Compounds</i> , 2018, 758, 85-90.	2.8	19
161	Polar polymorphism: ¹⁺ - and ²⁺ -KC ₂ WP ₂ O ₉ nonlinear optical materials with a strong second harmonic generation response. <i>Journal of Materials Chemistry C</i> , 2020, 8, 11441-11448.	2.7	19
162	Sn ₁₄ O ₁₁ Br ₆ : a promising birefringent material with a [Sn ₁₄ O ₁₁ Br ₆] layer. <i>Journal of Materials Chemistry C</i> , 2021, 9, 7103-7109.	2.7	19

#	ARTICLE	IF	CITATIONS
163	Lone Pair-Driven Enhancement of Birefringence in Polar Alkali Metal Antimony Phosphates. <i>Chemistry of Materials</i> , 2022, 34, 4224-4231.	3.2	19
164	$K_{11}Rb_{28}O_{48}$: a new triple-layered borate with an unprecedented $[B_{28}O_{57}]$ fundamental building block. <i>Dalton Transactions</i> , 2018, 47, 10833-10836.	1.6	18
165	$Ba(B_2OF_3(OH)_2)_2$ with well-ordered OH/F anions and a unique $B_2OF_3(OH)_2$ dimer. <i>Chemical Communications</i> , 2020, 56, 3301-3304.	2.2	18
166	$(N_2H_6)[HPO_3F]_2$: maximizing the optical anisotropy of deep-ultraviolet fluorophosphates. <i>Chemical Communications</i> , 2022, 58, 5594-5597.	2.2	18
167	Structure comparison and optical properties of $Na_7Mg_{4.5}(P_2O_7)_4$: a sodium magnesium phosphate with isolated P_2O_7 units. <i>New Journal of Chemistry</i> , 2017, 41, 3399-3404.	1.4	17
168	Experiment and First-Principles Calculations of $A_2Mg_2TeB_2O_{10}$ (A = Pb, Ba): Influences of the Cosubstitution on the Structure Transformation and Optical Properties. <i>Inorganic Chemistry</i> , 2019, 58, 11127-11132.	1.9	17
169	Three new phosphates, $Cs_8Pb_4(P_2O_7)_4$, $CsLi_7(P_2O_7)_2$ and $LiCa(PO_3)_3$: structural comparison, characterization and theoretical calculation. <i>Dalton Transactions</i> , 2019, 48, 8948-8954.	1.6	17
170	$Sn_2B_7O_{12}F$ with a $2\tilde{z}[B_{14}O_{24}]^{6+}$ layer constructed from the unprecedented $[B_7O_{16}]^{11+}$ fundamental building block. <i>Inorganic Chemistry Frontiers</i> , 2019, 6, 996-1002.	3.0	17
171	$LiGeBO_4$: a nonlinear optical material with a balance between deep-ultraviolet cut-off edge and large SHG response induced by hand-in-hand tetrahedra. <i>Inorganic Chemistry Frontiers</i> , 2019, 6, 914-919.	3.0	17
172	Three non-centrosymmetric bismuth phosphates, $Li_2ABi(PO_4)_2$ (A = Tj, ET, Q, O, O, rg, BT, /Overlock). <i>Inorganic Chemistry Frontiers</i> , 2020, 7, 3364-3370.	3.0	17
173	$Cs_3B_3O_3F_6$ with a Deep-Ultraviolet Cutoff Edge and a Suitable Birefringence as the Potential Zero-Order Waveplate Material. <i>Inorganic Chemistry</i> , 2020, 59, 13014-13018.	1.9	17
174	$Ba_2B_7O_{12}F$ with novel FBB $[B_7O_{16}F]$ and deep-ultraviolet cut-off edge. <i>Inorganic Chemistry Frontiers</i> , 2021, 8, 339-343.	3.0	17
175	From borophosphate to fluoroborophosphate: a rational design of fluorine-induced birefringence enhancement. <i>Science China Chemistry</i> , 2021, 64, 1498-1503.	4.2	17
176	Exploration of a new compound in the $M\tilde{A}O\tilde{X}$ (M: alkali metals; X: halogen) system: Preparation, crystal and electronic structures, and optical properties of $Na_3B_6O_{10}Br$. <i>Inorganica Chimica Acta</i> , 2013, 406, 205-210.	1.2	16
177	$\tilde{A}X_6$ octahedra influencing the arrangement of anionic groups and optical properties in inverse-perovskite $[B_6O_{10}]XA_3$ (X = Cl, Br; A = alkali metal). <i>Physical Chemistry Chemical Physics</i> , 2016, 18, 15394-15398.	1.3	16
178	Role of the metal cation types around VO_4 groups on the nonlinear optical behavior of materials: experimental and theoretical analysis. <i>Dalton Transactions</i> , 2016, 45, 14394-14402.	1.6	16
179	Hierarchized band gap and enhanced optical responses of trivalent rare-earth metal nitrates due to $(d\tilde{e}p)$ conjugation interactions. <i>Journal of Materials Chemistry C</i> , 2016, 4, 6295-6301.	2.7	16
180	$LiNa_4B_{15}O_{25}$: Featuring Unprecedented $B_{15}O_{30}$ Fundamental Building Block and Deep-UV Cutoff Edge. <i>Inorganic Chemistry</i> , 2018, 57, 2876-2882.	1.9	16

#	ARTICLE	IF	CITATIONS
181	Ba ₃ Ca ₄ (BO ₃) ₃ (SiO ₄)Cl: a new non-centrosymmetric complex alkaline-earth metal borosilicate chloride with a deep-ultraviolet cut-off edge. <i>Inorganic Chemistry Frontiers</i> , 2019, 6, 2200-2208.	3.0	16
182	Prediction of Fluorooxoborates with Colossal Second Harmonic Generation (SHG) Coefficients and Extremely Wide Band Gaps: Towards Modulating Properties by Tuning the BO ₃ /BO ₃ F Ratio in Layers. <i>Angewandte Chemie</i> , 2019, 131, 11852-11856.	1.6	16
183	Cation Modulation on the Crystal Structure and Band Gap of Fluorooxoborates A ₃ B ₃ O ₃ F ₆ (A = Alkali and Mixed Alkali Metal). <i>Inorganic Chemistry</i> , 2019, 58, 13411-13417.	1.9	16
184	Lone pair effects on ternary infrared nonlinear optical materials. <i>Physical Chemistry Chemical Physics</i> , 2019, 21, 5142-5147.	1.3	16
185	Ba ₄ (BS ₃ S) ₂ S ₄ : a new thioborate with unprecedented [BS ₃ -S] and [S ₄] fundamental building blocks. <i>Chemical Communications</i> , 2019, 55, 14793-14796.	2.2	16
186	Barium fluoriodate crystals with a large band gap and birefringence. <i>Inorganic Chemistry Frontiers</i> , 2021, 8, 3127-3133.	3.0	16
187	Na ₆ MQ ₄ (M=Zn, Cd; Q=S, Se): Promising New Ternary Infrared Nonlinear Optical Materials. <i>Chemistry - A European Journal</i> , 2021, 27, 6538-6544.	1.7	16
188	Cs ₄ B ₄ O ₃ F ₁₀ : First Fluorooxoborate with [BF ₄] Involving Heteroanionic Units and Extremely Low Melting Point. <i>Chemistry - A European Journal</i> , 2021, 27, 9753-9757.	1.7	16
189	“Removing Center” – An Effective Structure Design Strategy for Nonlinear Optical Crystals. <i>Chemistry of Materials</i> , 2022, 34, 2429-2438.	3.2	16
190	Evidence of “new hot spots” from determining the nonlinear optical behavior of materials: mechanistic studies of the vanadium borate crystal, Na ₃ VO ₂ B ₆ O ₁₁ . <i>Physical Chemistry Chemical Physics</i> , 2015, 17, 5338-5344.	1.3	15
191	An antimony(III) borate with large birefringence exhibiting unwonted [B ₅ O ₁₁] fundamental building blocks and dimeric [Sb ₂ O ₆] clusters. <i>Inorganic Chemistry Frontiers</i> , 2021, 8, 2584-2590.	3.0	15
192	Finding Short-Wavelength Birefringent Crystals with Large Optical Anisotropy Activated by π -Conjugated [C(NH ₂) ₃] Units. <i>Crystal Growth and Design</i> , 2021, 21, 1869-1877.	1.4	15
193	BaB ₄ O ₅ F ₄ with reversible phase transition featuring unprecedented fundamental building blocks of [B ₁₆ O ₂₁ F ₁₆] in the $I\bar{4}$ -phase and [B ₄ O ₆ F ₄] in the $I\bar{2}$ -phase. <i>Chemical Communications</i> , 2021, 57, 4182-4185.	2.2	15
194	Two Lanthanide Borate Chlorides LnB ₄ O ₆ (OH) ₂ Cl (Ln = La, Ce) with Wide Ultraviolet Transmission Windows and Large Second-Harmonic Generation Responses. <i>Inorganic Chemistry</i> , 2018, 57, 14953-14960.	1.9	14
195	The First Examples of Lithium-Containing Mixed-Alkali Strontium Borates with Different Dimensional Anionic Architectures and Short Cutoff Edges. <i>Chemistry - A European Journal</i> , 2018, 24, 15355-15364.	1.7	14
196	Ba ₃ B ₁₀ O ₁₇ F ₂ ·0.1KF: the first mixed alkali/alkaline-earth metal fluorooxoborate with unprecedented double-layered B ^{VI} O/F anionic arrangement. <i>Chemical Communications</i> , 2019, 55, 8923-8926.	2.2	14
197	From centrosymmetric to noncentrosymmetric: cation-directed structural evolution in X ₃ ZnB ₅ O ₁₀ (X = Na, K, Rb) and Cs ₁₂ Zn ₄ (B ₅ O ₁₀) ₄ crystals. <i>Inorganic Chemistry Frontiers</i> , 2019, 6, 1461-1467.	3.0	14
198	Designing Three Fluorooxoborates with a Wide Transmittance Window by Anionic Group Substitution. <i>Inorganic Chemistry</i> , 2019, 58, 3596-3600.	1.9	14

#	ARTICLE	IF	CITATIONS
199	Pb ₄ B ₆ O ₁₃ : A Polar Lead Oxyborate with Uncommon $\langle \text{B} \rangle_6 \langle \text{O} \rangle_{12} \langle \text{P} \rangle_6$ Layers Exhibiting a Large Second Harmonic Generation Response. <i>Inorganic Chemistry</i> , 2019, 58, 1750-1754.	1.9	14
200	Effect of anion dimensionality on optical properties: the $\langle \text{B} \rangle_7 \langle \text{O} \rangle_{10} \langle \text{OH} \rangle_2$ layer in CsB ₇ O ₁₀ (OH) ₂ vs. the $\langle \text{B} \rangle_7 \langle \text{O} \rangle_{12}$ framework in CsBaB ₇ O ₁₂ . <i>Dalton Transactions</i> , 2020, 49, 1292-1299.	1.6	14
201	Two new ammonium/alkali-rare earth metal difluorophosphates ALa(PO ₂ F ₂) ₄ (A = NH ₄ and K) with moderate birefringence and short cutoff edges. <i>Dalton Transactions</i> , 2020, 49, 11591-11596.	1.6	14
202	Enhanced optical anisotropy via dimensional control in alkali-metal chalcogenides. <i>Physical Chemistry Chemical Physics</i> , 2020, 22, 19697-19703.	1.3	14
203	Hydroxyfluorooxoborate Na[B ₃ O ₃ F ₂ (OH) ₂] \cdot [B(OH) ₃]: Optimizing the Optical Anisotropy with Heteroanionic Units for Deep Ultraviolet Birefringent Crystals. <i>Angewandte Chemie</i> , 2021, 133, 20632-20638.	1.6	14
204	Li ₄ MgGe ₂ S ₇ : The First Alkali and Alkaline-Earth Diamond-Like Infrared Nonlinear Optical Material with Exceptional Large Band Gap. <i>Angewandte Chemie</i> , 2021, 133, 24333-24338.	1.6	14
205	Sn ₂ PO ₄ I: An Excellent Birefringent Material with Giant Optical Anisotropy in Non- π -Conjugated Phosphate. <i>Angewandte Chemie</i> , 2021, 133, 25105.	1.6	14
206	ScMO(BO ₃) (M = Ca and Cd): new Sc-based oxyborates featuring interesting edge-sharing sandwich-like chains and UV cut-off edges. <i>Dalton Transactions</i> , 2017, 46, 14839-14846.	1.6	13
207	Linear-to- π -Shape $\text{P} \rightarrow \text{O}$ Bond Transmutation in Polyphosphates with Infinite (PO ₃) \cdot Chain. <i>Inorganic Chemistry</i> , 2017, 56, 10139-10142.	1.9	13
208	NaRb ₃ B ₆ O ₉ (OH) ₃ (HCO ₃): A Borate-Bicarbonate Nonlinear Optical Material. <i>Inorganic Chemistry</i> , 2020, 59, 759-766.	1.9	13
209	Structural Diversity of Molybdate Iodate and Fluoromolybdate: Syntheses, Structures, and Calculations on Na ₃ (MoO ₄)(IO ₃) and Na ₃ Cs(MoO ₂ F ₄) ₂ . <i>Inorganic Chemistry</i> , 2020, 59, 3034-3041.	1.9	13
210	$\hat{1}\pm$, $\hat{1}^2$ -Pb ₄ B ₂ O ₇ and $\hat{1}\pm$, $\hat{1}^2$ -Pb ₄ B ₆ O ₁₃ : Polymorphism drives changes in structure and performance. <i>Science China Materials</i> , 2020, 63, 806-815.	3.5	13
211	Discovery of First Magnesium Fluorooxoborate with Stable Fluorine Terminated Framework for Deep-UV Nonlinear Optical Application. <i>Angewandte Chemie</i> , 2021, 133, 14771-14777.	1.6	13
212	Tetrafluoroborate-Monofluorophosphate (NH ₄) ₃ [PO ₃ F][BF ₄]: First Member of Oxyfluoride with $\text{B} \rightarrow \text{F}$ and $\text{P} \rightarrow \text{F}$ Bonds. <i>ACS Organic & Inorganic Au</i> , 2021, 1, 6-10.	1.9	13
213	NaBaBS ₃ : A Promising Infrared Functional Material with Large Birefringence Induced by π -Conjugated [BS ₃] Units. <i>Chemistry of Materials</i> , 2022, 34, 5215-5223.	3.2	13
214	Ba ₂ ZnSc(BO ₃) ₃ and Ba ₄ Zn ₅ Sc ₂ (BO ₃) ₈ : first examples of borates in the Zn-Sc-B-O system featuring special structure configurations. <i>Inorganic Chemistry Frontiers</i> , 2018, 5, 1787-1794.	3.0	12
215	Adjustable optical nonlinearity in d^{10} cations containing chalcogenides via dp hybridization interaction. <i>Dalton Transactions</i> , 2019, 48, 2592-2597.	1.6	12
216	[Ge ₂ S ₅ (S ₂)] \cdot 4 π , A NLO-Active Unit Leading to an Asymmetric Structure Discovered in Li ₂ Cs ₄ Ge ₂ S ₅ (S ₂)Cl ₂ : An Experimental and Theoretical study. <i>Chemistry - A European Journal</i> , 2019, 25, 5440-5444.	1.7	12

#	ARTICLE	IF	CITATIONS
217	NaCa ₅ BO ₃ (SiO ₄) ₂ with Interesting Isolated [BO ₃] and [SiO ₄] Units in Alkali- and Alkaline-Earth-Metal Borosilicates. <i>Inorganic Chemistry</i> , 2019, 58, 3937-3943.	1.9	12
218	Ba ₃ (BO ₃)(CO ₃)F: The First Borate Carbonate Fluoride Synthesized by the High-Temperature Solution Method. <i>Chemistry - A European Journal</i> , 2020, 26, 16628-16632.	1.7	12
219	Li ₂ SnF ₂ : A UV Birefringent Material with Large Birefringence and Easy Crystal Growth. <i>Angewandte Chemie</i> , 2021, 133, 3582-3586.	1.6	12
220	Synergism of multiple functional chromophores significantly enhancing the birefringence in layered non-centrosymmetric chalcogenides. <i>Inorganic Chemistry Frontiers</i> , 2021, 8, 1588-1598.	3.0	12
221	M ₃ B ₆ O ₁₀ NO ₃ (M = K, Rb): Two New Alkali Metal Borate Nitrates with Noncentrosymmetric Structures. <i>European Journal of Inorganic Chemistry</i> , 2021, 2021, 1297-1304.	1.0	12
222	CsAB ₈ O ₁₂ F ₂ ·Csl (A = K, Rb), Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 547 Td (NH ₄) ₂ structures via a salt-inclusion strategy. <i>Journal of Materials Chemistry C</i> , 2022, 10, 8584-8588.	2.7	12
223	K ₄ (PO ₂ F ₂) ₂ (S ₂ O ₇): first fluorooxophosphorsulfate with mixed-anion [S ₂ O ₇] ²⁻ and [PO ₂ F ₂] ⁻ groups. <i>Dalton Transactions</i> , 2020, 49, 17658-17664.	1.6	11
224	Li ₄ Ca ₂ B ₈ O ₁₆ : A Borate with a Unique Fundamental Building Block and a Short Cutoff Edge. <i>Inorganic Chemistry</i> , 2020, 59, 8396-8403.	1.9	11
225	Li ₃ La ₂ (BO ₃) ₃ and Li _{1.75} Na _{1.25} La ₂ (BO ₃) ₃ : A Great Enhancement in Birefringence Induced by Optimal Arrangement of π -Conjugated [BO ₃] Units. <i>Inorganic Chemistry</i> , 2021, 60, 12565-12572.	1.9	11
226	NaPN ₂ : Deep-ultraviolet nonlinear optical material with unprecedented strong second-harmonic generation coefficient. <i>Physical Review Materials</i> , 2019, 3, .	0.9	11
227	Enhancement of band gap and birefringence induced via π -conjugated chromophore with σ effect. <i>Inorganic Chemistry Frontiers</i> , 2022, 9, 1224-1232.	3.0	11
228	LiB ₅ O ₅ F ₂ (OH) ₄ : A new deep-ultraviolet birefringent crystal with [B ₅ O ₅ F ₂ (OH) ₄] anionic group. <i>Science China Materials</i> , 2022, 65, 2585-2590.	3.5	11
229	Structural insights into three phosphates with distinct polyanionic configurations. <i>Dalton Transactions</i> , 2019, 48, 13406-13412.	1.6	10
230	A new barium-containing alkali metal silicate fluoride NaBa ₃ Si ₂ O ₇ F with deep-UV optical property. <i>Science China Materials</i> , 2019, 62, 1454-1462.	3.5	10
231	CO(NH ₂) ₂ ·2NH ₄ Cl: an ultraviolet birefringent material with conjugated C=O groups. <i>CrystEngComm</i> , 2019, 21, 6072-6079.	1.3	10
232	LiBa ₂ M ^{III} Q ₄ (M ^{III} = Al, Ga, In; Q = S, Se): A Series of Metal Chalcogenides with a Structural Transition. <i>Inorganic Chemistry</i> , 2019, 58, 12859-12866.	1.9	10
233	Role of Fluorooxo-Functional Units in Symmetry Breaking and Second Harmonic Generation Response Contribution in Fluorooxoborate Nonlinear Optical Crystals. <i>Crystal Growth and Design</i> , 2020, 20, 7582-7587.	1.4	10
234	A Promising Fluorooxoborate Framework with Flexible Capability for Diverse Cations to Enhance the Second Harmonic Generation. <i>Chemistry - A European Journal</i> , 2020, 26, 3723-3728.	1.7	10

#	ARTICLE	IF	CITATIONS
235	Uncovering the Structural Diversity and Excellent Performance of a Deep Ultraviolet Nonlinear Optical System $\text{Li}(\text{B}_2\text{O}_3)_x\text{F}$ ($x = 1, 1.5, 2, \text{ and } 3$) by Multicomponent Prediction. <i>Chemistry of Materials</i> , 2022, 34, 3133-3139.	3.2	10
236	Effect of the tetrahedral groups on the optical properties of LaBrO_5 ($\text{R} = \text{Si}$ and Ge): A first-principles study. <i>Journal of Applied Physics</i> , 2015, 118, .	1.1	9
237	DFT-Based Comparative Study about the Influence of Fluorine and Hydroxyl Anions on Opto-Electric Properties of Borate Crystals: Choice for Better Anion. <i>Inorganic Chemistry</i> , 2017, 56, 5636-5645.	1.9	9
238	$\text{K}_9[\text{B}_4\text{O}_5(\text{OH})_4]_3(\text{CO}_3)_3\text{X}\cdot 7\text{H}_2\text{O}$ ($\text{X} = \text{Cl}, \text{Br}$): Syntheses, Characterizations, and Theoretical Studies of Noncentrosymmetric Halogen Borate Carbonates with Short UV Cutoff Edges. <i>Inorganic Chemistry</i> , 2019, 58, 6974-6982.	1.9	9
239	Prediction of ternary fluorooxoborates with coplanar triangular units $[\text{BO}_x\text{F}_3]^{x-}$ from first-principles. <i>Dalton Transactions</i> , 2020, 49, 5424-5428.	1.6	9
240	Series of Crystals with Giant Optical Anisotropy: A Targeted Strategic Research. <i>Angewandte Chemie</i> , 2021, 133, 1352-1358.	1.6	9
241	$\text{Na}_3\text{AMg}_7(\text{PO}_4)_6$ ($\text{A} = \text{K}, \text{Rb}$ and Cs): Structures, properties and theoretical studies of alkali metal magnesium orthophosphates. <i>Journal of Molecular Structure</i> , 2021, 1226, 129349.	1.8	9
242	$\text{Na}_4\text{B}_8\text{O}_9\text{F}_{10}$: A Deep Ultraviolet Transparent Nonlinear Optical Fluorooxoborate with Unexpected Short Phase-Matching Wavelength Induced by Optimized Chromatic Dispersion. <i>Angewandte Chemie</i> , 2022, 134, .	1.6	9
243	Strong Nonlinearity Induced by Coaxial Alignment of Polar Chain and Dense $[\text{BO}_3]$ Units in $\text{CaZn}_2(\text{BO}_3)_2$. <i>Angewandte Chemie</i> , 0, , .	1.6	9
244	NaBaMIIIQ_3 ($\text{MIII} = \text{Al}, \text{Ga}$; $\text{Q} = \text{S}, \text{Se}$): first quaternary chalcogenides with isolated edge-sharing (MIII_2Q_6) dimers. <i>Dalton Transactions</i> , 2018, 47, 16044-16047.	1.6	8
245	$\text{Li}_2\text{BaSc}(\text{BO}_3)_2\text{F}$ and $\text{LiBa}_2\text{Pb}(\text{BO}_3)_2\text{F}$ with Layered Structures featuring Special $\text{Li}^+\text{O/F}$ Configurations. <i>Chemistry - A European Journal</i> , 2018, 24, 15477-15481.	1.7	8
246	Flexible coordination of Pb atoms and variable zinc borate frameworks to construct three $\text{Pb}_5\text{Zn}_4\text{B}_6\text{O}_{18}$ polymorphs. <i>Inorganic Chemistry Frontiers</i> , 2018, 5, 2501-2507.	3.0	8
247	Intense d - p Hybridization Induced a Vast SHG Response Disparity between Tetrahedral Vanadates and Arsenates. <i>Journal of Physical Chemistry C</i> , 2020, 124, 24949-24956.	1.5	8
248	$\text{Cs}_2\text{AlB}_5\text{O}_{10}$: a short-wavelength nonlinear optical crystal with moderate second harmonic generation response. <i>Dalton Transactions</i> , 2021, 50, 822-825.	1.6	8
249	$\text{Pb}_3\text{Ba}_7\text{B}_7\text{O}_{20}\text{F}$: A new nonlinear optical material exhibiting large second harmonic generation response induced by its unprecedented Pb-B-O framework. <i>Scripta Materialia</i> , 2021, 194, 113700.	2.6	8
250	$\text{Sn}_3\text{B}_8\text{O}_{15}$: A Ternary Tin(II) Borate with Flexible $[\text{B}_8\text{O}_{18}]^{12-}$ Fundamental Building Block Formed by $[\text{B}_7\text{O}_{16}]^{11-}$ and $[\text{BO}_3]^{3-}$ Groups. <i>Inorganic Chemistry</i> , 2021, 60, 883-891.	1.9	8
251	$\text{Rb}_3\text{BaTeB}_7\text{O}_{15}$: a novel $[\text{B}_7\text{O}_{16}]$ fundamental building block in a new telluroborate with $[\text{TeO}_3]$ polyhedra. <i>Dalton Transactions</i> , 2020, 49, 8911-8917.	1.6	7
252	$\text{BaZn}_3(\text{BO}_3)_2\text{F}_2$: a new beryllium-free zincoborate with a KBBF-type structure. <i>Dalton Transactions</i> , 2021, 50, 13216-13219.	1.6	7

#	ARTICLE	IF	CITATIONS
253	BaTi(BO ₃) ₂ : an excellent birefringent material with highly coplanar isolated [BO ₃] groups. <i>New Journal of Chemistry</i> , 2021, 45, 7065-7068.	1.4	7
254	Enhanced birefringence and suppressed second harmonic generation response mechanism in nonlinear optical materials <i>via</i> structural fine-tuning. <i>Materials Chemistry Frontiers</i> , 2021, 5, 7580-7586.	3.2	7
255	Polymorphic Pb ₁₄ O ₈ I ₁₂ and Pb ₇ O ₄ I ₆ oxyhalides featuring unprecedented [O ₈ Pb ₁₄] clusters with broad IR transparency. <i>Science China Materials</i> , 2022, 65, 773-779.	3.5	7
256	From $\text{Na}_2\text{B}_6\text{O}_{10}$ to $\text{Na}_3\text{AlB}_8\text{O}_{15}$ and $\text{Na}_3\text{Al}_2\text{B}_7\text{O}_{15}$: Structural Tuning of Anionic Group Architectures by Substitution of [BO ₄] by [AlO ₄] Covalent Tetrahedra. <i>Chemistry - A European Journal</i> , 2022, 28, .	1.7	7
257	AZn ₂ (BO ₃)Si ₂ O ₅ (A = Rb, Cs): first examples of KBe ₂ BO ₃ F ₂ structure type in the borosilicate family exhibiting a deep-ultraviolet cutoff edge. <i>Journal of Materials Chemistry C</i> , 2022, 10, 1727-1734.	2.7	7
258	Variable dimensionality of the anion framework in four new borophosphates and fluoroborophosphates with short cutoff edges. <i>Dalton Transactions</i> , 2022, 51, 2840-2845.	1.6	7
259	MM ² B ₃ O ₄ F ₃ (M = K; M ² = Na, K, Cs): Alkali-Metal Fluorooxoborates with ∞^1 [B ₃ O ₄ F ₃] Chains and Deep-Ultraviolet Cutoff Edges. <i>Inorganic Chemistry</i> , 2022, , .	1.9	7
260	Ba ₁₀ LuB ₁₈ O ₃₂ F ₁₃ : the first example of borate in the Lu ²⁺ B ⁴⁺ O ²⁻ F system with the unprecedented FBB [B ₉ O ₂₂]. <i>Inorganic Chemistry Frontiers</i> , 2022, 9, 2298-2304.	3.0	7
261	LiCs ₂ La(BO ₃) ₂ and Li ₃ K ₉ La ₃ (BO ₃) ₇ : new mixed alkali metal lanthanum borates with three-dimensional open frameworks and short cut-off edges. <i>Dalton Transactions</i> , 2018, 47, 3512-3520.	1.6	6
262	Prediction of Novel van der Waals Boron Oxides with Superior Deep-Ultraviolet Nonlinear Optical Performance. <i>Angewandte Chemie</i> , 2021, 133, 10886-10892.	1.6	6
263	Cation Substitution of Hexagonal Triple Perovskites: A Case in Trimetallic Tellurates A ₂ A ² BTe ₂ O ₉ . <i>Inorganic Chemistry</i> , 2021, 60, 6099-6106.	1.9	6
264	Syntheses, Structures and Properties of Alkali and Alkaline Earth Metal Diamond-Like Compounds Li ₂ MgMSe ₄ (M = Ge, Sn). <i>Materials</i> , 2021, 14, 6166.	1.3	6
265	Syntheses, crystal structures and characterization of three alkaline metal borates. <i>CrystEngComm</i> , 2017, 19, 2561-2569.	1.3	5
266	Microstructural evolution of amorphous Si ₂ BC ₃ N nanopowders upon heating at high temperatures: High pressures reverse the nucleation order of SiC and BN (C). <i>Journal of the American Ceramic Society</i> , 2018, 101, 4321-4330.	1.9	5
267	A Fluorooxosilicophosphate with an Unprecedented SiO ₂ F ₄ Species. <i>Angewandte Chemie</i> , 2018, 130, 9976-9980.	1.6	5
268	Mg(H ₂ O) ₆ B ₄ O ₅ (OH) ₄ (H ₂ O) ₃ : a new hydrated borate with a short DUV cutoff edge. <i>Dalton Transactions</i> , 2019, 48, 17408-17413.	1.6	5
269	Al ₈ (BO ₃) ₄ (B ₂ O ₅)F ₈ : A F-Containing Aluminum Borate Featuring Two Types of Isolated B ⁴⁺ O Groups. <i>Inorganic Chemistry</i> , 2020, 59, 810-817.	1.9	5
270	Three diphosphates, $\text{Li}_2\text{Na}_2\text{P}_2\text{O}_7$, $\text{Li}_8\text{Pb}_3\text{Ba}(\text{P}_2\text{O}_7)_4$ and $\text{Li}_7\text{Rb}(\text{P}_2\text{O}_7)_2$: influences of co-substitution on the crystal structure. <i>Dalton Transactions</i> , 2020, 49, 6744-6750.	1.6	5

#	ARTICLE	IF	CITATIONS
271	SrTi(IO ₃) ₆ ·2H ₂ O and SrSn(IO ₃) ₆ : distinct arrangements of lone pair electrons leading to large birefringences. RSC Advances, 2021, 11, 10309-10315.	1.7	5
272	From BaCl ₂ to Ba(NO ₃)Cl: significantly enhanced birefringence derived from f-conjugated [NO ₃]. New Journal of Chemistry, 2021, 45, 17544-17550.	1.4	5
273	NaRbB ₃ O ₄ F ₃ : A New Fluorooxoborate with a Short UV Cutoff Edge Enriching the Structural Chemistry of Borate. Chemistry - an Asian Journal, 2021, 16, 3082-3085.	1.7	5
274	Design of Infrared Nonlinear Optical Compounds with Diamond-like Structures and Balanced Optical Performance. Inorganic Chemistry, 2022, 61, 11454-11462.	1.9	5
275	Structural modulation induced by MIIIA metals in Ba ₃ MQ ₄ X (M = Al, Ga, In; Q = S, Se; X = Cl, Br): an experimental and computational analysis. Dalton Transactions, 2019, 48, 12713-12719.	1.6	4
276	AB ₁₁ O ₁₆ (OH) ₂ (A = K and Cs): interpenetrating 2D layers with large birefringence. CrystEngComm, 2021, 23, 35-39.	1.3	4
277	From centrosymmetric to noncentrosymmetric: effect of the cation on the crystal structures and birefringence values of (NH ₄) _n AE(PO ₂ F ₂) _n (AE = Mg, Sr and Ba); Tj ET Qq1 1 0.784314	1.6	4
278	Pb _{2.28} Ba _{1.72} B ₁₀ O ₁₉ featuring a three-dimensional B-O anionic network with edge-sharing [BO ₄] obtained under ambient pressure. Inorganic Chemistry Frontiers, 2021, 8, 3716-3722.	3.0	4
279	Active performance of tetrahedral groups to SHG response: theoretical interpretations of Ge/Si-containing borate crystals. Physical Chemistry Chemical Physics, 2016, 18, 6077-6084.	1.3	3
280	An alkali metal phosphate RbPbBi ₂ (PO ₄) ₃ with three kinds of disorder: the effect of isolated soft cation units on the crystal structure. Inorganic Chemistry Frontiers, 2019, 6, 2050-2054.	3.0	3
281	K ₂ [B ₄ O ₅ (OH) ₄]·H ₂ O and K ₂ [B ₄ O ₅ (OH) ₄]: two new hydrated potassium borates with isolated [B ₄ O ₅ (OH) ₄] ²⁻ units and different structural frameworks. New Journal of Chemistry, 2019, 43, 11660-11665.	1.4	3
282	Band-Gap Modulation of Nonlinear-Optical Fluorooxoborates by Controlling the F/B Ratios. Inorganic Chemistry, 2020, 59, 1588-1591.	1.9	3
283	Coordination-Directed Structural Modulation and Design of Deep-Ultraviolet Nonlinear Optical Materials. Journal of Physical Chemistry C, 2021, 125, 24859-24866.	1.5	3
284	Ba ₂ B ₁₃ O ₁₉ (OH) ₅ ·5H ₂ O: A promising nonlinear optical material with a unique 2[B ₁₃ O ₁₉ (OH) ₅] ²⁻ two-dimensional layer. Journal of Alloys and Compounds, 2022, 897, 163194.	2.8	3
285	Ba ₂ B ₅ O ₈ (OH) ₂ (NO ₃) ₃ ·3H ₂ O: the design of an alkaline earth metal borate-nitrate optimized from a hydroxylic borate. Dalton Transactions, 2022, 51, 1979-1984.	1.6	3
286	Sr ₃ B ₁₄ O ₂₄ : a new borate with a [B ₁₄ O ₃₀] fundamental building block and an unwonted 2D double layer. Dalton Transactions, 2022, 51, 618-623.	1.6	3
287	Hierarchical Modulation of Optical Anisotropy Driven by Metal Cation Polyhedra in Fluorooxoborates M II B ₄ O ₆ F ₂ (M II =Be, Mg, Pb, Zn, Cd). Chemistry - A European Journal, 2022, 28, .	1.7	3
288	Design of a diamond-like infrared nonlinear optical material LiBS ₂ with ultra-wide band gap. Journal of Alloys and Compounds, 2022, 902, 163839.	2.8	3

#	ARTICLE	IF	CITATIONS
289	Be ₂ CO ₃ F ₂ Monolayer: A Flexible Ultraviolet Nonlinear Optical Material via Rational Design. <i>Inorganic Chemistry</i> , 2019, 58, 7715-7721.	1.9	2
290	Two alkali calcium borates exhibiting second harmonic generation and deep-UV cutoff edges. <i>New Journal of Chemistry</i> , 2019, 43, 9354-9363.	1.4	2
291	From BaAl ₂ (BO ₃) ₂ O to SnAl ₂ (BO ₃) ₂ F ₂ : structure transformation based on ion regulation. <i>New Journal of Chemistry</i> , 2020, 44, 9852-9857.	1.4	2
292	Design and synthesis of Ba ₃ SiSe ₅ with suitable birefringence modulated <i>via</i> M ^{IV} atoms in the Ba ^{IV} Q (M ^{IV} = Si, Ge; Q = S, Se) system. <i>Dalton Transactions</i> , 2021, 50, 11999-12005.	1.6	2
293	The First Mixed Calcium Zinc Borate with a Flexible [B ₈ O ₁₇] Fundamental Building Block and Short UV Cutoff Edge. <i>Chemistry - A European Journal</i> , 2021, 27, 12047-12051.	1.7	2
294	Two deep-ultraviolet nonlinear optical monolayers obtained by a template-optimized design strategy. <i>Inorganic Chemistry Frontiers</i> , 0, , .	3.0	2
295	Pb ₂ Al ₂ B ₃ O ₈ F ₃ : structure and properties of a new fluoroaluminoborate with non-traditional chain-like B ₃ O ₈ groups. <i>Dalton Transactions</i> , 2022, 51, 3964-3969.	1.6	2
296	Promising Deep-Ultraviolet Birefringent Materials via Rational Design and Assembly of Planar π -Conjugated [B(OH) ₃] and [B ₃ O ₃ (OH) ₃] Functional Species. <i>Angewandte Chemie</i> , 0, , .	1.6	2
297	Fluorooxoborate layers: second harmonic generation and Raman spectra anisotropy. <i>New Journal of Chemistry</i> , 2020, 44, 13939-13943.	1.4	1
298	The synthesis, characterization, and theoretical analysis of (NH ₄) ₃ PbCl ₅ . <i>New Journal of Chemistry</i> , 2021, 45, 2038-2043.	1.4	1
299	Frontispiece: Structural Insights into Borates with an Anion-templated Open Framework Configuration: Asymmetric K ₂ BaB ₁₆ O ₂₆ versus Centrosymmetric K ₃ CsB ₂₀ O ₃₂ and Na ₂ M ₂ NB ₁₈ O ₃₀ (M=Rb, Cs; N=Ba, Pb). <i>Chemistry - A European Journal</i> , 2017, 23, , .	1.7	0
300	Frontispiece: Designing Deep-UV Birefringent Crystals by Cation Regulation. <i>Chemistry - A European Journal</i> , 2018, 24, , .	1.7	0