

Juan M D Tascon

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2021607/publications.pdf>

Version: 2024-02-01

235
papers

17,915
citations

20797

60
h-index

14197

128
g-index

239
all docs

239
docs citations

239
times ranked

21159
citing authors

#	ARTICLE	IF	CITATIONS
1	Graphene Oxide Dispersions in Organic Solvents. <i>Langmuir</i> , 2008, 24, 10560-10564.	1.6	2,511
2	Vitamin C Is an Ideal Substitute for Hydrazine in the Reduction of Graphene Oxide Suspensions. <i>Journal of Physical Chemistry C</i> , 2010, 114, 6426-6432.	1.5	1,230
3	Raman microprobe studies on carbon materials. <i>Carbon</i> , 1994, 32, 1523-1532.	5.4	1,072
4	Atomic Force and Scanning Tunneling Microscopy Imaging of Graphene Nanosheets Derived from Graphite Oxide. <i>Langmuir</i> , 2009, 25, 5957-5968.	1.6	631
5	Highly Stable Performance of Supercapacitors from Phosphorus-Enriched Carbons. <i>Journal of the American Chemical Society</i> , 2009, 131, 5026-5027.	6.6	564
6	Synthetic carbons activated with phosphoric acid. <i>Carbon</i> , 2002, 40, 1493-1505.	5.4	483
7	High-throughput production of pristine graphene in an aqueous dispersion assisted by non-ionic surfactants. <i>Carbon</i> , 2011, 49, 1653-1662.	5.4	461
8	Structure and Reactivity of Perovskite-Type Oxides. <i>Advances in Catalysis</i> , 1989, , 237-328.	0.1	358
9	Surface chemistry of phosphorus-containing carbons of lignocellulosic origin. <i>Carbon</i> , 2005, 43, 2857-2868.	5.4	316
10	Preparation of graphene dispersions and graphene-polymer composites in organic media. <i>Journal of Materials Chemistry</i> , 2009, 19, 3591.	6.7	293
11	A possible bucky bowl-like structure of zeolite templated carbon. <i>Carbon</i> , 2009, 47, 1220-1230.	5.4	243
12	Towards full repair of defects in reduced graphene oxide films by two-step graphitization. <i>Nano Research</i> , 2013, 6, 216-233.	5.8	199
13	Comparative XRD, Raman, and TEM Study on Graphitization of PBO-Derived Carbon Fibers. <i>Journal of Physical Chemistry C</i> , 2012, 116, 257-268.	1.5	183
14	Oxygen plasma modification of pitch-based isotropic carbon fibres. <i>Carbon</i> , 2003, 41, 41-56.	5.4	181
15	Environmentally friendly approaches toward the mass production of processable graphene from graphite oxide. <i>Journal of Materials Chemistry</i> , 2011, 21, 298-306.	6.7	173
16	UV light exposure of aqueous graphene oxide suspensions to promote their direct reduction, formation of graphene-metal nanoparticle hybrids and dye degradation. <i>Carbon</i> , 2012, 50, 1014-1024.	5.4	171
17	Activated carbons by pyrolysis of coffee bean husks in presence of phosphoric acid. <i>Journal of Analytical and Applied Pyrolysis</i> , 2003, 70, 779-784.	2.6	155
18	Influence of Porous Texture and Surface Chemistry on the CO ₂ Adsorption Capacity of Porous Carbons: Acidic and Basic Site Interactions. <i>ACS Applied Materials & Interfaces</i> , 2014, 6, 21237-21247.	4.0	147

#	ARTICLE	IF	CITATIONS
19	Synthetic carbons activated with phosphoric acid III. Carbons prepared in air. Carbon, 2003, 41, 1181-1191.	5.4	141
20	Activated carbon fibers from Nomex by chemical activation with phosphoric acid. Carbon, 2004, 42, 1419-1426.	5.4	140
21	Effects of plasma oxidation on the surface and interfacial properties of ultra-high modulus carbon fibres. Composites Part A: Applied Science and Manufacturing, 2001, 32, 361-371.	3.8	131
22	Methods for Characterization of Inorganic and Mineral Matter in Coal: A Critical Overview. Energy & Fuels, 2003, 17, 271-281.	2.5	130
23	Chemically Exfoliated MoS ₂ Nanosheets as an Efficient Catalyst for Reduction Reactions in the Aqueous Phase. ACS Applied Materials & Interfaces, 2014, 6, 21702-21710.	4.0	126
24	A study of the effect of plasma treatment on the interfacial properties of carbon fibre-thermoplastic composites. Carbon, 2005, 43, 1795-1799.	5.4	123
25	Composition of gases released during olive stones pyrolysis. Journal of Analytical and Applied Pyrolysis, 2002, 65, 313-322.	2.6	122
26	Pyrolysis of apple pulp: chemical activation with phosphoric acid. Journal of Analytical and Applied Pyrolysis, 2002, 63, 283-301.	2.6	117
27	Chemisorption and catalysis on LaMO ₃ oxides. Journal of the Chemical Society Faraday Transactions I, 1985, 81, 939.	1.0	115
28	Effects of plasma oxidation on the surface and interfacial properties of carbon fibres/polycarbonate composites. Carbon, 2001, 39, 1057-1068.	5.4	115
29	Oxygen and phosphorus enriched carbons from lignocellulosic material. Carbon, 2007, 45, 1941-1950.	5.4	115
30	Surface chemical modifications induced on high surface area graphite and carbon nanofibers using different oxidation and functionalization treatments. Journal of Colloid and Interface Science, 2011, 355, 179-189.	5.0	110
31	Production of aqueous dispersions of inorganic graphene analogues by exfoliation and stabilization with non-ionic surfactants. RSC Advances, 2014, 4, 14115-14127.	1.7	101
32	Achieving Extremely Concentrated Aqueous Dispersions of Graphene Flakes and Catalytically Efficient Graphene-Metal Nanoparticle Hybrids with Flavin Mononucleotide as a High-Performance Stabilizer. ACS Applied Materials & Interfaces, 2015, 7, 10293-10307.	4.0	101
33	Nomex-derived activated carbon fibers as electrode materials in carbon based supercapacitors. Journal of Power Sources, 2006, 153, 419-423.	4.0	98
34	Investigating the influence of surfactants on the stabilization of aqueous reduced graphene oxide dispersions and the characteristics of their composite films. Carbon, 2012, 50, 3184-3194.	5.4	97
35	From graphene oxide to pristine graphene: revealing the inner workings of the full structural restoration. Nanoscale, 2015, 7, 2374-2390.	2.8	95
36	Electrochemical Exfoliation of Graphite in Aqueous Sodium Halide Electrolytes toward Low Oxygen Content Graphene for Energy and Environmental Applications. ACS Applied Materials & Interfaces, 2017, 9, 24085-24099.	4.0	92

#	ARTICLE	IF	CITATIONS
37	Synthetic carbons activated with phosphoric acid. <i>Carbon</i> , 2002, 40, 1507-1519.	5.4	89
38	Thermal Transformations of Kevlar Aramid Fibers During Pyrolysis: Infrared and Thermal Analysis Studies. <i>Chemistry of Materials</i> , 1994, 6, 1918-1924.	3.2	87
39	Capacitive Behaviours of Phosphorus-Rich Carbons Derived from Lignocelluloses. <i>Electrochimica Acta</i> , 2014, 137, 219-227.	2.6	85
40	Electrolytic exfoliation of graphite in water with multifunctional electrolytes: en route towards high quality, oxide-free graphene flakes. <i>Nanoscale</i> , 2016, 8, 2982-2998.	2.8	84
41	Atomic Force Microscopy and Infrared Spectroscopy Studies of the Thermal Degradation of Nomex Aramid Fibers. <i>Chemistry of Materials</i> , 2001, 13, 4297-4304.	3.2	83
42	Nitrogen in aramid-based activated carbon fibers by TPD, XPS and XANES. <i>Carbon</i> , 2006, 44, 2452-2462.	5.4	83
43	High quality, low oxygen content and biocompatible graphene nanosheets obtained by anodic exfoliation of different graphite types. <i>Carbon</i> , 2015, 94, 729-739.	5.4	83
44	Activated Carbon Materials of Uniform Porosity from Polyaramid Fibers. <i>Chemistry of Materials</i> , 2005, 17, 5893-5908.	3.2	82
45	Tuning of texture and surface chemistry of carbon xerogels. <i>Journal of Colloid and Interface Science</i> , 2008, 324, 150-155.	5.0	81
46	Studies on pyrolysis of Nomex polyaramid fibers. <i>Journal of Analytical and Applied Pyrolysis</i> , 2001, 58-59, 105-115.	2.6	80
47	Synthesis, characterization and dye removal capacities of N-doped mesoporous carbons. <i>Journal of Colloid and Interface Science</i> , 2015, 450, 91-100.	5.0	79
48	Chemical and microscopic analysis of graphene prepared by different reduction degrees of graphene oxide. <i>Journal of Alloys and Compounds</i> , 2012, 536, S532-S537.	2.8	74
49	Impact of Covalent Functionalization on the Aqueous Processability, Catalytic Activity, and Biocompatibility of Chemically Exfoliated MoS ₂ Nanosheets. <i>ACS Applied Materials & Interfaces</i> , 2016, 8, 27974-27986.	4.0	73
50	Modification of the surface properties of an activated carbon by oxygen plasma treatment. <i>Fuel</i> , 1998, 77, 613-624.	3.4	71
51	Shrinkage Properties of Wool Treated with Low Temperature Plasma and Chitosan Biopolymer. <i>Textile Research Journal</i> , 1999, 69, 811-815.	1.1	71
52	Introduction of acidic groups at the surface of activated carbon by microwave-induced oxygen plasma at low pressure. <i>Carbon</i> , 2000, 38, 1021-1029.	5.4	71
53	Pyrolysis of apple pulp: effect of operation conditions and chemical additives. <i>Journal of Analytical and Applied Pyrolysis</i> , 2002, 62, 93-109.	2.6	69
54	Application of scanning tunneling and atomic force microscopies to the characterization of microporous and mesoporous materials. <i>Microporous and Mesoporous Materials</i> , 2003, 65, 93-126.	2.2	68

#	ARTICLE	IF	CITATIONS
55	Activated carbon xerogels with a cellular morphology derived from hydrothermally carbonized glucose-graphene oxide hybrids and their performance towards CO ₂ and dye adsorption. <i>Carbon</i> , 2015, 81, 137-147.	5.4	68
56	Inorganic matter characterization in vegetable biomass feedstocks ¹ . <i>Fuel</i> , 2002, 81, 1161-1169.	3.4	67
57	A quantitative analysis of the dispersion behavior of reduced graphene oxide in solvents. <i>Carbon</i> , 2014, 75, 390-400.	5.4	66
58	Effect of nanostructure on the supercapacitor performance of activated carbon xerogels obtained from hydrothermally carbonized glucose-graphene oxide hybrids. <i>Carbon</i> , 2016, 105, 474-483.	5.4	66
59	Studies on the Thermal Degradation of Poly (p-phenylene benzobisoxazole). <i>Chemistry of Materials</i> , 2003, 15, 4052-4059.	3.2	63
60	Retention of mercury in activated carbons in coal combustion and gasification flue gases. <i>Fuel Processing Technology</i> , 2002, 77-78, 353-358.	3.7	60
61	Comparative study of the air and oxygen plasma oxidation of highly oriented pyrolytic graphite: a scanning tunneling and atomic force microscopy investigation. <i>Carbon</i> , 2000, 38, 1183-1197.	5.4	59
62	Activated carbon fibers with a high content of surface functional groups by phosphoric acid activation of PPTA. <i>Journal of Colloid and Interface Science</i> , 2011, 361, 307-315.	5.0	58
63	Investigating the Dispersion Behavior in Solvents, Biocompatibility, and Use as Support for Highly Efficient Metal Catalysts of Exfoliated Graphitic Carbon Nitride. <i>ACS Applied Materials & Interfaces</i> , 2015, 7, 24032-24045.	4.0	57
64	Oxygen plasma modification of submicron vapor grown carbon fibers as studied by scanning tunneling microscopy. <i>Carbon</i> , 2002, 40, 1101-1108.	5.4	56
65	Aromatic polyamides as new precursors of nitrogen and oxygen-doped ordered mesoporous carbons. <i>Carbon</i> , 2014, 70, 119-129.	5.4	55
66	Surface interactions of NO and CO with LaMO ₃ oxides. <i>Journal of Catalysis</i> , 1985, 95, 558-566.	3.1	53
67	Multiscale Imaging and Tip-Scratch Studies Reveal Insight into the Plasma Oxidation of Graphite. <i>Langmuir</i> , 2007, 23, 8932-8943.	1.6	53
68	Effect of oxygen plasma treatment of PPTA and PBO fibers on the interfacial properties of single fiber/epoxy composites studied by Raman spectroscopy. <i>Composites Science and Technology</i> , 2011, 71, 784-790.	3.8	53
69	Porous texture of activated carbons prepared by phosphoric acid activation of apple pulp. <i>Carbon</i> , 2001, 39, 1111-1115.	5.4	52
70	Zeta Potential as a Tool to Characterize Plasma Oxidation of Carbon Fibers. <i>Journal of Colloid and Interface Science</i> , 1997, 192, 363-367.	5.0	51
71	Microporous texture of activated carbon fibres prepared from Nomex aramid fibres. <i>Microporous and Mesoporous Materials</i> , 2000, 34, 171-179.	2.2	51
72	Surface modification of nanocast ordered mesoporous carbons through a wet oxidation method. <i>Carbon</i> , 2013, 62, 193-203.	5.4	51

#	ARTICLE	IF	CITATIONS
73	A comparative study of the thermal decomposition of apple pulp in the absence and presence of phosphoric acid. <i>Polymer Degradation and Stability</i> , 2002, 75, 375-383.	2.7	50
74	Adsorption of CO ₂ on the perovskite-type oxide LaCoO ₃ . <i>Journal of the Chemical Society Faraday Transactions I</i> , 1981, 77, 591.	1.0	49
75	Surface characterisation of plasma-modified poly(ethylene terephthalate). <i>Journal of Colloid and Interface Science</i> , 2006, 293, 353-363.	5.0	49
76	Determining the thickness of chemically modified graphenes by scanning probe microscopy. <i>Carbon</i> , 2010, 48, 2657-2660.	5.4	46
77	A "Nanopore Lithography" Strategy for Synthesizing Hierarchically Micro/Mesoporous Carbons from ZIF-8/Graphene Oxide Hybrids for Electrochemical Energy Storage. <i>ACS Applied Materials & Interfaces</i> , 2017, 9, 44740-44755.	4.0	46
78	Synthesis of ordered micro-mesoporous carbons by activation of SBA-15 carbon replicas. <i>Microporous and Mesoporous Materials</i> , 2012, 151, 390-396.	2.2	44
79	Infrared spectroscopic study of the adsorption of pyridine, carbon monoxide and carbon dioxide on the perovskite-type oxides LaMO ₃ . <i>Journal of the Chemical Society Faraday Transactions I</i> , 1984, 80, 1089.	1.0	43
80	Carbon molecular sieve cloths prepared by chemical vapour deposition of methane for separation of gas mixtures. <i>Microporous and Mesoporous Materials</i> , 2005, 77, 109-118.	2.2	43
81	A simple strategy to improve the yield of graphene nanosheets in the anodic exfoliation of graphite foil. <i>Carbon</i> , 2017, 115, 625-628.	5.4	43
82	Aqueous Cathodic Exfoliation Strategy toward Solution-Processable and Phase-Preserved MoS ₂ Nanosheets for Energy Storage and Catalytic Applications. <i>ACS Applied Materials & Interfaces</i> , 2019, 11, 36991-37003.	4.0	43
83	Effects of oxygen and carbon dioxide plasmas on the surface of poly(ethylene terephthalate). <i>Journal of Colloid and Interface Science</i> , 2005, 287, 57-66.	5.0	42
84	Identifying efficient natural bioreductants for the preparation of graphene and graphene-metal nanoparticle hybrids with enhanced catalytic activity from graphite oxide. <i>Carbon</i> , 2013, 63, 30-44.	5.4	42
85	Atomic force microscopy investigation of the surface modification of highly oriented pyrolytic graphite by oxygen plasma. <i>Journal of Materials Chemistry</i> , 2000, 10, 1585-1591.	6.7	41
86	N ₂ Physisorption on Carbon Nanotubes: A Computer Simulation and Experimental Results. <i>Journal of Physical Chemistry B</i> , 2003, 107, 8905-8916.	1.2	41
87	Characterization of synthetic carbons activated with phosphoric acid. <i>Applied Surface Science</i> , 2002, 200, 196-202.	3.1	40
88	Porous Texture Evolution in Nomex-Derived Activated Carbon Fibers. <i>Journal of Colloid and Interface Science</i> , 2002, 252, 169-176.	5.0	39
89	Nitrogen doped mesoporous carbon aerogels and implications for electrocatalytic oxygen reduction reactions. <i>Microporous and Mesoporous Materials</i> , 2016, 230, 135-144.	2.2	39
90	XPS characterization of coal surfaces: Study of aerial oxidation of brown coals. <i>Surface and Interface Analysis</i> , 1988, 12, 565-571.	0.8	37

#	ARTICLE	IF	CITATIONS
91	Microporous texture of activated carbon fibers prepared from aramid fiber pulp. <i>Microporous Materials</i> , 1997, 11, 303-311.	1.6	37
92	A comparison between physically and chemically driven etching in the oxidation of graphite surfaces. <i>Journal of Colloid and Interface Science</i> , 2010, 344, 451-459.	5.0	37
93	Surface Characterization of PPTA Fibers Using Inverse Gas Chromatography. <i>Macromolecules</i> , 2002, 35, 5085-5096.	2.2	36
94	Global and Local Oxidation Behavior of Reduced Graphene Oxide. <i>Journal of Physical Chemistry C</i> , 2011, 115, 7956-7966.	1.5	36
95	Suitability of thermogravimetry and differential thermal analysis techniques for characterization of pitches. <i>Fuel</i> , 1992, 71, 611-617.	3.4	34
96	Nomex polyaramid as a precursor for activated carbon fibres by phosphoric acid activation. Temperature and time effects. <i>Microporous and Mesoporous Materials</i> , 2004, 75, 73-80.	2.2	34
97	Effect of Phosphoric Acid on Chemical Transformations during Nomex Pyrolysis. <i>Chemistry of Materials</i> , 2004, 16, 2639-2647.	3.2	34
98	Modification of the pyrolysis/carbonization of PPTA polymer by intermediate isothermal treatments. <i>Carbon</i> , 2008, 46, 985-993.	5.4	34
99	Atomic Vacancy Engineering of Graphitic Surfaces: Controlling the Generation and Harnessing the Migration of the Single Vacancy. <i>Journal of Physical Chemistry C</i> , 2009, 113, 10249-10255.	1.5	34
100	Mineral matter in coals of different rank from the Asturian Central basin. <i>Fuel</i> , 1992, 71, 367-372.	3.4	33
101	Graphitization of carbon nanofibers: visualizing the structural evolution on the nanometer and atomic scales by scanning tunneling microscopy. <i>Applied Physics A: Materials Science and Processing</i> , 2005, 80, 675-682.	1.1	33
102	Graphitization of highly porous carbons derived from poly(p-phenylene benzobisoxazole). <i>Carbon</i> , 2012, 50, 2929-2940.	5.4	33
103	Aqueous Exfoliation of Transition Metal Dichalcogenides Assisted by DNA/RNA Nucleotides: Catalytically Active and Biocompatible Nanosheets Stabilized by Acid-Base Interactions. <i>ACS Applied Materials & Interfaces</i> , 2017, 9, 2835-2845.	4.0	33
104	Characterization of Microporosity and Mesoporosity in Carbonaceous Materials by Scanning Tunneling Microscopy. <i>Langmuir</i> , 2001, 17, 474-480.	1.6	32
105	Structural Investigation of Zeolite-templated, Ordered Microporous Carbon by Scanning Tunneling Microscopy and Raman Spectroscopy. <i>Langmuir</i> , 2005, 21, 8817-8823.	1.6	32
106	Preparation of hierarchical micro-mesoporous aluminosilicate composites by simple Y zeolite/MCM-48 silica assembly. <i>Journal of Alloys and Compounds</i> , 2014, 583, 60-69.	2.8	32
107	Organic affinity of trace elements in Asturian bituminous coals. <i>Fuel</i> , 1992, 71, 909-917.	3.4	31
108	Effect of Various Treatments on Carbon Fiber Surfaces Studied by Raman Microprobe Spectrometry. <i>Applied Spectroscopy</i> , 1998, 52, 356-360.	1.2	31

#	ARTICLE	IF	CITATIONS
109	Mechanical properties of high-strength carbon fibres. Validation of an end-effect model for describing experimental data. <i>Carbon</i> , 2004, 42, 1275-1278.	5.4	31
110	Morphology and adsorption properties of chemically modified MWCNT probed by nitrogen, n-propane and water vapor. <i>Carbon</i> , 2012, 50, 577-585.	5.4	31
111	Developing green photochemical approaches towards the synthesis of carbon nanofiber- and graphene-supported silver nanoparticles and their use in the catalytic reduction of 4-nitrophenol. <i>RSC Advances</i> , 2013, 3, 18323.	1.7	31
112	Physicochemical properties of LaFeO ₃ . Kinetics of reduction and of oxygen adsorption. <i>Journal of the Chemical Society Faraday Transactions I</i> , 1985, 81, 2399.	1.0	29
113	Chemical transformations resulting from pyrolysis and CO ₂ activation of Kevlar flocks. <i>Carbon</i> , 1997, 35, 967-976.	5.4	29
114	Fibrous Carbon Molecular Sieves by Chemical Vapor Deposition of Benzene. Gas Separation Ability. <i>Chemistry of Materials</i> , 2002, 14, 4328-4333.	3.2	29
115	Early Stages of Plasma Oxidation of Graphite: Nanoscale Physicochemical Changes As Detected by Scanning Probe Microscopies. <i>Langmuir</i> , 2002, 18, 4314-4323.	1.6	29
116	Highly efficient silver-assisted reduction of graphene oxide dispersions at room temperature: mechanism, and catalytic and electrochemical performance of the resulting hybrids. <i>Journal of Materials Chemistry A</i> , 2014, 2, 7295-7305.	5.2	29
117	A study of NO and CO interactions with LaMnO ₃ . <i>Journal of Colloid and Interface Science</i> , 1987, 119, 100-107.	5.0	28
118	Carbon reactivity in an oxygen plasma: a comparison with reactivity in molecular oxygen. <i>Carbon</i> , 2001, 39, 1135-1146.	5.4	28
119	High quality, low-oxidized graphene via anodic exfoliation with table salt as an efficient oxidation-preventing co-electrolyte for water/oil remediation and capacitive energy storage applications. <i>Applied Materials Today</i> , 2018, 11, 246-254.	2.3	28
120	Preparation and porous texture characteristics of fibrous ultrahigh surface area carbons. <i>Journal of Materials Chemistry</i> , 2002, 12, 3213-3219.	6.7	27
121	Characterization of aramid based activated carbon fibres by adsorption and immersion techniques. <i>Carbon</i> , 2002, 40, 1376-1380.	5.4	27
122	Catalytic synergy between MoO ₃ and BiPO ₄ in N-ethyl formamide dehydration I. Catalytic properties, reducibility, and reoxidizability of mixtures of MoO ₃ and BiPO ₄ . <i>Journal of Catalysis</i> , 1986, 97, 287-299.	3.1	26
123	Catalytic synergy between MoO ₃ and BiPO ₄ in N-ethyl formamide dehydration II. Characterization of mixtures of MoO ₃ and BiPO ₄ . <i>Journal of Catalysis</i> , 1986, 97, 300-311.	3.1	26
124	Surface Characterization of PBO Fibers. <i>Macromolecules</i> , 2003, 36, 8662-8672.	2.2	26
125	Nanoporous carbon fibres by pyrolysis of nomex polyaramid fibres. <i>Journal of Thermal Analysis and Calorimetry</i> , 2005, 79, 529-532.	2.0	26
126	Controlled generation of atomic vacancies in chemical vapor deposited graphene by microwave oxygen plasma. <i>Carbon</i> , 2014, 79, 664-669.	5.4	26

#	ARTICLE	IF	CITATIONS
127	The importance of electrode characterization to assess the supercapacitor performance of ordered mesoporous carbons. <i>Microporous and Mesoporous Materials</i> , 2016, 235, 1-8.	2.2	26
128	Physisorption of Simple Gases on C60Fullerene. <i>Langmuir</i> , 2000, 16, 1343-1348.	1.6	25
129	Atomic-scale scanning tunneling microscopy study of plasma-oxidized ultrahigh-modulus carbon fiber surfaces. <i>Journal of Colloid and Interface Science</i> , 2003, 258, 276-282.	5.0	25
130	Nanoscale investigation of the structural and chemical changes induced by oxidation on carbon black surfaces: A scanning probe microscopy approach. <i>Journal of Colloid and Interface Science</i> , 2005, 288, 190-199.	5.0	25
131	Synthesis and characterization of grapheneâ€“mesoporous silica nanoparticle hybrids. <i>Microporous and Mesoporous Materials</i> , 2012, 160, 18-24.	2.2	25
132	pH-responsive ordered mesoporous carbons for controlled ibuprofen release. <i>Carbon</i> , 2015, 94, 152-159.	5.4	25
133	Title is missing!. <i>Magyar Árvad KÅzlemÅnyek</i> , 2002, 70, 37-43.	1.4	24
134	Selective oxidation of propene on a molybdenum-prasedodymium-bismuth catalyst. <i>Industrial & Engineering Chemistry Research</i> , 1987, 26, 1419-1424.	1.8	23
135	Correlation between Arrhenius kinetic parameters in the reaction of different carbon materials with oxygen. <i>Energy & Fuels</i> , 1993, 7, 1141-1145.	2.5	23
136	Avoiding structure degradation during activation of ordered mesoporous carbons. <i>Carbon</i> , 2012, 50, 3826-3835.	5.4	23
137	Interactions between carboxyl groups and inorganic elements in Spanish brown coals. <i>Fuel</i> , 1990, 69, 362-367.	3.4	22
138	Effects of the mesostructural order on the electrochemical performance of hierarchical microâ€“mesoporous carbons. <i>Journal of Materials Chemistry A</i> , 2014, 2, 12023-12030.	5.2	22
139	Temperature-programmed desorption study of the interactions of H2, CO and CO2 with LaMnO3. <i>Journal of the Chemical Society Faraday Transactions I</i> , 1987, 83, 3149.	1.0	21
140	Thermal behaviour of extrographic fractions of coal tar and petroleum pitches. <i>Fuel</i> , 1997, 76, 179-187.	3.4	21
141	Interactions between organic matter and minerals in two bituminous coals of different rank. <i>International Journal of Coal Geology</i> , 1997, 33, 369-386.	1.9	21
142	Structural and surface modifications of carbon nanotubes when submitted to high temperature annealing treatments. <i>Journal of Alloys and Compounds</i> , 2012, 536, S460-S463.	2.8	21
143	Efficient Pt electrocatalysts supported onto flavin mononucleotideâ€“exfoliated pristine graphene for the methanol oxidation reaction. <i>Electrochimica Acta</i> , 2017, 231, 386-395.	2.6	21
144	Influence of weathering process on the flotation response of coal. <i>Fuel</i> , 1991, 70, 1391-1397.	3.4	20

#	ARTICLE	IF	CITATIONS
145	Comparative analysis of pitches by extrography and thermal analysis techniques. Carbon, 1994, 32, 1001-1010.	5.4	20
146	Triangular versus honeycomb structure in atomic-resolution STM images of graphite. Carbon, 2001, 39, 476-479.	5.4	20
147	Thermal decomposition of poly(p-phenylene benzobisoxazole) fibres: monitoring the chemical and nanostructural changes by Raman spectroscopy and scanning probe microscopy. Polymer Degradation and Stability, 2004, 86, 263-268.	2.7	20
148	Imaging the structure and porosity of active carbons by scanning tunneling microscopy. Carbon, 2006, 44, 2469-2478.	5.4	20
149	Complementary X-ray scattering and high resolution imaging of nanostructure development in thermally treated PBO fibers. Carbon, 2011, 49, 2960-2970.	5.4	20
150	A comparison of various characterization techniques for low-temperature oxidation of coal. Fuel Processing Technology, 1987, 15, 245-256.	3.7	19
151	Energy Storage on Ultrahigh Surface Area Activated Carbon Fibers Derived from PMIA. ChemSusChem, 2013, 6, 1406-1413.	3.6	19
152	Evolution of the complex surface chemistry in mesoporous carbons obtained from polyaramide precursors. Applied Surface Science, 2014, 299, 19-28.	3.1	19
153	Catalytic synergy between MoO ₃ and BiPO ₄ in N-ethyl formamide dehydration III. An ESR study of reduction properties of the mixtures of MoO ₃ and BiPO ₄ . Journal of Catalysis, 1986, 97, 312-320.	3.1	18
154	Effect of some precursor characteristics on the porous texture of activated carbon fibres prepared from Nomex aramid fibres. Microporous and Mesoporous Materials, 2000, 41, 319-321.	2.2	18
155	Surface characterization of submicron vapor grown carbon fibers by scanning tunneling microscopy. Carbon, 2001, 39, 1575-1587.	5.4	18
156	Porous texture evolution in activated carbon fibers prepared from poly (p-phenylene benzobisoxazole) by carbon dioxide activation. Microporous and Mesoporous Materials, 2008, 116, 622-626.	2.2	18
157	Activated Carbon Fibers with a High Heteroatom Content by Chemical Activation of PBO with Phosphoric Acid. Langmuir, 2012, 28, 5850-5860.	1.6	18
158	Adhesion artefacts in atomic force microscopy imaging. Journal of Microscopy, 2000, 200, 109-113.	0.8	17
159	The effect of demineralisation on a lignite surface properties. Fuel, 2004, 83, 845-850.	3.4	17
160	Adsorption of n-Alkanes on Plasma-Oxidized High-Strength Carbon Fibers. Journal of Colloid and Interface Science, 2002, 247, 290-302.	5.0	16
161	Carbon Molecular Sieves for Air Separation from Nomex Aramid Fibers. Journal of Colloid and Interface Science, 2002, 254, 414-416.	5.0	16
162	Adsorption of polar probe molecules on plasma-oxidised high-strength carbon fibres. Fuel Processing Technology, 2002, 77-78, 359-364.	3.7	16

#	ARTICLE	IF	CITATIONS
163	Real-Time Monitoring of Polymer Swelling on the Nanometer Scale by Atomic Force Microscopy. <i>Langmuir</i> , 2006, 22, 4728-4733.	1.6	16
164	Microporosity and mesoporosity of PPTA-derived carbons. Effect of PPTA thermal pretreatment. <i>Microporous and Mesoporous Materials</i> , 2008, 114, 185-192.	2.2	16
165	Preparation, characterization and fundamental studies on graphenes by liquid-phase processing of graphite. <i>Journal of Alloys and Compounds</i> , 2012, 536, S450-S455.	2.8	16
166	Thermoanalytical studies of pitch pyrolysis. <i>Journal of Thermal Analysis</i> , 1992, 38, 811-819.	0.7	15
167	Beneficial effects of phosphoric acid as an additive in the preparation of activated carbon fibers from Nomex aramid fibers by physical activation. <i>Fuel Processing Technology</i> , 2002, 77-78, 237-244.	3.7	15
168	Chemical and structural modifications of carbon nanofibers with different degrees of graphitic order following oxygen plasma treatments. <i>Materials Chemistry and Physics</i> , 2013, 138, 615-622.	2.0	15
169	Thermal behavior of fullerenes in different gas atmospheres. <i>Carbon</i> , 1996, 34, 1239-1248.	5.4	14
170	Grafting of adipic anhydride to carbon nanotubes through a Diels-Alder cycloaddition/oxidation cascade reaction. <i>Carbon</i> , 2016, 98, 421-431.	5.4	14
171	The characterization of organomineral components of low-rank coals. <i>Fuel Processing Technology</i> , 1990, 25, 81-87.	3.7	13
172	Mineralogical and chemical characterisation of coals from Southern Chile. <i>International Journal of Coal Geology</i> , 2000, 44, 85-94.	1.9	13
173	Characterization of porous texture in composite adsorbents based on exfoliated graphite and polyfurfuryl alcohol. <i>Fuel Processing Technology</i> , 2002, 77-78, 401-407.	3.7	13
174	The use of microcalorimetry to assess the size exclusion properties of carbon molecular sieves. <i>Thermochimica Acta</i> , 2004, 420, 141-144.	1.2	13
175	Effects of phosphoric acid as additive in the preparation of activated carbon fibers from poly(p-phenylene benzobisoxazole) by carbon dioxide activation. <i>Journal of Analytical and Applied Pyrolysis</i> , 2012, 95, 68-74.	2.6	13
176	Influence of plasma surface treatments on kink band formation in PBO fibers during compression. <i>Journal of Applied Polymer Science</i> , 2012, 123, 2052-2063.	1.3	13
177	Tailoring of the interfacial properties of polymeric single fibre-reinforced epoxy composites by non-oxidative plasma treatments. <i>Composites Part A: Applied Science and Manufacturing</i> , 2013, 50, 102-109.	3.8	13
178	Effect of sizing on the surface properties of carbon fibres. <i>Journal of Materials Chemistry</i> , 2002, 12, 3843-3850.	6.7	12
179	A Combined Experimental and Theoretical Investigation of Atomic-Scale Defects Produced on Graphite Surfaces by Dielectric Barrier Discharge Plasma Treatment. <i>Journal of Physical Chemistry C</i> , 2009, 113, 18719-18729.	1.5	12
180	One-pot endo/exotemplating of hierarchical micro-mesoporous carbons. <i>Carbon</i> , 2013, 54, 365-377.	5.4	12

#	ARTICLE	IF	CITATIONS
181	Following changes in the porous texture of Nomex-derived activated carbon fibres with the molecular probe technique. <i>Microporous and Mesoporous Materials</i> , 2003, 64, 11-19.	2.2	11
182	Detecting Surface Oxygen Groups on Carbon Nanofibers by Phase Contrast Imaging in Tapping Mode AFM. <i>Langmuir</i> , 2003, 19, 7665-7668.	1.6	11
183	A scanning tunnelling microscopy insight into the preparation of carbon molecular sieves by chemical vapour deposition. <i>Journal of Materials Chemistry</i> , 2003, 13, 1513-1516.	6.7	11
184	Diffusion of molecular hydrogen in carbon aerogel. <i>Carbon</i> , 2016, 98, 572-581.	5.4	11
185	Nitrogen Physisorption on Defective C60. <i>Journal of Physical Chemistry B</i> , 2002, 106, 9522-9527.	1.2	10
186	A Microscopic View of Physical and Chemical Activation in the Synthesis of Porous Carbons. <i>Langmuir</i> , 2006, 22, 9730-9739.	1.6	10
187	Effect of PPTA pre-impregnation with phosphoric acid on the porous texture of carbons prepared by CO ₂ activation of PPTA chars. <i>Microporous and Mesoporous Materials</i> , 2009, 119, 284-289.	2.2	10
188	Porosity development in chars from thermal degradation of poly(p-phenylene benzobisoxazole). <i>Polymer Degradation and Stability</i> , 2009, 94, 7-12.	2.7	10
189	The Determining Role of Mineral Matter on Gasification Reactivities of Brown Coal Chars. , 1991, , 435-460.		10
190	Comparative Mössbauer study of the effects of natural weathering and artificial oxidation on iron minerals present in coal. <i>Nuclear Instruments & Methods in Physics Research B</i> , 1993, 76, 191-194.	0.6	9
191	Discovery of effective solvents for platelet-type graphite nanofibers. <i>Carbon</i> , 2013, 53, 222-230.	5.4	9
192	A Simple and Expedient Route to Phosphate-Functionalized, Water-Processable Graphene for Capacitive Energy Storage. <i>ACS Applied Materials & Interfaces</i> , 2021, 13, 54860-54873.	4.0	9
193	A comparative study of the interactions of NO and CO with LaCrO ₃ . <i>Journal of Molecular Catalysis</i> , 1988, 45, 355-363.	1.2	8
194	Isobutene oxidation on an catalyst. <i>Journal of the Less Common Metals</i> , 1988, 138, 47-57.	0.9	8
195	Comparative Mössbauer study of the oxidation of pyrite under different conditions. <i>Hyperfine Interactions</i> , 1990, 58, 2581-2587.	0.2	8
196	Activated carbon fibers from poly(p-phenylene benzobisoxazole). <i>Carbon</i> , 2008, 46, 825-828.	5.4	8
197	Surface modification of high-performance polymeric fibers by an oxygen plasma. A comparative study of poly(p-phenylene terephthalamide) and poly(p-phenylene benzobisoxazole). <i>Journal of Chromatography A</i> , 2011, 1218, 3781-3790.	1.8	8
198	N-containing carbons from styrene-divinylbenzene copolymer by urea treatment. <i>Applied Surface Science</i> , 2012, 258, 2410-2415.	3.1	8

#	ARTICLE	IF	CITATIONS
199	Hierarchical micro-mesoporous carbons by direct replication of bimodal aluminosilicate templates. <i>Microporous and Mesoporous Materials</i> , 2014, 190, 156-164.	2.2	8
200	A comparative thermoanalytical study of low-temperature reactivity of brown coal with dioxygen and radiofrequency-activated oxygen. <i>Thermochimica Acta</i> , 1988, 134, 333-338.	1.2	7
201	Influence of coal chlorination conditions on aliphatic/aromatic selectivity. <i>Fuel</i> , 1990, 69, 867-872.	3.4	7
202	Ethylene physisorption on C60 fullerene. <i>Carbon</i> , 2004, 42, 1333-1337.	5.4	7
203	Nanostructure evolution in heat-treated porous carbons derived from PBO polymer. <i>Journal of Alloys and Compounds</i> , 2012, 536, S464-S468.	2.8	7
204	Adsorption by Phosphorus-Containing Carbons. , 2012, , 245-267.		7
205	Reactions of coal mineral matter during coal chlorination. <i>Fuel</i> , 1990, 69, 873-877.	3.4	6
206	New atomic-scale features in graphite surfaces treated in a dielectric barrier discharge plasma. <i>Carbon</i> , 2008, 46, 1364-1367.	5.4	6
207	Overview of Carbon Materials in Relation to Adsorption. , 2008, , 15-49.		6
208	A study of the surface morphology of poly(p-phenylene terephthalamide) chars using scanning probe microscopy. <i>Polymer Degradation and Stability</i> , 2010, 95, 702-707.	2.7	6
209	Porosity Development in Carbon Nanofibers by Physical and Chemical Activation. <i>Journal of Nano Research</i> , 0, 17, 211-227.	0.8	6
210	Characterization of common lignite, xylic lignite and pyropissite varieties of low-rank coals. <i>Fuel</i> , 1994, 73, 1723-1728.	3.4	5
211	Thermogravimetric studies on the activation of nanometric carbon fibers. <i>Journal of Thermal Analysis and Calorimetry</i> , 2005, 79, 525-528.	2.0	5
212	The key role of microtexture in the graphitisation of PBO fibre chars as seen by X-ray scattering and transmission electron microscopy. <i>Carbon</i> , 2010, 48, 3968-3970.	5.4	5
213	Effect of Plasma Treatments of Bisphenol A Polycarbonate on the Characteristics of Carbon Materials Obtained by Further Pyrolysis. <i>Plasma Processes and Polymers</i> , 2011, 8, 942-950.	1.6	5
214	A biosupramolecular approach to graphene: Complementary nucleotide-nucleobase combinations as enhanced stabilizers towards aqueous-phase exfoliation and functional graphene-nucleotide hydrogels. <i>Carbon</i> , 2018, 129, 321-334.	5.4	5
215	High resolution imaging of functional group distributions on carbon surfaces by tapping mode atomic force microscopy. <i>Chemical Communications</i> , 2002, , 1790-1791.	2.2	4
216	Energetics of Gas Adsorption by Carbons. , 2008, , 53-76.		4

#	ARTICLE	IF	CITATIONS
217	Impact of the Carbonization Atmosphere on the Properties of Phosphoric Acid-Activated Carbons from Fruit Stones. <i>Adsorption Science and Technology</i> , 2008, 26, 843-851.	1.5	4
218	The solvent effect on the sidewall functionalization of multi-walled carbon nanotubes with maleic anhydride. <i>Carbon</i> , 2014, 78, 401-414.	5.4	4
219	Synthesis and properties of TiO ₂ -P ₂ O ₅ and SiO ₂ -TiO ₂ -P ₂ O ₅ porous hybrids obtained by templating in highly concentrated emulsions. <i>Ceramics International</i> , 2016, 42, 18965-18973.	2.3	4
220	AEM, XPS and ISS characterization of catalyst modifications during propene oxidation over a supported mixed oxide catalyst. <i>Surface and Interface Analysis</i> , 1986, 9, 207-213.	0.8	3
221	Mössbauer study of the effect of acidic treatment on iron minerals during the demineralization of coals. <i>Hyperfine Interactions</i> , 1992, 71, 1403-1406.	0.2	3
222	The international scenario of coal science. <i>Fuel</i> , 2000, 79, 461-469.	3.4	3
223	Nanometer structure of carbon fibers studied by different scanning probe microscopy techniques: a comparative investigation. <i>Fuel Processing Technology</i> , 2002, 77-78, 293-300.	3.7	3
224	Interactions of CO and NO with the perovskite-type oxide LaCo ₃ . <i>Journal of Chemical Technology and Biotechnology</i> , 1986, 36, 136-143.	1.6	3
225	Enhanced O ₂ adsorption in the catalytic oxidation of isobutene on a supported Mo ₂ -U ₂ -O catalyst. <i>Journal of Colloid and Interface Science</i> , 1985, 106, 269-272.	5.0	2
226	Recent developments in the international scenario of coal science. <i>Fuel</i> , 2000, 79, 1581-1586.	3.4	2
227	Synthetic Carbons Derived from a Styrene-Divinylbenzene Copolymer Using Phosphoric Acid Activation. <i>Adsorption Science and Technology</i> , 2005, 23, 19-26.	1.5	2
228	A comparison of different carbon filaments on the nanometer and atomic scales by scanning tunneling microscopy. <i>Materials Letters</i> , 2007, 61, 4787-4790.	1.3	2
229	Structure and catalytic properties of silica-supported Mo-Pr oxide catalysts for propene selective oxidation. <i>Journal of Materials Science</i> , 1990, 25, 289-295.	1.7	1
230	Nature and mechanism of oxidation reactions occurring during coal chlorination. <i>Fuel</i> , 1992, 71, 389-393.	3.4	1
231	Characterization of precipitates formed from the tetraiodomercurate (II) anion and mercury(II) or silver(I) cations. <i>Journal of the Chemical Society, Faraday Transactions</i> , 1995, 91, 1217-1221.	1.7	1
232	Fullerene Reactivity in an Oxygen Plasma. <i>Fullerenes, Nanotubes, and Carbon Nanostructures</i> , 1997, 5, 1075-1081.	0.6	1
233	Atomic vacancy-induced friction on the graphite surface: observation by lateral force microscopy. <i>Journal of Microscopy</i> , 2003, 210, 119-124.	0.8	1
234	Porosity development in chars from thermal decomposition of poly(p-phenylene terephthalamide). <i>Polymer Degradation and Stability</i> , 2009, 94, 1890-1894.	2.7	1

#	ARTICLE	IF	CITATIONS
235	New structural insights into ordered porous carbon by scanning tunneling microscopy. <i>Microporous and Mesoporous Materials</i> , 2006, 87, 268-271.	2.2	0