

Stefan Sanderberg

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2024145/publications.pdf>

Version: 2024-02-01

169
papers

8,465
citations

53794

45
h-index

53230

85
g-index

171
all docs

171
docs citations

171
times ranked

12838
citing authors

#	ARTICLE	IF	CITATIONS
1	Alcohol intake and total mortality in 142 960 individuals from the MORGAM Project: a population-based study. <i>Addiction</i> , 2022, 117, 312-325.	3.3	22
2	Chronic kidney disease and risk of atrial fibrillation and heart failure in general population-based cohorts: the BiomarcARE project. <i>ESC Heart Failure</i> , 2022, 9, 57-65.	3.1	12
3	Fasting C-peptide at type 2 diabetes diagnosis is an independent risk factor for total and cancer mortality. <i>Diabetes/Metabolism Research and Reviews</i> , 2022, 38, e3512.	4.0	3
4	Validation of the Swedish National Inpatient Register for the diagnosis of pulmonary embolism in 2005. <i>Pulmonary Circulation</i> , 2022, 12, e12037.	1.7	4
5	Simple cardiovascular risk stratification by replacing total serum cholesterol with anthropometric measures: The MORGAM prospective cohort project. <i>Preventive Medicine Reports</i> , 2022, 26, 101700.	1.8	4
6	Physical Activity in Late Middle- to Older-Aged People and Dementia, Cognitive, and Physical Function Two Decades Later. <i>Dementia and Geriatric Cognitive Disorders</i> , 2022, 51, 135-141.	1.5	3
7	Survival after surgery of the ascending aorta: a matched cohort study. <i>European Journal of Cardio-thoracic Surgery</i> , 2022, 62, .	1.4	2
8	Risk Factors, Subsequent Disease Onset, and Prognostic Impact of Myocardial Infarction and Atrial Fibrillation. <i>Journal of the American Heart Association</i> , 2022, 11, e024299.	3.7	8
9	Influence of geographical latitude on vitamin D status: cross-sectional results from the BiomarcARE consortium. <i>British Journal of Nutrition</i> , 2022, 128, 2208-2218.	2.3	4
10	Systematic Coronary Risk Evaluation estimated risk and prevalent subclinical atherosclerosis in coronary and carotid arteries: A population-based cohort analysis from the Swedish Cardiopulmonary Bioimage Study. <i>European Journal of Preventive Cardiology</i> , 2021, 28, 250-259.	1.8	22
11	Risk stratification in chronic thromboembolic pulmonary hypertension predicts survival. <i>Scandinavian Cardiovascular Journal</i> , 2021, 55, 43-49.	1.2	21
12	Biomechanical Properties of Common Carotid Arteries Assessed by Circumferential 2D Strain and β^2 Stiffness Index in Patients With Ankylosing Spondylitis. <i>Journal of Rheumatology</i> , 2021, 48, 352-360.	2.0	6
13	Longitudinal changes in risk status in pulmonary arterial hypertension. <i>ESC Heart Failure</i> , 2021, 8, 680-690.	3.1	8
14	Alcohol consumption, cardiac biomarkers, and risk of atrial fibrillation and adverse outcomes. <i>European Heart Journal</i> , 2021, 42, 1170-1177.	2.2	79
15	Prevalent diabetes and risk of total, colorectal, prostate and breast cancers in an ageing population: meta-analysis of individual participant data from cohorts of the CHANCES consortium. <i>British Journal of Cancer</i> , 2021, 124, 1882-1890.	6.4	13
16	Early risk prediction in idiopathic versus connective tissue disease-associated pulmonary arterial hypertension: call for a refined assessment. <i>ERJ Open Research</i> , 2021, 7, 00854-2020.	2.6	14
17	Predictive Importance of Blood Pressure Characteristics With Increasing Age in Healthy Men and Women. <i>Hypertension</i> , 2021, 77, 1076-1085.	2.7	8
18	Roles of allostatic load, lifestyle and clinical risk factors in mediating the association between education and coronary heart disease risk in Europe. <i>Journal of Epidemiology and Community Health</i> , 2021, 75, 1147-1154.	3.7	9

#	ARTICLE	IF	CITATIONS
19	Preventive interventions to reduce the burden of rheumatic heart disease in populations at risk: a systematic review protocol. <i>Systematic Reviews</i> , 2021, 10, 200.	5.3	3
20	Age-specific atrial fibrillation incidence, attributable risk factors and risk of stroke and mortality: results from the MORGAM Consortium. <i>Open Heart</i> , 2021, 8, e001624.	2.3	20
21	Mild impairment of renal function (shrunken pore syndrome) is associated with increased risk of a future first-ever myocardial infarction in women. <i>Scandinavian Journal of Clinical and Laboratory Investigation</i> , 2021, 81, 438-445.	1.2	10
22	Prevalence of Subclinical Coronary Artery Atherosclerosis in the General Population. <i>Circulation</i> , 2021, 144, 916-929.	1.6	164
23	Natriuretic Peptides and Risk of Type 2 Diabetes: Results From the Biomarkers for Cardiovascular Risk Assessment in Europe (BiomarCaRE) Consortium. <i>Diabetes Care</i> , 2021, 44, 2527-2535.	8.6	7
24	Diabetes status-related differences in risk factors and mediators of heart failure in the general population: results from the MORGAM/BiomarCaRE consortium. <i>Cardiovascular Diabetology</i> , 2021, 20, 195.	6.8	8
25	Dyspnea after pulmonary embolism: a nationwide population-based case-control study. <i>Pulmonary Circulation</i> , 2021, 11, 1-9.	1.7	11
26	Predicting mortality during long-term follow-up in pulmonary arterial hypertension. <i>ERJ Open Research</i> , 2021, 7, 00837-2020.	2.6	20
27	Association of iron deficiency with incident cardiovascular diseases and mortality in the general population. <i>ESC Heart Failure</i> , 2021, 8, 4584-4592.	3.1	13
28	Smoking tobacco is associated with renal hyperfiltration. <i>Scandinavian Journal of Clinical and Laboratory Investigation</i> , 2021, 81, 622-628.	1.2	6
29	The impact of community-based prevention on quality of life-The necessity to control for general health trends the Northern Sweden MONICA study in 2014. <i>PLoS ONE</i> , 2021, 16, e0256872.	2.5	0
30	Association of cardiometabolic risk factors with hospitalisation or death due to COVID-19: population-based cohort study in Sweden (SCAPIS). <i>BMJ Open</i> , 2021, 11, e051359.	1.9	3
31	Association of glycated hemoglobin A1c levels with cardiovascular outcomes in the general population: results from the BiomarCaRE (Biomarker for Cardiovascular Risk Assessment in Europe) consortium. <i>Cardiovascular Diabetology</i> , 2021, 20, 223.	6.8	20
32	The impact of community-based prevention on quality of life-The necessity to control for general health trends the Northern Sweden MONICA study in 2014. <i>PLoS ONE</i> , 2021, 16, e0256872.	2.5	0
33	Association of cardiometabolic risk factors with hospitalisation or death due to COVID-19: population-based cohort study in Sweden (SCAPIS). <i>BMJ Open</i> , 2021, 11, e051359.	1.9	9
34	Weight gain and blood pressure. <i>Journal of Hypertension</i> , 2020, 38, 387-394.	0.5	7
35	Time trends of vitamin D concentrations in northern Sweden between 1986 and 2014: a population-based cross-sectional study. <i>European Journal of Nutrition</i> , 2020, 59, 3037-3044.	3.9	6
36	Temporal relations between atrial fibrillation and ischaemic stroke and their prognostic impact on mortality. <i>Europace</i> , 2020, 22, 522-529.	1.7	11

#	ARTICLE	IF	CITATIONS
37	Poor outcome of patients with pulmonary arterial hypertension with insufficient response to phosphodiesterase inhibitors alone or in combination with other specific therapy: a registry-based study. <i>Pulmonary Circulation</i> , 2020, 10, 1-9.	1.7	0
38	High frequency of intermediary alleles in the HTT gene in Northern Sweden - The Swedish Huntingtin Alleles and Phenotype (SHAPE) study. <i>Scientific Reports</i> , 2020, 10, 9853.	3.3	5
39	Contribution of cystatin C- and creatinine-based definitions of chronic kidney disease to cardiovascular risk assessment in 20 population-based and 3 disease cohorts: the BiomarCaRE project. <i>BMC Medicine</i> , 2020, 18, 300.	5.5	38
40	Levels of mannose-binding lectin (MBL) associates with sepsis-related in-hospital mortality in women. <i>Journal of Inflammation</i> , 2020, 17, 28.	3.4	10
41	Cardiac Troponin I and Incident Stroke in European Cohorts. <i>Stroke</i> , 2020, 51, 2770-2777.	2.0	9
42	A Body Shape Index (ABSI) achieves better mortality risk stratification than alternative indices of abdominal obesity: results from a large European cohort. <i>Scientific Reports</i> , 2020, 10, 14541.	3.3	84
43	Decomposing the educational gradient in allostatic load across European populations. What matters the most: differentials in exposure or in susceptibility?. <i>Journal of Epidemiology and Community Health</i> , 2020, 74, jech-2020-213946.	3.7	4
44	Phosphatidylethanol Levels, As a Marker of Alcohol Consumption, Are Associated With Risk of Intracerebral Hemorrhage. <i>Stroke</i> , 2020, 51, 2148-2152.	2.0	11
45	Leptin levels are not affected by enalapril treatment after an uncomplicated myocardial infarction, but associate strongly with changes in fibrinolytic variables in men. <i>Scandinavian Journal of Clinical and Laboratory Investigation</i> , 2020, 80, 303-308.	1.2	0
46	High-Sensitivity Cardiac Troponin I Levels and Prediction of Heart Failure. <i>JACC: Heart Failure</i> , 2020, 8, 401-411.	4.1	26
47	Combined Influence of Waist and Hip Circumference on Risk of Death in a Large Cohort of European and Australian Adults. <i>Journal of the American Heart Association</i> , 2020, 9, e015189.	3.7	12
48	Comparison of Cardiovascular Risk Factors in European Population Cohorts for Predicting Atrial Fibrillation and Heart Failure, Their Subsequent Onset, and Death. <i>Journal of the American Heart Association</i> , 2020, 9, e015218.	3.7	13
49	Association of <i>FADS1/2</i> Locus Variants and Polyunsaturated Fatty Acids With Aortic Stenosis. <i>JAMA Cardiology</i> , 2020, 5, 694.	6.1	32
50	Does Estimated Pulse Wave Velocity Add Prognostic Information?. <i>Hypertension</i> , 2020, 75, 1420-1428.	2.7	41
51	Troponin T but not C reactive protein is associated with future surgery for aortic stenosis: a population-based nested case-referent study. <i>Open Heart</i> , 2020, 7, e001325.	2.3	5
52	Risk factors for subarachnoid haemorrhage: a nationwide cohort of 950 000 adults. <i>International Journal of Epidemiology</i> , 2019, 48, 2018-2025.	1.9	21
53	Application of High-Sensitivity Troponin in Suspected Myocardial Infarction. <i>New England Journal of Medicine</i> , 2019, 380, 2529-2540.	27.0	230
54	Mild impairment of renal function (shrunken pore syndrome) is associated with increased risk for future surgery for aortic stenosis. <i>Scandinavian Journal of Clinical and Laboratory Investigation</i> , 2019, 79, 524-530.	1.2	12

#	ARTICLE	IF	CITATIONS
55	The association of body mass index, weight gain and central obesity with activity-related breathlessness: the Swedish Cardiopulmonary Bioimage Study. <i>Thorax</i> , 2019, 74, 958-964.	5.6	21
56	Rationale for a Swedish cohort consortium. <i>Uppsala Journal of Medical Sciences</i> , 2019, 124, 21-28.	0.9	3
57	Arterial hypertension and diastolic blood pressure associate with aortic stenosis. <i>Scandinavian Cardiovascular Journal</i> , 2019, 53, 91-97.	1.2	6
58	NT-proBNP (N-Terminal Pro-B-Type Natriuretic Peptide) and the Risk of Stroke. <i>Stroke</i> , 2019, 50, 610-617.	2.0	41
59	Sex-Specific Epidemiology of Heart Failure Risk and Mortality in Europe. <i>JACC: Heart Failure</i> , 2019, 7, 204-213.	4.1	54
60	SAT0325â€¦.REDUCED STRAIN AND INCREASED STIFFNESS OF COMMON CAROTID ARTERIES IN PATIENTS WITH ANKYLOSING SPONDYLITIS. , 2019, , .		0
61	Application of non-HDL cholesterol for population-based cardiovascular risk stratification: results from the Multinational Cardiovascular Risk Consortium. <i>Lancet, The</i> , 2019, 394, 2173-2183.	13.7	177
62	On the association between body fat and left ventricular mass. <i>Journal of Hypertension</i> , 2019, 37, 1699-1704.	0.5	3
63	Can Doppler echocardiography estimate raised pulmonary capillary wedge pressure provoked by passive leg lifting in suspected heart failure?. <i>Clinical Physiology and Functional Imaging</i> , 2019, 39, 128-134.	1.2	7
64	Morning plasma cortisol as a cardiovascular risk factor: findings from prospective cohort and Mendelian randomization studies. <i>European Journal of Endocrinology</i> , 2019, 181, 429-438.	3.7	55
65	Association between type 2 diabetes mellitus and disability: What is the contribution of diabetes risk factors and diabetes complications?. <i>Journal of Diabetes</i> , 2018, 10, 744-752.	1.8	23
66	Proteomic Biomarkers for Incident Aortic Stenosis Requiring Valvular Replacement. <i>Circulation</i> , 2018, 138, 590-599.	1.6	24
67	Levels of soluble tumor necrosis factor receptor 1 and 2, gender, and risk of myocardial infarction in Northern Sweden. <i>Atherosclerosis</i> , 2018, 272, 41-46.	0.8	14
68	A comprehensive risk stratification at early follow-up determines prognosis in pulmonary arterial hypertension. <i>European Heart Journal</i> , 2018, 39, 4175-4181.	2.2	389
69	The association between circulating endostatin levels and incident myocardial infarction. <i>Scandinavian Cardiovascular Journal</i> , 2018, 52, 315-319.	1.2	5
70	Comparison of trends in cardiovascular risk factors between two regions with and without a community and primary care prevention programme. <i>European Journal of Preventive Cardiology</i> , 2018, 25, 1765-1772.	1.8	20
71	Elevated levels of insulin-like growth factor-binding protein 1 predict outcome after acute myocardial infarction: A long-term follow-up of the glucose tolerance in patients with acute myocardial infarction (GAMI) cohort. <i>Diabetes and Vascular Disease Research</i> , 2018, 15, 387-395.	2.0	6
72	Predictors of Hypertension in Mauritians with Normotension and Prehypertension at Baseline: A Cohort Study. <i>International Journal of Environmental Research and Public Health</i> , 2018, 15, 1394.	2.6	3

#	ARTICLE	IF	CITATIONS
73	Clinical and immunological characteristics of Autoimmune Addison's disease: a nationwide Swedish multicenter study.. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2017, 102, jc.2016-2522.	3.6	62
74	Right and left heart dysfunction predict mortality in pulmonary hypertension. <i>Clinical Physiology and Functional Imaging</i> , 2017, 37, 45-51.	1.2	14
75	Factor XII as a Risk Marker for Hemorrhagic Stroke: A Prospective Cohort Study. <i>Cerebrovascular Diseases Extra</i> , 2017, 7, 84-94.	1.5	12
76	Incidence of acute pulmonary embolism, related comorbidities and survival; analysis of a Swedish national cohort. <i>BMC Cardiovascular Disorders</i> , 2017, 17, 155.	1.7	33
77	Traditional Cardiovascular Risk Factors and Their Relation to Future Surgery for Valvular Heart Disease or Ascending Aortic Disease: A Case-Referent Study. <i>Journal of the American Heart Association</i> , 2017, 6, .	3.7	26
78	Elevated levels of adipokines predict outcome after acute myocardial infarction: A long-term follow-up of the Glucose Tolerance in Patients with Acute Myocardial Infarction cohort. <i>Diabetes and Vascular Disease Research</i> , 2017, 14, 77-87.	2.0	19
79	An evaluation of the performance of SCORE Sweden 2015 in estimating cardiovascular risk. <i>European Journal of Preventive Cardiology</i> , 2017, 24, 103-110.	1.8	28
80	Determinants of social inequalities in stroke incidence across Europe: a collaborative analysis of 126 635 individuals from 48 cohort studies. <i>Journal of Epidemiology and Community Health</i> , 2017, 71, jech-2017-209728.	3.7	20
81	Sex Differences and Similarities in Atrial Fibrillation Epidemiology, Risk Factors, and Mortality in Community Cohorts. <i>Circulation</i> , 2017, 136, 1588-1597.	1.6	307
82	Time trends and socioeconomic differences in blood pressure levels: The Northern Sweden MONICA study 1994-2014. <i>European Journal of Preventive Cardiology</i> , 2017, 24, 1473-1481.	1.8	17
83	Combined effect of educational status and cardiovascular risk factors on the incidence of coronary heart disease and stroke in European cohorts: Implications for prevention. <i>European Journal of Preventive Cardiology</i> , 2017, 24, 437-445.	1.8	45
84	Diabetes mellitus prevalence is increasing in South Asians but is stable in Chinese living in Singapore and Mauritius. <i>Journal of Diabetes</i> , 2017, 9, 855-864.	1.8	8
85	Lipoprotein(a) and the Apolipoprotein B/A1 Ratio Independently Associate With Surgery for Aortic Stenosis Only in Patients With Concomitant Coronary Artery Disease. <i>Journal of the American Heart Association</i> , 2017, 6, .	3.7	23
86	Leptin independently predicts development of sepsis and its outcome. <i>Journal of Inflammation</i> , 2017, 14, 19.	3.4	17
87	Leptin levels after subarachnoid haemorrhage are gender dependent. <i>SpringerPlus</i> , 2016, 5, 667.	1.2	1
88	Quantification of the smoking-associated cancer risk with rate advancement periods: meta-analysis of individual participant data from cohorts of the CHANCES consortium. <i>BMC Medicine</i> , 2016, 14, 62.	5.5	110
89	Association of Right Atrial Mechanics with Hemodynamics and Physical Capacity in Patients with Idiopathic Pulmonary Arterial Hypertension: Insight from a Single-Center Cohort in Northern Sweden. <i>Echocardiography</i> , 2016, 33, 46-56.	0.9	20
90	Educational class inequalities in the incidence of coronary heart disease in Europe. <i>Heart</i> , 2016, 102, 958-965.	2.9	60

#	ARTICLE	IF	CITATIONS
91	Greater decreases in cholesterol levels among individuals with high cardiovascular risk than among the general population: the northern Sweden MONICA study 1994 to 2014. <i>European Heart Journal</i> , 2016, 37, 1985-1992.	2.2	30
92	Genome-wide meta-analysis uncovers novel loci influencing circulating leptin levels. <i>Nature Communications</i> , 2016, 7, 10494.	12.8	153
93	Coronary calcification with no flow limiting lesions: A potential cause for ischaemic dysfunction in syndrome X patients. <i>IJC Heart and Vasculature</i> , 2015, 9, 109-114.	1.1	1
94	Concurrent and predictive validity of physical activity measurement items commonly used in clinical settings— data from SCAPIS pilot study. <i>BMC Public Health</i> , 2015, 15, 978.	2.9	37
95	Acute Systemic Inflammation is Unlikely to Affect Adiponectin and Leptin Synthesis in Humans. <i>Frontiers in Cardiovascular Medicine</i> , 2015, 2, 7.	2.4	7
96	Plasma IL-5 concentration and subclinical carotid atherosclerosis. <i>Atherosclerosis</i> , 2015, 239, 125-130.	0.8	36
97	The performance of diabetes risk prediction models in new populations: the role of ethnicity of the development cohort. <i>Acta Diabetologica</i> , 2015, 52, 91-101.	2.5	12
98	Increase in the Prevalence of Atrophic Gastritis Among Adults Age 35 to 44 Years Old in Northern Sweden Between 1990 and 2009. <i>Clinical Gastroenterology and Hepatology</i> , 2015, 13, 1592-1600.e1.	4.4	56
99	Improved metabolic health among the obese in six population surveys 1986 to 2009: the Northern Sweden MONICA study. <i>BMC Obesity</i> , 2015, 2, 7.	3.1	13
100	Effects of levosimendan on heart failure in normotensive patients: Does loading dose matter?. <i>Acute Cardiac Care</i> , 2015, 17, 14-19.	0.2	1
101	Sex-specific Effects of Adiponectin on Carotid Intima-media Thickness and Incident Cardiovascular Disease. <i>Journal of the American Heart Association</i> , 2015, 4, e001853.	3.7	33
102	Smoking and All-cause Mortality in Older Adults. <i>American Journal of Preventive Medicine</i> , 2015, 49, e53-e63.	3.0	60
103	Impact of Age and Gender on the Prevalence and Prognostic Importance of the Metabolic Syndrome and Its Components in Europeans. The MORGAM Prospective Cohort Project. <i>PLoS ONE</i> , 2014, 9, e107294.	2.5	117
104	Obesity attenuates gender differences in cardiovascular mortality. <i>Cardiovascular Diabetology</i> , 2014, 13, 144.	6.8	33
105	The contribution of educational class in improving accuracy of cardiovascular risk prediction across European regions: The MORGAM Project Cohort Component. <i>Heart</i> , 2014, 100, 1179-1187.	2.9	22
106	Global and Regional Right Ventricular Dysfunction in Pulmonary Hypertension. <i>Echocardiography</i> , 2014, 31, 164-171.	0.9	14
107	Do other cardiovascular risk factors influence the impact of age on the association between blood pressure and mortality? The MORGAM Project. <i>Journal of Hypertension</i> , 2014, 32, 1025-1033.	0.5	12
108	Cross-sectional associations of objectively measured physical activity, cardiorespiratory fitness and anthropometry in European adults. <i>Obesity</i> , 2014, 22, E127-34.	3.0	20

#	ARTICLE	IF	CITATIONS
109	Fat Mass and Obesity-Associated Gene (<i>FTO</i>) Is Linked to Higher Plasma Levels of the Hunger Hormone Ghrelin and Lower Serum Levels of the Satiety Hormone Leptin in Older Adults. <i>Diabetes</i> , 2014, 63, 3955-3959.	0.6	42
110	Bisphenol A is related to circulating levels of adiponectin, leptin and ghrelin, but not to fat mass or fat distribution in humans. <i>Chemosphere</i> , 2014, 112, 42-48.	8.2	62
111	Oxidative stress and inflammatory markers in relation to circulating levels of adiponectin. <i>Obesity</i> , 2013, 21, 1467-1473.	3.0	33
112	Glucose-Independent Ethnic Differences in HbA1c in People Without Known Diabetes. <i>Diabetes Care</i> , 2013, 36, 1534-1540.	8.6	26
113	Leptin and endothelial function in the elderly: The Prospective Investigation of the Vasculature in Uppsala Seniors (PIVUS) study. <i>Atherosclerosis</i> , 2013, 228, 485-490.	0.8	39
114	Pulmonary artery acceleration time in identifying pulmonary hypertension patients with raised pulmonary vascular resistance. <i>European Heart Journal Cardiovascular Imaging</i> , 2013, 14, 890-897.	1.2	53
115	Altered Nitric Oxide Bioavailability Contributes to Diesel Exhaust Inhalation-Induced Cardiovascular Dysfunction in Man. <i>Journal of the American Heart Association</i> , 2013, 2, e004309.	3.7	59
116	The influence of hip circumference on the relationship between abdominal obesity and mortality. <i>International Journal of Epidemiology</i> , 2012, 41, 484-494.	1.9	85
117	The Impact of Leptin and Adiponectin on Incident Type 2 Diabetes Is Modified by Sex and Insulin Resistance. <i>Metabolic Syndrome and Related Disorders</i> , 2012, 10, 143-151.	1.3	33
118	Leptin and Soluble Leptin Receptor in Risk of Colorectal Cancer in the European Prospective Investigation into Cancer and Nutrition Cohort. <i>Cancer Research</i> , 2012, 72, 5328-5337.	0.9	65
119	Explaining the Increase of Diabetes Prevalence and Plasma Glucose in Mauritius. <i>Diabetes Care</i> , 2012, 35, 87-91.	8.6	36
120	How to diagnose and classify diabetes in primary health care: Lessons learned from the Diabetes Register in Northern Sweden (DiabNorth). <i>Scandinavian Journal of Primary Health Care</i> , 2012, 30, 81-87.	1.5	26
121	All-cause cancer mortality over 15 years in multi-ethnic Mauritius: The impact of diabetes and intermediate forms of glucose tolerance. <i>International Journal of Cancer</i> , 2012, 131, 2385-2393.	5.1	8
122	The impact of dyslipidaemia on incidence of coronary heart disease in Finns and Swedes with different categories of glucose tolerance. <i>Diabetes Research and Clinical Practice</i> , 2011, 91, 406-412.	2.8	5
123	Diesel exhaust inhalation does not affect heart rhythm or heart rate variability. <i>Heart</i> , 2011, 97, 544-550.	2.9	66
124	Echocardiography based estimation of pulmonary vascular resistance in patients with pulmonary hypertension: a simultaneous Doppler echocardiography and cardiac catheterization study. <i>European Journal of Echocardiography</i> , 2011, 12, 961-966.	2.3	57
125	Impaired vascular function after exposure to diesel exhaust generated at urban transient running conditions. <i>Particle and Fibre Toxicology</i> , 2010, 7, 19.	6.2	99
126	The Difference between Acute Coronary Heart Disease and Ischaemic Stroke Risk with Regard to Gender and Age in Finnish and Swedish Populations. <i>International Journal of Stroke</i> , 2010, 5, 152-156.	5.9	23

#	ARTICLE	IF	CITATIONS
127	Mortality, All-Cause and Cardiovascular Disease, Over 15 Years in Multiethnic Mauritius. <i>Diabetes Care</i> , 2010, 33, 1983-1989.	8.6	26
128	Cardiovascular Disease Mortality in Europeans in Relation to Fasting and 2-h Plasma Glucose Levels Within a Normoglycemic Range. <i>Diabetes Care</i> , 2010, 33, 2211-2216.	8.6	111
129	Adiponectin and cardiac geometry and function in elderly: results from two community-based cohort studies. <i>European Journal of Endocrinology</i> , 2010, 162, 543-550.	3.7	16
130	Distinct Ethnic Differences in Lipid Profiles across Glucose Categories. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2010, 95, 1793-1801.	3.6	30
131	Associations of Circulating Adiponectin with Measures of Vascular Function and Morphology. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2010, 95, 2927-2934.	3.6	15
132	Exposure to nitrogen dioxide is not associated with vascular dysfunction in man. <i>Inhalation Toxicology</i> , 2010, 22, 192-198.	1.6	55
133	A randomized lifestyle intervention with 5-year follow-up in subjects with impaired glucose tolerance: Pronounced short-term impact but long-term adherence problems. <i>Scandinavian Journal of Public Health</i> , 2009, 37, 434-442.	2.3	66
134	The impact of diabetes on coronary heart disease differs from that on ischaemic stroke with regard to the gender. <i>Cardiovascular Diabetology</i> , 2009, 8, 17.	6.8	25
135	BMI Compared With Central Obesity Indicators as a Predictor of Diabetes Incidence in Mauritius. <i>Obesity</i> , 2009, 17, 342-348.	3.0	54
136	Long-term follow-up of mitral valve regurgitation—Importance of mitral valve pathology and left ventricular function on survival. <i>International Journal of Cardiology</i> , 2009, 137, 145-150.	1.7	7
137	Central Obesity as a Precursor to the Metabolic Syndrome in the AusDiab Study and Mauritius. <i>Obesity</i> , 2008, 16, 2707-2716.	3.0	94
138	Trends in Obesity and Its Distribution: Data From the Northern Sweden MONICA Survey, 1986–2004. <i>Obesity</i> , 2008, 16, 1120-1128.	3.0	39
139	Improved fibrinolytic activity during exercise may be an effect of the adipocyte-derived hormones leptin and adiponectin. <i>Thrombosis Research</i> , 2008, 122, 701-708.	1.7	28
140	Serum uric acid and incident diabetes in Mauritian Indian and Creole populations. <i>Diabetes Research and Clinical Practice</i> , 2008, 80, 321-327.	2.8	37
141	Fludarabine, Cyclophosphamide and Rituximab (FCR) induced pulmonary hypertension in Waldenström macroglobulinemia. <i>Leukemia and Lymphoma</i> , 2008, 49, 1209-1211.	1.3	7
142	Serum Adiponectin in Elderly Men Does Not Correlate with Fracture Risk. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2008, 93, 4041-4047.	3.6	42
143	Serum Uric Acid and Components of the Metabolic Syndrome in Non-Diabetic Populations in Mauritian Indians and Creoles and in Chinese in Qingdao, China. <i>Metabolic Syndrome and Related Disorders</i> , 2008, 6, 47-57.	1.3	26
144	Comparison of body mass index with waist circumference, waist-to-hip ratio, and waist-to-stature ratio as a predictor of hypertension incidence in Mauritius. <i>Journal of Hypertension</i> , 2008, 26, 866-870.	0.5	59

#	ARTICLE	IF	CITATIONS
145	Sex-related differences in the associations between hyperleptinemia, insulin resistance and dysfibrinolysis. <i>Blood Coagulation and Fibrinolysis</i> , 2008, 19, 625-632.	1.0	8
146	Polymorphisms at the Osteoprotegerin and Interleukin-6 Genes in Relation to First-Ever Stroke. <i>Cerebrovascular Diseases</i> , 2007, 24, 418-425.	1.7	21
147	Air Pollution and Atherothrombosis. <i>Inhalation Toxicology</i> , 2007, 19, 81-89.	1.6	87
148	Persistent Endothelial Dysfunction in Humans after Diesel Exhaust Inhalation. <i>American Journal of Respiratory and Critical Care Medicine</i> , 2007, 176, 395-400.	5.6	334
149	Ischemic and Thrombotic Effects of Dilute Diesel-Exhaust Inhalation in Men with Coronary Heart Disease. <i>New England Journal of Medicine</i> , 2007, 357, 1075-1082.	27.0	578
150	Estrogen Receptor Alpha Gene Polymorphisms and First-Ever Intracerebral Hemorrhage. <i>Cerebrovascular Diseases</i> , 2007, 24, 500-508.	1.7	15
151	Gender-specific Links Between Hepatic 11β Reduction of Cortisone and Adipokines*. <i>Obesity</i> , 2007, 15, 887-894.	3.0	5
152	Intra-adipose sex steroid metabolism and body fat distribution in idiopathic human obesity. <i>Clinical Endocrinology</i> , 2007, 66, 440-446.	2.4	149
153	Serum Adiponectin is not Associated with Risk of Colorectal Cancer: Table 1.. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2006, 15, 401-402.	2.5	91
154	Six year incidence and progression of diabetic retinopathy: Results from the Mauritius diabetes complication study. <i>Diabetes Research and Clinical Practice</i> , 2006, 73, 298-303.	2.8	39
155	Interactions between fibrinolysis, lipoproteins and leptin related to a first myocardial infarction. <i>European Journal of Cardiovascular Prevention and Rehabilitation</i> , 2004, 11, 33-40.	2.8	35
156	Plasma Leptin and Breast Cancer Risk: A Prospective Study in Northern Sweden. <i>Breast Cancer Research and Treatment</i> , 2004, 86, 191-196.	2.5	90
157	Obesity and colon cancer: Does leptin provide a link?. <i>International Journal of Cancer</i> , 2004, 109, 149-152.	5.1	277
158	Local and Systemic Impact of Transcriptional Up-Regulation of 11β -Hydroxysteroid Dehydrogenase Type 1 in Adipose Tissue in Human Obesity. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2003, 88, 3983-3988.	3.6	208
159	Cardiovascular disease and diabetes in the Northern Sweden Health and Disease Study Cohort-evaluation of risk factors and their interactions. <i>Scandinavian Journal of Public Health</i> , 2003, 31, 18-24.	2.3	196
160	High Leptin Levels Are Associated with Stroke. <i>Cerebrovascular Diseases</i> , 2003, 15, 63-69.	1.7	86
161	Plasma leptin is not associated with prostate cancer risk. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2003, 12, 474-5.	2.5	22
162	Prospective study of IGF-I, IGF-binding proteins, and breast cancer risk, in northern and southern Sweden. <i>Cancer Causes and Control</i> , 2002, 13, 307-316.	1.8	185

#	ARTICLE	IF	CITATIONS
163	Nonlinear relationship of insulin-like growth factor (IGF)-I and IGF-I/IGF-binding protein-3 ratio with indices of adiposity and plasma insulin concentrations (Sweden). <i>Cancer Causes and Control</i> , 2002, 13, 509-516.	1.8	70
164	Overweight is associated with lower serum leptin in Peruvian Indian than in Caucasian women: A dissociation contributing to low blood pressure?. <i>Metabolism: Clinical and Experimental</i> , 2001, 50, 325-329.	3.4	22
165	Tissue-Specific Dysregulation of Cortisol Metabolism in Human Obesity. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2001, 86, 1418-1421.	3.6	584
166	Leptin Concentrations Are Increased in Subjects Treated With Clozapine or Conventional Antipsychotics. <i>Journal of Clinical Psychiatry</i> , 2001, 62, 843-848.	2.2	66
167	High Prevalence of <i>Chlamydia pneumoniae</i> DNA in Peripheral Blood Mononuclear Cells in Patients with Cardiovascular Disease and in Middle-Aged Blood Donors. <i>Journal of Infectious Diseases</i> , 1998, 178, 274-277.	4.0	223
168	Prevalence of HIV-1 infection in rural, semi-urban and urban villages in southwest Tanzania. <i>Aids</i> , 1994, 8, 971-976.	2.2	13
169	Plasma leptin and colorectal cancer risk: A prospective study in Northern Sweden. <i>Oncology Reports</i> , 0, , .	2.6	58