

M Z Abdullah

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2025506/publications.pdf>

Version: 2024-02-01

283
papers

5,112
citations

109321

35
h-index

155660

55
g-index

287
all docs

287
docs citations

287
times ranked

3109
citing authors

#	ARTICLE	IF	CITATIONS
1	Effects of Blade Number on the Centrifugal Pump Performance: A Review. <i>Arabian Journal for Science and Engineering</i> , 2022, 47, 7945-7961.	3.0	9
2	Overview of the Important Factors Influencing the Performance of Eco-Friendly Brake Pads. <i>Polymers</i> , 2022, 14, 1180.	4.5	20
3	Heat transfer analysis on wafer annealing process in semiconductor multi-wafer furnace using CFD simulation. <i>Journal of Mechanical Science and Technology</i> , 2022, 36, 3143-3151.	1.5	2
4	Prediction of the void formation in no-flow underfill process using machine learning-based algorithm. <i>Microelectronics Reliability</i> , 2022, 135, 114586.	1.7	1
5	Numerical study on the influence of nozzle spray shape on spray characteristics using diesel and biofuel blends. <i>Biofuels</i> , 2021, 12, 1109-1121.	2.4	8
6	Heat transfer and deformation analysis of flexible printed circuit board under thermal and flow effects. <i>Circuit World</i> , 2021, 47, 213-221.	0.9	1
7	Mechanical reliability of self-aligned chip assembly after reflow soldering process. <i>Soldering and Surface Mount Technology</i> , 2021, 33, 9-17.	1.5	3
8	Design and Fabrication of a Dual Rotor-Embedded Wing Vertical Take-Off and Landing Unmanned Aerial Vehicle. <i>Unmanned Systems</i> , 2021, 09, 45-63.	3.6	7
9	Selected water thermal properties from molecular dynamics for engineering purposes. <i>Journal of Molecular Liquids</i> , 2021, 324, 114703.	4.9	15
10	Effect of volume concentration and nanofluid temperature on the thermal conductivity of mono and hybrid Al ₂ O ₃ -TiO ₂ nanofluid. <i>AIP Conference Proceedings</i> , 2021, , .	0.4	7
11	Study of Different Dispensing Patterns of No-Flow Underfill Using Numerical and Experimental Methods. <i>Journal of Electronic Packaging, Transactions of the ASME</i> , 2021, 143, .	1.8	3
12	Correlating scalants characteristic and air bubbling rate in submerged vacuum membrane distillation: A fouling control strategy. <i>Journal of Membrane Science</i> , 2021, 621, 118991.	8.2	11
13	Investigations of Infrared Desktop Reflow Oven with FPCB Substrate during Reflow Soldering Process. <i>Metals</i> , 2021, 11, 1155.	2.3	12
14	Performance, combustion characteristics and economics analysis of a combined thermoelectric and thermophotovoltaic power system. <i>Applied Thermal Engineering</i> , 2021, 193, 117051.	6.0	5
15	Enhancement in Cathodic Redox Reactions of Single-Chambered Microbial Fuel Cells with Castor Oil-Emitted Powder as Cathode Material. <i>Materials</i> , 2021, 14, 4454.	2.9	6
16	Recent Advances on Thermally Conductive Adhesive in Electronic Packaging: A Review. <i>Polymers</i> , 2021, 13, 3337.	4.5	22
17	Die attachment, wire bonding, and encapsulation process in LED packaging: A review. <i>Sensors and Actuators A: Physical</i> , 2021, 329, 112817.	4.1	37
18	Optimization of flexible printed circuit board's cooling with air flow and thermal effects using response surface methodology. <i>Microelectronics International</i> , 2021, 38, 182-205.	0.6	3

#	ARTICLE	IF	CITATIONS
19	Double-Layer Micro Porous Media Burner from Lean to Rich Fuel Mixture: Analysis of Entropy Generation and Exergy Efficiency. <i>Entropy</i> , 2021, 23, 1663.	2.2	2
20	Design Optimization of Solid Rocket Propulsion: A Survey of Recent Advancements. <i>Journal of Spacecraft and Rockets</i> , 2020, 57, 3-11.	1.9	25
21	Effect of pin inclination angle on flow and heat transfer characteristics for a row of pins in a flow channel. <i>International Communications in Heat and Mass Transfer</i> , 2020, 110, 104396.	5.6	6
22	Effect of adhesive force on underfill process based on lattice Boltzmann method. <i>Microelectronics International</i> , 2020, 37, 54-63.	0.6	3
23	Experimental analysis on combustion characteristics of single layer porous media for various burner sizes. <i>IOP Conference Series: Materials Science and Engineering</i> , 2020, 852, 012085.	0.6	0
24	Viscosity of Mono vs Hybrid Nanofluids: Measurement and Comparison. <i>IOP Conference Series: Materials Science and Engineering</i> , 2020, 852, 012086.	0.6	1
25	Lead-free solder SAC 305 Volume Reduction and Cold Slump after Stencil Printing Process. <i>IOP Conference Series: Materials Science and Engineering</i> , 2020, 852, 012084.	0.6	0
26	Entropy Generation and Exergy Analysis of Premixed Fuel-Air Combustion in Micro Porous Media Burner. <i>Entropy</i> , 2020, 22, 1104.	2.2	4
27	Thermophysical properties of Al ₂ O ₃ -CuO hybrid nanofluid at different nanoparticle mixture ratio: An experimental approach. <i>Journal of Molecular Liquids</i> , 2020, 313, 113458.	4.9	50
28	Three-dimensional CFD simulation of the stencil printing performance of solder paste. <i>International Journal of Advanced Manufacturing Technology</i> , 2020, 108, 3351-3359.	3.0	7
29	Metal oxide nanofluids in electronic cooling: a review. <i>Journal of Materials Science: Materials in Electronics</i> , 2020, 31, 4381-4398.	2.2	43
30	Performance of Functionalized MWCNTs-Water Nanofluids for Heat Transfer Applications. <i>Arabian Journal for Science and Engineering</i> , 2020, 45, 5603-5614.	3.0	4
31	Study on the Addition of Nanoparticles in the Lead-free Solder During Reflow Soldering via Numerical Simulation - A Review. <i>CFD Letters</i> , 2020, 12, 111-119.	0.8	4
32	Effect of Contact Angle on Meniscus Evolution and Contact Line Jump of Underfill Fluid Flow in Flip-Chip Encapsulation. <i>CFD Letters</i> , 2020, 12, 28-38.	0.8	2
33	Symmetrical Unit-Cell Numerical Approach for Flip-Chip Underfill Flow Simulation. <i>CFD Letters</i> , 2020, 12, 55-63.	0.8	5
34	CAD-Based 3D Grain Burnback Analysis for Solid Rocket Motors. <i>Lecture Notes in Mechanical Engineering</i> , 2020, , 341-348.	0.4	0
35	Thermal Impact of Heat Spreader Co-Planarity to Electronic Packaging. <i>Journal of Advanced Research in Fluid Mechanics and Thermal Sciences</i> , 2020, 71, 1-9.	0.6	0
36	Heat Transfer Performance of a Synthetic Jet at Various Driving Frequencies and Diaphragm Amplitude. <i>Arabian Journal for Science and Engineering</i> , 2019, 44, 1043-1055.	3.0	6

#	ARTICLE	IF	CITATIONS
37	Development of foam porous media to undergo surface and submerged flame during premixed combustion. IOP Conference Series: Materials Science and Engineering, 2019, 505, 012123.	0.6	2
38	A novel analytical filling time chart for design optimization of flip-chip underfill encapsulation process. International Journal of Advanced Manufacturing Technology, 2019, 105, 3521-3530.	3.0	6
39	Numerical simulation of thermal fluid-structure interaction on flexible PCB in reflow soldering atmosphere. AIP Conference Proceedings, 2019, , .	0.4	0
40	Enhancement of nanofluid heat transfer in a mini-tube using SiO ₂ nanoparticles. Advances in Materials and Processing Technologies, 2019, 5, 607-616.	1.4	4
41	Thermal Analysis of a Cylindrical Sintered Wick Heat Pipe. Advanced Structured Materials, 2019, , 307-319.	0.5	0
42	Heat Transfer and Entropy Generation Abilities of MWCNTs/GNPs Hybrid Nanofluids in Microtubes. Entropy, 2019, 21, 480.	2.2	57
43	Experimental Investigation of Water-Cooled Heat Pipes in the Thermal Management of Lithium-Ion EV Batteries. Arabian Journal for Science and Engineering, 2019, 44, 7541-7552.	3.0	18
44	Comparative Study of Pressurized and Capillary Underfill Flow Using Lattice Boltzmann Method. Arabian Journal for Science and Engineering, 2019, 44, 7627-7652.	3.0	8
45	Stencil printing process performance on various aperture size and optimization for lead-free solder paste. International Journal of Advanced Manufacturing Technology, 2019, 102, 3369-3379.	3.0	15
46	Optimization of 3D IC stacking chip on molded encapsulation process: a response surface methodology approach. International Journal of Advanced Manufacturing Technology, 2019, 103, 1139-1153.	3.0	7
47	Numerical Analysis of Nozzle Flow and Spray Characteristics from Different Nozzles Using Diesel and Biofuel Blends. Energies, 2019, 12, 281.	3.1	28
48	Effect of Ultra-low Vegetable Oil Droplets on Microporous Media Burner Under Surface and Submerged Flames. Arabian Journal for Science and Engineering, 2019, 44, 5921-5935.	3.0	1
49	Influence of reaction layer thickness on surface/submerged flame during porous media combustion of micro burner. IOP Conference Series: Materials Science and Engineering, 2019, 508, 012072.	0.6	1
50	Finite Volume Method Study on Contact Line Jump Phenomena and Dynamic Contact Angle of Underfill Flow in Flip-Chip of Various Bump Pitches. IOP Conference Series: Materials Science and Engineering, 2019, 530, 012012.	0.6	5
51	Molecular dynamics simulation of the nano-reinforced lead-free solder at different reflow soldering process temperature. IOP Conference Series: Materials Science and Engineering, 2019, 701, 012014.	0.6	2
52	Filling efficiency of flip-chip underfill encapsulation process. Soldering and Surface Mount Technology, 2019, 32, 10-18.	1.5	13
53	Temperature Prediction on Flexible Printed Circuit Board in Reflow Oven Soldering for Motherboard Application. IOP Conference Series: Materials Science and Engineering, 2019, 530, 012019.	0.6	3
54	Nanofluid-filled heat pipes in managing the temperature of EV lithium-ion batteries. Journal of Physics: Conference Series, 2019, 1349, 012123.	0.4	12

#	ARTICLE	IF	CITATIONS
55	Numerical Study of Heat Transfer Enhancement Using Al ₂ O ₃ -Graphene/Water Hybrid Nanofluid Flow in Mini Tubes. Iranian Journal of Science and Technology, Transaction A: Science, 2019, 43, 1989-2000.	1.5	25
56	Effect of filling level and fillet profile on pin-through-hole solder joint. International Journal of Advanced Manufacturing Technology, 2019, 102, 1467-1485.	3.0	3
57	Study of velocity profiles of orbal biological system (OBS) using computational fluid dynamics (CFD). Journal of Computational Methods in Sciences and Engineering, 2019, 19, 447-454.	0.2	1
58	Study on convective heat transfer and pressure drop of MWCNTs/water nanofluid in mini-tube. Journal of Thermal Analysis and Calorimetry, 2019, 135, 123-132.	3.6	17
59	A Brief Survey of Preparation and Heat Transfer Enhancement of Hybrid Nanofluids. Strojinski Vestnik/Journal of Mechanical Engineering, 2019, , 441-453.	1.1	31
60	Flow Analysis Inside Coated Porous Media. Advanced Structured Materials, 2019, , 153-160.	0.5	1
61	NUMERICAL AND EXPERIMENTAL INVESTIGATIONS OF SPEAKER-DRIVEN SYNTHETIC JET ACTUATOR FOR ELECTRONICS COOLING APPLICATIONS. Heat Transfer Research, 2019, 50, 1369-1381.	1.6	3
62	Effect of Different S AC Based Nanoparticles Types on the Reflow Soldering Process of Miniaturized Component using Discrete Phase Model Simulation. Journal of Applied Fluid Mechanics, 2019, 12, 1683-1696.	0.2	3
63	Comparative study on porous media combustion characteristics using different discrete materials. MATEC Web of Conferences, 2018, 153, 01007.	0.2	4
64	Effect of scale size, orientation type and dispensing method on void formation in the CUF encapsulation of BGA. Sadhana - Academy Proceedings in Engineering Sciences, 2018, 43, 1.	1.3	10
65	Investigation on nano-reinforced solder paste after reflow soldering part 1: Effects of nano-reinforced solder paste on melting, hardness, spreading rate, and wetting quality. Microelectronics Reliability, 2018, 84, 230-237.	1.7	9
66	Effect of solder bump shapes on underfill flow in flip-chip encapsulation using analytical, numerical and PIV experimental approaches. Microelectronics Reliability, 2018, 81, 41-63.	1.7	26
67	Heat Transfer in a Loop Heat Pipe using Diamond-H ₂ O Nanofluid. Heat Transfer Engineering, 2018, 39, 1117-1131.	1.9	12
68	Investigation of micro burner performance during porous media combustion for surface and submerged flames. IOP Conference Series: Materials Science and Engineering, 2018, 370, 012049.	0.6	2
69	Flow Behavior Analysis of Emc in Molded Underfill (Muf) Encapsulation for Multi Flip-Chip Package. Journal of Physics: Conference Series, 2018, 1082, 012015.	0.4	2
70	Visualization of Underfill Flow in Ball Grid Array (BGA) using Particle Image Velocimetry (PIV). IOP Conference Series: Materials Science and Engineering, 2018, 370, 012064.	0.6	1
71	Effect of the gap height of radial gate on the volumetric flow rate in dam. IOP Conference Series: Materials Science and Engineering, 2018, 370, 012062.	0.6	6
72	Assessment of porous media combustion with foam porous media for surface/submerged flame. Materials Today: Proceedings, 2018, 5, 20865-20873.	1.8	9

#	ARTICLE	IF	CITATIONS
73	Numerical Investigation on the Effect of Squeegee Angle during Stencil Printing Process. Journal of Physics: Conference Series, 2018, 1082, 012057.	0.4	1
74	High-Speed Fractal Image Compression Featuring Deep Data Pipelining Strategy. IEEE Access, 2018, 6, 71389-71403.	4.2	8
75	Fluid/structure interaction study on the variation of radial gate's gap height in dam. IOP Conference Series: Materials Science and Engineering, 2018, 370, 012063.	0.6	11
76	Synthetic jet cooling diaphragm equation of motion characteristic and verification for computational fluid dynamic modelling. AIP Conference Proceedings, 2018, , .	0.4	1
77	Discrete Phase Model (DPM) study of nano-reinforced Lead Free Solder Sn-3.0Ag-0.5Cu (SAC305). IOP Conference Series: Materials Science and Engineering, 2018, 370, 012067.	0.6	1
78	Synthetic Jet Study on Resonance Driving Frequency for Electronic Cooling. , 2018, , 435-443.		0
79	A practical approach in porous medium combustion for domestic application: A review. IOP Conference Series: Materials Science and Engineering, 2018, 370, 012004.	0.6	8
80	Experiential study on temperature and emission performance of micro burner during porous media combustion. IOP Conference Series: Materials Science and Engineering, 2018, 370, 012057.	0.6	2
81	Characterization and Evaluation of PIV Illumination System Using High Power Light Emitting Diodes for WaterTank Applications. Instruments and Experimental Techniques, 2018, 61, 436-444.	0.5	0
82	EXPERIMENTAL INVESTIGATION ON THE HEAT TRANSFER PERFORMANCE OF HEAT PIPES IN COOLING HEV LITHIUM-ION BATTERIES. Heat Transfer Research, 2018, 49, 1745-1760.	1.6	4
83	EFFECT OF INCLINED ANGLE OF PIN ARRAYS ON FLOW AND HEAT TRANSFER CHARACTERISTICS IN FLOW CHANNEL. , 2018, , .		3
84	Optimization of operating conditions of heat pipes BTMS using response surface method. AIP Conference Proceedings, 2018, , .	0.4	0
85	Pengawalan Pertumbuhan Sebastian antara Logam Sambungan Pateri-Papan Litar Bercetak Menggunakan Salutan Nikel. Sains Malaysiana, 2018, 47, 2157-2162.	0.5	3
86	Effects of the preheat layer thickness on surface/submerged flame during porous media combustion of micro burner. Energy, 2017, 122, 103-110.	8.8	50
87	Assessment of porous media burner for surface/submerged flame during porous media combustion. AIP Conference Proceedings, 2017, , .	0.4	5
88	Heat transfer enhancement by flexible printed circuit board's deformation. International Communications in Heat and Mass Transfer, 2017, 84, 86-93.	5.6	7
89	Study on the Fluid-Structure Interaction at Different Layout of Stacked Chip in Molded Packaging. Arabian Journal for Science and Engineering, 2017, 42, 4743-4757.	3.0	4
90	Heat Transfer in a Loop Heat Pipe Using Fe ₂ NiO ₄ -H ₂ O Nanofluid. MATEC Web of Conferences, 2017, 109, 05001.	0.2	3

#	ARTICLE	IF	CITATIONS
91	Numerical simulation of fluid-structure interaction on flexible PCB with multiple ball grid array components. AIP Conference Proceedings, 2017, , .	0.4	2
92	Discrete phase method study of ball grid array underfill process using nano-silica filler-reinforced composite-encapsulant with varying filler loadings. Microelectronics Reliability, 2017, 72, 45-64.	1.7	25
93	The Effect of Freestream Flow Velocities on the Flexible Printed Circuit Board with Different BGA Package Arrangements. Arabian Journal for Science and Engineering, 2017, 42, 2075-2086.	3.0	4
94	A review of combustion-driven thermoelectric (TE) and thermophotovoltaic (TPV) power systems. Renewable and Sustainable Energy Reviews, 2017, 71, 572-584.	16.4	66
95	Heat transfer enhancement of LEDs with a combination of piezoelectric fans and a heat sink. Microelectronics Reliability, 2017, 68, 39-50.	1.7	31
96	Numerical simulation of self-alignment of chip resistor components for different silver content during reflow soldering. Microelectronics Reliability, 2017, 79, 69-78.	1.7	27
97	Experiment on forced convective heat transfer enhancement using MWCNTs/GNPs hybrid nanofluid and mini-tube. International Journal of Heat and Mass Transfer, 2017, 115, 1121-1131.	4.8	75
98	Influence of Material Properties on the Fluid-Structure Interaction aspects during Molded Underfill Process. MATEC Web of Conferences, 2017, 97, 01059.	0.2	8
99	Experimental and numerical investigation of flow and thermal effects on flexible printed circuit board. Microelectronics Reliability, 2017, 72, 5-17.	1.7	10
100	Discrete phase method particle simulation of ultra-fine package assembly with SAC305-TiO ₂ nano-reinforced lead free solder at different weighted percentages. Microelectronics Reliability, 2017, 79, 336-351.	1.7	9
101	Molded underfill (MUF) encapsulation for flip-chip package: A numerical investigation. AIP Conference Proceedings, 2017, , .	0.4	3
102	CUF scaling effect on contact angle and threshold pressure. Soldering and Surface Mount Technology, 2017, 29, 173-190.	1.5	15
103	A study on thermoforming process of stretchable circuit and its performance in manufacturing of automotive lighting. AIP Conference Proceedings, 2017, , .	0.4	4
104	Comparative Study of the Scaling Effect on Pressure Profiles in Capillary Underfill Process. IOP Conference Series: Materials Science and Engineering, 2017, 203, 012012.	0.6	2
105	Scaling Effect on Velocity Profiles in Capillary Underfill Flow. IOP Conference Series: Materials Science and Engineering, 2017, 203, 012013.	0.6	1
106	Influence of low concentration of diamond water nanofluid in loop heat pipe. International Journal of Heat and Technology, 2017, 35, 539-548.	0.6	5
107	Effects of Aspect Ratio in Moulded Packaging Considering Fluid/Structure Interaction: A CFD Modelling Approach. Journal of Applied Fluid Mechanics, 2017, 10, 1799-1811.	0.2	5
108	LIFE CYCLE ASSESSMENT OF TOXICITY POTENTIAL OF METALLIC ELEMENTS AND PROCESS STAGES IN ELECTRONICS: A CASE STUDY OF ELECTRONIC CONNECTOR LEADS. Environmental Engineering and Management Journal, 2017, 16, 1521-1530.	0.6	0

#	ARTICLE	IF	CITATIONS
109	Unsteady Pressure Distribution of a Flapping Wing Undergoing Root Flapping Motion with Elbow Joint at Different Reduced Frequencies. <i>International Review of Aerospace Engineering</i> , 2017, 10, 105.	0.3	0
110	APPLYING NUMERICAL METHOD IN IMPROVING EMERGENCY GATE DESIGN OF MENGGUANG DAM. <i>Advances and Applications in Fluid Mechanics</i> , 2017, 20, 353-362.	0.1	0
111	Influence of printed circuit board thickness in wave soldering. <i>Scientia Iranica</i> , 2017, .	0.4	6
112	Compact Multislot Planar Monopole Antenna for Microwave Imaging. <i>Advanced Science Letters</i> , 2017, 23, 11031-11034.	0.2	0
113	Lattice Boltzmann Model of 3D Multiphase Flow in Artery Bifurcation Aneurysm Problem. <i>Computational and Mathematical Methods in Medicine</i> , 2016, 2016, 1-17.	1.3	8
114	Detection of Cracks in Concrete Structure Using Microwave Imaging Technique. <i>International Journal of Microwave Science and Technology</i> , 2016, 2016, 1-6.	0.6	7
115	Improvement of Porous Porcelain through Glaze Coating. <i>Materials Science Forum</i> , 2016, 840, 19-23.	0.3	0
116	Effect of thermocapillary action in the underfill encapsulation of multi-stack ball grid array. <i>Microelectronics Reliability</i> , 2016, 66, 143-160.	1.7	22
117	Comparative assessment of a porous burner using vegetable cooking oil"kerosene fuel blends for thermoelectric and thermophotovoltaic power generation. <i>Fuel</i> , 2016, 180, 137-147.	6.4	14
118	High-speed implementation of fractal image compression in low cost FPGA. <i>Microprocessors and Microsystems</i> , 2016, 47, 429-440.	2.8	13
119	Effect of ILU dispensing types for different solder bump arrangements on CUF encapsulation process. <i>Microelectronic Engineering</i> , 2016, 163, 83-97.	2.4	26
120	Lattice Boltzmann method study of effect three dimensional stacking-chip package layout on micro-void formation during encapsulation process. <i>Microelectronics Reliability</i> , 2016, 65, 205-216.	1.7	15
121	Real-time implementation of Fractal Image Compression in low cost FPGA. , 2016, , .		4
122	FVM based simulation on multi-stack ball grid array (BGA). <i>AIP Conference Proceedings</i> , 2016, , .	0.4	0
123	Hardness profiles of Sn-3.0Ag-0.5Cu-TiO ₂ composite solder by nanoindentation. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2016, 669, 178-186.	5.6	28
124	Backward Compatibility Solder Joint Formation at High Peak Reflow Temperature for Aerospace Applications. <i>Arabian Journal for Science and Engineering</i> , 2016, 41, 1813-1823.	1.1	4
125	Effect of Wing Deformation on the Aerodynamic Performance of Flapping Wings: Fluid-Structure Interaction Approach. <i>Journal of Aerospace Engineering</i> , 2016, 29, .	1.4	13
126	Microstructure and mechanical properties of Pb-free Sn"3.0Ag"0.5Cu solder pastes added with NiO nanoparticles after reflow soldering process. <i>Materials and Design</i> , 2016, 90, 499-507.	7.0	65

#	ARTICLE	IF	CITATIONS
127	Finite volume-based simulation of the wave soldering process: Influence of the conveyor angle on pin-through-hole capillary flow. Numerical Heat Transfer; Part A: Applications, 2016, 69, 295-310.	2.1	13
128	Lattice Boltzmann method study of bga bump arrangements on void formation. Microelectronics Reliability, 2016, 56, 170-181.	1.7	29
129	Numerical Investigation on the Effect of Pressure and Temperature on the Melt Filling During Injection Molding Process. Arabian Journal for Science and Engineering, 2016, 41, 1907-1919.	1.1	10
130	Thermo-mechanical challenges of reflowed lead-free solder joints in surface mount components: a review. Soldering and Surface Mount Technology, 2016, 28, 41-62.	1.5	47
131	Physical, mechanical, and thermal properties improvement of porous alumina substrate through dip-coating and re-sintering procedures. Ceramics International, 2016, 42, 7717-7729.	4.8	10
132	Single-phase heat transfer enhancement in micro/minichannels using nanofluids: Theory and applications. Applied Energy, 2016, 164, 733-755.	10.1	125
133	Effect of ceramic coating in combustion and cogeneration performance of Al ₂ O ₃ porous medium. Journal of the Energy Institute, 2016, 89, 81-93.	5.3	21
134	Lattice Boltzmann Method of Different BGA Orientations on I-Type Dispensing Method. PLoS ONE, 2016, 11, e0159357.	2.5	14
135	Effects of Temperature on the Wave Soldering of Printed Circuit Boards: CFD Modeling Approach. Journal of Applied Fluid Mechanics, 2016, 9, 2053-2062.	0.2	6
136	Thermal fluid-structure interaction of PCB configurations during the wave soldering process. Soldering and Surface Mount Technology, 2015, 27, 31-44.	1.5	12
137	Piezoresistive effects in controllable defective HFTCVD graphene-based flexible pressure sensor. Scientific Reports, 2015, 5, 14751.	3.3	53
138	A computational fluid dynamics analysis of the wave soldering process. International Journal of Numerical Methods for Heat and Fluid Flow, 2015, 25, 1231-1247.	2.8	3
139	Oxygen Uptake by Biological Processes inside Oxidation Ditch. Applied Mechanics and Materials, 2015, 802, 490-495.	0.2	0
140	Experimental analysis and FEM simulation of loop heat charged with diamond nanofluid for desktop PC cooling. IOP Conference Series: Materials Science and Engineering, 2015, 88, 012038.	0.6	3
141	Combustion Characteristics of Butane Porous Burner for Thermoelectric Power Generation. Journal of Combustion, 2015, 2015, 1-13.	1.0	5
142	Characteristic Airflow Patterns During Inspiration and Expiration: Experimental and Numerical Investigation. Journal of Medical and Biological Engineering, 2015, 35, 387-394.	1.8	11
143	Optimization of SiO ₂ nanoparticle mass concentration and heat input on a loop heat pipe. Case Studies in Thermal Engineering, 2015, 6, 238-250.	5.7	21
144	Numerical investigations on the effects of different cooling periods in reflow-soldering process. Heat and Mass Transfer, 2015, 51, 1413-1423.	2.1	17

#	ARTICLE	IF	CITATIONS
145	Effects of diamond nanoparticles reinforcement into lead-free Sn ^{3.0} Ag ^{0.5} Cu solder pastes on microstructure and mechanical properties after reflow soldering process. <i>Materials and Design</i> , 2015, 82, 206-215.	7.0	54
146	Optimization of pin through hole connector in thermal fluid-structure interaction analysis of wave soldering process using response surface methodology. <i>Simulation Modelling Practice and Theory</i> , 2015, 57, 45-57.	3.8	16
147	Experimental analysis of a porous burner operating on kerosene-vegetable cooking oil blends for thermophotovoltaic power generation. <i>Energy Conversion and Management</i> , 2015, 96, 544-560.	9.2	18
148	Experimental and numerical investigation of 3D gas flow temperature field in infrared heating reflow oven with circulating fan. <i>International Journal of Heat and Mass Transfer</i> , 2015, 87, 49-58.	4.8	43
149	Reflow Optimization Process: Thermal Stress Using Numerical Analysis and Intermetallic Spallation in Backwards Compatibility Solder Joints. <i>Arabian Journal for Science and Engineering</i> , 2015, 40, 1669-1679.	1.1	9
150	Effect of Skin Flexibility on Aerodynamic Performance of Flexible Skin Flapping Wings for Micro Air Vehicles. <i>Experimental Techniques</i> , 2015, 39, 11-20.	1.5	9
151	Centrifuge and storage precipitation of TiO ₂ nanoparticles by the sol-gel method. <i>Journal of Alloys and Compounds</i> , 2015, 651, 557-564.	5.5	20
152	Effects of PCB thickness on adjustable fountain wave soldering. <i>Sadhana - Academy Proceedings in Engineering Sciences</i> , 2015, 40, 2197-2220.	1.3	5
153	Effects of Fe ₂ NiO ₄ nanoparticles addition into lead free Sn ^{3.0} Ag ^{0.5} Cu solder pastes on microstructure and mechanical properties after reflow soldering process. <i>Materials & Design</i> , 2015, 67, 197-208.	5.1	51
154	Experimental investigation of the performance of a liquid fuel-fired porous burner operating on kerosene-vegetable cooking oil (VCO) blends for micro-cogeneration of thermoelectric power. <i>Renewable Energy</i> , 2015, 74, 505-516.	8.9	17
155	LIFT PERFORMANCE OF A CAMBERED WING FOR AERODYNAMIC PERFORMANCE ENHANCEMENT OF THE FLAPPING WING. <i>Jurnal Teknologi (Sciences and Engineering)</i> , 2015, 75, .	0.4	0
156	Effects of Solder Temperature on Pin Through-Hole during Wave Soldering: Thermal-Fluid Structure Interaction Analysis. <i>Scientific World Journal</i> , The, 2014, 2014, 1-13.	2.1	6
157	The Effect of Morphing Force on Aerodynamic Performances of TM Wing. <i>Advanced Materials Research</i> , 2014, 980, 102-106.	0.3	0
158	Analytical Comparisons of Standardized Nasal Cavity. <i>Journal of Medical Imaging and Health Informatics</i> , 2014, 4, 14-20.	0.3	5
159	Applications of Porous Media Combustion Technology. , 2014, , 615-633.		9
160	Experimental Study on the Effect of Skin Flexibility on Aerodynamic Performance of Flapping Wings for Micro Air Vehicles. <i>Applied Mechanics and Materials</i> , 2014, 629, 18-23.	0.2	2
161	Effect of piezoelectric fan mode shape on the heat transfer characteristics. <i>International Communications in Heat and Mass Transfer</i> , 2014, 52, 140-151.	5.6	36
162	Implications of Adjustable Fountain Wave in Pin Through Hole Soldering Process. <i>Arabian Journal for Science and Engineering</i> , 2014, 39, 9101-9111.	1.1	5

#	ARTICLE	IF	CITATIONS
163	Thermal Performance of a Cylindrical Heat Pipe for Different Heat Inputs and Inclination Angles. <i>Applied Mechanics and Materials</i> , 2014, 661, 148-153.	0.2	6
164	Fluid-structure interaction analysis on the effect of chip stacking in a 3D integrated circuit package with through-silicon vias during plastic encapsulation. <i>Microelectronic Engineering</i> , 2014, 113, 40-49.	2.4	35
165	Thermal analysis of dual piezoelectric fans for cooling multi-LED packages. <i>Microelectronics Reliability</i> , 2014, 54, 1534-1543.	1.7	44
166	CFD modeling of pin shape effects on capillary flow during wave soldering. <i>International Journal of Heat and Mass Transfer</i> , 2014, 72, 400-410.	4.8	44
167	Recent fluid-structure interaction modeling challenges in IC encapsulation – A review. <i>Microelectronics Reliability</i> , 2014, 54, 1511-1526.	1.7	15
168	Influence of solder bump arrangements on molded IC encapsulation. <i>Microelectronics Reliability</i> , 2014, 54, 796-807.	1.7	32
169	Optimization of aerodynamic efficiency for twist morphing MAV wing. <i>Chinese Journal of Aeronautics</i> , 2014, 27, 475-487.	5.3	19
170	Thermal Fluid-Structure Interaction in the Effects of Pin-Through-Hole Diameter during Wave Soldering. <i>Advances in Mechanical Engineering</i> , 2014, 6, 275735.	1.6	25
171	Influence of PTH offset angle in wave soldering with thermal-coupling method. <i>Soldering and Surface Mount Technology</i> , 2014, 26, 97-109.	1.5	17
172	The Effect of Sintering Conditions on the Microstructure and Electrical Properties of Pb(Zr _{0.52} Ti _{0.48})O ₃ Ceramic. <i>Journal of Mechanical Engineering and Sciences</i> , 2014, 6, 901-906.	0.6	8
173	Development of Flexible Wings and Flapping Mechanism with Integrated Electronic Control System, for Micro Air Vehicle Research. <i>Experimental Techniques</i> , 2013, 37, 25-37.	1.5	10
174	Experimental Investigation and Optimization of Heat Input and Coolant Velocity of Finned Twin U-Shaped Heat Pipe for CPU Cooling. <i>Experimental Techniques</i> , 2013, 37, 34-40.	1.5	14
175	Experimental and Numerical Studies of Finned L-Shape Heat Pipe for Notebook-PC Cooling. <i>IEEE Transactions on Components, Packaging and Manufacturing Technology</i> , 2013, 3, 978-988.	2.5	23
176	Analysis of fluid/structure interaction: Influence of silicon chip thickness in moulded packaging. <i>Microelectronics Reliability</i> , 2013, 53, 334-347.	1.7	26
177	Influence of nanofluid on heat transfer in a loop heat pipe. <i>International Communications in Heat and Mass Transfer</i> , 2013, 47, 82-91.	5.6	48
178	Computational aerodynamic analysis on perimeter reinforced (PR)-compliant wing. <i>Chinese Journal of Aeronautics</i> , 2013, 26, 1093-1105.	5.3	17
179	Conjugate film cooling of a new multi-layer convex surface of turbine blades. <i>International Communications in Heat and Mass Transfer</i> , 2013, 45, 86-94.	5.6	8
180	Application of porous medium burner with micro cogeneration system. <i>Energy</i> , 2013, 50, 131-142.	8.8	45

#	ARTICLE	IF	CITATIONS
181	FSI implications of EMC rheological properties to 3D IC with TSV structures during plastic encapsulation process. <i>Microelectronics Reliability</i> , 2013, 53, 600-611.	1.7	6
182	Effect of synchronized piezoelectric fans on microelectronic cooling performance. <i>International Communications in Heat and Mass Transfer</i> , 2013, 43, 81-89.	5.6	32
183	Optimization of flexible printed circuit board electronics in the flow environment using response surface methodology. <i>Microelectronics Reliability</i> , 2013, 53, 1996-2004.	1.7	22
184	Influence of pin offset in PCB through-hole during wave soldering process: CFD modeling approach. <i>International Communications in Heat and Mass Transfer</i> , 2013, 48, 116-123.	5.6	38
185	Computational study of a new scheme for a film-cooling hole on convex surface of turbine blades. <i>International Communications in Heat and Mass Transfer</i> , 2013, 43, 90-99.	5.6	21
186	Design of disposable DNA biosensor microchip with amperometric detection featuring PCB substrate. <i>Biochip Journal</i> , 2013, 7, 51-56.	4.9	17
187	Fluid Structure Interaction of Unsteady Aerodynamics of Flapping Wing at Low Reynolds Number. <i>Engineering Applications of Computational Fluid Mechanics</i> , 2013, 7, 144-158.	3.1	18
188	Study on the fluid-structure interaction of flexible printed circuit board motherboard in personal computer casings. <i>Microelectronics International</i> , 2013, 30, 138-150.	0.6	6
189	Effect of Side and Tip Gaps of a Piezoelectric Fan on Microelectronic Cooling. <i>IEEE Transactions on Components, Packaging and Manufacturing Technology</i> , 2013, 3, 1545-1553.	2.5	18
190	Optimization of the reflow soldering process with multiple quality characteristics in ball grid array packaging by using the grey-based Taguchi method. <i>Microelectronics International</i> , 2013, 30, 151-168.	0.6	37
191	COMPUTATIONAL FLUID DYNAMICS STUDY OF PULL AND PLUG FLOW BOUNDARY CONDITION ON NASAL AIRFLOW. <i>Biomedical Engineering - Applications, Basis and Communications</i> , 2013, 25, 1350044.	0.6	10
192	Experimental study on the cooling performance of high power LED arrays under natural convection. <i>IOP Conference Series: Materials Science and Engineering</i> , 2013, 50, 012030.	0.6	6
193	Numerical Modeling and Analysis of Microbump Pitch Effect in 3D IC Package with TSV During Molded Underfill (MUF). <i>Engineering Applications of Computational Fluid Mechanics</i> , 2013, 7, 210-222.	3.1	6
194	Standardization of Malaysian Adult Female Nasal Cavity. <i>Computational and Mathematical Methods in Medicine</i> , 2013, 2013, 1-11.	1.3	6
195	Simulation Investigations on Fluid/Structure Interaction in the Reflow Soldering Process of Board-Level BGA Packaging. <i>International Journal of Computer Theory and Engineering</i> , 2013, , 645-649.	3.4	12
196	MATHEMATICAL MODELLING OF FLOW AND SEDIMENT PATTERN AT IJOK INTAKE, IJOK RIVER, PERAK, MALAYSIA. <i>International Journal of Modelling and Simulation</i> , 2012, 32, .	3.3	1
197	Influence of Gap Height in Flip Chip Underfill Process With Non-Newtonian Flow Between Two Parallel Plates. <i>Journal of Electronic Packaging, Transactions of the ASME</i> , 2012, 134, .	1.8	14
198	Computational fluid dynamic and thermal analysis for BGA assembly during forced convection reflow soldering process. <i>Soldering and Surface Mount Technology</i> , 2012, 24, 77-91.	1.5	42

#	ARTICLE	IF	CITATIONS
199	Three-dimensional thermal investigations at board level in a reflow oven using thermal coupling method. Soldering and Surface Mount Technology, 2012, 24, 167-182.	1.5	29
200	Fluid/Structure Interaction Analysis of the Effects of Solder Bump Shapes and Input/Output Counts on Moulded Packaging. IEEE Transactions on Components, Packaging and Manufacturing Technology, 2012, 2, 604-616.	2.5	32
201	Flow Induced Deflection and Stress on Flexible Printed Circuit Board in Fan-Cooled Electronic Systems: FSI Approach. IEEE Transactions on Components, Packaging and Manufacturing Technology, 2012, 2, 617-624.	2.5	7
202	Visualization of Fluid/Structure Interaction in IC Encapsulation. IEEE Transactions on Components, Packaging and Manufacturing Technology, 2012, 2, 1239-1246.	2.5	5
203	Study on the Fluid-Structure Interaction of Flexible Printed Circuit Board Electronics in the Flow Environment. IEEE Transactions on Components, Packaging and Manufacturing Technology, 2012, 2, 1335-1345.	2.5	11
204	Three dimensional numerical prediction of epoxy flow during the underfill process in flip chip packaging. , 2012, , .		2
205	Effect of stacking chips and fluid/structure interaction simulation in 3D stacked flip-chip encapsulation process. , 2012, , .		1
206	Effect of Solder Joint Arrangements on BGA Lead-Free Reliability During Cooling Stage of Reflow Soldering Process. IEEE Transactions on Components, Packaging and Manufacturing Technology, 2012, 2, 2098-2107.	2.5	18
207	Effect of gold concentration through a single dynamic wave soldering process. , 2012, , .		1
208	Fluid/Structure Interaction Investigation in PBGA Packaging. IEEE Transactions on Components, Packaging and Manufacturing Technology, 2012, 2, 1786-1795.	2.5	31
209	Effect of stacking chips and inlet positions on void formation in the encapsulation of 3D stacked flip-chip package. International Communications in Heat and Mass Transfer, 2012, 39, 670-680.	5.6	31
210	Validation of three dimensional film cooling modeling on convex surface for gas turbine blade. International Communications in Heat and Mass Transfer, 2012, 39, 830-837.	5.6	5
211	Optimum tip gap and orientation of multi-piezofan for heat transfer enhancement of finned heat sink in microelectronic cooling. International Journal of Heat and Mass Transfer, 2012, 55, 5514-5525.	4.8	41
212	Underfill process for two parallel plates and flip chip packaging. International Communications in Heat and Mass Transfer, 2012, 39, 1205-1212.	5.6	13
213	Computational prediction into staggered film cooling holes on convex surface of turbine blade. International Communications in Heat and Mass Transfer, 2012, 39, 1367-1374.	5.6	7
214	Analysis of encapsulation process in 3D stacked chips with different microbump array. International Communications in Heat and Mass Transfer, 2012, 39, 1616-1623.	5.6	30
215	Characterization of working fluid in vertically mounted finned U-shape twin heat pipe for electronic cooling. Energy Conversion and Management, 2012, 62, 31-39.	9.2	27
216	Optimization of IC encapsulation considering fluid/structure interaction using response surface methodology. Simulation Modelling Practice and Theory, 2012, 29, 109-122.	3.8	35

#	ARTICLE	IF	CITATIONS
217	Effects of tip gap and amplitude of piezoelectric fans on the performance of heat sinks in microelectronic cooling. <i>Heat and Mass Transfer</i> , 2012, 48, 893-901.	2.1	31
218	Effects of outlet vent arrangement on air traps in stacked-chip scale package encapsulation. <i>International Communications in Heat and Mass Transfer</i> , 2012, 39, 405-413.	5.6	17
219	Investigation of the fluid/structure interaction phenomenon in IC packaging. <i>Microelectronics Reliability</i> , 2012, 52, 241-252.	1.7	33
220	Application of flexible printed circuit board (FPCB) in personal computer motherboards: Focusing on mechanical performance. <i>Microelectronics Reliability</i> , 2012, 52, 744-756.	1.7	30
221	Optimization modeling of the cooling stage of reflow soldering process for ball grid array package using the gray-based Taguchi method. <i>Microelectronics Reliability</i> , 2012, 52, 1143-1152.	1.7	37
222	Title is missing!. <i>Journal of Medical and Biological Engineering</i> , 2012, 32, 77.	1.8	42
223	Classification gel electrophoretic image of DNA <i>Fusarium Graminearum</i> featuring support vector machine. , 2011, , .		1
224	Husk-Fueled Steam Turbine Cogeneration for a Rice Mill with Power Exportâ€™A Case Study. <i>Energy Sources, Part A: Recovery, Utilization and Environmental Effects</i> , 2011, 33, 724-734.	2.3	7
225	The Development and Performance Analysis of Partially Premixed LPG Porous Medium Combustor. <i>Energy Sources, Part A: Recovery, Utilization and Environmental Effects</i> , 2011, 33, 1260-1270.	2.3	7
226	Title is missing!. <i>Journal of Medical and Biological Engineering</i> , 2011, 31, 201.	1.8	37
227	Quantitative Imaging in the Time Domain Featuring Gradient Based Minimization and Broyden Updating. <i>IEEE Microwave and Wireless Components Letters</i> , 2011, 21, 628-630.	3.2	1
228	Study on the fluid/structure interaction at different inlet pressures in molded packaging. <i>Microelectronic Engineering</i> , 2011, 88, 3182-3194.	2.4	32
229	Development of energy efficient porous medium burners on surface and submerged combustion modes. <i>Energy</i> , 2011, 36, 5132-5139.	8.8	57
230	CFD simulation and experimental analysis of flow dynamics and grinding performance of opposed fluidized bed air jet mill. <i>International Journal of Mineral Processing</i> , 2011, 98, 94-105.	2.6	13
231	Experimental analysis and FEM simulation of finned U-shape multi heat pipe for desktop PC cooling. <i>Energy Conversion and Management</i> , 2011, 52, 2937-2944.	9.2	57
232	Numerical analysis on the effects of different inlet gates and gap heights in TQFP encapsulation process. <i>International Journal of Heat and Mass Transfer</i> , 2011, 54, 1861-1870.	4.8	30
233	Early stage breast cancer detection by means of time-domain ultra-wide band sensing. <i>Measurement Science and Technology</i> , 2011, 22, 114016.	2.6	11
234	A Mesoscale Premixed LPG Burner with Surface Combustion in Porous Ceramic Foam. <i>Energy Sources, Part A: Recovery, Utilization and Environmental Effects</i> , 2011, 34, 9-18.	2.3	9

#	ARTICLE	IF	CITATIONS
235	Plastic Ball Grid Array Encapsulation Process Simulation on Rheology Effect. <i>Telkomnika (Telecommunication Computing Electronics and Control)</i> , 2011, 9, 27.	0.8	9
236	DEVELOPMENT OF PREMIXED BURNER BASED ON STABILIZED COMBUSTION WITHIN DISCRETE POROUS MEDIUM. <i>Journal of Porous Media</i> , 2011, 14, 909-917.	1.9	8
237	Effect of vertical stacking dies on flow behavior of epoxy molding compound during encapsulation of stacked-chip scale packages. <i>Heat and Mass Transfer</i> , 2010, 46, 1315-1325.	2.1	26
238	Three-dimensional numerical and experimental investigations on polymer rheology in meso-scale injection molding. <i>International Communications in Heat and Mass Transfer</i> , 2010, 37, 131-139.	5.6	48
239	FVM based numerical study on the effect of solder bump arrangement on capillary driven flip chip underfill process. <i>International Communications in Heat and Mass Transfer</i> , 2010, 37, 281-286.	5.6	42
240	Trends in modeling of porous media combustion. <i>Progress in Energy and Combustion Science</i> , 2010, 36, 627-650.	31.2	135
241	Finite volume based CFD simulation of pressurized flip-chip underfill encapsulation process. <i>Microelectronics Reliability</i> , 2010, 50, 98-105.	1.7	34
242	Three-Dimensional Modeling of Mold Filling in Microchip Encapsulation Process With a Matrix-Array Arrangement. <i>Journal of Electronic Packaging, Transactions of the ASME</i> , 2010, 132, .	1.8	3
243	Three-Dimensional Modelling to Study the Effect of Die-Stacking Shape on Mould Filling During Encapsulation of Microelectronic Chips. <i>IEEE Transactions on Advanced Packaging</i> , 2010, 33, 438-446.	1.6	9
244	3-D NUMERICAL MODELING AND EXPERIMENTAL INVESTIGATION OF A PARTIAL PREMIX-TYPE POROUS MEDIUM BURNER USING LIQUEFIED PETROLEUM GAS FUEL. <i>Journal of Porous Media</i> , 2010, 13, 655-669.	1.9	2
245	Airflow inside the nasal cavity: visualization using computational fluid dynamics. <i>Asian Biomedicine</i> , 2010, 4, 657-661.	0.3	20
246	A Study on the Effect of Epoxy Molding Compound (EMC) Rheology During Encapsulation of Stacked-CHIP Scale Packages (S-CSP). <i>Journal of Reinforced Plastics and Composites</i> , 2009, 28, 2527-2538.	3.1	25
247	Feasibility study of cogeneration in a plywood industry with power export to grid. <i>Applied Energy</i> , 2009, 86, 657-662.	10.1	32
248	Numerical and experimental investigations on effect of fan height on the performance of piezoelectric fan in microelectronic cooling. <i>International Communications in Heat and Mass Transfer</i> , 2009, 36, 51-58.	5.6	46
249	3-D conjugate heat transfer analysis of PLCC packages mounted in-line on a Printed Circuit Board. <i>International Communications in Heat and Mass Transfer</i> , 2009, 36, 813-819.	5.6	13
250	Combustion in porous media and its applications – A comprehensive survey. <i>Journal of Environmental Management</i> , 2009, 90, 2287-2312.	7.8	178
251	A review of investigations on liquid fuel combustion in porous inert media. <i>Progress in Energy and Combustion Science</i> , 2009, 35, 216-230.	31.2	81
252	Fabrication and study on tribological characteristics of cast copper–TiO ₂ –boric acid hybrid composites. <i>Materials & Design</i> , 2009, 30, 1632-1637.	5.1	38

#	ARTICLE	IF	CITATIONS
253	Development and performance analysis of novel cast copperâ€“SiCâ€“Gr hybrid composites. <i>Materials & Design</i> , 2009, 30, 1957-1965.	5.1	175
254	Applications of porous media combustion technology â€“ A review. <i>Applied Energy</i> , 2009, 86, 1365-1375.	10.1	266
255	Viability of Biomass Fueled Steam Turbine Cogeneration with Power Export for an Asian Plywood Industry. <i>Energy Exploration and Exploitation</i> , 2009, 27, 213-224.	2.3	2
256	A CFD-based experimental analysis on the effect of free stream cooling on the performance of micro processor heat sinks. <i>International Communications in Heat and Mass Transfer</i> , 2008, 35, 771-778.	5.6	23
257	Effect of piezoelectric fan height on flow and heat transfer for electronics cooling applications. , 2008, , .		5
258	Study on the Effect of Stack Thickness During Encapsulation of Stacked-Chip Scale Packages (S-CSP). <i>Journal of Microelectronics and Electronic Packaging</i> , 2008, 5, 62-67.	0.7	4
259	Natural convection of discrete heating in a cavity filled by porous media for different aspect ratio. , 2007, , .		1
260	Experimental and numerical investigations of two inline PLCC packages horizontal mounted. , 2007, , .		0
261	Study of flow visualization in stacked-Chip Scale Packages (S-CSP). <i>International Communications in Heat and Mass Transfer</i> , 2007, 34, 820-828.	5.6	22
262	Design and Optimization of Piezoelectric Fans for Cooling of Microelectronic Devices. <i>Journal of Microelectronics and Electronic Packaging</i> , 2007, 4, 121-129.	0.7	1
263	Three-Dimensional Mold Flow in Stacked-Chip Scale Packages (S-CSP). <i>Electronics Manufacturing Technology Symposium (IEMT), IEEE/CPMT International</i> , 2006, , .	0.0	1
264	Study of Flow Visualization in Stacked-Chip Scale Packages (S-CSP). , 2006, , .		0
265	Thermal analysis of microâ€“channel heat exchangers with twoâ€“phase flow using FEM. <i>International Journal of Numerical Methods for Heat and Fluid Flow</i> , 2005, 15, 43-60.	2.8	12
266	Two-Dimensional Analysis of Tandem/Staggered Airfoils Using Computational Fluid Dynamics. <i>International Journal of Mechanical Engineering Education</i> , 2005, 33, 195-207.	1.0	4
267	Discrimination and classification of <i>Eurycoma longifolia</i> Jack in medicinal foods by means of a DSP-based electronic taste sensor. <i>Transactions of the Institute of Measurement and Control</i> , 2004, 26, 19-39.	1.7	18
268	Three Dimensional CFD Conjugate Analysis of Two Inline PLCC Packages Horizontally Mounted. <i>Journal of Microelectronics and Electronic Packaging</i> , 2004, 1, 244-260.	0.7	6
269	Analysis of biomass-residue-based cogeneration system in palm oil mills. <i>Biomass and Bioenergy</i> , 2003, 24, 117-124.	5.7	112
270	Analysis of cold flow fluidization test results for various biomass fuels. <i>Biomass and Bioenergy</i> , 2003, 24, 487-494.	5.7	73

#	ARTICLE	IF	CITATIONS
271	Application of Deswirl Device in Cyclone Dust Separator. ASEAN Journal on Science and Technology for Development, 2003, 20, 203-216.	0.5	1
272	COLOR VISION SYSTEM FOR RIPENESS INSPECTION OF OIL PALM ELAEIS GUINEENSIS. Journal of Food Processing and Preservation, 2002, 26, 213-235.	2.0	37
273	Computational and experimental investigations in a cyclone dust separator. Proceedings of the Institution of Mechanical Engineers, Part E: Journal of Process Mechanical Engineering, 1997, 211, 247-257.	2.5	42
274	Simulation Study on the Production of Nano-Sized Materials at Mixing Stage. Advanced Materials Research, 0, 832, 118-123.	0.3	0
275	Experimental Model to Optimize the Design of Cylindrical Heat Pipes for Solar Collector Application. Applied Mechanics and Materials, 0, 393, 735-740.	0.2	0
276	Experimental Analysis and FEM Simulation of Novel Finned Loop Heat Pipe. Advanced Materials Research, 0, 925, 481-485.	0.3	1
277	Numerical Investigations of Membrane Surface Effects on NACA 64₃-218 Airfoil. Applied Mechanics and Materials, 0, 564, 60-65.	0.2	0
278	FSI Analysis of the Effect of Aspect Ratio of Stacked Chip in Encapsulation Process of Moulded Underfill Packaging. Applied Mechanics and Materials, 0, 786, 361-366.	0.2	1
279	Numerical Study of Mold Filling during Encapsulation Process. Applied Mechanics and Materials, 0, 786, 318-322.	0.2	2
280	Effect of Sintering Temperature on Mullite Ceramics Fabricated from Treated Palm Oil Fuel Ash. Advanced Materials Research, 0, 1087, 202-206.	0.3	2
281	Numerical Investigation on the Effect of Injection Pressure on Melt Front Pressure and Velocity Drop. Applied Mechanics and Materials, 0, 786, 210-214.	0.2	1
282	An Analytical Convergence Study of the Forced Air Cooling in Electronic Packaging. Applied Mechanics and Materials, 0, 819, 34-41.	0.2	1
283	Experimental study on luminous intensity of white LEDs of different configurations. IOP Conference Series: Materials Science and Engineering, 0, 1007, 012145.	0.6	3