

# Lezanne Ooi

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2032012/publications.pdf>

Version: 2024-02-01

95  
papers

4,814  
citations

117625

34  
h-index

98798

67  
g-index

102  
all docs

102  
docs citations

102  
times ranked

6913  
citing authors

| #  | ARTICLE   | IF   | CITATIONS |
|----|---|------|-----------|
| 1  | Selective ferroptosis vulnerability due to familial Alzheimer's disease presenilin mutations. <i>Cell Death and Differentiation</i> , 2022, 29, 2123-2136.  | 11.2 | 32        |
| 2  | An Optimized Direct Lysis Gene Expression Microplate Assay and Applications for Disease, Differentiation, and Pharmacological Cell-Based Studies. <i>Biosensors</i> , 2022, 12, 364.  | 4.7  | 2         |
| 3  | The P2X4 Receptor: Cellular and Molecular Characteristics of a Promising Neuroinflammatory Target. <i>International Journal of Molecular Sciences</i> , 2022, 23, 5739.   | 4.1  | 12        |
| 4  | Neuronal hyperexcitability in Alzheimer's disease: what are the drivers behind this aberrant phenotype?. <i>Translational Psychiatry</i> , 2022, 12, .  | 4.8  | 64        |
| 5  | Automated Liquid Handling for Microplate Assays: a Simplified User Interface for the Hamilton Microlab STAR. <i>Journal of Applied Bioanalysis</i> , 2021, 7, 11-18.  | 0.2  | 4         |
| 6  | Generation of <i>APOE</i> knock-down SK-N-SH human neuroblastoma cells using CRISPR/Cas9: a novel cellular model relevant to Alzheimer's disease research. <i>Bioscience Reports</i> , 2021, 41, .  | 2.4  | 4         |
| 7  | Understanding the pathology of psychiatric disorders in refugees. <i>Psychiatry Research</i> , 2021, 296, 113661.   | 3.3  | 3         |
| 8  | Unbiased Label-Free Quantitative Proteomics of Cells Expressing Amyotrophic Lateral Sclerosis (ALS) Mutations in CENF Reveals Activation of the Apoptosis Pathway: A Workflow to Screen Pathogenic Gene Mutations. <i>Frontiers in Molecular Neuroscience</i> , 2021, 14, 627740. | 2.9  | 12        |
| 9  | The role of amyloid oligomers in neurodegenerative pathologies. <i>International Journal of Biological Macromolecules</i> , 2021, 181, 582-604.   | 7.5  | 38        |
| 10 | Cross-Linking Cellular Prion Protein Induces Neuronal Type 2-Like Hypersensitivity. <i>Frontiers in Immunology</i> , 2021, 12, 639008.  | 4.8  | 3         |
| 11 | Role of EphA4 in Mediating Motor Neuron Death in MND. <i>International Journal of Molecular Sciences</i> , 2021, 22, 9430.  | 4.1  | 6         |
| 12 | A Simple Microplate Assay for Reactive Oxygen Species Generation and Rapid Cellular Protein Normalization. <i>Bio-protocol</i> , 2021, 11, e3877.   | 0.4  | 18        |
| 13 | Treatment of microglia with Anti-PrP monoclonal antibodies induces neuronal apoptosis in vitro. <i>Heliyon</i> , 2021, 7, e08644.   | 3.2  | 2         |
| 14 | Modeling Emergent Properties in the Brain Using Tissue Models to Investigate Neurodegenerative Disease. <i>Neuroscientist</i> , 2020, 26, 224-230.  | 3.5  | 3         |
| 15 | Sensitive Detection of Motor Neuron Disease Derived Exosomal miRNA Using Electrocatalytic Activity of Gold-Loaded Superparamagnetic Ferric Oxide Nanocubes. <i>ChemElectroChem</i> , 2020, 7, 3459-3467.  | 3.4  | 16        |
| 16 | Neurodegenerative disease-associated protein aggregates are poor inducers of the heat shock response in neuronal cells. <i>Journal of Cell Science</i> , 2020, 133, .   | 2.0  | 6         |
| 17 | P2Y2 and P2X4 Receptors Mediate Ca <sup>2+</sup> Mobilization in DH82 Canine Macrophage Cells. <i>International Journal of Molecular Sciences</i> , 2020, 21, 8572.   | 4.1  | 18        |
| 18 | A Simple Differentiation Protocol for Generation of Induced Pluripotent Stem Cell-Derived Basal Forebrain-Like Cholinergic Neurons for Alzheimer's Disease and Frontotemporal Dementia Disease Modeling. <i>Cells</i> , 2020, 9, 2018.  | 4.1  | 27        |

| #  | ARTICLE  | IF  | CITATIONS |
|----|--|-----|-----------|
| 19 | Molecular and Functional Characterization of Neurogenin-2 Induced Human Sensory Neurons. <i>Frontiers in Cellular Neuroscience</i> , 2020, 14, 600895.   | 3.7 | 16        |
| 20 | Identification of repurposable cytoprotective drugs in vanishing white matter disease patient-derived cells. <i>Translational Medicine Communications</i> , 2020, 5, .   | 1.4 | 7         |
| 21 | Pharmacological and genetic characterisation of the canine P2X4 receptor. <i>British Journal of Pharmacology</i> , 2020, 177, 2812-2829.   | 5.4 | 11        |
| 22 | If Human Brain Organoids Are the Answer to Understanding Dementia, What Are the Questions?. <i>Neuroscientist</i> , 2020, 26, 438-454.   | 3.5 | 23        |
| 23 | The mRNA-based reprogramming of fibroblasts from a SOD1E101G familial amyotrophic lateral sclerosis patient to induced pluripotent stem cell line UOWi007. <i>Stem Cell Research</i> , 2020, 42, 101701.   | 0.7 | 4         |
| 24 | More than a Corepressor: The Role of CoREST Proteins in Neurodevelopment. <i>ENeuro</i> , 2020, 7, ENEURO.0337-19.2020.  | 1.9 | 20        |
| 25 | Loss of Cln5 leads to altered Gad1 expression and deficits in interneuron development in mice. <i>Human Molecular Genetics</i> , 2019, 28, 3309-3322.  | 2.9 | 9         |
| 26 | Generation and characterization of a human induced pluripotent stem cell line UOWi005-A from dermal fibroblasts derived from a CCFN familial amyotrophic lateral sclerosis patient using mRNA reprogramming. <i>Stem Cell Research</i> , 2019, 40, 101530. | 0.7 | 6         |
| 27 | PSEN1 <sup>ΔE9</sup> , APP <sup>swe</sup> , and APOE4 Confer Disparate Phenotypes in Human iPSC-Derived Microglia. <i>Stem Cell Reports</i> , 2019, 13, 669-683.   | 4.8 | 132       |
| 28 | The Ubiquitin Proteasome System Is a Key Regulator of Pluripotent Stem Cell Survival and Motor Neuron Differentiation. <i>Cells</i> , 2019, 8, 581.  | 4.1 | 31        |
| 29 | DC and AC magnetic fields increase neurite outgrowth of SH-SY5Y neuroblastoma cells with and without retinoic acid. <i>RSC Advances</i> , 2019, 9, 17717-17725.  | 3.6 | 2         |
| 30 | Increased Tau Phosphorylation in Motor Neurons From Clinically Pure Sporadic Amyotrophic Lateral Sclerosis Patients. <i>Journal of Neuropathology and Experimental Neurology</i> , 2019, 78, 605-614.  | 1.7 | 19        |
| 31 | The metastability of the proteome of spinal motor neurons underlies their selective vulnerability in ALS. <i>Neuroscience Letters</i> , 2019, 704, 89-94.  | 2.1 | 22        |
| 32 | Dynamic interplay between H-current and M-current controls motoneuron hyperexcitability in amyotrophic lateral sclerosis. <i>Cell Death and Disease</i> , 2019, 10, 310.   | 6.3 | 38        |
| 33 | Understanding the Role of ApoE Fragments in Alzheimer's Disease. <i>Neurochemical Research</i> , 2019, 44, 1297-1305.  | 3.3 | 51        |
| 34 | Novel dual-action prodrug triggers apoptosis in glioblastoma cells by releasing a glutathione quencher and lysine-specific histone demethylase 1A inhibitor. <i>Journal of Neurochemistry</i> , 2019, 149, 535-550.  | 3.9 | 11        |
| 35 | Wnt is here! Could Wnt signalling be promoted to protect against Alzheimer disease?. <i>Journal of Neurochemistry</i> , 2018, 144, 356-359.  | 3.9 | 6         |
| 36 | The serine protease HtrA1 contributes to the formation of an extracellular 25-kDa apolipoprotein E fragment that stimulates neuritogenesis. <i>Journal of Biological Chemistry</i> , 2018, 293, 4071-4084.   | 3.4 | 19        |

| #  | ARTICLE   | IF   | CITATIONS |
|----|---|------|-----------|
| 37 | Impairments in Motor Neurons, Interneurons and Astrocytes Contribute to Hyperexcitability in ALS: Underlying Mechanisms and Paths to Therapy. <i>Molecular Neurobiology</i> , 2018, 55, 1410-1418.  | 4.0  | 58        |
| 38 | Effects of short- and long-term aripiprazole treatment on Group I mGluRs in the nucleus accumbens: Comparison with haloperidol. <i>Psychiatry Research</i> , 2018, 260, 152-157.  | 3.3  | 2         |
| 39 | Viral-free generation and characterization of a human induced pluripotent stem cell line from dermal fibroblasts. <i>Stem Cell Research</i> , 2018, 32, 135-138.  | 0.7  | 9         |
| 40 | Chronic Adolescent CDPBB Treatment Alters Short-Term, but not Long-Term, Glutamatergic Receptor Expression. <i>Neurochemical Research</i> , 2018, 43, 1683-1691.  | 3.3  | 3         |
| 41 | Astrocytic modulation of cortical oscillations. <i>Scientific Reports</i> , 2018, 8, 11565.   | 3.3  | 48        |
| 42 | Generation and characterization of human induced pluripotent stem cell lines from a familial Alzheimer's disease PSEN1 A246E patient and a non-demented family member bearing wild-type PSEN1. <i>Stem Cell Research</i> , 2018, 31, 227-230. | 0.7  | 11        |
| 43 | Identification and High-Resolution Imaging of $\hat{\text{I}}\pm$ -Tocopherol from Human Cells to Whole Animals by TOF-SIMS Tandem Mass Spectrometry. <i>Journal of the American Society for Mass Spectrometry</i> , 2018, 29, 1571-1581.     | 2.8  | 17        |
| 44 | A postmortem analysis of NMDA ionotropic and group 1 metabotropic glutamate receptors in the nucleus accumbens in schizophrenia. <i>Journal of Psychiatry and Neuroscience</i> , 2018, 43, 102-110.   | 2.4  | 9         |
| 45 | Nanotechnology and its medical applications: revisiting public policies from a regulatory perspective in Australia. <i>Nanotechnology Reviews</i> , 2017, 6, 255-269.   | 5.8  | 8         |
| 46 | Electrochemical biosensing strategies for DNA methylation analysis. <i>Biosensors and Bioelectronics</i> , 2017, 94, 63-73.   | 10.1 | 60        |
| 47 | The heat shock response in neurons and astroglia and its role in neurodegenerative diseases. <i>Molecular Neurodegeneration</i> , 2017, 12, 65.   | 10.8 | 60        |
| 48 | Nitric Oxide: A Regulator of Cellular Function in Health and Disease. <i>Oxidative Medicine and Cellular Longevity</i> , 2016, 2016, 1-2.   | 4.0  | 19        |
| 49 | Getting to NO Alzheimer's Disease: Neuroprotection versus Neurotoxicity Mediated by Nitric Oxide. <i>Oxidative Medicine and Cellular Longevity</i> , 2016, 2016, 1-8.   | 4.0  | 98        |
| 50 | Common pitfalls of stem cell differentiation: a guide to improving protocols for neurodegenerative disease models and research. <i>Cellular and Molecular Life Sciences</i> , 2016, 73, 3693-3709.  | 5.4  | 57        |
| 51 | Walking the tightrope: proteostasis and neurodegenerative disease. <i>Journal of Neurochemistry</i> , 2016, 137, 489-505.   | 3.9  | 176       |
| 52 | Neurodevelopmental Expression Profile of Dimeric and Monomeric Group 1 mGluRs: Relevance to Schizophrenia Pathogenesis and Treatment. <i>Scientific Reports</i> , 2016, 6, 34391.   | 3.3  | 23        |
| 53 | Neuroprotective effects of apigenin against inflammation, neuronal excitability and apoptosis in an induced pluripotent stem cell model of Alzheimer's disease. <i>Scientific Reports</i> , 2016, 6, 31450.                                   | 3.3  | 186       |
| 54 | Neuroprotection of Neuro2a cells and the cytokine suppressive and anti-inflammatory mode of action of resveratrol in activated RAW264.7 macrophages and C8B4 microglia. <i>Neurochemistry International</i> , 2016, 95, 46-54.                | 3.8  | 44        |

| #  | ARTICLE  | IF   | CITATIONS |
|----|--|------|-----------|
| 55 | Consumption of pomegranates improves synaptic function in a transgenic mice model of Alzheimer's disease. <i>Oncotarget</i> , 2016, 7, 64589-64604.  | 1.8  | 46        |
| 56 | Evaluation of Skin Fibroblasts from Amyotrophic Lateral Sclerosis Patients for the Rapid Study of Pathological Features. <i>Neurotoxicity Research</i> , 2015, 28, 138-146.  | 2.7  | 30        |
| 57 | SOD1 protein aggregates stimulate macropinocytosis in neurons to facilitate their propagation. <i>Molecular Neurodegeneration</i> , 2015, 10, 57.  | 10.8 | 68        |
| 58 | Redox and Nitric Oxide-Mediated Regulation of Sensory Neuron Ion Channel Function. <i>Antioxidants and Redox Signaling</i> , 2015, 22, 486-504.  | 5.4  | 58        |
| 59 | The Thiol Antioxidant Lipoic Acid and Alzheimer's Disease. , 2014, , 2275-2288.  |      | 4         |
| 60 | Anti-inflammatory effects of five commercially available mushroom species determined in lipopolysaccharide and interferon- $\beta$ activated murine macrophages. <i>Food Chemistry</i> , 2014, 148, 92-96.         | 8.2  | 49        |
| 61 | Determination of anti-inflammatory activities of standardised preparations of plant- and mushroom-based foods. <i>European Journal of Nutrition</i> , 2014, 53, 335-343.   | 3.9  | 31        |
| 62 | Proenergetic effects of resveratrol in the murine neuronal cell line Neuro2a. <i>Molecular Nutrition and Food Research</i> , 2013, 57, 1901-1907.  | 3.3  | 8         |
| 63 | Generation of hydrogen peroxide-resistant murine neuroblastoma cells: a target discovery platform for novel neuroprotective genes. <i>Journal of Neural Transmission</i> , 2013, 120, 1171-1178.                   | 2.8  | 5         |
| 64 | M-Type K <sup>+</sup> Channel as Plasma Membrane Nitric Oxide and Reactive Oxygen Species Sensor. <i>Biophysical Journal</i> , 2013, 104, 268a-269a.   | 0.5  | 0         |
| 65 | Effect of Nrf2 activators on release of glutathione, cysteinylglycine and homocysteine by human U373 astroglial cells. <i>Redox Biology</i> , 2013, 1, 441-445.  | 9.0  | 113       |
| 66 | Chronic Inflammation Alters Production and Release of Glutathione and Related Thiols in Human U373 Astroglial Cells. <i>Cellular and Molecular Neurobiology</i> , 2013, 33, 19-30.                                 | 3.3  | 45        |
| 67 | Cytoprotective properties of traditional Chinese medicinal herbal extracts in hydrogen peroxide challenged human U373 astroglia cells. <i>Neurochemistry International</i> , 2013, 62, 522-529.                    | 3.8  | 19        |
| 68 | Mammalian Expression Systems and Transfection Techniques. <i>Methods in Molecular Biology</i> , 2013, 998, 21-32.  | 0.9  | 1         |
| 69 | Induced pluripotent stem cells as tools for disease modelling and drug discovery in Alzheimer's disease. <i>Journal of Neural Transmission</i> , 2013, 120, 103-111.   | 2.8  | 47        |
| 70 | Triple Cysteine Module within M-Type K <sup>+</sup> Channels Mediates Reciprocal Channel Modulation by Nitric Oxide and Reactive Oxygen Species. <i>Journal of Neuroscience</i> , 2013, 33, 6041-6046.             | 3.6  | 44        |
| 71 | Induced pluripotent stem cells as tools for disease modelling and drug discovery in Alzheimer's disease. <i>FASEB Journal</i> , 2013, 27, 78.3.  | 0.5  | 0         |
| 72 | Reactive oxygen species are second messengers of neurokinin signaling in peripheral sensory neurons. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2012, 109, E1578-86. | 7.1  | 83        |

| #  | ARTICLE  | IF   | CITATIONS |
|----|--|------|-----------|
| 73 | Development of a high-performance liquid chromatography method for the simultaneous quantitation of glutathione and related thiols. <i>Analytical Biochemistry</i> , 2012, 429, 45-52.   | 2.4  | 32        |
| 74 | A quick, convenient and economical method for the reliable determination of methylglyoxal in millimolar concentrations: the N-acetyl-L-cysteine assay. <i>Analytical and Bioanalytical Chemistry</i> , 2012, 403, 2577-2581.   | 3.7  | 180       |
| 75 | Potent Suppressive Effect of Resveratrol and Apigenin on Pro-inflammatory Responses in Lipopolysaccharide and IFN $\beta$ -activated Microglia and Macrophages: Implications for Alzheimer's disease therapies. <i>FASEB Journal</i> , 2012, 26, 921.2.                          | 0.5  | 0         |
| 76 | Transcriptional repression of the M channel subunit Kv7.2 in chronic nerve injury. <i>Pain</i> , 2011, 152, 742-754.   | 4.2  | 130       |
| 77 | Understanding inflammatory pain: ion channels contributing to acute and chronic nociception. <i>Pflügers Archiv European Journal of Physiology</i> , 2010, 459, 657-669.   | 2.8  | 104       |
| 78 | Transcriptional Control of <i>KCNQ</i> Channel Genes and the Regulation of Neuronal Excitability. <i>Journal of Neuroscience</i> , 2010, 30, 13235-13245.  | 3.6  | 93        |
| 79 | Substance P and Bradykinin Activate Alternative Gq/11-Coupled Signalling Cascades and Impose Opposite Effects on M Current in DRG Neurons. <i>Biophysical Journal</i> , 2010, 98, 135a-136a.   | 0.5  | 0         |
| 80 | The acute nociceptive signals induced by bradykinin in rat sensory neurons are mediated by inhibition of M-type K <sup>+</sup> channels and activation of Ca <sup>2+</sup> -activated Cl <sup>-</sup> channels. <i>Journal of Clinical Investigation</i> , 2010, 120, 1240-1252. | 8.2  | 264       |
| 81 | Substance P triggers two different signaling pathways with opposing actions on M current mediated by intracellular Ca <sup>2+</sup> rises and oxidative modification. <i>FASEB Journal</i> , 2010, 24, 1b25.   | 0.5  | 0         |
| 82 | Regulation Of <i>Kcnq2/3</i> Channels By The Transcriptional Repressor REST In Nociception. <i>Biophysical Journal</i> , 2009, 96, 175a-176a.  | 0.5  | 0         |
| 83 | Regulation of gene expression in the nervous system. <i>Biochemical Journal</i> , 2008, 414, 327-341.  | 3.7  | 60        |
| 84 | Chromatin switching and transcriptional regulation in disease. <i>Biochemical Society Transactions</i> , 2008, 36, 599-602.  | 3.4  | 2         |
| 85 | Identifying Transcriptional Regulatory Regions Using Reporter Genes and DNA-Protein Interactions by Chromatin Immunoprecipitation. <i>Methods in Molecular Biology</i> , 2008, 491, 3-17.  | 0.9  | 1         |
| 86 | Widespread Disruption of Repressor Element-1 Silencing Transcription Factor/Neuron-Restrictive Silencer Factor Occupancy at Its Target Genes in Huntington's Disease. <i>Journal of Neuroscience</i> , 2007, 27, 6972-6983.  | 3.6  | 257       |
| 87 | The Repressor Element 1-Silencing Transcription Factor Regulates Heart-Specific Gene Expression Using Multiple Chromatin-Modifying Complexes. <i>Molecular and Cellular Biology</i> , 2007, 27, 4082-4092.   | 2.3  | 50        |
| 88 | Chromatin crosstalk in development and disease: lessons from REST. <i>Nature Reviews Genetics</i> , 2007, 8, 544-554.  | 16.3 | 359       |
| 89 | Investigating chromatin regulation by the repressor element 1-silencing transcription factor (REST) and its effect in cardiac hypertrophy. <i>FASEB Journal</i> , 2007, 21, A654.  | 0.5  | 0         |
| 90 | Multiple chromatin modifications important for gene expression changes in cardiac hypertrophy. <i>Biochemical Society Transactions</i> , 2006, 34, 1138-1140.  | 3.4  | 6         |

| #  | ARTICLE  | IF   | CITATIONS |
|----|--|------|-----------|
| 91 | The transcriptional repressor REST is a critical regulator of the neurosecretory phenotype. <i>Journal of Neurochemistry</i> , 2006, 98, 1828-1840.  | 3.9  | 42        |
| 92 | Identification of the REST regulon reveals extensive transposable element-mediated binding site duplication. <i>Nucleic Acids Research</i> , 2006, 34, 3862-3877.  | 14.5 | 121       |
| 93 | BRG1 Chromatin Remodeling Activity Is Required for Efficient Chromatin Binding by Repressor Element 1-silencing Transcription Factor (REST) and Facilitates REST-mediated Repression. <i>Journal of Biological Chemistry</i> , 2006, 281, 38974-38980. | 3.4  | 93        |
| 94 | Comparison of effects of anandamide at recombinant and endogenous rat vanilloid receptors. <i>British Journal of Anaesthesia</i> , 2002, 89, 882-887.  | 3.4  | 35        |
| 95 | TRPV3 is a temperature-sensitive vanilloid receptor-like protein. <i>Nature</i> , 2002, 418, 186-190.  | 27.8 | 743       |