

Ilya Sukhanov

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2036911/publications.pdf>

Version: 2024-02-01

38
papers

842
citations

759233

12
h-index

552781

26
g-index

52
all docs

52
docs citations

52
times ranked

901
citing authors

#	ARTICLE	IF	CITATIONS
19	No tolerance to anticomulsive activity of trace amine-associated receptor 1 agonist following repeated administration. <i>European Neuropsychopharmacology</i> , 2018, 28, S38-S39.	0.7	1
20	Trace amine-associated receptor 1: a multimodal therapeutic target for neuropsychiatric diseases. <i>Expert Opinion on Therapeutic Targets</i> , 2018, 22, 513-526.	3.4	50
21	Trace Amine-Associated Receptor 1 Modulates the Locomotor and Sensitization Effects of Nicotine. <i>Frontiers in Pharmacology</i> , 2018, 9, 329.	3.5	27
22	Behavioral Effects of a Potential Novel TAAR1 Antagonist. <i>Frontiers in Pharmacology</i> , 2018, 9, 953.	3.5	8
23	Novel translational rat models of dopamine transporter deficiency. <i>Neural Regeneration Research</i> , 2018, 13, 2091.	3.0	13
24	Novel reinforcement learning paradigm based on response patterning under interval schedules of reinforcement. <i>Behavioural Brain Research</i> , 2017, 331, 276-281.	2.2	6
25	Dimensions of GSK3 Monoamine-Related Intracellular Signaling in Schizophrenia. <i>Handbook of Behavioral Neuroscience</i> , 2016, 23, 447-462.	0.7	0
26	Differences in effects of NMDA receptor antagonists in BARR2-KO mice. <i>European Neuropsychopharmacology</i> , 2016, 26, S276.	0.7	0
27	Increased context-dependent conditioning to amphetamine in mice lacking TAAR1. <i>Pharmacological Research</i> , 2016, 103, 206-214.	7.1	33
28	Postsynaptic D2 dopamine receptor supersensitivity in the striatum of mice lacking TAAR1. <i>Neuropharmacology</i> , 2015, 93, 308-313.	4.1	88
29	TAAR1 Modulates Cortical Glutamate NMDA Receptor Function. <i>Neuropsychopharmacology</i> , 2015, 40, 2217-2227.	5.4	98
30	TAAR1-dependent effects of apomorphine in mice. <i>International Journal of Neuropsychopharmacology</i> , 2014, 17, 1683-1693.	2.1	35
31	P.1.h.027 Dopamine transporter knockout rats: new experimental model in behavioral psychopharmacology research. <i>European Neuropsychopharmacology</i> , 2014, 24, S285.	0.7	0
32	S.07.02 Role of trace amine-associated receptor 1 (TAAR1) in the modulation of dopaminergic system and cortico-striatal signalling. <i>European Neuropsychopharmacology</i> , 2013, 23, S120.	0.7	0
33	H.1 - NOVEL REWARD LEARNING PARADIGM BASED ON RESPONSE PATTERNING UNDER INTERVAL SCHEDULES OF REINFORCEMENT. <i>Behavioural Pharmacology</i> , 2013, 24, e60.	1.7	0
34	P.2.26 Effect of MK-801 on sustained attention in rats. <i>European Neuropsychopharmacology</i> , 2009, 19, S55-S55.	0.7	0
35	Anxiolytic-like effects of mGlu1 and mGlu5 receptor antagonists in rats. <i>European Journal of Pharmacology</i> , 2005, 514, 25-34.	3.5	103
36	S.3.3 Behavioral mechanisms of nicotine abuse: Search for novel pharmacotherapies to treat nicotine dependence. <i>European Neuropsychopharmacology</i> , 2005, 15, S98.	0.7	0

#	ARTICLE	IF	CITATIONS
37	Metabotropic glutamate receptor (mGluR5) antagonist MPEP attenuated cue- and schedule-induced reinstatement of nicotine self-administration behavior in rats. <i>Neuropharmacology</i> , 2005, 49, 167-178.	4.1	126
38	Effects of NMDA receptor channel blockers, MK-801 and memantine, on locomotor activity and tolerance to delay of reward in Wistar [®] Kyoto and spontaneously hypertensive rats. <i>Behavioural Pharmacology</i> , 2004, 15, 263-271.	1.7	22