

Keitaro Makino, Pt

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2037324/publications.pdf>

Version: 2024-02-01

56
papers

1,049
citations

567281

15
h-index

477307

29
g-index

56
all docs

56
docs citations

56
times ranked

1374
citing authors

#	ARTICLE	IF	CITATIONS
1	Social Frailty Leads to the Development of Physical Frailty among Physically Non-Frail Adults: A Four-Year Follow-Up Longitudinal Cohort Study. <i>International Journal of Environmental Research and Public Health</i> , 2018, 15, 490.	2.6	144
2	Association of Social Frailty With Both Cognitive and Physical Deficits Among Older People. <i>Journal of the American Medical Directors Association</i> , 2017, 18, 603-607.	2.5	113
3	Aging-related anorexia and its association with disability and frailty. <i>Journal of Cachexia, Sarcopenia and Muscle</i> , 2018, 9, 834-843.	7.3	64
4	Fear of falling and gait parameters in older adults with and without fall history. <i>Geriatrics and Gerontology International</i> , 2017, 17, 2455-2459.	1.5	54
5	The effect of a multicomponent intervention to promote community activity on cognitive function in older adults with mild cognitive impairment: A randomized controlled trial. <i>Complementary Therapies in Medicine</i> , 2019, 42, 164-169.	2.7	53
6	Impact of fear of falling and fall history on disability incidence among older adults: <sc>P</sc>rospective cohort study. <i>International Journal of Geriatric Psychiatry</i> , 2018, 33, 658-662.	2.7	44
7	Comorbid Mild Cognitive Impairment and Depressive Symptoms Predict Future Dementia in Community Older Adults: A 24-Month Follow-Up Longitudinal Study. <i>Journal of Alzheimer's Disease</i> , 2016, 54, 1473-1482.	2.6	30
8	The association between anorexia of aging and physical frailty: Results from the national center for geriatrics and gerontology's study of geriatric syndromes. <i>Maturitas</i> , 2017, 97, 32-37.	2.4	30
9	Pain characteristics and incidence of functional disability among community-dwelling older adults. <i>PLoS ONE</i> , 2019, 14, e0215467.	2.5	30
10	Subjective Memory Complaints are Associated with Incident Dementia in Cognitively Intact Older People, but Not in Those with Cognitive Impairment: A 24-Month Prospective Cohort Study. <i>American Journal of Geriatric Psychiatry</i> , 2017, 25, 607-616.	1.2	29
11	Exercise and Horticultural Programs for Older Adults with Depressive Symptoms and Memory Problems: A Randomized Controlled Trial. <i>Journal of Clinical Medicine</i> , 2020, 9, 99.	2.4	29
12	Lifestyle Activity Patterns Related to Physical Frailty and Cognitive Impairment in Urban Community-Dwelling Older Adults in Japan. <i>Journal of the American Medical Directors Association</i> , 2021, 22, 583-589.	2.5	28
13	Effect of Sarcopenia Status on Disability Incidence Among Japanese Older Adults. <i>Journal of the American Medical Directors Association</i> , 2021, 22, 846-852.	2.5	22
14	Combined effects of mild cognitive impairment and slow gait on risk of dementia. <i>Experimental Gerontology</i> , 2018, 110, 146-150.	2.8	21
15	Daily Physical Activity and Functional Disability Incidence in Community-Dwelling Older Adults with Chronic Pain: A Prospective Cohort Study. <i>Pain Medicine</i> , 2019, 20, 1702-1710.	1.9	21
16	The role of social frailty in explaining the association between hearing problems and mild cognitive impairment in older adults. <i>Archives of Gerontology and Geriatrics</i> , 2018, 78, 45-50.	3.0	18
17	Prospective Associations of Physical Frailty With Future Falls and Fear of Falling: A 48-Month Cohort Study. <i>Physical Therapy</i> , 2021, 101, .	2.4	17
18	Subjective physical and cognitive age among community-dwelling older people aged 75 years and older: differences with chronological age and its associated factors. <i>Aging and Mental Health</i> , 2015, 19, 756-761.	2.8	16

#	ARTICLE	IF	CITATIONS
19	Associations of Near-Miss Traffic Incidents with Attention and Executive Function among Older Japanese Drivers. <i>Gerontology</i> , 2018, 64, 495-502.	2.8	15
20	Physical activity changes in the winter in older persons living in northern Japan: a prospective study. <i>BMC Geriatrics</i> , 2015, 15, 43.	2.7	14
21	The Effect of a Multicomponent Dual-Task Exercise on Cortical Thickness in Older Adults with Cognitive Decline: A Randomized Controlled Trial. <i>Journal of Clinical Medicine</i> , 2020, 9, 1312.	2.4	14
22	Modifiable Risk Factor Possession Patterns of Dementia in Elderly with MCI: A 4-Year Repeated Measures Study. <i>Journal of Clinical Medicine</i> , 2020, 9, 1076.	2.4	14
23	Effects of Driving Skill Training on Safe Driving in Older Adults with Mild Cognitive Impairment. <i>Gerontology</i> , 2019, 65, 90-97.	2.8	13
24	Effectiveness of the KENKOJISEICHI local revitalization system on cognitive function change in older adults with mild cognitive impairment: study protocol for a randomized controlled trial. <i>Trials</i> , 2018, 19, 276.	1.6	12
25	Engagement in Lifestyle Activities is Associated with Increased Alzheimer's Disease-Associated Cortical Thickness and Cognitive Performance in Older Adults. <i>Journal of Clinical Medicine</i> , 2020, 9, 1424.	2.4	12
26	Lifestyle changes and outcomes of older adults with mild cognitive impairment: A 4-year longitudinal study. <i>Archives of Gerontology and Geriatrics</i> , 2021, 94, 104376.	3.0	12
27	Simplified Decision-Tree Algorithm to Predict Falls for Community-Dwelling Older Adults. <i>Journal of Clinical Medicine</i> , 2021, 10, 5184.	2.4	12
28	Associations between the settings of exercise habits and health-related outcomes in community-dwelling older adults. <i>Journal of Physical Therapy Science</i> , 2015, 27, 2207-2211.	0.6	11
29	Relationship between instrumental activities of daily living performance and incidence of mild cognitive impairment among older adults: A 48-month follow-up study. <i>Archives of Gerontology and Geriatrics</i> , 2020, 88, 104034.	3.0	11
30	Physical Frailty and Future Costs of Long-Term Care in Older Adults: Results from the NCGG-SGS. <i>Gerontology</i> , 2021, 67, 695-704.	2.8	11
31	Cognitive function and unsafe driving acts during an on-road test among community-dwelling older adults with cognitive impairments. <i>Geriatrics and Gerontology International</i> , 2018, 18, 847-852.	1.5	10
32	Are non-face-to-face interactions an effective strategy for maintaining mental and physical health?. <i>Archives of Gerontology and Geriatrics</i> , 2022, 98, 104560.	3.0	10
33	Healthy Behaviors and Incidence of Disability in Community-Dwelling Elderly. <i>American Journal of Health Behavior</i> , 2018, 42, 51-58.	1.4	9
34	The Association between Neighborhood Amenities and Cognitive Function: Role of Lifestyle Activities. <i>Journal of Clinical Medicine</i> , 2020, 9, 2109.	2.4	9
35	Diabetes and Prediabetes Inhibit Reversion from Mild Cognitive Impairment to Normal Cognition. <i>Journal of the American Medical Directors Association</i> , 2021, 22, 1912-1918.e2.	2.5	9
36	Structural analysis of impact of physical, cognitive and social status on the incidence of disability in community-dwelling people aged ≥75 years. <i>Geriatrics and Gerontology International</i> , 2018, 18, 1614-1619.	1.5	8

#	ARTICLE	IF	CITATIONS
37	Predictive Validity of a New Instrumental Activities of Daily Living Scale for Detecting the Incidence of Functional Disability among Community-Dwelling Older Japanese Adults: A Prospective Cohort Study. <i>International Journal of Environmental Research and Public Health</i> , 2020, 17, 2291.	2.6	8
38	Participation in Social Activities and Relationship between Walking Habits and Disability Incidence. <i>Journal of Clinical Medicine</i> , 2021, 10, 1895.	2.4	8
39	Difference in sarcopenia characteristics associated with physical activity and disability incidences in older adults. <i>Journal of Cachexia, Sarcopenia and Muscle</i> , 2021, 12, 1983.	7.3	7
40	Absolute Cardiovascular Disease Risk Assessed in Old Age Predicts Disability and Mortality: A Retrospective Cohort Study of Community-Dwelling Older Adults. <i>Journal of the American Heart Association</i> , 2021, 10, e022004.	3.7	7
41	The effect of gait speed and gait phase to the allocation of attention during dual task gait. <i>Journal of Physical Therapy Science</i> , 2018, 30, 419-423.	0.6	6
42	A New Social Network Scale for Detecting Depressive Symptoms in Older Japanese Adults. <i>International Journal of Environmental Research and Public Health</i> , 2020, 17, 8874.	2.6	6
43	Absolute Cardiovascular Disease Risk Is Associated With the Incidence of Non-amnestic Cognitive Impairment in Japanese Older Adults. <i>Frontiers in Aging Neuroscience</i> , 2021, 13, 685683.	3.4	6
44	Life Satisfaction and the Relationship between Mild Cognitive Impairment and Disability Incidence: An Observational Prospective Cohort Study. <i>International Journal of Environmental Research and Public Health</i> , 2021, 18, 6595.	2.6	5
45	Impact of Sedentary Time on Chronic Kidney Disease and Disability Incidence in Community-Dwelling Japanese Older Adults: A 4-Year Prospective Cohort Study. <i>Journal of Aging and Physical Activity</i> , 2019, 27, 184-190.	1.0	4
46	Relationship between the occurrence of falls by season and physical functions of community-dwelling old-old people living in cold, snowy areas. <i>Geriatrics and Gerontology International</i> , 2019, 19, 124-129.	1.5	4
47	Development and validation of new screening tool for predicting dementia risk in community-dwelling older Japanese adults. <i>Journal of Translational Medicine</i> , 2021, 19, 448.	4.4	4
48	Association of social isolation and smartphone use on cognitive functions. <i>Archives of Gerontology and Geriatrics</i> , 2022, 101, 104706.	3.0	4
49	Association between hip walking and physical fitness in the elderly in a community setting. <i>Anthropological Science</i> , 2014, 122, 1-6.	0.4	3
50	Isotemporal Substitution of Sedentary Behavior With Moderate to Vigorous Physical Activity Is Associated With Lower Risk of Disability: A Prospective Longitudinal Cohort Study. <i>Physical Therapy</i> , 2022, 102, .	2.4	3
51	Physical Activity during Winter in Old-Old Women Associated with Physical Performance after One Year: A Prospective Study. <i>Current Gerontology and Geriatrics Research</i> , 2015, 2015, 1-5.	1.6	2
52	Association of Muscle Coactivation during Isometric and Isokinetic Knee Extension with Muscle Strength and Physical Performance. <i>Rigakuryoho Kagaku</i> , 2014, 29, 949-953.	0.1	1
53	Combined Effects of Pain Interference and Depressive Symptoms on Dementia Incidence: A 36-Month Follow-Up Study. <i>Journal of Alzheimer's Disease</i> , 2020, 76, 1-10.	2.6	1
54	Visceral fat accumulation is associated with risk of diabetes in community-dwelling Japanese older adults. <i>Geriatrics and Gerontology International</i> , 2021, 21, 306-312.	1.5	1

#	ARTICLE	IF	CITATIONS
55	Light intensity physical activity is beneficially associated with brain volume in older adults with high cardiovascular risk. <i>Frontiers in Cardiovascular Medicine</i> , 0, 9, .	2.4	0
56	A simple algorithm to predict disability in community-dwelling older Japanese adults. <i>Archives of Gerontology and Geriatrics</i> , 2022, 103, 104778.	3.0	0