
## Seyed-Mohammad Fereshtehnejad

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/2038748/publications.pdf

Version: 2024-02-01



#	Article	IF	CITATIONS
1	Insomnia symptom subtypes and manifestations of prodromal neurodegeneration: a population-based study in the Canadian Longitudinal Study on Aging. Journal of Clinical Sleep Medicine, 2022, 18, 345-359.	2.6	5
2	Cardioembolic Free-Floating Thrombus in the Common Carotid Artery. Canadian Journal of Neurological Sciences, 2022, , 1-5.	0.5	0
3	Estimation of the global prevalence of dementia in 2019 and forecasted prevalence in 2050: an analysis for the Clobal Burden of Disease Study 2019. Lancet Public Health, The, 2022, 7, e105-e125.	10.0	1,199
4	Burden of non-communicable diseases among adolescents aged 10–24 years in the EU, 1990–2019: a systematic analysis of the Global Burden of Diseases Study 2019. The Lancet Child and Adolescent Health, 2022, 6, 367-383.	5.6	48
5	Minimal clinically important difference of the King's Parkinson's disease Pain Scale. Disability and Rehabilitation, 2022, , 1-4.	1.8	0
6	The burden of injury in Central, Eastern, and Western European sub-region: a systematic analysis from the Global Burden of Disease 2019 Study. Archives of Public Health, 2022, 80, 142.	2.4	9
7	Adolescent transport and unintentional injuries: a systematic analysis using the Global Burden of Disease Study 2019. Lancet Public Health, The, 2022, 7, e657-e669.	10.0	34
8	Parkinson's Disease Subtypes: Critical Appraisal and Recommendations. Journal of Parkinson's Disease, 2021, 11, 395-404.	2.8	56
9	Prodromal Parkinson disease subtypes — key to understanding heterogeneity. Nature Reviews Neurology, 2021, 17, 349-361.	10.1	171
10	Use of multidimensional item response theory methods for dementia prevalence prediction: an example using the Health and Retirement Survey and the Aging, Demographics, and Memory Study. BMC Medical Informatics and Decision Making, 2021, 21, 241.	3.0	2
11	Global, regional, and national progress towards Sustainable Development Goal 3.2 for neonatal and child health: all-cause and cause-specific mortality findings from the Global Burden of Disease Study 2019. Lancet, The, 2021, 398, 870-905.	13.7	229
12	Anemia prevalence in women of reproductive age in low- and middle-income countries between 2000 and 2018. Nature Medicine, 2021, 27, 1761-1782.	30.7	60
13	Global, regional, and national mortality among young people aged 10–24 years, 1950–2019: a systematic analysis for the Global Burden of Disease Study 2019. Lancet, The, 2021, 398, 1593-1618.	13.7	92
14	Clinimetrics of the Freezing of Gait Questionnaire for Parkinson Disease During the "off" State. Basic and Clinical Neuroscience, 2021, 12, 69-78.	0.6	0
15	Editorial: Managing Parkinson's Disease With a Multidisciplinary Perspective. Frontiers in Neurology, 2021, 12, 799017.	2.4	2
16	Validity and Reliability of the Persian Version of Parkinson's Disease Sleep Scale-2. Parkinson's Disease, 2021, 2021, 1-5.	1.1	0
17	Mediating effect of mutuality on caregiver burden in Parkinson's disease partners. Aging and Mental Health, 2020, 24, 1421-1428.	2.8	21
18	Mapping disparities in education across low- and middle-income countries. Nature, 2020, 577, 235-238.	27.8	58

#	Article	IF	CITATIONS
19	Barthel Index and modified Rankin Scale: Psychometric properties during medication phases in idiopathic Parkinson disease. Annals of Physical and Rehabilitation Medicine, 2020, 63, 500-504.	2.3	24
20	Predicting severity and prognosis in Parkinson's disease from brain microstructure and connectivity. NeuroImage: Clinical, 2020, 25, 102111.	2.7	26
21	Global burden of 369 diseases and injuries in 204 countries and territories, 1990–2019: a systematic analysis for the Global Burden of Disease Study 2019. Lancet, The, 2020, 396, 1204-1222.	13.7	7,664
22	Global burden of 87 risk factors in 204 countries and territories, 1990–2019: a systematic analysis for the Global Burden of Disease Study 2019. Lancet, The, 2020, 396, 1223-1249.	13.7	3,928
23	Global age-sex-specific fertility, mortality, healthy life expectancy (HALE), and population estimates in 204 countries and territories, 1950–2019: a comprehensive demographic analysis for the Global Burden of Disease Study 2019. Lancet, The, 2020, 396, 1160-1203.	13.7	890
24	Five insights from the Global Burden of Disease Study 2019. Lancet, The, 2020, 396, 1135-1159.	13.7	335
25	Psychometric features of Neuropathic Pain Symptom Inventory in Iranian people with Parkinson's disease. Neurological Sciences, 2020, 42, 3233-3239.	1.9	2
26	Mapping geographical inequalities in oral rehydration therapy coverage in low-income and middle-income countries, 2000–17. The Lancet Global Health, 2020, 8, e1038-e1060.	6.3	23
27	Estimating global injuries morbidity and mortality: methods and data used in the Global Burden of Disease 2017 study. Injury Prevention, 2020, 26, i125-i153.	2.4	44
28	Validity and Reliability of Short-Form McGill Pain Questionnaire-2 (SF-MPQ-2) in Iranian People with Parkinson's Disease. Parkinson's Disease, 2020, 2020, 1-7.	1.1	8
29	Reply To: Cerebral Vasomotor Reactivity in Parkinson's Disease: A Missing Link between Dysautonomia, White Matter Lesions, and Cognitive Decline?. Movement Disorders Clinical Practice, 2020, 7, 996-998.	1.5	Ο
30	Mapping geographical inequalities in access to drinking water and sanitation facilities in low-income and middle-income countries, 2000–17. The Lancet Global Health, 2020, 8, e1162-e1185.	6.3	91
31	Global injury morbidity and mortality from 1990 to 2017: results from the Global Burden of Disease Study 2017. Injury Prevention, 2020, 26, i96-i114.	2.4	103
32	White Matter Hyperintensities Mediate Impact of Dysautonomia on Cognition in Parkinson's Disease. Movement Disorders Clinical Practice, 2020, 7, 639-647.	1.5	32
33	Mapping geographical inequalities in childhood diarrhoeal morbidity and mortality in low-income and middle-income countries, 2000–17: analysis for the Global Burden of Disease Study 2017. Lancet, The, 2020, 395, 1779-1801.	13.7	72
34	Serum neurofilament light chain predicts long term clinical outcomes in multiple sclerosis. Scientific Reports, 2020, 10, 10381.	3.3	82
35	The global burden of falls: global, regional and national estimates of morbidity and mortality from the Global Burden of Disease Study 2017. Injury Prevention, 2020, 26, i3-i11.	2.4	185
36	Falls in older aged adults in 22 European countries: incidence, mortality and burden of disease from 1990 to 2017. Injury Prevention, 2020, 26, i67-i74.	2.4	65

#	Article	IF	CITATIONS
37	Mapping local patterns of childhood overweight and wasting in low- and middle-income countries between 2000 and 2017. Nature Medicine, 2020, 26, 750-759.	30.7	47
38	Burden of injury along the development spectrum: associations between the Socio-demographic Index and disability-adjusted life year estimates from the Global Burden of Disease Study 2017. Injury Prevention, 2020, 26, i12-i26.	2.4	44
39	Global and regional burden of disease and injury in 2016 arising from occupational exposures: a systematic analysis for the Global Burden of Disease Study 2016. Occupational and Environmental Medicine, 2020, 77, 133-141.	2.8	56
40	Insulin-Independent and Dependent Glucose Transporters in Brain Mural Cells in CADASIL. Frontiers in Genetics, 2020, 11, 1022.	2.3	4
41	Mapping 123 million neonatal, infant and child deaths between 2000 and 2017. Nature, 2019, 574, 353-358.	27.8	161
42	Fatal Group A Streptococcal Brain Abscess in Adulthood. Canadian Journal of Neurological Sciences, 2019, 46, 776-779.	0.5	0
43	Assessment of a prognostic MRI biomarker in early de novo Parkinson's disease. NeuroImage: Clinical, 2019, 24, 101986.	2.7	26
44	Evolution of prodromal Parkinson's disease and dementia with Lewy bodies: a prospective study. Brain, 2019, 142, 2051-2067.	7.6	215
45	Burden of neurodegenerative diseases in the Eastern Mediterranean Region, 1990–2016: findings from the Clobal Burden of Disease Study 2016. European Journal of Neurology, 2019, 26, 1252-1265.	3.3	34
46	The burden of headache disorders in the Eastern Mediterranean Region, 1990-2016: findings from the Global Burden of Disease study 2016. Journal of Headache and Pain, 2019, 20, 40.	6.0	22
47	Global, regional, and national burden of neurological disorders, 1990–2016: a systematic analysis for the Global Burden of Disease Study 2016. Lancet Neurology, The, 2019, 18, 459-480.	10.2	2,625
48	Global, regional, and national burden of epilepsy, 1990–2016: a systematic analysis for the Global Burden of Disease Study 2016. Lancet Neurology, The, 2019, 18, 357-375.	10.2	526
49	Life expectancy and disease burden in the Nordic countries: results from the Global Burden of Diseases, Injuries, and Risk Factors Study 2017. Lancet Public Health, The, 2019, 4, e658-e669.	10.0	56
50	Risk factors for possible REM sleep behavior disorder. Neurology, 2019, 92, .	1.1	38
51	Global, regional, and national burden of Alzheimer's disease and other dementias, 1990–2016: a systematic analysis for the Global Burden of Disease Study 2016. Lancet Neurology, The, 2019, 18, 88-106.	10.2	1,512
52	Global, regional, and national burden of traumatic brain injury and spinal cord injury, 1990–2016: a systematic analysis for the Global Burden of Disease Study 2016. Lancet Neurology, The, 2019, 18, 56-87.	10.2	1,064
53	Reliability and Validity of Fall Efficacy Scale-International in People with Parkinson's Disease during On- and Off-Drug Phases. Parkinson's Disease, 2019, 2019, 1-7.	1.1	20
54	High burden of neurological disease in the older general population: results from the Canadian Longitudinal Study on Aging. European Journal of Neurology, 2019, 26, 356-362.	3.3	9

#	Article	IF	CITATIONS
55	A clinical-anatomical signature of Parkinson's disease identified with partial least squares and magnetic resonance imaging. NeuroImage, 2019, 190, 69-78.	4.2	66
56	PhD Education Challenges - Doctoral Candidates' Perspectives. European Scientific Journal, 2019, 15, .	0.1	0
57	Longstanding disease-free survival in idiopathic REM sleep behavior disorder: Is neurodegeneration inevitable?. Parkinsonism and Related Disorders, 2018, 54, 99-102.	2.2	35
58	Long Lag Between Drugâ€induced Parkinsonism and Idiopathic Parkinson's Disease in Idiopathic REM Sleep Behavior Disorder. Movement Disorders Clinical Practice, 2018, 5, 203-205.	1.5	4
59	Answer to a Commentary on "Tango for treatment of motor and non-motor manifestations in Parkinson's disease: A randomized control study― Complementary Therapies in Medicine, 2018, 40, 258-259.	2.7	4
60	Office-Based Screening for Dementia in Parkinson Disease. JAMA Neurology, 2018, 75, 704.	9.0	17
61	Dental care utilization in patients with different types of dementia: AÂlongitudinal nationwide study of 58,037 individuals. Alzheimer's and Dementia, 2018, 14, 10-19.	0.8	53
62	Adolescent health in the Eastern Mediterranean Region: findings from the global burden of disease 2015 study. International Journal of Public Health, 2018, 63, 79-96.	2.3	17
63	Maternal mortality and morbidity burden in the Eastern Mediterranean Region: findings from the Global Burden of Disease 2015 study. International Journal of Public Health, 2018, 63, 47-61.	2.3	9
64	Global, regional, and national age-sex-specific mortality and life expectancy, 1950–2017: a systematic analysis for the Global Burden of Disease Study 2017. Lancet, The, 2018, 392, 1684-1735.	13.7	716
65	Global, regional, and national age-sex-specific mortality for 282 causes of death in 195 countries and territories, 1980–2017: a systematic analysis for the Global Burden of Disease Study 2017. Lancet, The, 2018, 392, 1736-1788.	13.7	4,989
66	Global, regional, and national comparative risk assessment of 84 behavioural, environmental and occupational, and metabolic risks or clusters of risks for 195 countries and territories, 1990–2017: a systematic analysis for the Global Burden of Disease Study 2017. Lancet, The, 2018, 392, 1923-1994.	13.7	3,269
67	Population and fertility by age and sex for 195 countries and territories, 1950–2017: a systematic analysis for the Global Burden of Disease Study 2017. Lancet, The, 2018, 392, 1995-2051.	13.7	294
68	Global, regional, and national incidence, prevalence, and years lived with disability for 354 diseases and injuries for 195 countries and territories, 1990–2017: a systematic analysis for the Global Burden of Disease Study 2017. Lancet, The, 2018, 392, 1789-1858.	13.7	8,569
69	Measuring progress from 1990 to 2017 and projecting attainment to 2030 of the health-related Sustainable Development Goals for 195 countries and territories: a systematic analysis for the Global Burden of Disease Study 2017. Lancet, The, 2018, 392, 2091-2138.	13.7	335
70	Global, regional, and national disability-adjusted life-years (DALYs) for 359 diseases and injuries and healthy life expectancy (HALE) for 195 countries and territories, 1990–2017: a systematic analysis for the Global Burden of Disease Study 2017. Lancet, The, 2018, 392, 1859-1922.	13.7	2,123
71	White matter hyperintensities are linked to future cognitive decline in de novo Parkinson's disease patients. Neurolmage: Clinical, 2018, 20, 892-900.	2.7	53
72	Psychometric properties of the Berg balance scale in idiopathic Parkinson' disease in the drug off-phase. Neurological Sciences, 2018, 39, 2175-2181.	1.9	13

#	Article	IF	CITATIONS
73	Global, regional, and national burden of Parkinson's disease, 1990–2016: a systematic analysis for the Global Burden of Disease Study 2016. Lancet Neurology, The, 2018, 17, 939-953.	10.2	1,573
74	Mediating Effect of Mutuality on Health-Related Quality of Life in Patients with Parkinson's Disease. Parkinson's Disease, 2018, 2018, 1-8.	1.1	7
75	Global, regional, and national burden of motor neuron diseases 1990–2016: a systematic analysis for the Global Burden of Disease Study 2016. Lancet Neurology, The, 2018, 17, 1083-1097.	10.2	163
76	Measuring performance on the Healthcare Access and Quality Index for 195 countries and territories and selected subnational locations: a systematic analysis from the Global Burden of Disease Study 2016. Lancet, The, 2018, 391, 2236-2271.	13.7	638
77	Autonomic Sweat Responses in REM Sleep Behavior Disorder and Parkinsonism. Journal of Parkinson's Disease, 2018, 8, 463-468.	2.8	8
78	No Significant Difference in Cognitive Decline and Mortality between Parkinson's Disease Dementia and Dementia with Lewy Bodies: Naturalistic Longitudinal Data from the Swedish Dementia Registry. Journal of Parkinson's Disease, 2018, 8, 553-561.	2.8	10
79	Differences in diagnostic process, treatment and social Support for Alzheimer's dementia between primary and specialist care: resultss from the Swedish Dementia Registry. Age and Ageing, 2017, 46, 314-319.	1.6	18
80	Cerebral microbleeds topography and cerebrospinal fluid biomarkers in cognitive impairment. Journal of Cerebral Blood Flow and Metabolism, 2017, 37, 1006-1013.	4.3	24
81	Early-Onset Dementia. Alzheimer Disease and Associated Disorders, 2017, 31, 146-151.	1.3	12
82	Burden of musculoskeletal disorders in the Eastern Mediterranean Region, 1990–2013: findings from the Global Burden of Disease Study 2013. Annals of the Rheumatic Diseases, 2017, 76, 1365-1373.	0.9	81
83	Validation of the MDS research criteria for prodromal Parkinson's disease: Longitudinal assessment in a REM sleep behavior disorder (RBD) cohort. Movement Disorders, 2017, 32, 865-873.	3.9	102
84	Sleep Disturbances in the Prodromal Stage of Parkinson Disease. Current Treatment Options in Neurology, 2017, 19, 22.	1.8	43
85	Hyperechogenicity of substantia nigra for differential diagnosis of Parkinson's disease: A meta-analysis. Parkinsonism and Related Disorders, 2017, 42, 1-11.	2.2	30
86	Healthcare Access and Quality Index based on mortality from causes amenable to personal health care in 195 countries and territories, 1990–2015: a novel analysis from the Global Burden of Disease Study 2015. Lancet, The, 2017, 390, 231-266.	13.7	480
87	Clinical criteria for subtyping Parkinson's disease: biomarkers and longitudinal progression. Brain, 2017, 140, 1959-1976.	7.6	391
88	Subtypes of Parkinson's Disease: What Do They Tell Us About Disease Progression?. Current Neurology and Neuroscience Reports, 2017, 17, 34.	4.2	100
89	Global, regional, and national under-5 mortality, adult mortality, age-specific mortality, and life expectancy, 1970–2016: a systematic analysis for the Global Burden of Disease Study 2016. Lancet, The, 2017, 390, 1084-1150.	13.7	573
90	Global, regional, and national disability-adjusted life-years (DALYs) for 333 diseases and injuries and healthy life expectancy (HALE) for 195 countries and territories, 1990–2016: a systematic analysis for the Global Burden of Disease Study 2016. Lancet, The, 2017, 390, 1260-1344.	13.7	1,589

#	Article	IF	CITATIONS
91	Global, regional, and national age-sex specific mortality for 264 causes of death, 1980–2016: a systematic analysis for the Global Burden of Disease Study 2016. Lancet, The, 2017, 390, 1151-1210.	13.7	3,565
92	Global, regional, and national incidence, prevalence, and years lived with disability for 328 diseases and injuries for 195 countries, 1990–2016: a systematic analysis for the Global Burden of Disease Study 2016. Lancet, The, 2017, 390, 1211-1259.	13.7	5,578
93	Global, regional, and national comparative risk assessment of 84 behavioural, environmental and occupational, and metabolic risks or clusters of risks, 1990–2016: a systematic analysis for the Global Burden of Disease Study 2016. Lancet, The, 2017, 390, 1345-1422.	13.7	1,879
94	Global, regional, and national burden of neurological disorders during 1990–2015: a systematic analysis for the Global Burden of Disease Study 2015. Lancet Neurology, The, 2017, 16, 877-897.	10.2	1,521
95	Measuring progress and projecting attainment on the basis of past trends of the health-related Sustainable Development Goals in 188 countries: an analysis from the Global Burden of Disease Study 2016. Lancet, The, 2017, 390, 1423-1459.	13.7	284
96	Multiple sclerosis and environmental risk factors: a case-control study in Iran. Neurological Sciences, 2017, 38, 1941-1951.	1.9	28
97	Diabetes in a Large Dementia Cohort: Clinical Characteristics and Treatment From the Swedish Dementia Registry. Diabetes Care, 2017, 40, 1159-1166.	8.6	29
98	Psychometric properties of the mutuality scale in Swedish dyads with Parkinson's disease. Acta Neurologica Scandinavica, 2017, 136, 122-128.	2.1	11
99	Evolution of Orofacial Symptoms and Disease Progression in Idiopathic Parkinson's Disease: Longitudinal Data from the Jönköping Parkinson Registry. Parkinson's Disease, 2017, 2017, 1-8.	1.1	19
100	Determinants of Dyadic Relationship and Its Psychosocial Impact in Patients with Parkinson's Disease and Their Spouses. Parkinson's Disease, 2017, 2017, 1-9.	1.1	17
101	Sexual dimorphism in Parkinson's disease: differences in clinical manifestations, quality of life and psychosocial functioning between males and females. Neuropsychiatric Disease and Treatment, 2017, Volume 13, 329-338.	2.2	16
102	The Burden of Mental Disorders in the Eastern Mediterranean Region, 1990-2013. PLoS ONE, 2017, 12, e0169575.	2.5	102
103	Prevalence and associated comorbidities of restless legs syndrome (RLS): Data from a large population-based door-to-door survey on 19176 adults in Tehran, Iran. PLoS ONE, 2017, 12, e0172593.	2.5	19
104	A Mitochondrial Disorder in a Middle Age Iranian Patient: Report of a Rare Case. Basic and Clinical Neuroscience, 2017, 8, 337-343.	0.6	4
105	Analysis of Being Active Based on Older Adults' Experience: A Qualitative Study of Active Aging Strategies. Salmand: Iranian Journal of Ageing, 2017, 11, 504-517.	0.5	5
106	Disability-Adjusted Life-Years (DALYs) for 315 Diseases and Injuries and Healthy Life Expectancy (HALE) in Iran and its Neighboring Countries, 1990-2015: Findings from Global Burden of Disease Study 2015. Archives of Iranian Medicine, 2017, 20, 403-418.	0.6	18
107	Trend of Socio-Demographic Index and Mortality Estimates in Iran and its Neighbors, 1990-2015; Findings of the Global Burden of Diseases 2015 Study. Archives of Iranian Medicine, 2017, 20, 419-428.	0.6	10
108	Sex differences in stroke: a socioeconomic perspective. Clinical Interventions in Aging, 2016, Volume 11, 1207-1212.	2.9	6

#	Article	IF	CITATIONS
109	Assessment and Reporting of Driving Fitness in Patients with Dementia in Clinical Practice: Data from SveDem, the Swedish Dementia Registry. Journal of Alzheimer's Disease, 2016, 53, 631-638.	2.6	11
110	Antidepressants and mortality risk in a dementia cohort – data from SveDem, the Swedish Dementia Registry. European Psychiatry, 2016, 33, S85-S85.	0.2	0
111	Pathological Location of Cranial Nerves in Petroclival Lesions: How to Avoid Their Injury during Anterior Petrosal Approach. Journal of Neurological Surgery, Part B: Skull Base, 2016, 77, 006-013.	0.8	15
112	Antidepressants and mortality risk in a dementia cohort: data from SveDem, the Swedish Dementia Registry. Acta Psychiatrica Scandinavica, 2016, 134, 430-440.	4.5	32
113	Strategies to maintain quality of life among people with Parkinson's disease: what works?. Neurodegenerative Disease Management, 2016, 6, 399-415.	2.2	19
114	Global, regional, and national levels of maternal mortality, 1990–2015: a systematic analysis for the Global Burden of Disease Study 2015. Lancet, The, 2016, 388, 1775-1812.	13.7	740
115	Global, regional, and national disability-adjusted life-years (DALYs) for 315 diseases and injuries and healthy life expectancy (HALE), 1990–2015: a systematic analysis for the Global Burden of Disease Study 2015. Lancet, The, 2016, 388, 1603-1658.	13.7	1,612
116	Global, regional, and national life expectancy, all-cause mortality, and cause-specific mortality for 249 causes of death, 1980–2015: a systematic analysis for the Global Burden of Disease Study 2015. Lancet, The, 2016, 388, 1459-1544.	13.7	4,934
117	Global, regional, and national incidence, prevalence, and years lived with disability for 310 diseases and injuries, 1990–2015: a systematic analysis for the Global Burden of Disease Study 2015. Lancet, The, 2016, 388, 1545-1602.	13.7	5,298
118	Global, regional, and national comparative risk assessment of 79 behavioural, environmental and occupational, and metabolic risks or clusters of risks, 1990–2015: a systematic analysis for the Global Burden of Disease Study 2015. Lancet, The, 2016, 388, 1659-1724.	13.7	4,203
119	Global, regional, national, and selected subnational levels of stillbirths, neonatal, infant, and under-5 mortality, 1980–2015: a systematic analysis for the Global Burden of Disease Study 2015. Lancet, The, 2016, 388, 1725-1774.	13.7	571
120	Measuring the health-related Sustainable Development Goals in 188 countries: a baseline analysis from the Global Burden of Disease Study 2015. Lancet, The, 2016, 388, 1813-1850.	13.7	413
121	Carotid duplex ultrasound and transcranial Doppler findings in commercial divers and pilots. Neurological Sciences, 2016, 37, 1911-1916.	1.9	3
122	Health in times of uncertainty in the eastern Mediterranean region, 1990–2013: a systematic analysis for the Global Burden of Disease Study 2013. The Lancet Global Health, 2016, 4, e704-e713.	6.3	147
123	Estimates of global, regional, and national incidence, prevalence, and mortality of HIV, 1980–2015: the Global Burden of Disease Study 2015. Lancet HIV,the, 2016, 3, e361-e387.	4.7	461
124	Burden of Diarrhea in the Eastern Mediterranean Region, 1990–2013: Findings from the Global Burden of Disease Study 2013. American Journal of Tropical Medicine and Hygiene, 2016, 95, 1319-1329.	1.4	27
125	Association of Platelet Serotonin Levels in Alzheimer's Disease with Clinical and Cerebrospinal Fluid Markers. Journal of Alzheimer's Disease, 2016, 53, 621-630.	2.6	19
126	Cerebrospinal fluid profiles with increasing number of cerebral microbleeds in a continuum of cognitive impairment. Journal of Cerebral Blood Flow and Metabolism, 2016, 36, 621-628.	4.3	40

#	Article	IF	CITATIONS
127	Risk factors of Multiple sclerosis and their Relation with Disease Severity: A Cross-sectional Study from Iran. Archives of Iranian Medicine, 2016, 19, 852-860.	0.6	6
128	Dementia Diagnosis, Treatment, and Care in Specialist Clinics in Two Scandinavian Countries: A Data Comparison between the Swedish Dementia Registry (SveDem) and the Danish Dementia Registry. Journal of Alzheimer's Disease, 2015, 48, 229-239.	2.6	22
129	Medium-to-high prevalence of screening-detected parkinsonism in the urban area of Tehran, Iran: data from a community-based door-to-door study. Neuropsychiatric Disease and Treatment, 2015, 11, 321.	2.2	15
130	Mortality in Iranian Patients with Parkinson's Disease: Cumulative Impact of Cardiovascular Comorbidities as One Major Risk Factor. Parkinson's Disease, 2015, 2015, 1-6.	1.1	2
131	SveDem, the Swedish Dementia Registry – A Tool for Improving the Quality of Diagnostics, Treatment and Care of Dementia Patients in Clinical Practice. PLoS ONE, 2015, 10, e0116538.	2.5	124
132	Heterogeneous Determinants of Quality of Life in Different Phenotypes of Parkinson's Disease. PLoS ONE, 2015, 10, e0137081.	2.5	27
133	Global, regional, and national incidence, prevalence, and years lived with disability for 301 acute and chronic diseases and injuries in 188 countries, 1990–2013: a systematic analysis for the Global Burden of Disease Study 2013. Lancet, The, 2015, 386, 743-800.	13.7	4,951
134	The Global Burden of Cancer 2013. JAMA Oncology, 2015, 1, 505.	7.1	2,269
135	Heart failure and dementia: survival in relation to types of heart failure and different dementia disorders. European Journal of Heart Failure, 2015, 17, 612-619.	7.1	55
136	Cerebral Microbleeds: Different Prevalence, Topography, and Risk Factors Depending on Dementia Diagnosis—The Karolinska Imaging Dementia Study. American Journal of Neuroradiology, 2015, 36, 661-666.	2.4	103
137	New Clinical Subtypes of Parkinson Disease and Their Longitudinal Progression. JAMA Neurology, 2015, 72, 863.	9.0	456
138	Tango for treatment of motor and non-motor manifestations in Parkinson's disease: A randomized control study. Complementary Therapies in Medicine, 2015, 23, 175-184.	2.7	159
139	Mini Nutritional Assessment (MNA) is Rather a Reliable and Valid Instrument to Assess Nutritional Status in Iranian Healthy Adults and Elderly with a Chronic Disease. Ecology of Food and Nutrition, 2015, 54, 342-357.	1.6	24
140	Global, regional, and national disability-adjusted life years (DALYs) for 306 diseases and injuries and healthy life expectancy (HALE) for 188 countries, 1990–2013: quantifying the epidemiological transition. Lancet, The, 2015, 386, 2145-2191.	13.7	1,544
141	Global, regional, and national comparative risk assessment of 79 behavioural, environmental and occupational, and metabolic risks or clusters of risks in 188 countries, 1990–2013: a systematic analysis for the Global Burden of Disease Study 2013. Lancet, The, 2015, 386, 2287-2323.	13.7	2,184
142	Anterior petrosal approach: The safety of Kawase triangle as an anatomical landmark for anterior petrosectomy in petroclival meningiomas. Clinical Neurology and Neurosurgery, 2015, 139, 282-287.	1.4	35
143	Global, regional, and national age–sex specific all-cause and cause-specific mortality for 240 causes of death, 1990–2013: a systematic analysis for the Global Burden of Disease Study 2013. Lancet, The, 2015, 385, 117-171.	13.7	5,847
144	The Use of MRI, CT and Lumbar Puncture in Dementia Diagnostics: Data from the SveDem Registry. Dementia and Geriatric Cognitive Disorders, 2015, 39, 81-91.	1.5	20

#	Article	IF	CITATIONS
145	Restless legs syndrome in patients with Parkinson's disease: a comparative study on prevalence, clinical characteristics, quality of life and nutritional status. Acta Neurologica Scandinavica, 2015, 131, 211-218.	2.1	60
146	Validity and Reliability of the Persian (Farsi) Version of the <scp>DN</scp> 4 (Douleur Neuropathique 4) Tj ETQ Practice, 2014, 14, 427-436.	90 0 0 rgBT 1.9	/Overlock 10 34
147	Differences in Routine Clinical Practice between Early and Late Onset Alzheimer's Disease: Data from the Swedish Dementia Registry (SveDem). Journal of Alzheimer's Disease, 2014, 41, 411-419.	2.6	26
148	Active Aging for Individuals with Parkinson's Disease: Definitions, Literature Review, and Models. Parkinson's Disease, 2014, 2014, 1-8.	1.1	8
149	Comparison of the Psychological Symptoms and Disease-Specific Quality of Life between Early- and Typical-Onset Parkinson's Disease Patients. Parkinson's Disease, 2014, 2014, 1-7.	1.1	14
150	Orthostatic Hypotension in Patients with Parkinson's Disease and Atypical Parkinsonism. Parkinson's Disease, 2014, 2014, 1-10.	1.1	25
151	Cross-Cultural Validity, Reliability, and Psychometric Properties of the Persian Version of the Scales for Outcomes in Parkinson's Disease-Psychosocial Questionnaire. Neurology Research International, 2014, 2014, 1-7.	1.3	5
152	Comorbidity profile in dementia with Lewy bodies versus Alzheimer's disease: a linkage study between the Swedish Dementia Registry and the Swedish National Patient Registry. Alzheimer's Research and Therapy, 2014, 6, 65.	6.2	32
153	Fetal cerebral hemodynamic in gestational diabetic versus normal pregnancies: a Doppler velocimetry of middle cerebral and umbilical arteries. Acta Neurologica Belgica, 2014, 114, 15-23.	1.1	15
154	Comparison of two protocols of transcranial magnetic stimulation for treatment of chronic tinnitus: a randomized controlled clinical trial of burst repetitive versus high-frequency repetitive transcranial magnetic stimulation. Neurological Sciences, 2014, 35, 227-232.	1.9	21
155	Anti-Dementia Drugs and Co-Medication Among Patients with Alzheimer's Disease. Drugs and Aging, 2014, 31, 215-224.	2.7	40
156	"Münster correlation―in temporal bone: surgical relevance of an anatomical study. Anatomical Science International, 2014, 89, 112-117.	1.0	4
157	Global, regional, and national levels of neonatal, infant, and under-5 mortality during 1990–2013: a systematic analysis for the Global Burden of Disease Study 2013. Lancet, The, 2014, 384, 957-979.	13.7	609
158	Cardiovascular medication burden in dementia disorders: a nationwide study of 19,743 dementia patients in the Swedish Dementia Registry. Alzheimer's Research and Therapy, 2014, 6, 34.	6.2	29
159	Global, regional, and national incidence and mortality for HIV, tuberculosis, and malaria during 1990–2013: a systematic analysis for the Global Burden of Disease Study 2013. Lancet, The, 2014, 384, 1005-1070.	13.7	786
160	Psychometric study of the Persian short-form eight-item Parkinson's disease questionnaire (PDQ-8) to evaluate health related quality of life (HRQoL). Health and Quality of Life Outcomes, 2014, 12, 78.	2.4	20
161	Global, regional, and national levels and causes of maternal mortality during 1990–2013: a systematic analysis for the Global Burden of Disease Study 2013. Lancet, The, 2014, 384, 980-1004.	13.7	1,230
162	Prevalence of Malnutrition in Patients with Parkinson's Disease: A Comparative Study with Healthy Controls using Mini Nutritional Assessment (MNA) Questionnaire. Journal of Parkinson's Disease, 2014, 4, 473-481.	2.8	21

#	Article	IF	CITATIONS
163	A Novel 6-Item Screening Questionnaire for Parkinsonism: Validation and Comparison Between Different Instruments. Neuroepidemiology, 2014, 43, 178-193.	2.3	14
164	Body Mass Index in Different Dementia Disorders: Results from the Swedish Dementia Quality Registry (SveDem). Dementia and Geriatric Cognitive Disorders Extra, 2014, 4, 65-75.	1.3	16
165	P3-288: DIAGNOSIS AND TREATMENT OF ALZHEIMER'S DISEASE IN SPECIALIST UNITS COMPARED TO PRIMARY CARE. , 2014, 10, P736-P737.		1
166	Motor, Psychiatric and Fatigue Features Associated with Nutritional Status and Its Effects on Quality of Life in Parkinson's Disease Patients. PLoS ONE, 2014, 9, e91153.	2.5	48
167	Arterial blood gas and spirometry parameters affect the length of stay in hospitalized asthmatic patients. Medical Journal of the Islamic Republic of Iran, 2014, 28, 4.	0.9	2
168	Extra-axial medulloblastoma in cerebello-pontine angle: A report of a rare case with literature review. Medical Journal of the Islamic Republic of Iran, 2014, 28, 57.	0.9	7
169	X-ray radiation and the risk of multiple sclerosis: Do the site and dose of exposure matter?. Medical Journal of the Islamic Republic of Iran, 2014, 28, 145.	0.9	5
170	Epidemiology of headaches in Tehran urban area: a population-based cross-sectional study in district 8, year 2010. Neurological Sciences, 2013, 34, 1157-1166.	1.9	32
171	Intramedullary thoracic spine epidermoid cyst with myelopathic presentations: A report of a rare case. Clinical Neurology and Neurosurgery, 2013, 115, 841-843.	1.4	12
172	Serum Levels of Cardiac Troponin I in Patients with Status Epilepticus and Healthy Cardiovascular System. Archives of Medical Research, 2013, 44, 449-453.	3.3	9
173	Motor and non-motor determinants of chronic fatigue in idiopathic Parkinson's disease (IPD). Journal of the Neurological Sciences, 2013, 333, e82.	0.6	0
174	Managing palliative care in Parkinson's disease from diagnosis to end-stage disease: what the clinician should know. Neurodegenerative Disease Management, 2013, 3, 169-183.	2.2	6
175	Attitude towards plagiarism among Iranian medical students. Journal of Medical Ethics, 2013, 39, 249-249.	1.8	9
176	Demography, diagnostics, and medication in dementia with Lewy bodies and Parkinson's disease with dementia: data from the Swedish Dementia Quality Registry (SveDem). Neuropsychiatric Disease and Treatment, 2013, 9, 927.	2.2	33
177	Reliability and Validity of the Persian Version of the Fatigue Severity Scale in Idiopathic Parkinson's Disease Patients. Parkinson's Disease, 2013, 2013, 1-7.	1.1	26
178	Comparison of the Serum Concentration of Zinc in Patients With Bronchiectasis and Control Group. Iranian Red Crescent Medical Journal, 2013, 15, 587-589.	0.5	4
179	Effect of Zafirlukast on improving lung function in patients with chronic obstructive pulmonary diseases. Medical Journal of the Islamic Republic of Iran, 2013, 27, 57-61.	0.9	1
180	Vitamin d3 concentration correlates with the severity of multiple sclerosis. International Journal of Preventive Medicine, 2013, 4, 585-91.	0.4	16

#	Article	IF	CITATIONS
181	Chronic cerebrospinal venous insufficiency in patients with multiple sclerosis: A case-control study from Iran. Perspectives in Medicine, 2012, 1, 375-380.	0.3	3
182	The long-term effects of hypobaric and hyperbaric conditions on brain hemodynamic: A transcranial Doppler ultrasonography of blood flow velocity of middle cerebral and basilar arteries in pilots and divers. Perspectives in Medicine, 2012, 1, 316-320.	0.3	2
183	1325 NON-ALCOHOLIC FATTY LIVER DISEASE AND CORRELATION OF SERUM ALANIN AMINOTRANSFERASE (ALT) LEVEL WITH HISTOPATHOLOGIC FINDINGS. Journal of Hepatology, 2012, 56, S521.	3.7	0
184	Association Between Irritable Bowel Syndrome and Restless Legs Syndrome: A Comparative Study With Control Group. Journal of Neurogastroenterology and Motility, 2012, 18, 426-433.	2.4	12
185	Methods for assessing mortality in Parkinson's disease surveys. Movement Disorders, 2012, 27, 926-926.	3.9	0
186	Iranian hereditary hemochromatosis patients: Baseline characteristics, laboratory data and gene mutations. Medical Science Monitor, 2012, 18, CR622-CR629.	1.1	9
187	Gender Role in Irritable Bowel Syndrome: A Comparison of Irritable Bowel Syndrome Module (ROME) Tj ETQq1 1 0	.784314 r 2.4	rgβT /Overlo 41
188	Doppler echocardiographic indices in aortic coarctation : a comparison of profiles before and after stenting : cardiovascular topic. Cardiovascular Journal of Africa, 2012, 23, 483-490.	0.4	7
189	New Predictors for Advanced Retinopathy of Prematurity among Neonates in Tehran/Iran. Iranian Journal of Pediatrics, 2012, 22, 375-84.	0.3	1
190	Serum uric acid level in acute stroke patients. Medical Journal of the Islamic Republic of Iran, 2012, 26, 66-72.	0.9	22
191	Association of serum 25(OH) vitamin D3 concentration with severity of multiple sclerosis. Iranian Journal of Neurology, 2012, 11, 54-8.	0.5	16
192	Comparison of the Serum Electrolyte Levels among Patients Died and Survived in the Intensive Care Unit. Tanaffos, 2012, 11, 36-42.	0.5	28
193	Soft tissue distraction using pentagonal frame for long-standing traumatic flexion deformity of interphalangeal joints. Chinese Journal of Traumatology - English Edition, 2012, 15, 206-11.	1.4	1
194	Evaluation of cerebral vasomotor reactivity in Parkinson's disease: Is there any association with orthostatic hypotension?. Clinical Neurology and Neurosurgery, 2011, 113, 368-372.	1.4	12
195	Outcome of renal transplantation in children: A multiâ€center national report from Iran. Pediatric Transplantation, 2011, 15, 533-538.	1.0	14
196	Non-alcoholic fatty liver disease and correlation of serum alanin aminotransferase level with histopathologic findings. Hepatitis Monthly, 2011, 11, 452-8.	0.2	22
197	Renal amyloidosis in a child with neutropenia. Saudi Journal of Kidney Diseases and Transplantation: an Official Publication of the Saudi Center for Organ Transplantation, Saudi Arabia, 2011, 22, 1019-21.	0.3	Ο
198	Correlation of hepatic vein Doppler waveform and hepatic artery resistance index with the severity of nonalcoholic fatty liver disease. Journal of Clinical Ultrasound, 2010, 38, 346-352.	0.8	28

#	Article	IF	CITATIONS
199	Short-term and long-term effects of slow graft function on graft survival in pediatric live donor renal transplantation. Pediatric Transplantation, 2010, 14, 196-202.	1.0	6
200	Long-term upper and lower urinary tract functions in children with posterior urethral valves. Journal of Pediatric Urology, 2010, 6, 143-147.	1.1	21
201	Prick test: A survey and comparison between Iranian allergic children and adults. Allergologia Et Immunopathologia, 2010, 38, 287-290.	1.7	1
202	Non-alcoholic steatohepatitis and influence of age and gender on histopathologic findings. World Journal of Gastroenterology, 2010, 16, 4169.	3.3	12
203	Effect of levamisole in steroid-dependent nephrotic syndrome. Iranian Journal of Kidney Diseases, 2010, 4, 292-6.	0.1	15
204	Serum Levels of Cardiac Troponin I in Patients with Uncomplicated Epileptic Seizure. Archives of Medical Research, 2009, 40, 24-28.	3.3	23
205	Effect of Folate Supplementation on Serum Homocysteine and Plasma Total Antioxidant Capacity in Hypercholesterolemic Adults under Lovastatin Treatment: A Double-blind Randomized Controlled Clinical Trial. Archives of Medical Research, 2009, 40, 380-386.	3.3	18
206	Urine macrophage migration inhibitory factor (MIF) in children with urinary tract infection: a possible predictor of acute pyelonephritis. Pediatric Nephrology, 2009, 24, 105-111.	1.7	18
207	Transpetrosal approach: an anatomical study of temporal bone. European Archives of Oto-Rhino-Laryngology, 2009, 266, 1373-1380.	1.6	7
208	Outcome of living donor renal allograft survival in children with focal segmental glomerulosclerosis. Pediatric Transplantation, 2009, 13, 39-43.	1.0	0
209	Renal artery stenosis in hypertensive patients with or without type 2 diabetes: a comparative magnetic resonance angiography study. Archives of Iranian Medicine, 2009, 12, 250-5.	0.6	2
210	Objective measurement of nasal airway dimensions and resistance using acoustic rhinometry and rhinomanometry in habitual snorers compared with non-snorers. European Archives of Oto-Rhino-Laryngology, 2008, 265, 1483-1487.	1.6	8
211	Kidney transplantation in children with posterior urethral valves. Pediatric Transplantation, 2008, 12, 516-519.	1.0	28
212	Clinical correlation between dyslipidemia and pediatric chronic allograft nephropathy. Pediatric Transplantation, 2008, 12, 748-754.	1.0	10
213	Short-term and long-term outcome of hemolytic uremic syndrome in Iranian children. Journal of Nephrology, 2008, 21, 694-703.	2.0	11
214	The effect of interferon-beta1a on relapses and progression of disability in patients with clinically isolated syndromes (CIS) suggestive of multiple sclerosis. Clinical Neurology and Neurosurgery, 2007, 109, 344-349.	1.4	13
215	Age of puberty in Iranian girls living in Tehran. Annals of Human Biology, 2006, 33, 628-633.	1.0	18
216	Outcome of pediatric renal transplantation in Labfi Nejad Hospital, Tehran, Iran. Pediatric Nephrology, 2006, 21, 1459-1463.	1.7	23

#	Article	IF	CITATIONS
217	Cross-sectional reference values for height, weight and body mass index of schoolchildren living in Tehran, Iran. Annals of Human Biology, 2006, 33, 471-479.	1.0	9
218	Outcome of Renal Transplantation in Children With Low Urinary Tract Abnormality. Transplantation Proceedings, 2005, 37, 3071-3074.	0.6	15
219	Mycophenolate Mofetil in Pediatric Renal Transplantation. Transplantation Proceedings, 2005, 37, 3012-3015.	0.6	9